
Information technology — JPSearch —

Part 4:

**File format for metadata embedded in
image data (JPEG and JPEG 2000)**

Technologies de l'information — JPSearch —

*Partie 4: Format de fichier de métadonnées incorporées dans des
données d'image (JPEG et JPEG 2000)*

STANDARDSISO.COM : Click to view the PDF of ISO/IEC 24800-4:2010

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 24800-4:2010



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2010

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
Introduction.....	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Overview.....	2
5 JPSearch Metadata syntax	3
5.1 JPSearch Metadata Block overall structure	3
5.2 ElementaryMetadata block	3
5.3 Syntax and semantics of Data block in an elementary metadata	5
5.4 Pre-registered metadata	6
6 JPSearch File structure	6
6.1 Overview.....	6
6.2 JPEG-1 and its compliant file formats.....	6
6.3 JPEG-2000 and its compliant file formats.....	7

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of the joint technical committee is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

ISO/IEC 24800-4 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 29, *Coding of audio, picture, multimedia and hypermedia information*.

ISO/IEC 24800 consists of the following parts, under the general title *Information technology — JPSearch*:

- *Part 1: System framework and components*
- *Part 2: Registration, identification and management of schema and ontology*
- *Part 3: Query format*
- *Part 4: File format for metadata embedded in image data (JPEG and JPEG 2000)*
- *Part 5: Data interchange format between image repositories*
- *Part 6: Reference software*

Introduction

ISO/IEC 24800 (JPSearch) was developed to provide an interoperable mechanism to handle metadata among compliant systems including repository, search engine, and file entities. This part of ISO/IEC 24800 aims to provide a compatible mechanism exchange image data and its associate metadata using existing file formats.

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 24800-4:2010

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 24800-4:2010

Information technology — JPSearch —

Part 4:

File format for metadata embedded in image data (JPEG and JPEG 2000)

1 Scope

This part of ISO/IEC 24800, JPSearch, provides an interoperable data exchange format between various devices and platforms. It includes extensions of several existing file formats and file-format-independent metadata formats.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC 10918-1, *Information technology — Digital compression and coding of continuous-tone still images: Requirements and guidelines*

ISO/IEC 15444-1, *Information technology — JPEG 2000 image coding system: Core coding system*

ISO/IEC 24800-2, *Information technology — JPSearch — Part 2: Registration, identification and management of schema and ontology*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1

metadata

entity of data describing image resource

3.2

JPSearch metadata schema

metadata schema registered according to the Metadata Registration Authority defined in ISO/IEC 24800-2

3.3

elementary metadata

set of metadata entity compliant to one of the JPSearch metadata schema

3.4

JPEG

JPEG-1

entity of code stream specification defined in ISO/IEC 10918-1

**3.5
JPEG 2000**

entity of code stream specification defined in ISO/IEC 15444-1

**3.6
big endian**

byte ordering in a file used to represent integer value from the most significant byte

NOTE The hexadecimal value '0x01234567' is stored as [0x01][0x23][0x45][0x67] using the big endian format.

**3.7
JPSearch core metadata schema**

metadata schema defined in Clause 5 of ISO/IEC 24800-2

**3.8
JPSearch Registration Authority**

registration authority defined in ISO/IEC 24800-2 who manages schema and translation rules

4 Overview

Figure 1 illustrates a concept of JPSearch file format. It is designed as a full-compatible file format with existing JPEG (Exif) and JPEG 2000 file format. It contains several JPSearchMetadata blocks which are a container of JPSearch metadata and each of them has one or more ElementaryMetadata blocks inside. ElementaryMetadata block is a basic structure of this specification. It stores an instance of certain metadata schema by certain author. Multiple instances for the same schema can be instantiated simultaneously to implement social tagging functionality. Any types of metadata schemes can be used if they are registered as JPSearch metadata using ISO/IEC 24800-2 framework.




Figure 1 — Concept of JPSearch file format

In this Part of ISO/IEC 24800, Clauses 5 and 6 provide the specification of overall file format and detailed structure of `JPSearchMetadata` block and `ElementaryMetadata` block, respectively.

5 JPSearch Metadata syntax

5.1 JPSearch Metadata Block overall structure

A `JPSearchMetadata` block is a file-format-independent bit-stream to describe various kinds of metadata. It consists of one or more `ElementaryMetadata` block(s) as follows.

```
JPSearchMetadata {
  StartCode;
  VersionID;
  NumberOfElementaryMetadata;
  ElementaryMetadata[];
}
```

Table 1 — Component semantics of in `JPSearchMetadata` block

Tag Name	Type	length	Semantics
StartCode	Fixed length string	4 bytes	A 4-byte-length unique code to identify the start point. 'JPS' with a termination code (0x00) is used as the <code>StartCode</code> .
VersionID	unsigned char	1 bytes	0x01 is reserved for ISO/IEC 24800-4. Other values are reserved for future extensions. Note: <code>VersionID</code> will be changed only when the syntax of metadata box is modified.
NumberOfElementaryMetadata	unsigned short (big endian)	2 bytes	Specifying the number of <code>ElementaryMetadata</code> . Value 0xffff is reserved. The value 0 (0x0000) is prohibited.
ElementaryMetadata	Binary stream	-	Describing <code>ElementaryMetadata</code> block (see 5.2)

Note that additional bit stream may continue after `ElementaryMetadata` if `VersionID` is not 0x01.

5.2 ElementaryMetadata block

An `ElementaryMetadata` block is designed to contain one instance of `ElementaryMetadata`. Multiple blocks shall be included in a file to carry several metadata instances written in different `JPSearch` metadata schema. Several blocks using the same `JPSearch` metadata schema can be also instantiated simultaneously. `JPSearch` Part 4 compliant file format shall contain at least one elementary metadata block whose `SchemaAndIdentifier` is "JPSearch:schema:coremetadata", which means that the block contain an instance of `JPSearch` core metadata schema.

```

ElementaryMetadata {
  StartCode;
  LengthOfBlock;
  SchemaIdentifier;
  Annotation {
    LengthOfAnnotation;
    ConfidentMeasure;
    Creation&DateAndTime;
    LastUpdateDateAndTime;
    LengthOfAuthor;
    Author;
    FlagReadOnly;
  }
  LengthOfData;
  Encoding;
  Data;
}
    
```

Table 2 — Component semantics of ElementaryMetadata

Tag Name	Type	length	Semantics
StartCode	String	4 bytes	A unique code to identify the start point. A string 'SEM' with termination code (0x00) is used as StartCode.
LengthOfBlock	Unsigned long (big endian)	4 bytes	Specifying the size of elementary metadata block including StartCode.
SchemaIdentifier	URI string	-	Specifying the identifier of a registered schema to recognize the syntax and semantics of Data block. URI format is used with termination character 0x00 at the end. (See ISO/IEC 24800-2)
Annotation	Binary stream	-	Describing Annotation block (see Table 3)
LengthOfData	Unsigned long (big endian)	4 bytes	Specifying the size of Data block in Bytes
Encoding	Unsigned char	1 byte	Specifying the encoding method used for Data. Available values are shown in Table 4.
Data	Binary stream	-	Instance of metadata. The syntax of Data depends on Encoding and SchemaIdentifier as shown in 5.3.

Compliant systems shall use LengthOfBlock to skip a elementary metadata block to have interoperability with future extensions where additional bits might be added after Data.

Table 3 — Component semantics of Annotation block in ElementaryMetadata

Tag Name	Type	Length	Semantics
LengthOfAnnotation	unsigned long (big endian)	4 bytes	Specifying the size of Annotation block in byte. It should be noted that Annotation block may be extended in future.
ConfidentMeasure	unsigned char	1 byte	Lower 4 bits are valid and higher 4 bits are reserved for future extensions. Describing the overall reliability of the data in range of [0, 15]. The value The higher value means more confident. The value 0 (0x00) means that the following metadata is meaningless and 15 (0x0f) stands for completely reliable. Note that 15 (0x0f) can be used only by content creator, who captures the corresponding image.
CreationDateTime	ASCII	20 bytes	Describing creation date/time of Data in GMT. The format shall be YYYY/MM/DD-HH:MM:SS(null). Here YYYY, MM, DD, HH, MM, SS denote year, month day, hour, minute, second respectively. (null) denotes the code 0x00.
LastUpdateDateTime	ASCII	20 bytes	Describing the last update date/time of Data in GMT. The format shall be YYYY/MM/DD-HH:MM:SS(null). Here YYYY, MM, DD, HH, MM, SS denote year, month day, hour, minute, second respectively. (null) denotes the code 0x00.
LengthOfAuthor	unsigned char	1 byte	Specifying the size of Author field in byte. Note that the maximum size of the field including termination character code is limited to 256 byte.
Author	Unicode string	Specified by LengthOfAuthor	Describing the author's name of Data. Any Unicode string can be used. The string shall be terminated by null(0x00)
FlagReadOnly	Unsigned char	1 byte	Specifying if the update of Data is allowed. 0x00 means allowed and 0xff not. Other values are reserved for future extension.

Compliant systems shall use LengthOfAnnotation to reach the start position of LengthOfData to have interoperability with future extensions where additional bits might be added after FlagReadOnly.

5.3 Syntax and semantics of Data block in an elementary metadata

The syntax and semantics of Data block is depending on the metadata specification used as well as coding method identified by Encoding. Table 4 shows semantics of Encoding field used in ElementaryMetadata blocks. When Encoding is 'T' (textual XML representation), a schema file to parse Data can be obtained from JPSearch Registration Authority using schema management procedure defined in ISO/IEC 24800-2. If Encoding is NUL, see the corresponding specification identified by SchemaIdentifier to obtained syntax used.

Table 4 — Semantics of Encoding

Value	Semantics
'T' (0x54)	Data is written as an textual XML instance. The corresponding schema can be obtained using schema registration process defined in ISO/IEC 24800-2. (recommended)
'B' (0x42)	Data is encoded using schema-supplier defined method. The syntax information to decode <i>Data</i> shall be provided by Registration Authority.
NUL (0x00)	No encoding method is identified. See the corresponding specification.
Others	Reserved for future extensions of ISO/IEC 24800-4.

5.4 Pre-registered metadata

Any metadata schema which has been registered and has a unique ID using ISO/IEC 24800-2 can be instantiated in a file; however, at least, an instance of JPSearch core metadata schema shall be included. Table 5 show the list of identifier which shall be recognized by ISO/IEC 24800-4 compliant systems.

A registration mechanism of user-defined metadata shcema is specified in ISO/IEC 24800-2.

Table 5 — A list of pre-registered metadata schemas available for JPSearch file formats

Identifier (see ISO/IEC 24800-2)	Semantics
"JPSearch:schema:coremet adata"	JPSearch core metadata defined in Clause 3 in ISO/IEC 24800-2.

6 JPSearch File structure

6.1 Overview

JPSearch file format is an extension of JPEG-1/JPEG 2000 file format. It is fully compatible with JPEG-1 or JPEG 2000 and provides additional functionality carrying associated metadata within a file.

6.2 JPEG-1 and its compliant file formats

Figure 2 illustrates the structure of a file format defined in ISO/IEC 10918-1. JPSearch file format for JPEG-1 and its compliant file formats shall be fully compatible with ISO/IEC 10918-1. Metadata defined in Clause 5 shall be stored in application marker segments, APP3 as shown in Figure 2.




Figure 2 — Overall structure of JPEG-1-compliant version of JPSearch file format