
**Information technology — Document
description and processing languages —
Office Open XML File Formats —**

**Part 4:
Transitional Migration Features**

AMENDMENT 1

*Technologies de l'information — Description des documents et
langages de traitement — Formats de fichier "Office Open XML" —*

Partie 4. Caractéristiques de migration transitoire

AMENDEMENT 1

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2010

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Foreword	xiii
Notational conventions	xiv
1. §2.1, “Document Conformance”, p. 2.....	1
2. §3, “Normative References”, p. 5.....	1
3. §7, “General Description”, p. 12.....	1
4. §8B, “WordprocessingML”, new clause.....	1
5. §8B.1, “Alternative Format Import Part (Part 1, §11.3.1)”, new subclause.....	1
6. §8B.2, “Comments Part (Part 1, §11.3.2)”, new subclause	2
7. §8B.3, “Document Settings Part (Part 1, §11.3.3)”, new subclause	2
8. §8B.4, “Endnotes Part (Part 1, §11.3.4)”, new subclause.....	2
9. §8B.5, “Fonts Table Part (Part 1, §11.3.5)”, new subclause	2
10. §8B.6, “Footer Part (Part 1, §11.3.6)”, new subclause	2
11. §8B.7, “Footnotes Part (Part 1, §11.3.7)”, new subclause	2
12. §8B.8, “Glossary Document Part (Part 1, §11.3.8)”, new subclause.....	3
13. §8B.9, “Header Part (Part 1, §11.3.9)”, new subclause.....	3
14. §8B.10, “Main Document Part (Part 1, §11.3.10)”, new subclause	3
15. §8B.11, “Numbering Definitions Part (Part 1, §11.3.11)”, new subclause.....	3
16. §8B.12, “Style Definitions Part (Part 1, §11.3.12)”, new subclause.....	3
17. §8B.13, “Web Settings Part (Part 1, §11.3.13)”, new subclause.....	3
18. §8B.14, “Document Template (Part 1, §11.4)”, new subclause.....	4
19. §8B.15, “Framesets (Part 1, §11.5)”, new subclause.....	4
20. §8B.16, “Master Documents and Subdocuments (Part 1, §11.6)”, new subclause.....	4
21. §8B.17, “Mail Merge Data Source (Part 1, §11.7)”, new subclause.....	4
22. §8B.18, “Mail Merger Header Data Source (Part 1, §11.8)”, new subclause	4
23. §8B.19, “XSL Transformation (Part 1, §11.9)”, new subclause	4
24. §8C, “SpreadsheetML”, new clause.....	4
25. §8C.1, “Calculation Chain Part (Part 1, §12.3.1)”, new subclause	4
26. §8C.2, “Chartsheet Part (Part 1, §12.3.2)”, new subclause	5
27. §8C.3, “Comments Part (Part 1, §12.3.3)”, new subclause	5
28. §8C.4, “Connections Part (Part 1, §12.3.4)”, new subclause	5
29. §8C.5, “Custom Property Part (Part 1, §12.3.5)”, new subclause.....	5

30.	§8C.6, “Custom XML Mappings Part (Part 1, §12.3.6)”	new subclause	5
31.	§8C.7, “Dialogsheet Part (Part 1, §12.3.7)”	new subclause	5
32.	§8C.8, “Drawings Part (Part 1, §12.3.8)”	new subclause	6
33.	§8C.9, “External Workbook References Part (Part 1, §12.3.9)”	new subclause	6
34.	§8C.10, “Metadata Part (Part 1, §12.3.10)”	new subclause	6
35.	§8C.11, “Pivot Table Part (Part 1, §12.3.11)”	new subclause	6
36.	§8C.12, “Pivot Table Cache Definition Part (Part 1, §12.3.12)”	new subclause	6
37.	§8C.13, “Pivot Table Cache Records Part (Part 1, §12.3.13)”	new subclause	6
38.	§8C.14, “Query Table Part (Part 1, §12.3.14)”	new subclause	7
39.	§8C.15, “Shared Strings Table Part (Part 1, §12.3.15)”	new subclause	7
40.	§8C.16, “Shared Workbook Revision Headers Part (Part 1, §12.3.16)”	new subclause	7
41.	§8C.17, “Shared Workbook Revision Log Part (Part 1, §12.3.17)”	new subclause	7
42.	§8C.18, “Shared Workbook User Data part (Part 1, §12.3.18)”	new subclause	7
43.	§8C.19, “Single Cell Table Definition Part (Part 1, §12.3.19)”	new subclause	7
44.	§8C.20, “Styles Part (Part 1, §12.3.20)”	new subclause	8
45.	§8C.21 “Table Definition Part (Part 1, §12.3.21)”	new subclause	8
46.	§8C.22, “Volatile Dependencies Part (Part 1, §12.3.22)”	new subclause	8
47.	§8C.23, “Workbook Part (Part 1, §12.3.23)”	new subclause	8
48.	§8C.24, “Worksheet Part (Part 1, §12.3.24)”	new subclause	8
49.	§8C.25, “External Workbooks (Part 1, §12.4)”	new subclause	8
50.	§8D, “PresentationML”	new clause	8
51.	§8D.1, “Comment Authors Part (Part 1, §13.3.1)”	new subclause	9
52.	§8D.2, “Comments Part (Part 1, §13.3.2)”	new subclause	9
53.	§8D.3, “Handout Master Part (Part 1, §13.3.3)”	new subclause	9
54.	§8D.4, “Notes Master Part (Part 1, §13.3.4)”	new subclause	9
55.	§8D.5, “Notes Slide Part (Part 1, §13.3.5)”	new subclause	9
56.	§8D.6, “Presentation Part (Part 1, §13.3.6)”	new subclause	9
57.	§8D.7, “Presentation Properties Part (Part 1, §13.3.7)”	new subclause	10
58.	§8D.8, “Slide Part (Part 1, §13.3.8)”	new subclause	10
59.	§8D.9, “Slide Layout Part (Part 1, §13.3.9)”	new subclause	10
60.	§8D.10, “Slide Master Part (Part 1, §13.3.10)”	new subclause	10
61.	§8D.11, “Slide Synchronization Data Part (Part 1, §13.3.11)”	new subclause	10

62.	§8D.12, “User Defined Tags part (Part 1, §13.3.12)”, new subclause	10
63.	§8D.13, “View Properties Part (Part 1, §13.3.13)”, new subclause	11
64.	§8D.14, “HTML Publish Location (Part 1, §13.4)”, new subclause	11
65.	§8D.15, “Slide Synchronization Server Location (Part 1, §13.5)”, new subclause	11
66.	§8E, “DrawingML”, new clause	11
67.	§8E.1, “Chart Part (Part 1, §14.2.1)”, new subclause	11
68.	§8E.2, “Chart Drawing Part (Part 1, §14.2.2)”, new subclause	11
69.	§8E.3, “Diagram Colors Part (Part 1, §14.2.3)”, new subclause	11
70.	§8E.4, “Diagram Data Part (Part 1, §14.2.4)”, new subclause	12
71.	§8E.5, “Diagram Layout Definition Part (Part 1, §14.2.5)”, new subclause	12
72.	§8E.6, “Diagram Style Part (Part 1, §14.2.6)”, new subclause	12
73.	§8E.7, “Theme Part (Part 1, §14.2.7)”, new subclause	12
74.	§8E.8, “Theme Override Part (Part 1, §14.2.8)”, new subclause	12
75.	§8E.9, “Table Styles Part (Part 1, §14.2.9)”, new subclause	12
76.	§8F, “Shared MLs”, new clause	13
77.	§8F.1, “Additional Characteristics Part (Part 1, §15.2.1)”, new subclause	13
78.	§8F.2, “Audio Part (Part 1, §15.2.2)”, new subclause	13
79.	§8F.3, “Bibliography Part (Part 1, §15.2.3)”, new subclause	13
80.	§8F.4, “Content Part (Part 1, §15.2.4)”, new subclause	13
81.	§8F.5, “Custom XML Data Storage Part (Part 1, §15.2.5)”, new subclause	13
82.	§8F.6, “Custom XML Data Storage Properties Part (Part 1, §15.2.6)”, new subclause	13
83.	§8F.7, “Embedded Control Persistence Part (Part 1, §15.2.9)”, new subclause	14
84.	§8F.8, “Embedded Object Part (Part 1, §15.2.10)”, new subclause	14
85.	§8F.9, “Embedded Package Part (Part 1, §15.2.11)”, new subclause	14
86.	§8F.10, “Core File Properties Part (Part 1, §15.2.12.1)”, new subclause	14
87.	§8F.11, “Custom File Properties Part (Part 1, §15.2.12.2)”, new subclause	14
88.	§8F.12, “Extended File Properties Part (Part 1, §15.2.12.13)”, new subclause	14
89.	§8F.13, “Font Part (Part 1, §15.2.13)”, new subclause	14
90.	§8F.14, “Image Part (Part 1, §15.2.14)”, new subclause	14
91.	§8F.15, “Printer Settings Part (Part 1, §15.2.15)”, new subclause	15
92.	§8F.16, “Thumbnail Part (Part 1, §15.2.16)”, new subclause	15
93.	§8F.17, “Video Part (Part 1, §15.2.17)”, new subclause	15

94. §8F.18, “Hyperlinks Part (Part 1, §15.3)”, new subclause 15

95. §9.9.7, “hyperlink (Hyperlink) (Part 1, §17.16.22)”, new subclause 15

96. §9.10.10, “Additional member types for the union in ST_TextScale (Part 1, §17.18.95)”, new subclause 15

97. §9.10.11, “ST_TextScaleDecimal (Text Expansion/Compression Percentage)”, new subclause 15

98. §9.11, “Changed attributes”, new subclause 16

99. §9.11.1, “Changed attribute for contentPart element (Part 1, §17.3.3.2)”, new subclause 16

100. §9.11.2, “Changed attribute for control element (Part 1, §17.3.3.3)”, new subclause 17

101. §9.11.3, “Changed attribute for movie element (Part 1, §17.3.3.17)”, new subclause 18

102. §9.11.4, “Changed attribute for objectEmbed element (Part 1, §17.3.3.20)”, new subclause 19

103. §9.11.5, “Changed attribute for objectLink element (Part 1, §17.3.3.21)”, new subclause 19

104. §9.11.6, “Changed attribute for bottom element (Part 1, §17.6.2)”, new subclause 20

105. §9.11.7, “Changed attribute for left element (Part 1, §17.6.7)”, new subclause 21

106. §9.11.8, “Changed attribute for printerSettings element (Part 1, §17.6.14)”, new subclause 22

107. §9.11.9, “Changed attribute for right element (Part 1, §17.6.15)”, new subclause 23

108. §9.11.10, “Changed attribute for top element (Part 1, §17.6.21)”, new subclause 23

109. §9.11.11, “Changed attribute for embedBold element (Part 1, §17.8.3.3)”, new subclause 25

110. §9.11.12, “Changed attribute for embedBoldItalic element (Part 1, §17.8.3.4)”, new subclause 25

111. §9.11.13, “Changed attribute for embedItalic element (Part 1, §17.8.3.5)”, new subclause 26

112. §9.11.14, “Changed attribute for embedRegular element (Part 1, §17.8.3.6)”, new subclause 27

113. §9.11.15, “Changed attribute for footerReference element (Part 1, §17.10.2)”, new subclause 28

114. §9.11.16, “Changed attribute for headerReference element (Part 1, §17.10.5)”, new subclause 28

115. §9.11.17, “Changed attribute for dataSource element (Part 1, §17.14.9)”, new subclause 29

116. §9.11.18, “Changed attribute for headerSource element (Part 1, §17.14.16)”, new subclause 30

117. §9.11.19, “Changed attribute for recipientData element (Part 1, §17.14.28)”, new subclause 30

118. §9.11.20, “Changed attribute for src element (Part 1, §17.14.30)”, new subclause 31

119. §9.11.21, “Changed attribute for attachedTemplate element (Part 1, §17.15.1.6)”, new subclause 32

120. §9.11.22, “Changed attribute for saveThroughXslt element (Part 1, §17.15.1.76)”, new subclause 33

121. §9.11.23, “Changed attribute for longDesc element (Part 1, §17.15.2.23)”, new subclause 33

122. §9.11.24, “Changed attribute for sourceFileName element (Part 1, §17.15.2.39)”, new subclause 34

123. §9.11.25, “Changed attribute for subDoc element (Part 1, §17.17.1.1)”, new subclause 35

124. §9.11.26, “Changed attribute for altChunk element (Part 1, §17.17.2.1)”, new subclause 35

125. §10.8, “Changed attributes”, new subclause 36

126. §10.8.1, “Changed attribute for externalReference element (Part 1, §18.2.8)”, new subclause 36

127. §10.8.2, “Changed attribute for pivotCache element (Part 1, §18.2.17)”, new subclause 36

128. §10.8.3, “Changed attribute for sheet element (Part 1, §18.2.19)”, new subclause..... 36

129. §10.8.4, “Changed attribute for control element (Part 1, §18.3.1.19)”, new subclause 37

130. §10.8.5, “Changed attribute for controlPr element (Part 1, §18.3.1.20)”, new subclause 37

131. §10.8.6, “Changed attribute for customPr element (Part 1, §18.3.1.22)”, new subclause 38

132. §10.8.7, “Changed attribute for dataRef element (Part 1, §18.3.1.30)”, new subclause 38

133. §10.8.8, “Changed attribute for drawing element (Part 1, §18.3.1.36)”, new subclause 38

134. §10.8.9, “Changed attribute for drawingHF element (Part 1, §18.3.1.37)”, new subclause 38

135. §10.8.10, “Changed attribute for hyperlink element (Part 1, §18.3.1.47)”, new subclause..... 39

136. §10.8.11, “Changed attribute for objectPr element (Part 1, §18.3.1.56)”, new subclause 39

137. §10.8.12, “Changed attribute for oleObject element (Part 1, §18.3.1.59)”, new subclause 40

138. §10.8.13, “Changed attribute for pageSetup element (Part 1, §18.3.1.63)”, new subclause..... 40

139. §10.8.14, “Changed attribute for pageSetup element (Part 1, §18.3.1.64)”, new subclause..... 40

140. §10.8.15, “Changed attribute for picture element (Part 1, §18.3.1.67)”, new subclause 40

141. §10.8.16, “Changed attribute for pivotSelection element (Part 1, §18.3.1.69)”, new subclause 41

142. §10.8.17, “Changed attribute for tablePart element (Part 1, §18.3.1.94)”, new subclause 41

143. §10.8.18, “Changed attribute for pivotCacheDefinition element (Part 1, §18.10.1.67)”, new subclause 41

144. §10.8.19, “Changed attribute for rangeSet element (Part 1, §18.10.1.79)”, new subclause 41

145. §10.8.20, “Changed attribute for worksheetSource element (Part 1, §18.10.1.95)”, new subclause 42

146. §10.8.21, “Changed attribute for header element (Part 1, §18.11.1.1)”, new subclause 42

147. §10.8.22, “Changed attribute for externalBook element (Part 1, §18.14.7)”, new subclause 42

148. §10.8.23, “Changed attribute for oleLink element (Part 1, §18.14.11)”, new subclause 43

149. §11.5, “Changed attributes”, new subclause 43

150. §11.5.1, “Changed attribute for bold element (Part 1, §19.2.1.1)”, new subclause 43

151. §11.5.2, “Changed attribute for boldItalic element (Part 1, §19.2.1.2)”, new subclause..... 43

152. §11.5.3, “Changed attribute for font element (Part 1, §19.2.1.13)”, new subclause 44

153. §11.5.4, “Changed attribute for handoutMasterId element (Part 1, §19.2.1.14)”, new subclause 46

154. §11.5.5, “Changed attribute for italic element (Part 1, §19.2.1.16)”, new subclause 46

155. §11.5.6, “Changed attribute for notesMasterId element (Part 1, §19.2.1.20)”, new subclause 46

156. §11.5.7, “Changed attribute for notesSz element (Part 1, §19.2.1.22)”, new subclause 47

157. §11.5.8, “Changed attribute for regular element (Part 1, §19.2.1.29)”, new subclause 47

158. §11.5.9, “Changed attribute for sld element (Part 1, §19.2.1.31)”	new subclause	48
159. §11.5.10, “Changed attribute for sldId element (Part 1, §19.2.1.33)”	new subclause	48
160. §11.5.11, “Changed attribute for sldMasterId element (Part 1, §19.2.1.36)”	new subclause	48
161. §11.5.12, “Changed attribute for SmartTags element (Part 1, §19.2.1.40)”	new subclause	49
162. §11.5.13, “Changed attribute for gridSpacing element (Part 1, §19.2.2.3)”	new subclause	49
163. §11.5.14, “Changed attribute for origin element (Part 1, §19.2.2.9)”	new subclause	50
164. §11.5.15, “Changed attribute for sld element (Part 1, §19.2.2.14)”	new subclause	50
165. §11.5.16, “Changed attribute for bgRef element (Part 1, §19.3.1.3)”	new subclause	51
166. §11.5.17, “Changed attribute for blipFill element (Part 1, §19.3.1.4)”	new subclause	51
167. §11.5.18, “Changed attribute for clrMap element (Part 1, §19.3.1.6)”	new subclause	51
168. §11.5.19, “Changed attribute for cNvPicPr element (Part 1, §19.3.1.11)”	new subclause	53
169. §11.5.20, “Changed attribute for cNvPr element (Part 1, §19.3.1.12)”	new subclause	53
170. §11.5.21, “Changed attribute for cNvSpPr element (Part 1, §19.3.1.13)”	new subclause	55
171. §11.5.22, “Changed attribute for contentPart element (Part 1, §19.3.1.14)”	new subclause	56
172. §11.5.23, “Changed attribute for custData element (Part 1, §19.3.1.17)”	new subclause	56
173. §11.5.24, “Changed attribute for grpSpPr element (Part 1, §19.3.1.23)”	new subclause	56
174. §11.5.25, “Changed attribute for sldLayoutId element (Part 1, §19.3.1.40)”	new subclause	57
175. §11.5.26, “Changed attribute for spPr element (Part 1, §19.3.1.44)”	new subclause	57
176. §11.5.27, “Changed attribute for tags element (Part 1, §19.3.1.47)”	new subclause	57
177. §11.5.28, “Changed attribute for xfrm element (Part 1, §19.3.1.53)”	new subclause	58
178. §11.5.29, “Changed attribute for control element (Part 1, §19.3.2.1)”	new subclause	59
179. §11.5.30, “Changed attribute for oleObj element (Part 1, §19.3.2.4)”	new subclause	59
180. §11.5.31, “Changed attribute for pos element (Part 1, §19.4.5)”	new subclause	59
181. §11.5.32, “Changed attribute for snd element (Part 1, §19.5.68)”	new subclause	60
182. §11.5.33, “Changed attribute for sndTgt element (Part 1, §19.5.70)”	new subclause	60
183. §12.1.2.2, “Additional member types for the union in ST_Percentage (Part 1, §20.1.10.40)”	pp. 199–200	61
184. §12.1.2.12, “ST_PercentageDecimal (Percentage as Decimal Number)”	new subclause	61
185. §12.1.2.13, “Additional member types for the union in ST_PrSetCustVal (Part 1, §21.4.7.66)”	new subclause	61
186. §12.1.2.14, “ST_TextBulletSizeDecimal (Bullet Size Percentage)”	new subclause	62
187. §12.1.2.15, “Additional member types for the union in ST_TextBulletSize (Part 1, §20.1.10.86)”	new subclause	62
188. §12.3, “Changed attributes”	new subclause	62
189. §12.3.1, “Changed attribute for hlinkHover element (Part 1, §20.1.2.2.23)”	new subclause	62

190. §12.3.2, “Changed attribute for snd element (Part 1, §20.1.2.2.32)”, new subclause 63

191. §12.3.3, “Changed attribute for audioFile element (Part 1, §20.1.3.2)”, new subclause 63

192. §12.3.4, “Changed attribute for quickTimeFile element (Part 1, §20.1.3.4)”, new subclause..... 63

193. §12.3.5, “Changed attribute for videoFile element (Part 1, §20.1.3.6)”, new subclause 64

194. §12.3.6 “Changed attribute for wavAudioFile element (Part 1, §20.1.3.7)”, new subclause 64

195. §12.3.7, “Changed attribute for blip element (Part 1, §20.1.8.13)”, new subclause 64

196. §12.3.8, “Changed attribute for blipFill element (Part 1, §20.2.2.1)”, new subclause 65

197. §12.3.9, “Changed attribute for cNvPicPr element (Part 1, §20.2.2.2)”, new subclause 65

198. §12.3.10, “Changed attribute for cNvPr element (Part 1, §20.2.2.3)”, new subclause 66

199. §12.3.11, “Changed attribute for spPr element (Part 1, §20.2.2.6)”, new subclause 67

200. §12.3.12, “Changed attribute for docPr element (Part 1, §20.4.2.5)”, new subclause 68

201. §12.3.13, “Changed attribute for extent element (Part 1, §20.4.2.7)”, new subclause 70

202. §12.3.14, “Changed attribute for lineTo element (Part 1, §20.4.2.9)”, new subclause..... 70

203. §12.3.15, “Changed attribute for simplePos element (Part 1, §20.4.2.13)”, new subclause 71

204. §12.3.16, “Changed attribute for start element (Part 1, §20.4.2.14)”, new subclause 72

205. §12.3.17, “Changed attribute for blipFill element (Part 1, §20.5.2.2)”, new subclause 72

206. §12.3.18, “Changed attribute for cNvPicPr element (Part 1, §20.5.2.7)”, new subclause..... 73

207. §12.3.19, “Changed attribute for cNvPr element (Part 1, §20.5.2.8)”, new subclause 73

208. §12.3.20, “Changed attribute for cNvSpPr element (Part 1, §20.5.2.9)”, new subclause 75

209. §12.3.21, “Changed attribute for contentPart element (Part 1, §20.5.2.12)”, new subclause..... 75

210. §12.3.22, “Changed attribute for ext element (Part 1, §20.5.2.14)”, new subclause 76

211. §12.3.23, “Changed attribute for grpSpPr element (Part 1, §20.5.2.18)”, new subclause 76

212. §12.3.24, “Changed attribute for pos element (Part 1, §20.5.2.26)”, new subclause 77

213. §12.3.25, “Changed attribute for spPr element (Part 1, §20.5.2.30)”, new subclause 77

214. §12.3.26, “Changed attribute for xfrm element (Part 1, §20.5.2.36)”, new subclause 78

215. §13.1.3, “Simple Types”, new subclause 78

216. §13.1.3.1, “Additional member types for union in ST_DepthPercent”, new subclause..... 79

217. §13.1.3.2, “ST_DepthPercentUShort (Depth Percent UnsignedShort) (Part 1, §21.2.3.9)”, new subclause 79

218. §13.1.3.3, “Additional member types for union in ST_HPercent (Part 1, §21.2.3.19)”, new subclause 79

219. §13.1.3.4, “ST_HPercentUShort (Depth Percent UnsignedShort)”, new subclause 79

220. §13.1.3.5, “Additional member types for union in ST_GapAmount (Part 1, §21.2.3.16)”, new subclause 80

221. §13.1.3.6, “ST_GapAmountUShort (Gap Amount UnsignedShort)”, new subclause 80

222. §13.1.3.7, “Additional member types for union in ST_Perspective (Part 1, §21.2.3.34)”, new subclause 80

223. §13.1.3.8, “ST_PerspectiveUByte (Perspective UnsignedByte)”, new subclause 80

224. §13.1.3.9, “Additional member types for union in ST_SecondPieSize (Part 1, §21.2.3.41)”, new subclause 81

225. §13.1.3.10, “ST_SecondPieSizeUShort (Second Pie Size UnsignedShort)”, new subclause 81

226. §13.1.3.11, “Additional member types for union in ST_HoleSize (Part 1, §21.2.3.18)”, new subclause 81

227. §13.1.3.12, “ST_HoleSizeUByte (Hole Size UnsignedByte)”, new subclause 81

228. §13.1.3.13, “Additional member types for union in ST_LblOffset (Part 1, §21.2.3.23)”, new subclause 82

229. §13.1.3.14, “ST_LblOffsetUShort (Label Offset UnsignedShort)”, new subclause 82

230. §13.1.3.15, “Additional member types for union in ST_Overlap (Part 1, §21.2.3.31)”, new subclause 82

231. §13.1.3.16, “ST_OverlapByte (Overlap Byte)”, new subclause 82

232. §13.1.3.17, “Additional member types for union in ST_BubbleScale (Part 1, §21.2.3.5)”, new subclause 83

233. §13.1.3.18, “ST_BubbleScaleUInt (Bubble Scale UnsignedInt)”, new subclause 83

234. §13.1.3.19, “Additional member types for union in ST_Thickness (Part 1, §21.2.3.206)”, new subclause 83

235. §13.2, “Changed attributes”, new subclause 83

236. §13.2.1, “Changed attribute for hlinkClickelement (Part 1, §21.1.2.3.5)”, new subclause 84

237. §13.2.2, “Changed attribute for hlinkMouseOver element (Part 1, §21.1.2.3.6)”, new subclause 84

238. §13.2.3, “Changed attribute for chart element (Part 1, §21.2.2.26)”, new subclause 84

239. §13.2.4, “Changed attribute for clrMapOvr element (Part 1, §21.2.2.30)”, new subclause 84

240. §13.2.5, “Changed attribute for externalData element (Part 1, §21.2.2.63)”, new subclause 86

241. §13.2.6, “Changed attribute for spPr element (Part 1, §21.2.2.197)”, new subclause 86

242. §13.2.7, “Changed attribute for userShapes element (Part 1, §21.2.2.221)”, new subclause 87

243. §13.2.8, “Changed attribute for blipFill element (Part 1, §21.3.2.2)”, new subclause 87

244. §13.2.9, “Changed attribute for cNvPicPr element (Part 1, §21.3.2.6)”, new subclause 87

245. §13.2.10, “Changed attribute for cNvPr element (Part 1, §21.3.2.7)”, new subclause 88

246. §13.2.11, “Changed attribute for cNvSpPr element (Part 1, §21.3.2.8)”, new subclause 90

247. §13.2.12, “Changed attribute for ext element (Part 1, §21.3.2.10)”, new subclause 90

248. §13.2.13, “Changed attribute for grpSpPr element (Part 1, §21.3.2.14)”, new subclause 91

249. §13.2.14, “Changed attribute for SpPr element (Part 1, §21.3.2.23)”, new subclause 91

250. §13.2.15, “Changed attribute for xfrm element (Part 1, §21.3.2.28)”, new subclause 92

251. §13.2.16, “Changed attribute for relIds element (Part 1, §21.4.2.22)”, new subclause 93

252. §13.2.17, “Changed attribute for shape element (Part 1, §21.4.2.27)”, new subclause 94

253. §13.2.18, “Changed attribute for spPr element (Part 1, §21.4.3.7)”, new subclause 94

254. §13.2.19, “Changed attribute for sp3d element (Part 1, §21.4.5.6)”, new subclause	94
255. §15.2, “Extended Properties (Part 1, §22.2)”, new subclause	96
256. §15.3, “Custom Properties (Part 1, §22.3)”, new subclause	96
257. §15.4, “Changed attributes”, new subclause	96
258. §15.4.1, “Changed attribute for sources element (Part 1, §22.6.2.60)”, new subclause	97
259. §A.1, “WordprocessingML”, p. 813, lines 112–117	98
260. §A.1, “WordprocessingML”, p. 853, lines 2214–2217	98
261. §A.1, “WordprocessingML”, p. 860, lines 2587–2593	98
262. §A.2, “SpreadsheetML”, p. 951, lines 3820–3839	99
263. §A.2, “SpreadsheetML”, new type	99
264. §A.3, “PresentationML”, p. 978, lines 768–773	99
265. §A.3, “PresentationML”, p. 980, lines 850–858	99
266. §A.3, “PresentationML”, p. 993, lines 1563–1566	100
267. §A.4.1, “DrawingML - Main”, p. 999, lines 184–189	100
268. §A.4.1, “DrawingML - Main”, p. 1007, lines 614–619	100
269. §A.4.1, “DrawingML - Main”, p. 1012, lines 852–857	100
270. §A.4.1, “DrawingML - Main”, p. 1027, lines 1634–1636	100
271. §A.4.1, “DrawingML - Main”, p. 1048, lines 2765–2770	101
272. §A.4.1, “DrawingML - Main”, p. 1048, lines 2772–2774	101
273. §A.4.1, “DrawingML - Main”, p. 1048, lines 2775–2777	101
274. §A.4.1, “DrawingML - Main”, p. 1049, lines 2837–2842	101
275. §A.5.1, “DrawingML - Charts”, p. 1066, lines 198–206	101
276. §A.5.1, “DrawingML - Charts”, p. 1066, lines 216–224	102
277. §A.5.1, “DrawingML - Charts”, p. 1066, lines 225–233	103
278. §A.5.1, “DrawingML - Charts”, pp. 1066–1067, lines 245–252	103
279. §A.5.1, “DrawingML - Charts”, p. 1067, lines 264–272	104
280. §A.5.1, “DrawingML - Charts”, p. 1067, lines 282–290	105
281. §A.5.1, “DrawingML - Charts”, p. 1067, lines 273–281	105
282. §A.5.1, “DrawingML - Charts”, p. 1068, lines 309–317	106
283. §A.5.1, “DrawingML - Charts”, p. 1068, lines 336–344	106
284. §A.5.1, “DrawingML - Charts”, p. 1083, lines 1139–1147	107
285. §A.5.3, “DrawingML - Diagrams”, p. 1100, lines 427–430	108

286. §A.5.3, “DrawingML - Diagrams”, p. 1100, lines 455–463.....	108
287. §A.7.9, “Shared Simple Types”, p. 1160	109
288. §B.1, “WordprocessingML”, p. 1164, line 52	109
289. §B.1, “WordprocessingML”, p. 1189, lines 1389–1391	109
290. §B.1, “WordprocessingML”, p. 1193, lines 1600–1603	109
291. §B.2, “SpreadsheetML”, p. 1289–1290, lines 4057–4072.....	109
292. §B.2, “SpreadsheetML”, new type	110
293. §B.3, “PresentationML”, p. 1317, lines 484–486	110
294. §B.3, “PresentationML”, p. 1318, lines 537–542	110
295. §B.3, “PresentationML”, p. 1329, lines 1108–1110.....	110
296. §B.4.1, “DrawingML - Main”, p. 1336, lines 107–109.....	110
297. §B.4.1, “DrawingML - Main”, p. 1343, lines 454–456.....	110
298. §B.4.1, “DrawingML - Main”, p. 1347, lines 681–683.....	110
299. §B.4.1, “DrawingML - Main”, p. 1359, line 1315.....	111
300. §B.4.1, “DrawingML - Main”, p. 1374, lines 2126–2127.....	111
301. §B.4.1, “DrawingML - Main”, p. 1374, lines 2129–2130.....	111
302. §B.4.1, “DrawingML - Main”, p. 1374, line 2131.....	111
303. §B.4.1, “DrawingML - Main”, p. 1375, lines 2161–2169.....	111
304. §B.5.1, “DrawingML - Charts”, pp. 1386–1387, lines 118–123.....	111
305. §B.5.1, “DrawingML - Charts”, p. 1387, lines 130–135.....	112
306. §B.5.1, “DrawingML - Charts”, p. 1387, lines 136–141.....	112
307. §B.5.1, “DrawingML - Charts”, p. 1387, lines 150–154.....	112
308. §B.5.1, “DrawingML - Charts”, p. 1387, lines 163–168.....	113
309. §B.5.1, “DrawingML - Charts”, p. 1387, lines 169–174.....	113
310. §B.5.1, “DrawingML - Charts”, p. 1388, lines 175–180.....	113
311. §B.5.1, “DrawingML - Charts”, p. 1388, lines 192–197.....	114
312. §B.5.1, “DrawingML - Charts”, p. 1388, lines 209–214.....	114
313. §B.5.1, “DrawingML - Charts”, p. 1398, lines 710–715.....	114
314. §B.5.3, “DrawingML - Diagrams”, p. 1411, lines 373–374.....	115
315. §B.5.3, “DrawingML - Diagrams”, p. 1412, lines 394–402.....	115
316. §B.7.9, “Shared Simple Types”, p. 1454.....	115

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of the joint technical committee is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75% of the national bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

Amendment 1 to ISO/IEC 29500-4:2008 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology, Subcommittee SC 34, Document description and processing languages*.

Notational conventions

The title of each change is the complete reference to the clause or subclause being modified. In all cases, the title begins with the clause or subclause number, the clause or subclause name, and the page number. In those cases containing changes to a particular row of a table, the value in that row's first column is appended to the title. As the lines in each XML schema subclause are numbered starting at 1 and going to the end of a schema, modifications to schemas also contain the numbers of the lines being modified.

A change can contain any one or more of the following kinds of edits:

1. Addition of text: New text is displayed in blue and is underlined, as demonstrated here.
2. Deletion of text: ~~Deleted text is displayed in red and is struck through, as demonstrated here.~~
3. Change of format of text: Text whose format (but not its content) has changed is displayed in green and is double-underlined, as demonstrated here.

Many changes involve edits to large paragraphs, tables, and/or XML fragments. In such cases, the changes contain only as much unchanged content as is necessary to establish the correct context of each change. Unchanged content that is not necessary to establish the correct context of a change is represented by an ellipsis (...).

Within a change, intent that cannot be represented visually as an edit is written as an instruction in italic and delimited by curly brackets; for example: *{In paragraph 2, item 4, and in paragraph 4, make the numbers in the text "17–23" hyperlinked forward references to Clauses 17 and 23.}*

Two documents modify the base standard ISO/IEC 29500-4:2008. They are ISO/IEC 29500-4:2008/Cor.1:2010 and this amendment, ISO/IEC 29500-4:2008/Amd.1:2010, which were published in that order. Both of these documents show changes relative to the base standard. Specifically, the amendment does not reflect changes made by the corrigendum.

Information technology — Document description and processing languages — Office Open XML File Formats —

Part 4: Transitional Migration Features

AMENDMENT 1

1. §2.1, “Document Conformance”, p. 2

{The following text is added at the end of this subclause.}

A document of a transitional conformance class shall not use relationship types <http://purl.oclc.org/ooxml/officeDocument/relationships/...> but shall use <http://schemas.openxmlformats.org/officeDocument/2006/relationships/...> instead.

2. §3, “Normative References”, p. 5

ISO/IEC 29500-1:2008/Amd.1:2010, Information technology — *Document description and processing languages — Office Open XML File Formats — Part 1: Fundamentals and Markup Language Reference*, Amendment 1.

3. §7, “General Description”, p. 12

{The following text is added at the end of this clause.}

Unless stated otherwise in this Part, the functionality defined in Part 1 is applicable to Part 4. However, Part 4 uses namespaces that are different from those used by Part 1. As such, when examples in Part 1 are read in the context of Part 4, they should be understood in the context of the corresponding Part 4 namespaces.

4. §8B, “WordprocessingML”, new clause

The following parts, which are defined in subclauses within Part 1, §11, “WordprocessingML”, have different source relationships and/or root namespaces when used in documents of the Transitional conformance class:

5. §8B.1, “Alternative Format Import Part (Part 1, §11.3.1)”, new subclause

Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/aFChunk
----------------------	---

6. §8B.2, “Comments Part (Part 1, §11.3.2)”, new subclause

Root Namespace:	http://schemas.openxmlformats.org/wordprocessingml/2006/main
Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/comments

7. §8B.3, “Document Settings Part (Part 1, §11.3.3)”, new subclause

Root Namespace:	http://schemas.openxmlformats.org/wordprocessingml/2006/main
Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/settings

8. §8B.4, “Endnotes Part (Part 1, §11.3.4)”, new subclause

Root Namespace:	http://schemas.openxmlformats.org/wordprocessingml/2006/main
Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/endnotes

9. §8B.5, “Fonts Table Part (Part 1, §11.3.5)”, new subclause

Root Namespace:	http://schemas.openxmlformats.org/wordprocessingml/2006/main
Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/fontTable

10. §8B.6, “Footer Part (Part 1, §11.3.6)”, new subclause

Root Namespace:	http://schemas.openxmlformats.org/wordprocessingml/2006/main
Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/footer

11. §8B.7, “Footnotes Part (Part 1, §11.3.7)”, new subclause

Root Namespace:	http://schemas.openxmlformats.org/wordprocessingml/2006/main
Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/footnotes

12. §8B.8, “Glossary Document Part (Part 1, §11.3.8)”, new subclause

<u>Root Namespace:</u>	http://schemas.openxmlformats.org/wordprocessingml/2006/main
<u>Source Relationship:</u>	http://schemas.openxmlformats.org/officeDocument/2006/relationships/glossaryDocument

13. §8B.9, “Header Part (Part 1, §11.3.9)”, new subclause

<u>Root Namespace:</u>	http://schemas.openxmlformats.org/wordprocessingml/2006/main
<u>Source Relationship:</u>	http://schemas.openxmlformats.org/officeDocument/2006/relationships/header

14. §8B.10, “Main Document Part (Part 1, §11.3.10)”, new subclause

<u>Root Namespace:</u>	http://schemas.openxmlformats.org/wordprocessingml/2006/main
<u>Source Relationship:</u>	http://schemas.openxmlformats.org/officeDocument/2006/relationships/officeDocument

15. §8B.11, “Numbering Definitions Part (Part 1, §11.3.11)”, new subclause

<u>Root Namespace:</u>	http://schemas.openxmlformats.org/wordprocessingml/2006/main
<u>Source Relationship:</u>	http://schemas.openxmlformats.org/officeDocument/2006/relationships/numbering

16. §8B.12, “Style Definitions Part (Part 1, §11.3.12)”, new subclause

<u>Root Namespace:</u>	http://schemas.openxmlformats.org/wordprocessingml/2006/main
<u>Source Relationship:</u>	http://schemas.openxmlformats.org/officeDocument/2006/relationships/styles

17. §8B.13, “Web Settings Part (Part 1, §11.3.13)”, new subclause

<u>Root Namespace:</u>	http://schemas.openxmlformats.org/wordprocessingml/2006/main
<u>Source Relationship:</u>	http://schemas.openxmlformats.org/officeDocument/2006/relationships/webSettings

18. §8B.14, “Document Template (Part 1, §11.4)”, new subclause

Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/attachedTemplate
----------------------	---

19. §8B.15, “Framesets (Part 1, §11.5)”, new subclause

Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/frame
----------------------	---

20. §8B.16, “Master Documents and Subdocuments (Part 1, §11.6)”, new subclause

Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/subDocument
----------------------	---

21. §8B.17, “Mail Merge Data Source (Part 1, §11.7)”, new subclause

Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/mailMergeSource
----------------------	---

22. §8B.18, “Mail Merger Header Data Source (Part 1, §11.8)”, new subclause

Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/mailMergeHeaderSource
----------------------	---

23. §8B.19, “XSL Transformation (Part 1, §11.9)”, new subclause

Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/transform
----------------------	---

24. §8C, “SpreadsheetML”, new clause

The following parts, which are defined in subclauses within Part 1, §12, “SpreadsheetML”, have different source relationships and/or root namespaces when used in documents of the Transitional conformance class:

25. §8C.1, “Calculation Chain Part (Part 1, §12.3.1)”, new subclause

Root Namespace:	http://schemas.openxmlformats.org/spreadsheetml/2006/main
Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/calcChain

26. §8C.2, “Chartsheet Part (Part 1, §12.3.2)”, new subclause

<u>Root Namespace:</u>	http://schemas.openxmlformats.org/spreadsheetml/2006/main
<u>Source Relationship:</u>	http://schemas.openxmlformats.org/officeDocument/2006/relationships/chartsheet

27. §8C.3, “Comments Part (Part 1, §12.3.3)”, new subclause

<u>Root Namespace:</u>	http://schemas.openxmlformats.org/spreadsheetml/2006/main
<u>Source Relationship:</u>	http://schemas.openxmlformats.org/officeDocument/2006/relationships/comments

28. §8C.4, “Connections Part (Part 1, §12.3.4)”, new subclause

<u>Root Namespace:</u>	http://schemas.openxmlformats.org/spreadsheetml/2006/main
<u>Source Relationship:</u>	http://schemas.openxmlformats.org/officeDocument/2006/relationships/connections

29. §8C.5, “Custom Property Part (Part 1, §12.3.5)”, new subclause

<u>Root Namespace:</u>	Not applicable
<u>Source Relationship:</u>	http://schemas.openxmlformats.org/officeDocument/2006/relationships/customProperty

30. §8C.6, “Custom XML Mappings Part (Part 1, §12.3.6)”, new subclause

<u>Root Namespace:</u>	http://schemas.openxmlformats.org/spreadsheetml/2006/main
<u>Source Relationship:</u>	http://schemas.openxmlformats.org/officeDocument/2006/relationships/xmlMaps

31. §8C.7, “Dialogsheet Part (Part 1, §12.3.7)”, new subclause

<u>Root Namespace:</u>	http://schemas.openxmlformats.org/spreadsheetml/2006/main
<u>Source Relationship:</u>	http://schemas.openxmlformats.org/officeDocument/2006/relationships/dialogsheet

32. §8C.8, “Drawings Part (Part 1, §12.3.8)”, new subclause

<u>Root Namespace:</u>	http://schemas.openxmlformats.org/drawingml/2006/spreadsheetDrawing
<u>Source Relationship:</u>	http://schemas.openxmlformats.org/officeDocument/2006/relationships/drawing

33. §8C.9, “External Workbook References Part (Part 1, §12.3.9)”, new subclause

<u>Root Namespace:</u>	http://schemas.openxmlformats.org/spreadsheetml/2006/main
<u>Source Relationship:</u>	http://schemas.openxmlformats.org/officeDocument/2006/relationships/externalLink

34. §8C.10, “Metadata Part (Part 1, §12.3.10)”, new subclause

<u>Root Namespace:</u>	http://schemas.openxmlformats.org/spreadsheetml/2006/main
<u>Source Relationship:</u>	http://schemas.openxmlformats.org/officeDocument/2006/relationships/sheetMetadata

35. §8C.11, “Pivot Table Part (Part 1, §12.3.11)”, new subclause

<u>Root Namespace:</u>	http://schemas.openxmlformats.org/spreadsheetml/2006/main
<u>Source Relationship:</u>	http://schemas.openxmlformats.org/officeDocument/2006/relationships/pivotTable

36. §8C.12, “Pivot Table Cache Definition Part (Part 1, §12.3.12)”, new subclause

<u>Root Namespace:</u>	http://schemas.openxmlformats.org/spreadsheetml/2006/main
<u>Source Relationship:</u>	http://schemas.openxmlformats.org/officeDocument/2006/relationships/pivotCacheDefinition

37. §8C.13, “Pivot Table Cache Records Part (Part 1, §12.3.13)”, new subclause

<u>Root Namespace:</u>	http://schemas.openxmlformats.org/spreadsheetml/2006/main
<u>Source Relationship:</u>	http://schemas.openxmlformats.org/officeDocument/2006/relationships/pivotCacheRecords

38. §8C.14, “Query Table Part (Part 1, §12.3.14)”, new subclause

Root Namespace:	http://schemas.openxmlformats.org/spreadsheetml/2006/main
Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/queryTable

39. §8C.15, “Shared Strings Table Part (Part 1, §12.3.15)”, new subclause

Root Namespace:	http://schemas.openxmlformats.org/spreadsheetml/2006/main
Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/sharedStrings

40. §8C.16, “Shared Workbook Revision Headers Part (Part 1, §12.3.16)”, new subclause

Root Namespace:	http://schemas.openxmlformats.org/spreadsheetml/2006/main
Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/revisionHeaders

41. §8C.17, “Shared Workbook Revision Log Part (Part 1, §12.3.17)”, new subclause

Root Namespace:	http://schemas.openxmlformats.org/spreadsheetml/2006/main
Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/revisionLog

42. §8C.18, “Shared Workbook User Data part (Part 1, §12.3.18)”, new subclause

Root Namespace:	http://schemas.openxmlformats.org/spreadsheetml/2006/main
Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/usernames

43. §8C.19, “Single Cell Table Definition Part (Part 1, §12.3.19)”, new subclause

Root Namespace:	http://schemas.openxmlformats.org/spreadsheetml/2006/main
Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/tableSingleCells

44. §8C.20, “Styles Part (Part 1, §12.3.20)”, new subclause

<u>Root Namespace:</u>	http://schemas.openxmlformats.org/spreadsheetml/2006/main
<u>Source Relationship:</u>	http://schemas.openxmlformats.org/officeDocument/2006/relationships/styles

45. §8C.21 “Table Definition Part (Part 1, §12.3.21)”, new subclause

<u>Root Namespace:</u>	http://schemas.openxmlformats.org/spreadsheetml/2006/main
<u>Source Relationship:</u>	http://schemas.openxmlformats.org/officeDocument/2006/relationships/table

46. §8C.22, “Volatile Dependencies Part (Part 1, §12.3.22)”, new subclause

<u>Root Namespace:</u>	http://schemas.openxmlformats.org/spreadsheetml/2006/main
<u>Source Relationship:</u>	http://schemas.openxmlformats.org/officeDocument/2006/relationships/volatileDependencies

47. §8C.23, “Workbook Part (Part 1, §12.3.23)”, new subclause

<u>Root Namespace:</u>	http://schemas.openxmlformats.org/spreadsheetml/2006/main
<u>Source Relationship:</u>	http://schemas.openxmlformats.org/officeDocument/2006/relationships/officeDocument

48. §8C.24, “Worksheet Part (Part 1, §12.3.24)”, new subclause

<u>Root Namespace:</u>	http://schemas.openxmlformats.org/spreadsheetml/2006/main
<u>Source Relationship:</u>	http://schemas.openxmlformats.org/officeDocument/2006/relationships/worksheet

49. §8C.25, “External Workbooks (Part 1, §12.4)”, new subclause

<u>Source Relationship:</u>	http://schemas.openxmlformats.org/officeDocument/2006/relationships/externalLinkPath
-----------------------------	---

50. §8D, “PresentationML”, new clause

The following parts, which are defined in subclauses within Part 1, §13, “PresentationML”, have different source relationships and/or root namespaces when used in documents of the Transitional conformance class:

51. §8D.1, “Comment Authors Part (Part 1, §13.3.1)”, new subclause

<u>Root Namespace:</u>	http://schemas.openxmlformats.org/presentationml/2006/main
<u>Source Relationship:</u>	http://schemas.openxmlformats.org/officeDocument/2006/relationships/commentAuthors

52. §8D.2, “Comments Part (Part 1, §13.3.2)”, new subclause

<u>Root Namespace:</u>	http://schemas.openxmlformats.org/presentationml/2006/main
<u>Source Relationship:</u>	http://schemas.openxmlformats.org/officeDocument/2006/relationships/comments

53. §8D.3, “Handout Master Part (Part 1, §13.3.3)”, new subclause

<u>Root Namespace:</u>	http://schemas.openxmlformats.org/presentationml/2006/main
<u>Source Relationship:</u>	http://schemas.openxmlformats.org/officeDocument/2006/relationships/handoutMaster

54. §8D.4, “Notes Master Part (Part 1, §13.3.4)”, new subclause

<u>Root Namespace:</u>	http://schemas.openxmlformats.org/presentationml/2006/main
<u>Source Relationship:</u>	http://schemas.openxmlformats.org/officeDocument/2006/relationships/notesMaster

55. §8D.5, “Notes Slide Part (Part 1, §13.3.5)”, new subclause

<u>Root Namespace:</u>	http://schemas.openxmlformats.org/presentationml/2006/main
<u>Source Relationship:</u>	http://schemas.openxmlformats.org/officeDocument/2006/relationships/notesSlide

56. §8D.6, “Presentation Part (Part 1, §13.3.6)”, new subclause

<u>Root Namespace:</u>	http://schemas.openxmlformats.org/presentationml/2006/main
<u>Source Relationship:</u>	http://schemas.openxmlformats.org/officeDocument/2006/relationships/officeDocument

57. §8D.7, “Presentation Properties Part (Part 1, §13.3.7)”, new subclause

<u>Root Namespace:</u>	http://schemas.openxmlformats.org/presentationml/2006/main
<u>Source Relationship:</u>	http://schemas.openxmlformats.org/officeDocument/2006/relationships/presProps

58. §8D.8, “Slide Part (Part 1, §13.3.8)”, new subclause

<u>Root Namespace:</u>	http://schemas.openxmlformats.org/presentationml/2006/main
<u>Source Relationship:</u>	http://schemas.openxmlformats.org/officeDocument/2006/relationships/slide

59. §8D.9, “Slide Layout Part (Part 1, §13.3.9)”, new subclause

<u>Root Namespace:</u>	http://schemas.openxmlformats.org/presentationml/2006/main
<u>Source Relationship:</u>	http://schemas.openxmlformats.org/officeDocument/2006/relationships/slideLayout

60. §8D.10, “Slide Master Part (Part 1, §13.3.10)”, new subclause

<u>Root Namespace:</u>	http://schemas.openxmlformats.org/presentationml/2006/main
<u>Source Relationship:</u>	http://schemas.openxmlformats.org/officeDocument/2006/relationships/slideMaster

61. §8D.11, “Slide Synchronization Data Part (Part 1, §13.3.11)”, new subclause

<u>Root Namespace:</u>	http://schemas.openxmlformats.org/presentationml/2006/main
<u>Source Relationship:</u>	http://schemas.openxmlformats.org/officeDocument/2006/relationships/slideUpdateInfo

62. §8D.12, “User Defined Tags part (Part 1, §13.3.12)”, new subclause

<u>Root Namespace:</u>	http://schemas.openxmlformats.org/presentationml/2006/main
<u>Source Relationship:</u>	http://schemas.openxmlformats.org/officeDocument/2006/relationships/tags

63. §8D.13, “View Properties Part (Part 1, §13.3.13)”, new subclause

<u>Root Namespace:</u>	http://schemas.openxmlformats.org/presentationml/2006/main
<u>Source Relationship:</u>	http://schemas.openxmlformats.org/officeDocument/2006/relationships/viewProps

64. §8D.14, “HTML Publish Location (Part 1, §13.4)”, new subclause

<u>Source Relationship:</u>	http://schemas.openxmlformats.org/officeDocument/2006/relationships/htmlPubSaveAs
-----------------------------	---

65. §8D.15, “Slide Synchronization Server Location (Part 1, §13.5)”, new subclause

<u>Source Relationship:</u>	http://schemas.openxmlformats.org/officeDocument/2006/relationships/slideUpdateUrl
-----------------------------	---

66. §8E, “DrawingML”, new clause

The following parts, which are defined in subclauses within Part 1, §14, “DrawingML”, have different source relationships and/or root namespaces when used in documents of the Transitional conformance class:

67. §8E.1, “Chart Part (Part 1, §14.2.1)”, new subclause

<u>Root Namespace:</u>	http://schemas.openxmlformats.org/drawingml/2006/chart
<u>Source Relationship:</u>	http://schemas.openxmlformats.org/officeDocument/2006/relationships/chart

68. §8E.2, “Chart Drawing Part (Part 1, §14.2.2)”, new subclause

<u>Root Namespace:</u>	http://schemas.openxmlformats.org/drawingml/2006/chart
<u>Source Relationship:</u>	http://schemas.openxmlformats.org/officeDocument/2006/relationships/chartUserShapes

69. §8E.3, “Diagram Colors Part (Part 1, §14.2.3)”, new subclause

<u>Root Namespace:</u>	http://schemas.openxmlformats.org/drawingml/2006/diagram
<u>Source Relationship:</u>	http://schemas.openxmlformats.org/officeDocument/2006/relationships/diagramColors

70. §8E.4, “Diagram Data Part (Part 1, §14.2.4)”, new subclause

<u>Root Namespace:</u>	http://schemas.openxmlformats.org/drawingml/2006/diagram
<u>Source Relationship:</u>	http://schemas.openxmlformats.org/officeDocument/2006/relationships/diagramData

71. §8E.5, “Diagram Layout Definition Part (Part 1, §14.2.5)”, new subclause

<u>Root Namespace:</u>	http://schemas.openxmlformats.org/drawingml/2006/diagram
<u>Source Relationship:</u>	http://schemas.openxmlformats.org/officeDocument/2006/relationships/diagramLayout

72. §8E.6, “Diagram Style Part (Part 1, §14.2.6)”, new subclause

<u>Root Namespace:</u>	http://schemas.openxmlformats.org/drawingml/2006/diagram
<u>Source Relationship:</u>	http://schemas.openxmlformats.org/officeDocument/2006/relationships/diagramQuickStyle

73. §8E.7, “Theme Part (Part 1, §14.2.7)”, new subclause

<u>Root Namespace:</u>	http://schemas.openxmlformats.org/drawingml/2006/main
<u>Source Relationship:</u>	http://schemas.openxmlformats.org/officeDocument/2006/relationships/theme

74. §8E.8, “Theme Override Part (Part 1, §14.2.8)”, new subclause

<u>Root Namespace:</u>	http://schemas.openxmlformats.org/drawingml/2006/main
<u>Source Relationship:</u>	http://schemas.openxmlformats.org/officeDocument/2006/relationships/themeOverride

75. §8E.9, “Table Styles Part (Part 1, §14.2.9)”, new subclause

<u>Root Namespace:</u>	http://schemas.openxmlformats.org/drawingml/2006/main
<u>Source Relationship:</u>	http://schemas.openxmlformats.org/officeDocument/2006/relationships/tableStyles

76. §8F, “Shared MLs”, new clause

The following parts, which are defined in subclauses within Part 1, §15, “Shared”, have different source relationships and/or root namespaces when used in documents of the Transitional conformance class:

77. §8F.1, “Additional Characteristics Part (Part 1, §15.2.1)”, new subclause

Root Namespace:	http://schemas.openxmlformats.org/officeDocument/2006/additionalCharacteristics
Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/customXml

78. §8F.2, “Audio Part (Part 1, §15.2.2)”, new subclause

Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/audio
----------------------	---

79. §8F.3, “Bibliography Part (Part 1, §15.2.3)”, new subclause

Root Namespace:	http://schemas.openxmlformats.org/officeDocument/2006/bibliography
Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/customXml

80. §8F.4, “Content Part (Part 1, §15.2.4)”, new subclause

Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/customXml
----------------------	---

81. §8F.5, “Custom XML Data Storage Part (Part 1, §15.2.5)”, new subclause

Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/customXml
----------------------	---

82. §8F.6, “Custom XML Data Storage Properties Part (Part 1, §15.2.6)”, new subclause

Root Namespace:	http://schemas.openxmlformats.org/officeDocument/2006/customXmlDataProps
Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/customXmlProps

83. §8F.7, “Embedded Control Persistence Part (Part 1, §15.2.9)”, new subclause

Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/control
----------------------	---

84. §8F.8, “Embedded Object Part (Part 1, §15.2.10)”, new subclause

Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/oleObject
----------------------	---

85. §8F.9, “Embedded Package Part (Part 1, §15.2.11)”, new subclause

Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/package
----------------------	---

86. §8F.10, “Core File Properties Part (Part 1, §15.2.12.1)”, new subclause

Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/metadata/core-properties
----------------------	---

87. §8F.11, “Custom File Properties Part (Part 1, §15.2.12.2)”, new subclause

Root Namespace:	http://schemas.openxmlformats.org/officeDocument/2006/custom-properties
Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/custom-properties

88. §8F.12, “Extended File Properties Part (Part 1, §15.2.12.13)”, new subclause

Root Namespace:	http://schemas.openxmlformats.org/officeDocument/2006/extended-properties
Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/extended-properties

89. §8F.13, “Font Part (Part 1, §15.2.13)”, new subclause

Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/font
----------------------	---

90. §8F.14, “Image Part (Part 1, §15.2.14)”, new subclause

Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/image
----------------------	---

91. §8F.15, “Printer Settings Part (Part 1, §15.2.15)”, new subclause

Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/printerSettings
----------------------	---

92. §8F.16, “Thumbnail Part (Part 1, §15.2.16)”, new subclause

Source Relationship:	http://schemas.openxmlformats.org/package/2006/relationships/metadata/thumbnail
----------------------	---

93. §8F.17, “Video Part (Part 1, §15.2.17)”, new subclause

Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/video
----------------------	---

94. §8F.18, “Hyperlinks Part (Part 1, §15.3)”, new subclause

Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/hyperlink
----------------------	---

95. §9.9.7, “hyperlink (Hyperlink) (Part 1, §17.16.22)”, new subclause

Attributes	Description
id (Hyperlink Target) Namespace: .../officeDocument/2006/relationships	The same as the id attribute in Part 1, §17.16.22.

96. §9.10.10, “Additional member types for the union in ST_TextScale (Part 1, §17.18.95)”, new subclause

The value space of the following additional member types can be used within the context of this simple type for a document of a transitional conformance class.

- [The ST_TextScaleDecimal simple type \(§9.10.11\).](#)

97. §9.10.11, “ST_TextScaleDecimal (Text Expansion/Compression Percentage)”, new subclause

This simple type specifies that the percentage by which the contents of a run shall be expanded or compressed with respect to its normal (100%) character width, with a minimum width of 1% and maximum width of 600%.

[Example: Consider a run of text which must be expanded to 300% when displaying each character within the contents of the run. This constraint is specified using the following WordprocessingML:

```
<w:rPr>
  <w:w w:val="300"/>
</w:rPr>
```

This run explicitly declares that the w value is 300, so the contents of this run appear at 300% of their normal character width by expanding the width of each character. *end example*

This simple type's contents are a restriction of the W3C XML Schema integer datatype.

This simple type also specifies the following restrictions:

- This simple type has a minimum value of greater than or equal to 0.
- This simple type has a maximum value of less than or equal to 600.

<u>Referenced By</u>
ST_TextScale (§17.18.95)

98. §9.11, “Changed attributes”, new subclause

The following attributes, which are defined in subclauses within Part 1, §17, “WordprocessingML”, have different source relationships when used in documents of the Transitional conformance class:

99. §9.11.1, “Changed attribute for contentPart element (Part 1, §17.3.3.2)”, new subclause

<u>Attributes</u>	<u>Description</u>
id (Relationship to Part) Namespace: .../officeDocument/2006/relationships	<p>Specifies the relationship ID to a specified part.</p> <p>The specified relationship shall match the relationship type required by the parent element:</p> <ul style="list-style-type: none"> • http://schemas.openxmlformats.org/officeDocument/2006/customXml for the contentPart element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/footer for the footerReference element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/header for the headerReference element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/font for the embedBold, embedBoldItalic, embedItalic, or embedRegular elements • http://schemas.openxmlformats.org/officeDocument/2006/relationships/printerSettings for the printerSettings element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/hyperlink for the longDesc or hyperlink element <p><i>[Example: Consider an XML element which has the following id attribute:</i></p>

Attributes	Description
	<p data-bbox="451 247 727 279"><u><... r:id="rId1" /></u></p> <p data-bbox="414 317 1461 384">The markup specifies the associated relationship part with relationship ID rId1 contains the corresponding relationship information for the parent XML element. <i>end example</i></p> <p data-bbox="414 426 1450 493">The possible values for this attribute are defined by the ST_RelationshipId simple type (Part 1, §22.8.2.1).</p>

100. §9.11.2, “Changed attribute for control element (Part 1, §17.3.3.3)”, new subclause

Attributes	Description
<p data-bbox="139 695 363 835"><u>id (Embedded Control Properties Relationship Reference)</u></p> <p data-bbox="139 877 375 1010">Namespace: <u>.../officeDocument/2006/relationships</u></p>	<p data-bbox="414 695 1430 800">Specifies the relationship ID for the relationship that contains the properties for this embedded control. This property bag is contained in a separate part within the Office Open XML package.</p> <p data-bbox="414 842 1446 940">The relationship explicitly targeted by this attribute shall be of type <u>http://schemas.openxmlformats.org/officeDocument/2006/relationships/control</u> or the document shall be considered non-conformant.</p> <p data-bbox="414 982 1430 1052">If this attribute is omitted, then the embedded control shall be given no property bag when instantiated.</p> <p data-bbox="414 1094 1479 1157"><u>[Example: Consider the following WordprocessingML markup for an embedded control in a document:</u></p> <p data-bbox="451 1192 1110 1262"><u><w:control r:id="rId5" w:name="CheckBox1" w:shapeid="x0000_s1027" /></u></p> <p data-bbox="414 1304 1471 1402">The id attribute in the relationship reference namespace specifies that the relationship with relationship ID rId5 must contain the property data for this embedded control. <i>end example</i></p> <p data-bbox="414 1444 1450 1507">The possible values for this attribute are defined by the ST_RelationshipId simple type (Part 1, §22.8.2.1).</p>

101. §9.11.3, “Changed attribute for movie element (Part 1, §17.3.3.17)”, new subclause

Attributes	Description
<p><u>id (Relationship to Part)</u></p> <p>Namespace: .../officeDocument/2006/relationships</p>	<p><u>Specifies the relationship ID to a specified part.</u></p> <p><u>The specified relationship shall match the relationship type required by the parent element:</u></p> <ul style="list-style-type: none"> • http://schemas.openxmlformats.org/officeDocument/2006/customXml for the contentPart element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/footer for the footerReference element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/header for the headerReference element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/font for the embedBold, embedBoldItalic, embedItalic, or embedRegular elements • http://schemas.openxmlformats.org/officeDocument/2006/relationships/printerSettings for the printerSettings element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/hyperlink for the longDesc or hyperlink element <p><u>[Example: Consider an XML element which has the following id attribute:</u></p> <pre style="margin-left: 40px;"><u><... r:id="rId1" /></u></pre> <p><u>The markup specifies the associated relationship part with relationship ID rId1 contains the corresponding relationship information for the parent XML element. end example]</u></p> <p><u>The possible values for this attribute are defined by the ST_RelationshipId simple type (Part 1, §22.8.2.1).</u></p>

102. §9.11.4, “Changed attribute for objectEmbed element (Part 1, §17.3.3.20)”, new subclause

Attributes	Description
<p><u>id</u> (Relationship to Embedded Object Data)</p> <p>Namespace: <u>.../officeDocument/2006/relationships</u></p>	<p><u>Specifies the relationship ID for the relationship that targets the Embedded Object Part containing the embedded object data.</u></p> <p><u>The specified relationship shall be of type http://schemas.openxmlformats.org/officeDocument/2006/oleObject or the document shall be considered non-conformant.</u></p> <p><u>[Example: Consider an XML element which has the following id attribute:</u></p> <pre data-bbox="451 688 727 720" style="text-align: center;"><u><... r:id="rId1" /></u></pre> <p><u>The markup specifies the associated relationship part with relationship ID rId1 targets the part containing the corresponding embedded object information. end example]</u></p> <p><u>The possible values for this attribute are defined by the ST_RelationshipId simple type (Part 1, §22.8.2.1).</u></p>

103. §9.11.5, “Changed attribute for objectLink element (Part 1, §17.3.3.21)”, new subclause

Attributes	Description
<p><u>id</u> (Relationship to Embedded Object Data)</p> <p>Namespace: <u>.../officeDocument/2006/relationships</u></p>	<p><u>Specifies the relationship ID for the relationship that targets the Embedded Object Part containing the embedded object data.</u></p> <p><u>The specified relationship shall be of type http://schemas.openxmlformats.org/officeDocument/2006/oleObject or the document shall be considered non-conformant.</u></p> <p><u>[Example: Consider an XML element which has the following id attribute:</u></p> <pre data-bbox="451 1461 727 1493" style="text-align: center;"><u><... r:id="rId1" /></u></pre> <p><u>The markup specifies the associated relationship part with relationship ID rId1 targets the part containing the corresponding embedded object information. end example]</u></p> <p><u>The possible values for this attribute are defined by the ST_RelationshipId simple type (Part 1, §22.8.2.1).</u></p>

104. §9.11.6, “Changed attribute for bottom element (Part 1, §17.6.2)”, new subclause

Attributes	Description
<p>bottomLeft (Custom Defined Bottom Left Border Relationship Reference)</p> <p>Namespace: .../officeDocument/2006/relationships</p>	<p>Specifies the relationship ID for the relationship that contains the custom bottom left border image for the parent element. This custom border image is contained in a separate part within the WordprocessingML package.</p> <p>The relationship explicitly targeted by this attribute shall be of type http://schemas.openxmlformats.org/officeDocument/2006/relationships/image or the document shall be considered non-conformant.</p> <p>If this attribute is omitted, then no custom bottom left border shall be used.</p> <p>[Example: Consider the following WordprocessingML markup for a custom bottom left border in a document:</p> <pre data-bbox="451 831 1159 898"><w:bottom w:val="custom" r:bottomLeft="rIdCustomBottomLeftBorder" .../></pre> <p>The id attribute in the relationship reference namespace specifies that the relationship with relationship ID rIdCustomBottomLeftBorder must contain the custom bottom left border image for the document. end example]</p> <p>The possible values for this attribute are defined by the ST_RelationshipId simple type (Part 1, §22.8.2.1).</p>
<p>bottomRight (Custom Defined Bottom Right Border Relationship Reference)</p> <p>Namespace: .../officeDocument/2006/relationships</p>	<p>Specifies the relationship ID for the relationship that contains the custom bottom right border image for the parent element. This custom border image is contained in a separate part within the WordprocessingML package.</p> <p>The relationship explicitly targeted by this attribute shall be of type http://schemas.openxmlformats.org/officeDocument/2006/relationships/image or the document shall be considered non-conformant.</p> <p>If this attribute is omitted, then no custom bottom right border shall be used.</p> <p>[Example: Consider the following WordprocessingML markup for a custom bottom right border in a document:</p> <pre data-bbox="451 1625 1192 1692"><w:bottom w:val="custom" r:bottomRight="rIdCustomBottomRightBorder" .../></pre> <p>The id attribute in the relationship reference namespace specifies that the relationship with relationship ID rIdCustomBottomRightBorder must contain the custom bottom right border image for the document. end example]</p>

Attributes	Description
	<p>The possible values for this attribute are defined by the ST_RelationshipId simple type (Part 1, §22.8.2.1).</p>
<p>id (Custom Defined Border Relationship Reference)</p> <p>Namespace: .../officeDocument/2006/relationships</p>	<p>Specifies the relationship ID for the relationship that contains the custom border image for the parent element. This custom border image is contained in a separate part within the WordprocessingML package.</p> <p>The relationship explicitly targeted by this attribute shall be of type http://schemas.openxmlformats.org/officeDocument/2006/relationships/image or the document shall be considered non-conformant.</p> <p>If this attribute is omitted, then no custom border shall be used.</p> <p>[Example: Consider the following WordprocessingML markup for a custom bottom border in a document:</p> <pre data-bbox="451 793 1369 825"><w:bottom w:val="custom" r:id="rIdCustomBottomBorder" .../></pre> <p>The id attribute in the relationship reference namespace specifies that the relationship with relationship ID rIdCustomBottomBorder must contain the custom bottom border image for the document. end example]</p> <p>The possible values for this attribute are defined by the ST_RelationshipId simple type (Part 1, §22.8.2.1).</p>

105. §9.11.7, “Changed attribute for left element (Part 1, §17.6.7)”, new subclause

Attributes	Description
<p>id (Custom Defined Border Relationship Reference)</p> <p>Namespace: .../officeDocument/2006/relationships</p>	<p>Specifies the relationship ID for the relationship that contains the custom border image for the parent element. This custom border image is contained in a separate part within the WordprocessingML package.</p> <p>The relationship explicitly targeted by this attribute shall be of type http://schemas.openxmlformats.org/officeDocument/2006/relationships/image or the document shall be considered non-conformant.</p> <p>If this attribute is omitted, then no custom border shall be used.</p> <p>[Example: Consider the following WordprocessingML markup for a custom bottom border in a document:</p> <pre data-bbox="451 1745 1369 1776"><w:bottom w:val="custom" r:id="rIdCustomBottomBorder" .../></pre> <p>The id attribute in the relationship reference namespace specifies that the relationship with relationship ID rIdCustomBottomBorder must contain the custom bottom border</p>

Attributes	Description
	<p>image for the document. end example]</p> <p>The possible values for this attribute are defined by the ST RelationshipId simple type (Part 1, §22.8.2.1).</p>

106. §9.11.8, “Changed attribute for printerSettings element (Part 1, §17.6.14)”, new subclause

Attributes	Description
<p>id (Relationship to Part)</p> <p>Namespace: .../officeDocument/2006/relationships</p>	<p>Specifies the relationship ID to a specified part.</p> <p>The specified relationship shall match the relationship type required by the parent element:</p> <ul style="list-style-type: none"> • http://schemas.openxmlformats.org/officeDocument/2006/customXml for the contentPart element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/footer for the footerReference element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/header for the headerReference element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/font for the embedBold, embedBoldItalic, embedItalic, or embedRegular elements • http://schemas.openxmlformats.org/officeDocument/2006/relationships/printerSettings for the printerSettings element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/hyperlink for the longDesc or hyperlink element <p>[Example: Consider an XML element which has the following id attribute:</p> <pre><... r:id="rId1" /></pre> <p>The markup specifies the associated relationship part with relationship ID rId1 contains the corresponding relationship information for the parent XML element. end example]</p> <p>The possible values for this attribute are defined by the ST RelationshipId simple type (Part 1, §22.8.2.1).</p>

107. §9.11.9, “Changed attribute for right element (Part 1, §17.6.15)”, new subclause

Attributes	Description
<p>id (Custom Defined Border Relationship Reference)</p> <p>Namespace: .../officeDocument/2006/relationships</p>	<p>Specifies the relationship ID for the relationship that contains the custom border image for the parent element. This custom border image is contained in a separate part within the WordprocessingML package.</p> <p>The relationship explicitly targeted by this attribute shall be of type http://schemas.openxmlformats.org/officeDocument/2006/relationships/image or the document shall be considered non-conformant.</p> <p>If this attribute is omitted, then no custom border shall be used.</p> <p>[Example: Consider the following WordprocessingML markup for a custom bottom border in a document:</p> <pre data-bbox="451 831 1369 863" style="text-align: center;"><code><w:bottom w:val="custom" r:id="rIdCustomBottomBorder" .../></code></pre> <p>The id attribute in the relationship reference namespace specifies that the relationship with relationship ID rIdCustomBottomBorder must contain the custom bottom border image for the document. end example]</p> <p>The possible values for this attribute are defined by the ST_RelationshipId simple type (Part 1, §22.8.2.1).</p>

108. §9.11.10, “Changed attribute for top element (Part 1, §17.6.21)”, new subclause

Attributes	Description
<p>id (Custom Defined Border Relationship Reference)</p> <p>Namespace: .../officeDocument/2006/relationships</p>	<p>Specifies the relationship ID for the relationship that contains the custom border image for the parent element. This custom border image is contained in a separate part within the WordprocessingML package.</p> <p>The relationship explicitly targeted by this attribute shall be of type http://schemas.openxmlformats.org/officeDocument/2006/relationships/image or the document shall be considered non-conformant.</p> <p>If this attribute is omitted, then no custom border shall be used.</p> <p>[Example: Consider the following WordprocessingML markup for a custom bottom border in a document:</p> <pre data-bbox="451 1780 1369 1812" style="text-align: center;"><code><w:bottom w:val="custom" r:id="rIdCustomBottomBorder" .../></code></pre> <p>The id attribute in the relationship reference namespace specifies that the relationship</p>

Attributes	Description
	<p><u>with relationship ID rIdCustomBottomBorder must contain the custom bottom border image for the document. <i>end example</i></u></p> <p><u>The possible values for this attribute are defined by the ST_RelationshipId simple type (Part 1, §22.8.2.1).</u></p>
<p><u>topLeft (Custom Defined Top Left Border Relationship Reference)</u></p> <p><u>Namespace:</u> <u>.../officeDocument/2006/relationships</u></p>	<p><u>Specifies the relationship ID for the relationship that contains the custom top left border image for the parent element. This custom border image is contained in a separate part within the WordprocessingML package.</u></p> <p><u>The relationship explicitly targeted by this attribute shall be of type http://schemas.openxmlformats.org/officeDocument/2006/relationships/image or the document shall be considered non-conformant.</u></p> <p><u>If this attribute is omitted, then no custom top left border shall be used.</u></p> <p><u>[Example: Consider the following WordprocessingML markup for a custom top left border in a document:</u></p> <pre data-bbox="451 898 1419 932"><u><w:top w:val="custom" r:topLeft="rIdCustomTopLeftBorder" .../></u></pre> <p><u>The id attribute in the relationship reference namespace specifies that the relationship with relationship ID rIdCustomTopLeftBorder must contain the custom top left border image for the document. <i>end example</i></u></p> <p><u>The possible values for this attribute are defined by the ST_RelationshipId simple type (Part 1, §22.8.2.1).</u></p>
<p><u>topRight (Custom Defined Top Right Border Relationship Reference)</u></p> <p><u>Namespace:</u> <u>.../officeDocument/2006/relationships</u></p>	<p><u>Specifies the relationship ID for the relationship that contains the custom top right border image for the parent element. This custom border image is contained in a separate part within the WordprocessingML package.</u></p> <p><u>The relationship explicitly targeted by this attribute shall be of type http://schemas.openxmlformats.org/officeDocument/2006/relationships/image or the document shall be considered non-conformant.</u></p> <p><u>If this attribute is omitted, then no custom top right border shall be used when the parent element is instantiated.</u></p> <p><u>[Example: Consider the following WordprocessingML markup for a custom top right border in a document:</u></p> <pre data-bbox="451 1696 1468 1730"><u><w:top w:val="custom" r:topRight="rIdCustomTopRightBorder" ... /></u></pre> <p><u>The id attribute in the relationship reference namespace specifies that the relationship with relationship ID rIdCustomTopRightBorder must contain the custom top right border image for the document. <i>end example</i></u></p>

Attributes	Description
	<p>The possible values for this attribute are defined by the ST_RelationshipId simple type (Part 1, §22.8.2.1).</p>

109. §9.11.11, “Changed attribute for embedBold element (Part 1, §17.8.3.3)”, new subclause

Attributes	Description
<p>id (Relationship to Part)</p> <p>Namespace: .../officeDocument/2006/relationships</p>	<p>Specifies the relationship ID to a specified part.</p> <p>The specified relationship shall match the relationship type required by the parent element:</p> <ul style="list-style-type: none"> • http://schemas.openxmlformats.org/officeDocument/2006/customXml for the contentPart element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/footer for the footerReference element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/header for the headerReference element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/font for the embedBold, embedBoldItalic, embedItalic, or embedRegular elements • http://schemas.openxmlformats.org/officeDocument/2006/relationships/printerSettings for the printerSettings element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/hyperlink for the longDesc or hyperlink element <p><i>[Example: Consider an XML element which has the following id attribute:</i></p> <pre><... r:id="rId1" /></pre> <p>The markup specifies the associated relationship part with relationship ID rId1 contains the corresponding relationship information for the parent XML element. <i>end example]</i></p> <p>The possible values for this attribute are defined by the ST_RelationshipId simple type (Part 1, §22.8.2.1).</p>

110. §9.11.12, “Changed attribute for embedBoldItalic element (Part 1, §17.8.3.4)”, new subclause

Attributes	Description
<p>id (Relationship to Part)</p> <p>Namespace: .../officeDocument</p>	<p>Specifies the relationship ID to a specified part.</p> <p>The specified relationship shall match the relationship type required by the parent element:</p> <ul style="list-style-type: none"> • http://schemas.openxmlformats.org/officeDocument/2006/customXml for

Attributes	Description
/2006/relationships ps	<p>the contentPart element</p> <ul style="list-style-type: none"> • http://schemas.openxmlformats.org/officeDocument/2006/relationships/footer for the footerReference element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/header for the headerReference element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/font for the embedBold, embedBoldItalic, embedItalic, or embedRegular elements • http://schemas.openxmlformats.org/officeDocument/2006/relationships/printerSettings for the printerSettings element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/hyperlink for the longDesc or hyperlink element <p>[Example: Consider an XML element which has the following id attribute:</p> <pre><... r:id="rId1" /></pre> <p>The markup specifies the associated relationship part with relationship ID rId1 contains the corresponding relationship information for the parent XML element. <i>end example</i>]</p> <p>The possible values for this attribute are defined by the ST_RelationshipId simple type (Part 1, §22.8.2.1).</p>

111. §9.11.13, “Changed attribute for embedItalic element (Part 1, §17.8.3.5)”, new subclause

Attributes	Description
id (Relationship to Part) Namespace: .../officeDocument/2006/relationships ps	<p>Specifies the relationship ID to a specified part.</p> <p>The specified relationship shall match the relationship type required by the parent element:</p> <ul style="list-style-type: none"> • http://schemas.openxmlformats.org/officeDocument/2006/customXml for the contentPart element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/footer for the footerReference element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/header for the headerReference element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/font for the embedBold, embedBoldItalic, embedItalic, or embedRegular elements • http://schemas.openxmlformats.org/officeDocument/2006/relationships/printerSettings for the printerSettings element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/hyperlink for the longDesc or hyperlink element

Attributes	Description
	<p><u>[Example: Consider an XML element which has the following id attribute:</u></p> <pre data-bbox="451 321 727 352"><... r:id="rId1" /></pre> <p><u>The markup specifies the associated relationship part with relationship ID rId1 contains the corresponding relationship information for the parent XML element. end example]</u></p> <p><u>The possible values for this attribute are defined by the ST RelationshipId simple type (Part 1, §22.8.2.1).</u></p>

112. §9.11.14, “Changed attribute for embedRegular element (Part 1, §17.8.3.6)”, new subclause

Attributes	Description
<p><u>id (Relationship to Part)</u></p> <p><u>Namespace:</u> <u>.../officeDocument/2006/relationships</u></p>	<p><u>Specifies the relationship ID to a specified part.</u></p> <p><u>The specified relationship shall match the relationship type required by the parent element:</u></p> <ul style="list-style-type: none"> • <u>http://schemas.openxmlformats.org/officeDocument/2006/customXml for the contentPart element</u> • <u>http://schemas.openxmlformats.org/officeDocument/2006/relationships/footer for the footerReference element</u> • <u>http://schemas.openxmlformats.org/officeDocument/2006/relationships/header for the headerReference element</u> • <u>http://schemas.openxmlformats.org/officeDocument/2006/relationships/font for the embedBold, embedBoldItalic, embedItalic, or embedRegular elements</u> • <u>http://schemas.openxmlformats.org/officeDocument/2006/relationships/printerSettings for the printerSettings element</u> • <u>http://schemas.openxmlformats.org/officeDocument/2006/relationships/hyperlink for the longDesc or hyperlink element</u> <p><u>[Example: Consider an XML element which has the following id attribute:</u></p> <pre data-bbox="451 1486 727 1518"><... r:id="rId1" /></pre> <p><u>The markup specifies the associated relationship part with relationship ID rId1 contains the corresponding relationship information for the parent XML element. end example]</u></p> <p><u>The possible values for this attribute are defined by the ST RelationshipId simple type (Part 1, §22.8.2.1).</u></p>

113. §9.11.15, “Changed attribute for footerReference element (Part 1, §17.10.2)”, new subclause

Attributes	Description
<p><u>id (Relationship to Part)</u></p> <p>Namespace: <u>.../officeDocument/2006/relationships</u></p>	<p><u>Specifies the relationship ID to a specified part.</u></p> <p><u>The specified relationship shall match the relationship type required by the parent element:</u></p> <ul style="list-style-type: none"> • http://schemas.openxmlformats.org/officeDocument/2006/customXml for the contentPart element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/footer for the footerReference element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/header for the headerReference element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/font for the embedBold, embedBoldItalic, embedItalic, or embedRegular elements • http://schemas.openxmlformats.org/officeDocument/2006/relationships/printerSettings for the printerSettings element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/hyperlink for the longDesc or hyperlink element <p><u>[Example: Consider an XML element which has the following id attribute:</u></p> <pre><... r:id="rId1" /></pre> <p><u>The markup specifies the associated relationship part with relationship ID rId1 contains the corresponding relationship information for the parent XML element. end example]</u></p> <p><u>The possible values for this attribute are defined by the ST RelationshipId simple type (Part 1, §22.8.2.1).</u></p>

114. §9.11.16, “Changed attribute for headerReference element (Part 1, §17.10.5)”, new subclause

Attributes	Description
<p><u>id (Relationship to Part)</u></p> <p>Namespace: <u>.../officeDocument/2006/relationships</u></p>	<p><u>Specifies the relationship ID to a specified part.</u></p> <p><u>The specified relationship shall match the relationship type required by the parent element:</u></p> <ul style="list-style-type: none"> • http://schemas.openxmlformats.org/officeDocument/2006/customXml for the contentPart element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/footer for the footerReference element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/header for the headerReference element

Attributes	Description
	<ul style="list-style-type: none"> • http://schemas.openxmlformats.org/officeDocument/2006/relationships/font for the <code>embedBold</code>, <code>embedBoldItalic</code>, <code>embedItalic</code>, or <code>embedRegular</code> elements • http://schemas.openxmlformats.org/officeDocument/2006/relationships/printerSettings for the <code>printerSettings</code> element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/hyperlink for the <code>longDesc</code> or <code>hyperlink</code> element <p>[Example: Consider an XML element which has the following <code>id</code> attribute:</p> <pre><... r:id="rId1" /></pre> <p>The markup specifies the associated relationship part with relationship ID <code>rId1</code> contains the corresponding relationship information for the parent XML element. <i>end example</i>]</p> <p>The possible values for this attribute are defined by the <code>ST RelationshipId</code> simple type (Part 1, §22.8.2.1).</p>

115. §9.11.17, “Changed attribute for `dataSource` element (Part 1, §17.14.9)”, new subclause

Attributes	Description
<p><code>id</code> (Relationship to Part)</p> <p>Namespace: .../officeDocument/2006/relationships</p>	<p>Specifies the relationship ID to a specified part.</p> <p>The specified relationship shall match the relationship type required by the parent element:</p> <ul style="list-style-type: none"> • http://schemas.openxmlformats.org/officeDocument/2006/customXml for the <code>contentPart</code> element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/footer for the <code>footerReference</code> element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/header for the <code>headerReference</code> element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/font for the <code>embedBold</code>, <code>embedBoldItalic</code>, <code>embedItalic</code>, or <code>embedRegular</code> elements • http://schemas.openxmlformats.org/officeDocument/2006/relationships/printerSettings for the <code>printerSettings</code> element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/hyperlink for the <code>longDesc</code> or <code>hyperlink</code> element <p>[Example: Consider an XML element which has the following <code>id</code> attribute:</p> <pre><... r:id="rId1" /></pre> <p>The markup specifies the associated relationship part with relationship ID <code>rId1</code> contains</p>

Attributes	Description
	<p>the corresponding relationship information for the parent XML element. <i>end example</i></p> <p>The possible values for this attribute are defined by the ST RelationshipId simple type (Part 1, §22.8.2.1).</p>

116. §9.11.18, “Changed attribute for headerSource element (Part 1, §17.14.16)”, new subclause

Attributes	Description
<p>id (Relationship to Part)</p> <p>Namespace: .../officeDocument/2006/relationships</p>	<p>Specifies the relationship ID to a specified part.</p> <p>The specified relationship shall match the relationship type required by the parent element:</p> <ul style="list-style-type: none"> • http://schemas.openxmlformats.org/officeDocument/2006/customXml for the contentPart element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/footer for the footerReference element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/header for the headerReference element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/font for the embedBold, embedBoldItalic, embedItalic, or embedRegular elements • http://schemas.openxmlformats.org/officeDocument/2006/relationships/printerSettings for the printerSettings element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/hyperlink for the longDesc or hyperlink element <p>[Example: Consider an XML element which has the following id attribute:</p> <pre><... r:id="rId1" /></pre> <p>The markup specifies the associated relationship part with relationship ID rId1 contains the corresponding relationship information for the parent XML element. <i>end example</i></p> <p>The possible values for this attribute are defined by the ST RelationshipId simple type (Part 1, §22.8.2.1).</p>

117. §9.11.19, “Changed attribute for recipientData element (Part 1, §17.14.28)”, new subclause

Attributes	Description
<p>id (Relationship to Part)</p> <p>Namespace:</p>	<p>Specifies the relationship ID to a specified part.</p> <p>The specified relationship shall match the relationship type required by the parent element:</p>

Attributes	Description
<p>.../officeDocument/2006/relationships</p>	<ul style="list-style-type: none"> • http://schemas.openxmlformats.org/officeDocument/2006/customXml for the contentPart element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/footer for the footerReference element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/header for the headerReference element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/font for the embedBold, embedBoldItalic, embedItalic, or embedRegular elements • http://schemas.openxmlformats.org/officeDocument/2006/relationships/printerSettings for the printerSettings element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/hyperlink for the longDesc or hyperlink element <p><u>[Example: Consider an XML element which has the following id attribute:</u></p> <pre><... r:id="rId1" /></pre> <p><u>The markup specifies the associated relationship part with relationship ID rId1 contains the corresponding relationship information for the parent XML element. end example]</u></p> <p><u>The possible values for this attribute are defined by the ST_RelationshipId simple type (Part 1, §22.8.2.1).</u></p>

118. §9.11.20, “Changed attribute for src element (Part 1, §17.14.30)”, new subclause

Attributes	Description
<p>id (Relationship to Part)</p> <p>Namespace: .../officeDocument/2006/relationships</p>	<p><u>Specifies the relationship ID to a specified part.</u></p> <p><u>The specified relationship shall match the relationship type required by the parent element:</u></p> <ul style="list-style-type: none"> • http://schemas.openxmlformats.org/officeDocument/2006/customXml for the contentPart element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/footer for the footerReference element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/header for the headerReference element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/font for the embedBold, embedBoldItalic, embedItalic, or embedRegular elements • http://schemas.openxmlformats.org/officeDocument/2006/relationships/printerSettings for the printerSettings element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/hyperlink for the longDesc or hyperlink element

Attributes	Description
	<p><u>[Example: Consider an XML element which has the following id attribute:</u></p> <pre data-bbox="451 352 727 386"><... r:id="rId1" /></pre> <p><u>The markup specifies the associated relationship part with relationship ID rId1 contains the corresponding relationship information for the parent XML element. end example]</u></p> <p><u>The possible values for this attribute are defined by the ST_RelationshipId simple type (Part 1, §22.8.2.1).</u></p>

119. §9.11.21, “Changed attribute for attachedTemplate element (Part 1, §17.15.1.6)”, new subclause

Attributes	Description
<p><u>id (Relationship to Part)</u></p> <p><u>Namespace:</u> <u>.../officeDocument/2006/relationships</u></p>	<p><u>Specifies the relationship ID to a specified part.</u></p> <p><u>The specified relationship shall match the relationship type required by the parent element:</u></p> <ul style="list-style-type: none"> • <u>http://schemas.openxmlformats.org/officeDocument/2006/customXml for the contentPart element</u> • <u>http://schemas.openxmlformats.org/officeDocument/2006/relationships/footer for the footerReference element</u> • <u>http://schemas.openxmlformats.org/officeDocument/2006/relationships/header for the headerReference element</u> • <u>http://schemas.openxmlformats.org/officeDocument/2006/relationships/font for the embedBold, embedBoldItalic, embedItalic, or embedRegular elements</u> • <u>http://schemas.openxmlformats.org/officeDocument/2006/relationships/printerSettings for the printerSettings element</u> • <u>http://schemas.openxmlformats.org/officeDocument/2006/relationships/hyperlink for the longDesc or hyperlink element</u> <p><u>[Example: Consider an XML element which has the following id attribute:</u></p> <pre data-bbox="451 1520 727 1554"><... r:id="rId1" /></pre> <p><u>The markup specifies the associated relationship part with relationship ID rId1 contains the corresponding relationship information for the parent XML element. end example]</u></p> <p><u>The possible values for this attribute are defined by the ST_RelationshipId simple type (Part 1, §22.8.2.1).</u></p>

120. §9.11.22, “Changed attribute for saveThroughXslt element (Part 1, §17.15.1.76)”, new subclause

Attributes	Description
<p>id (XSL Transformation Location)</p> <p>Namespace: .../officeDocument/2006/relationships</p>	<p>Specifies an explicit relationship to the location of the XSL Transformation which shall be applied.</p> <p>The relationship targeted by this element shall be of type http://schemas.openxmlformats.org/officeDocument/2006/relationships/transform, or this document shall be declared non-conformant.</p> <p>[Example: Consider a XML document that must have the XSL transform located at c:\Example Transform.xslt applied when the document is saved as a single XML file. This requirement would be specified using the following WordprocessingML in the document settings:</p> <pre data-bbox="451 793 987 825"><w:saveThroughXslt r:id="rId5" /></pre> <p>The saveThroughXslt element specifies that the relationship located at rId5 must be used when saving as a single XML file in this case, that relationship must target c:\Example Transform.xslt. end example]</p> <p>The possible values for this attribute are defined by the ST RelationshipId simple type (Part 1, §22.8.2.1).</p>

121. §9.11.23, “Changed attribute for longDesc element (Part 1, §17.15.2.23)”, new subclause

Attributes	Description
<p>id (Relationship to Part)</p> <p>Namespace: .../officeDocument/2006/relationships</p>	<p>Specifies the relationship ID to a specified part.</p> <p>The specified relationship shall match the relationship type required by the parent element:</p> <ul data-bbox="462 1423 1485 1879" style="list-style-type: none"> • http://schemas.openxmlformats.org/officeDocument/2006/customXml for the contentPart element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/footer for the footerReference element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/header for the headerReference element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/font for the embedBold, embedBoldItalic, embedItalic, or embedRegular elements • http://schemas.openxmlformats.org/officeDocument/2006/relationships/printerSettings for the printerSettings element • http://schemas.openxmlformats.org/officeDocument/2006/relationships/hyperlink for the longDesc or hyperlink element

Attributes	Description
	<p><u>[Example: Consider an XML element which has the following id attribute:</u></p> <pre data-bbox="451 352 727 386"><... r:id="rId1" /></pre> <p><u>The markup specifies the associated relationship part with relationship ID rId1 contains the corresponding relationship information for the parent XML element. end example]</u></p> <p><u>The possible values for this attribute are defined by the ST_RelationshipId simple type (Part 1, §22.8.2.1).</u></p>

122. §9.11.24, “Changed attribute for sourceFileName element (Part 1, §17.15.2.39)”, new subclause

Attributes	Description
<p><u>id (Relationship to Part)</u></p> <p><u>Namespace:</u> <u>.../officeDocument/2006/relationships</u></p>	<p><u>Specifies the relationship ID to a specified part.</u></p> <p><u>The specified relationship shall match the relationship type required by the parent element:</u></p> <ul style="list-style-type: none"> • <u>http://schemas.openxmlformats.org/officeDocument/2006/customXml for the contentPart element</u> • <u>http://schemas.openxmlformats.org/officeDocument/2006/relationships/footer for the footerReference element</u> • <u>http://schemas.openxmlformats.org/officeDocument/2006/relationships/header for the headerReference element</u> • <u>http://schemas.openxmlformats.org/officeDocument/2006/relationships/font for the embedBold, embedBoldItalic, embedItalic, or embedRegular elements</u> • <u>http://schemas.openxmlformats.org/officeDocument/2006/relationships/printerSettings for the printerSettings element</u> • <u>http://schemas.openxmlformats.org/officeDocument/2006/relationships/hyperlink for the longDesc or hyperlink element</u> <p><u>[Example: Consider an XML element which has the following id attribute:</u></p> <pre data-bbox="451 1520 727 1554"><... r:id="rId1" /></pre> <p><u>The markup specifies the associated relationship part with relationship ID rId1 contains the corresponding relationship information for the parent XML element. end example]</u></p> <p><u>The possible values for this attribute are defined by the ST_RelationshipId simple type (Part 1, §22.8.2.1).</u></p>

123. §9.11.25, “Changed attribute for subDoc element (Part 1, §17.17.1.1)”, new subclause

Attributes	Description
<p><u>id (Relationship to Part)</u></p> <p>Namespace: <u>.../officeDocument/2006/relationships</u></p>	<p><u>Specifies the relationship ID to a specified part.</u></p> <p><u>The specified relationship shall match the relationship type required by the parent element:</u></p> <ul style="list-style-type: none"> • <u>http://schemas.openxmlformats.org/officeDocument/2006/customXml for the contentPart element</u> • <u>http://schemas.openxmlformats.org/officeDocument/2006/relationships/ for the footerReference element</u> • <u>http://schemas.openxmlformats.org/officeDocument/2006/relationships/header for the headerReference element</u> • <u>http://schemas.openxmlformats.org/officeDocument/2006/relationships/font for the embedBold, embedBoldItalic, embedItalic, or embedRegular elements</u> • <u>http://schemas.openxmlformats.org/officeDocument/2006/relationships/printerSettings for the printerSettings element</u> • <u>http://schemas.openxmlformats.org/officeDocument/2006/relationships/hyperlink for the longDesc or hyperlink element</u> <p><u>[Example: Consider an XML element which has the following id attribute:</u></p> <pre style="text-align: center;"><u><... r:id="rId1" /></u></pre> <p><u>The markup specifies the associated relationship part with relationship ID rId1 contains the corresponding relationship information for the parent XML element. end example]</u></p> <p><u>The possible values for this attribute are defined by the ST RelationshipId simple type (Part 1, §22.8.2.1).</u></p>

124. §9.11.26, “Changed attribute for altChunk element (Part 1, §17.17.2.1)”, new subclause

Attributes	Description
<p><u>id (Relationship to Part)</u></p> <p>Namespace: <u>.../officeDocument/2006/relationships</u></p>	<p><u>Specifies the relationship ID to a specified part containing alternate content for import.</u></p> <p><u>If the specified relationship does not match the relationship type required by the parent element, then this document shall be considered to be non-conformant.</u></p> <p><u>[Example: Consider an XML element which has the following id attribute:</u></p> <pre style="text-align: center;"><u><... r:id="rId1" /></u></pre> <p><u>The markup specifies the associated relationship part with relationship ID rId1 contains</u></p>

Attributes	Description
	<p>the corresponding relationship information for the parent XML element. <i>end example</i></p> <p>The possible values for this attribute are defined by the ST_RelationshipId simple type (Part 1, §22.8.2.1).</p>

125. §10.8, “Changed attributes”, new subclause

The following attributes, which are defined in subclauses within Part 1, §18, “SpreadsheetML”, have different source relationships when used in documents of the Transitional conformance class:

126. §10.8.1, “Changed attribute for externalReference element (Part 1, §18.2.8)”, new subclause

Attributes	Description
<p>id (Relationship Id)</p> <p>Namespace: .../officeDocument/2006/relationships</p>	<p>Specifies a unique identifier that is used to identify a relationship to another part in the file. Relationship identifiers link the element definition with the part where data for the element is stored.</p> <p>The possible values for this attribute are defined by the ST_RelationshipId simple type (Part 1, §22.8.2.1).</p>

127. §10.8.2, “Changed attribute for pivotCache element (Part 1, §18.2.17)”, new subclause

Attributes	Description
<p>id (Relationship Id)</p> <p>Namespace: .../officeDocument/2006/relationships</p>	<p>Specifies the identifier to a pivot cache definition part where cached data is stored.</p> <p>This attribute is required.</p> <p>The possible values for this attribute are defined by the ST_RelationshipId simple type (Part 1, §22.8.2.1).</p>

128. §10.8.3, “Changed attribute for sheet element (Part 1, §18.2.19)”, new subclause

Attributes	Description
<p>id (Relationship Id)</p> <p>Namespace: .../officeDocument/2006/relationships</p>	<p>Specifies the identifier of the sheet part where the definition for this sheet is stored.</p> <p>This attribute is required.</p> <p>The possible values for this attribute are defined by the ST_RelationshipId simple type (Part 1, §22.8.2.1).</p>

129. §10.8.4, “Changed attribute for control element (Part 1, §18.3.1.19)”, new subclause

Attributes	Description
<u>id (Relationship Id)</u> Namespace: <u>.../officeDocument/2006/relationships</u>	<p>This relationship ID references an Embedded Control Data part that contains control-specific properties and state information about this particular embedded control.</p> <p>The possible values for this attribute are defined by the ST_RelationshipId simple type (Part 1, §22.8.2.1).</p>

130. §10.8.5, “Changed attribute for controlPr element (Part 1, §18.3.1.20)”, new subclause

Attributes	Description
<u>id (Relationship ID for Embedded Control Properties)</u> Namespace: <u>.../officeDocument/2006/relationships</u>	<p>Specifies the relationship ID for the relationship which contains the properties for this embedded control. This property bag is contained in a separate part within the package.</p> <p>The relationship explicitly targeted by this attribute shall be of relationship type http://schemas.openxmlformats.org/officeDocument/2006/relationships/control or the document shall be considered non-conformant.</p> <p>If this attribute is omitted, then the embedded control shall be given no property bag when instantiated.</p> <p>[Example: Consider the following WordprocessingML markup for an embedded control in a document:</p> <pre><w:control r:id="rId5" w:id="CheckBox1" w:name="CheckBox1" w:shapeid=" x0000 s1027" w:class="shape" w:w="145" w:h="28" w:align="left" /></pre> <p>The id attribute in the relationship reference namespace specifies that the relationship with relationship ID rId5 must contain the property data for this embedded control. <i>end example</i>]</p> <p>The possible values for this attribute are defined by the ST_RelationshipId simple type (Part 1, §22.8.2.1).</p>

**131. §10.8.6, “Changed attribute for customPr element (Part 1, §18.3.1.22)”,
new subclause**

Attributes	Description
<p>id (Relationship Id)</p> <p>Namespace: .../officeDocument/2006/relationships</p>	<p>This relationship references the binary part containing the specified custom properties.</p> <p>The possible values for this attribute are defined by the ST_RelationshipId simple type (Part 1, §22.8.2.1).</p>

**132. §10.8.7, “Changed attribute for dataRef element (Part 1, §18.3.1.30)”,
new subclause**

Attributes	Description
<p>id (relationship Id)</p> <p>Namespace: .../officeDocument/2006/relationships</p>	<p>Used only when the source range is external to this workbook.</p> <p>The possible values for this attribute are defined by the ST_RelationshipId simple type (Part 1, §22.8.2.1).</p>

**133. §10.8.8, “Changed attribute for drawing element (Part 1, §18.3.1.36)”,
new subclause**

Attributes	Description
<p>id (Relationship id)</p> <p>Namespace: .../officeDocument/2006/relationships</p>	<p>Relationship Id referencing a part containing DrawingML definitions for this worksheet.</p> <p>The possible values for this attribute are defined by the ST_RelationshipId simple type (Part 1, §22.8.2.1).</p>

**134. §10.8.9, “Changed attribute for drawingHF element (Part 1, §18.3.1.37)”,
new subclause**

Attributes	Description
<p>id (Relationship ID for Embedded Control Properties)</p> <p>Namespace: .../officeDocument/2006/relationships</p>	<p>Specifies the relationship ID for the relationship to the DrawingML part that contains the drawing objects used in the header and footer. This DrawingML part is a separate part within the package.</p> <p>[Example:</p> <p><drawingHF r:id="rId2" lhf="7" lhf="6"/></p>

Attributes	Description
	<p>The id attribute in the relationship reference namespace specifies that the relationship with relationship ID rId5 must contain the drawing objects used in the header and footer. <i>end example</i></p> <p>The possible values for this attribute are defined by the ST_RelationshipId simple type (Part 1, §22.8.2.1).</p>

135. §10.8.10, “Changed attribute for hyperlink element (Part 1, §18.3.1.47)”, new subclause

Attributes	Description
<p><u>id (Relationship Id)</u></p> <p>Namespace: .../officeDocument /2006/relationships</p>	<p>Relationship Id in this sheet's relationships part, expressing the target location of the resource.</p> <p>The possible values for this attribute are defined by the ST_RelationshipId simple type (Part 1, §22.8.2.1).</p>

136. §10.8.11, “Changed attribute for objectPart element (Part 1, §18.3.1.56)”, new subclause

Attributes	Description
<p><u>id (Relationship ID to Embedded Object Data)</u></p> <p>Namespace: .../officeDocument /2006/relationships</p>	<p>Specifies the relationship ID for the relationship that targets the Embedded Object Part containing the embedded object data.</p> <p>The specified relationship shall be of type http://schemas.openxmlformats.org/officeDocument/2006/oleObject or the document shall be considered non-conformant.</p> <p><i>[Example: Consider an XML element which has the following id attribute:</i></p> <pre><... r:id="rId1" /></pre> <p>The markup specifies the associated relationship part with relationship ID rId1 targets the part containing the corresponding embedded object information. <i>end example</i></p> <p>The possible values for this attribute are defined by the ST_RelationshipId simple type (Part 1, §22.8.2.1).</p>

**137. §10.8.12, “Changed attribute for oleObject element (Part 1, §18.3.1.59)”,
new subclause**

<u>Attributes</u>	<u>Description</u>
<p>id (Relationship Id)</p> <p>Namespace: .../officeDocument/2006/relationships</p>	<p>Relationship Id of the relationship pointing to the object persistence part.</p> <p>The possible values for this attribute are defined by the ST_RelationshipId simple type (Part 1, §22.8.2.1).</p>

**138. §10.8.13, “Changed attribute for pageSetup element (Part 1, §18.3.1.63)”,
new subclause**

<u>Attributes</u>	<u>Description</u>
<p>id (Id)</p> <p>Namespace: .../officeDocument/2006/relationships</p>	<p>Relationship Id of the devMode printer settings part.</p> <p>The possible values for this attribute are defined by the ST_RelationshipId simple type (Part 1, §22.8.2.1).</p>

**139. §10.8.14, “Changed attribute for pageSetup element (Part 1, §18.3.1.64)”,
new subclause**

<u>Attributes</u>	<u>Description</u>
<p>id (Id)</p> <p>Namespace: .../officeDocument/2006/relationships</p>	<p>Relationship Id of the devMode printer settings part.</p> <p>The possible values for this attribute are defined by the ST_RelationshipId simple type (Part 1, §22.8.2.1).</p>

**140. §10.8.15, “Changed attribute for picture element (Part 1, §18.3.1.67)”,
new subclause**

<u>Attributes</u>	<u>Description</u>
<p>id (Relationship Id)</p> <p>Namespace: .../officeDocument/2006/relationships</p>	<p>Relationship Id pointing to the image part.</p> <p>The possible values for this attribute are defined by the ST_RelationshipId simple type (Part 1, §22.8.2.1).</p>

141. §10.8.16, “Changed attribute for pivotSelection element (Part 1, §18.3.1.69)”, new subclause

<u>Attributes</u>	<u>Description</u>
id (Relationship Id) Namespace: .../officeDocument/2006/relationships	Relationship Id pointing to the particular PivotTable Part corresponding to this selection. The possible values for this attribute are defined by the ST_RelationshipId simple type (Part 1, §22.8.2.1).

142. §10.8.17, “Changed attribute for tablePart element (Part 1, §18.3.1.94)”, new subclause

<u>Attributes</u>	<u>Description</u>
id (Relationship Id) Namespace: .../officeDocument/2006/relationships	This relationship Id is used to locate a particular table definition part. The possible values for this attribute are defined by the ST_RelationshipId simple type (Part 1, §22.8.2.1).

143. §10.8.18, “Changed attribute for pivotCacheDefinition element (Part 1, §18.10.1.67)”, new subclause

<u>Attributes</u>	<u>Description</u>
id (Relationship Identifier) Namespace: .../officeDocument/2006/relationships	Specifies the unique identifier that corresponds to the related pivotCacheRecords part. See (Part 1, §18.10.1.68) for more information. The possible values for this attribute are defined by the ST_RelationshipId simple type (Part 1, §22.8.2.1).

144. §10.8.19, “Changed attribute for rangeSet element (Part 1, §18.10.1.79)”, new subclause

<u>Attributes</u>	<u>Description</u>
id (Relationship Id) Namespace: .../officeDocument/2006/relationships	Specifies the unique identifier of the Workbook part where the range set is stored. See Workbook (Part 1, §18.2) for more information. The possible values for this attribute are defined by the ST_RelationshipId simple type (Part 1, §22.8.2.1).

145. §10.8.20, “Changed attribute for worksheetSource element (Part 1, §18.10.1.95)”, new subclause

Attributes	Description
<p><u>id (Relationship Id)</u></p> <p>Namespace: .../officeDocument/2006/relationships</p>	<p><u>Specifies the identifier to the Sheet part whose data is stored in the cache. See the Sheet section (Part 1, §18.2) for more information.</u></p> <p><u>The possible values for this attribute are defined by the ST_RelationshipId simple type (Part 1, §22.8.2.1).</u></p>

146. §10.8.21, “Changed attribute for header element (Part 1, §18.11.1.1)”, new subclause

Attributes	Description
<p><u>id (Relationship ID)</u></p> <p>Namespace: .../officeDocument/2006/relationships</p>	<p><u>This is the ID that is used to find the corresponding log record of the changes made for this header.</u></p> <p><u>Use the corresponding relationship expressed in the revisionHeaders part to locate the log record that lists the specific changes.</u></p> <p><u>The possible values for this attribute are defined by the ST_RelationshipId simple type (Part 1, §22.8.2.1).</u></p>

147. §10.8.22, “Changed attribute for externalBook element (Part 1, §18.14.7)”, new subclause

Attributes	Description
<p><u>id (Relationship to supporting book file path)</u></p> <p>Namespace: .../officeDocument/2006/relationships</p>	<p><u>Relationship ID that references a link in the relationships collection. The target attribute in the associated relationship will specify the worksheet XML file in the current SpreadsheetML document ZIP archive that makes use of this externalbook.</u></p> <p><u>The possible values for this attribute are defined by the ST_RelationshipId simple type (Part 1, §22.8.2.1).</u></p>

148. §10.8.23, “Changed attribute for oleLink element (Part 1, §18.14.11)”, new subclause

Attributes	Description
<u>id (Object Link Relationship)</u> Namespace: <u>.../officeDocument/2006/relationships</u>	<u>Relationship ID that references a link in the relationships collection. The target attribute in the associated relationship will specify the external file name used for this oleLink.</u> <u>The possible values for this attribute are defined by the ST_RelationshipId simple type (Part 1, §22.8.2.1).</u>

149. §11.5, “Changed attributes”, new subclause

The following attributes, which are defined in subclauses within Part 1, §19, “PresentationML”, have different source relationships when used in documents of the Transitional conformance Class:

150. §11.5.1, “Changed attribute for bold element (Part 1, §19.2.1.1)”, new subclause

Attributes	Description
<u>id (Relationship Identifier)</u> Namespace: <u>.../officeDocument/2006/relationships</u>	<u>Specifies the relationship identifier that is used in conjunction with a corresponding relationship file to resolve the location of this embedded font that is referenced in a presentation.</u> <u>The possible values for this attribute are defined by the ST_RelationshipId simple type (Part 1, §22.8.2.1).</u>

151. §11.5.2, “Changed attribute for boldItalic element (Part 1, §19.2.1.2)”, new subclause

Attributes	Description
<u>id (Relationship Identifier)</u> Namespace: <u>.../officeDocument/2006/relationships</u>	<u>Specifies the relationship identifier that is used in conjunction with a corresponding relationship file to resolve the location of this embedded font that is referenced in a presentation.</u> <u>The possible values for this attribute are defined by the ST_RelationshipId simple type (Part 1, §22.8.2.1).</u>

152. §11.5.3, “Changed attribute for font element (Part 1, §19.2.1.13)”, new subclause

Attributes	Description																																										
<p>charset (Similar Character Set)</p> <p>Namespace: .../drawingml/2006/main</p>	<p>Specifies the character set that is supported by the parent font. This information can be used in font substitution logic to locate an appropriate substitute font when this font is not available. This information is determined by querying the font when present and shall not be modified when the font is not available.</p> <p>The value of this attribute shall be interpreted as follows:</p> <table border="1" data-bbox="414 613 1482 1843"> <thead> <tr> <th data-bbox="414 613 609 661">Value</th> <th data-bbox="609 613 1482 661">Description</th> </tr> </thead> <tbody> <tr> <td data-bbox="414 661 609 709">0x00</td> <td data-bbox="609 661 1482 709">Specifies the ANSI character set. (IANA name iso-8859-1)</td> </tr> <tr> <td data-bbox="414 709 609 758">0x01</td> <td data-bbox="609 709 1482 758">Specifies the default character set.</td> </tr> <tr> <td data-bbox="414 758 609 913">0x02</td> <td data-bbox="609 758 1482 913">Specifies the Symbol character set. This value specifies that the characters in the Unicode private use area (U+FF00 to U+FFFF) of the font should be used to display characters in the range U+0000 to U+00FF.</td> </tr> <tr> <td data-bbox="414 913 609 997">0x4D</td> <td data-bbox="609 913 1482 997">Specifies a Macintosh (Standard Roman) character set. (IANA name macintosh)</td> </tr> <tr> <td data-bbox="414 997 609 1045">0x80</td> <td data-bbox="609 997 1482 1045">Specifies the JIS character set. (IANA name shift_jis)</td> </tr> <tr> <td data-bbox="414 1045 609 1094">0x81</td> <td data-bbox="609 1045 1482 1094">Specifies the Hangul character set. (IANA name ks_c_5601-1987)</td> </tr> <tr> <td data-bbox="414 1094 609 1142">0x82</td> <td data-bbox="609 1094 1482 1142">Specifies a Johab character set. (IANA name KS_C-5601-1992)</td> </tr> <tr> <td data-bbox="414 1142 609 1190">0x86</td> <td data-bbox="609 1142 1482 1190">Specifies the GB-2312 character set. (IANA name GBK)</td> </tr> <tr> <td data-bbox="414 1190 609 1239">0x88</td> <td data-bbox="609 1190 1482 1239">Specifies the Chinese Big Five character set. (IANA name Big5)</td> </tr> <tr> <td data-bbox="414 1239 609 1287">0xA1</td> <td data-bbox="609 1239 1482 1287">Specifies a Greek character set. (IANA name windows-1253)</td> </tr> <tr> <td data-bbox="414 1287 609 1335">0xA2</td> <td data-bbox="609 1287 1482 1335">Specifies a Turkish character set. (IANA name iso-8859-9)</td> </tr> <tr> <td data-bbox="414 1335 609 1383">0xA3</td> <td data-bbox="609 1335 1482 1383">Specifies a Vietnamese character set. (IANA name windows-1258)</td> </tr> <tr> <td data-bbox="414 1383 609 1432">0xB1</td> <td data-bbox="609 1383 1482 1432">Specifies a Hebrew character set. (IANA name windows-1255)</td> </tr> <tr> <td data-bbox="414 1432 609 1480">0xB2</td> <td data-bbox="609 1432 1482 1480">Specifies an Arabic character set. (IANA name windows-1256)</td> </tr> <tr> <td data-bbox="414 1480 609 1528">0xBA</td> <td data-bbox="609 1480 1482 1528">Specifies a Baltic character set. (IANA name windows-1257)</td> </tr> <tr> <td data-bbox="414 1528 609 1577">0xCC</td> <td data-bbox="609 1528 1482 1577">Specifies a Russian character set. (IANA name windows-1251)</td> </tr> <tr> <td data-bbox="414 1577 609 1625">0xDE</td> <td data-bbox="609 1577 1482 1625">Specifies a Thai character set. (IANA name windows-874)</td> </tr> <tr> <td data-bbox="414 1625 609 1709">0xEE</td> <td data-bbox="609 1625 1482 1709">Specifies an Eastern European character set. (IANA name windows-1250)</td> </tr> <tr> <td data-bbox="414 1709 609 1757">0xFF</td> <td data-bbox="609 1709 1482 1757">Specifies an OEM character set not defined by ISO/IEC 29500.</td> </tr> <tr> <td data-bbox="414 1757 609 1843">Any other value</td> <td data-bbox="609 1757 1482 1843">Application-defined, can be ignored.</td> </tr> </tbody> </table>	Value	Description	0x00	Specifies the ANSI character set. (IANA name iso-8859-1)	0x01	Specifies the default character set.	0x02	Specifies the Symbol character set. This value specifies that the characters in the Unicode private use area (U+FF00 to U+FFFF) of the font should be used to display characters in the range U+0000 to U+00FF.	0x4D	Specifies a Macintosh (Standard Roman) character set. (IANA name macintosh)	0x80	Specifies the JIS character set. (IANA name shift_jis)	0x81	Specifies the Hangul character set. (IANA name ks_c_5601-1987)	0x82	Specifies a Johab character set. (IANA name KS_C-5601-1992)	0x86	Specifies the GB-2312 character set. (IANA name GBK)	0x88	Specifies the Chinese Big Five character set. (IANA name Big5)	0xA1	Specifies a Greek character set. (IANA name windows-1253)	0xA2	Specifies a Turkish character set. (IANA name iso-8859-9)	0xA3	Specifies a Vietnamese character set. (IANA name windows-1258)	0xB1	Specifies a Hebrew character set. (IANA name windows-1255)	0xB2	Specifies an Arabic character set. (IANA name windows-1256)	0xBA	Specifies a Baltic character set. (IANA name windows-1257)	0xCC	Specifies a Russian character set. (IANA name windows-1251)	0xDE	Specifies a Thai character set. (IANA name windows-874)	0xEE	Specifies an Eastern European character set. (IANA name windows-1250)	0xFF	Specifies an OEM character set not defined by ISO/IEC 29500.	Any other value	Application-defined, can be ignored.
Value	Description																																										
0x00	Specifies the ANSI character set. (IANA name iso-8859-1)																																										
0x01	Specifies the default character set.																																										
0x02	Specifies the Symbol character set. This value specifies that the characters in the Unicode private use area (U+FF00 to U+FFFF) of the font should be used to display characters in the range U+0000 to U+00FF.																																										
0x4D	Specifies a Macintosh (Standard Roman) character set. (IANA name macintosh)																																										
0x80	Specifies the JIS character set. (IANA name shift_jis)																																										
0x81	Specifies the Hangul character set. (IANA name ks_c_5601-1987)																																										
0x82	Specifies a Johab character set. (IANA name KS_C-5601-1992)																																										
0x86	Specifies the GB-2312 character set. (IANA name GBK)																																										
0x88	Specifies the Chinese Big Five character set. (IANA name Big5)																																										
0xA1	Specifies a Greek character set. (IANA name windows-1253)																																										
0xA2	Specifies a Turkish character set. (IANA name iso-8859-9)																																										
0xA3	Specifies a Vietnamese character set. (IANA name windows-1258)																																										
0xB1	Specifies a Hebrew character set. (IANA name windows-1255)																																										
0xB2	Specifies an Arabic character set. (IANA name windows-1256)																																										
0xBA	Specifies a Baltic character set. (IANA name windows-1257)																																										
0xCC	Specifies a Russian character set. (IANA name windows-1251)																																										
0xDE	Specifies a Thai character set. (IANA name windows-874)																																										
0xEE	Specifies an Eastern European character set. (IANA name windows-1250)																																										
0xFF	Specifies an OEM character set not defined by ISO/IEC 29500.																																										
Any other value	Application-defined, can be ignored.																																										

Attributes	Description																																						
	<p>The possible values for this attribute are defined by the W3C XML Schema byte datatype.</p>																																						
<p>panose (Panose Setting)</p> <p>Namespace: .../drawingml/2006/main</p>	<p>Specifies the Panose-1 classification number for the current font using the mechanism defined in §4.2.7.17 of ISO/IEC 14496-22:2007.</p> <p>The possible values for this attribute are defined by the ST_Panose simple type (Part 1, §22.9.2.8).</p>																																						
<p>pitchFamily (Similar Font Family)</p> <p>Namespace: .../drawingml/2006/main</p>	<p>Specifies the font pitch as well as the font family for the corresponding font. Because the value of this attribute is determined by a byte variable this value shall be interpreted as follows:</p> <table border="1" data-bbox="415 695 1481 1614"> <thead> <tr> <th data-bbox="415 695 610 743">Value</th> <th data-bbox="610 695 1481 743">Description</th> </tr> </thead> <tbody> <tr><td data-bbox="415 743 610 791">0x00</td><td data-bbox="610 743 1481 791">DEFAULT PITCH + UNKNOWN FONT FAMILY</td></tr> <tr><td data-bbox="415 791 610 840">0x01</td><td data-bbox="610 791 1481 840">FIXED PITCH + UNKNOWN FONT FAMILY</td></tr> <tr><td data-bbox="415 840 610 888">0x02</td><td data-bbox="610 840 1481 888">VARIABLE PITCH + UNKNOWN FONT FAMILY</td></tr> <tr><td data-bbox="415 888 610 936">0x10</td><td data-bbox="610 888 1481 936">DEFAULT PITCH + ROMAN FONT FAMILY</td></tr> <tr><td data-bbox="415 936 610 984">0x11</td><td data-bbox="610 936 1481 984">FIXED PITCH + ROMAN FONT FAMILY</td></tr> <tr><td data-bbox="415 984 610 1033">0x12</td><td data-bbox="610 984 1481 1033">VARIABLE PITCH + ROMAN FONT FAMILY</td></tr> <tr><td data-bbox="415 1033 610 1081">0x20</td><td data-bbox="610 1033 1481 1081">DEFAULT PITCH + SWISS FONT FAMILY</td></tr> <tr><td data-bbox="415 1081 610 1129">0x21</td><td data-bbox="610 1081 1481 1129">FIXED PITCH + SWISS FONT FAMILY</td></tr> <tr><td data-bbox="415 1129 610 1178">0x22</td><td data-bbox="610 1129 1481 1178">VARIABLE PITCH + SWISS FONT FAMILY</td></tr> <tr><td data-bbox="415 1178 610 1226">0x30</td><td data-bbox="610 1178 1481 1226">DEFAULT PITCH + MODERN FONT FAMILY</td></tr> <tr><td data-bbox="415 1226 610 1274">0x31</td><td data-bbox="610 1226 1481 1274">FIXED PITCH + MODERN FONT FAMILY</td></tr> <tr><td data-bbox="415 1274 610 1323">0x32</td><td data-bbox="610 1274 1481 1323">VARIABLE PITCH + MODERN FONT FAMILY</td></tr> <tr><td data-bbox="415 1323 610 1371">0x40</td><td data-bbox="610 1323 1481 1371">DEFAULT PITCH + SCRIPT FONT FAMILY</td></tr> <tr><td data-bbox="415 1371 610 1419">0x41</td><td data-bbox="610 1371 1481 1419">FIXED PITCH + SCRIPT FONT FAMILY</td></tr> <tr><td data-bbox="415 1419 610 1467">0x42</td><td data-bbox="610 1419 1481 1467">VARIABLE PITCH + SCRIPT FONT FAMILY</td></tr> <tr><td data-bbox="415 1467 610 1516">0x50</td><td data-bbox="610 1467 1481 1516">DEFAULT PITCH + DECORATIVE FONT FAMILY</td></tr> <tr><td data-bbox="415 1516 610 1564">0x51</td><td data-bbox="610 1516 1481 1564">FIXED PITCH + DECORATIVE FONT FAMILY</td></tr> <tr><td data-bbox="415 1564 610 1612">0x52</td><td data-bbox="610 1564 1481 1612">VARIABLE PITCH + DECORATIVE FONT FAMILY</td></tr> </tbody> </table> <p>This information is determined by querying the font when present and shall not be modified when the font is not available. This information can be used in font substitution logic to locate an appropriate substitute font when this font is not available.</p> <p>The possible values for this attribute are defined by the W3C XML Schema byte datatype.</p>	Value	Description	0x00	DEFAULT PITCH + UNKNOWN FONT FAMILY	0x01	FIXED PITCH + UNKNOWN FONT FAMILY	0x02	VARIABLE PITCH + UNKNOWN FONT FAMILY	0x10	DEFAULT PITCH + ROMAN FONT FAMILY	0x11	FIXED PITCH + ROMAN FONT FAMILY	0x12	VARIABLE PITCH + ROMAN FONT FAMILY	0x20	DEFAULT PITCH + SWISS FONT FAMILY	0x21	FIXED PITCH + SWISS FONT FAMILY	0x22	VARIABLE PITCH + SWISS FONT FAMILY	0x30	DEFAULT PITCH + MODERN FONT FAMILY	0x31	FIXED PITCH + MODERN FONT FAMILY	0x32	VARIABLE PITCH + MODERN FONT FAMILY	0x40	DEFAULT PITCH + SCRIPT FONT FAMILY	0x41	FIXED PITCH + SCRIPT FONT FAMILY	0x42	VARIABLE PITCH + SCRIPT FONT FAMILY	0x50	DEFAULT PITCH + DECORATIVE FONT FAMILY	0x51	FIXED PITCH + DECORATIVE FONT FAMILY	0x52	VARIABLE PITCH + DECORATIVE FONT FAMILY
Value	Description																																						
0x00	DEFAULT PITCH + UNKNOWN FONT FAMILY																																						
0x01	FIXED PITCH + UNKNOWN FONT FAMILY																																						
0x02	VARIABLE PITCH + UNKNOWN FONT FAMILY																																						
0x10	DEFAULT PITCH + ROMAN FONT FAMILY																																						
0x11	FIXED PITCH + ROMAN FONT FAMILY																																						
0x12	VARIABLE PITCH + ROMAN FONT FAMILY																																						
0x20	DEFAULT PITCH + SWISS FONT FAMILY																																						
0x21	FIXED PITCH + SWISS FONT FAMILY																																						
0x22	VARIABLE PITCH + SWISS FONT FAMILY																																						
0x30	DEFAULT PITCH + MODERN FONT FAMILY																																						
0x31	FIXED PITCH + MODERN FONT FAMILY																																						
0x32	VARIABLE PITCH + MODERN FONT FAMILY																																						
0x40	DEFAULT PITCH + SCRIPT FONT FAMILY																																						
0x41	FIXED PITCH + SCRIPT FONT FAMILY																																						
0x42	VARIABLE PITCH + SCRIPT FONT FAMILY																																						
0x50	DEFAULT PITCH + DECORATIVE FONT FAMILY																																						
0x51	FIXED PITCH + DECORATIVE FONT FAMILY																																						
0x52	VARIABLE PITCH + DECORATIVE FONT FAMILY																																						

Attributes	Description
<p>typeface (Text Typeface)</p> <p>Namespace: .../drawingml/2006/main</p>	<p>Specifies the typeface, or name of the font that is to be used. The typeface is a string name of the specific font that should be used in rendering the presentation. If this font is not available within the font list of the generating application than font substitution logic should be utilized in order to select an alternate font.</p> <p>The possible values for this attribute are defined by the ST_TextTypeface simple type (Part 1, §20.1.10.81).</p>

153. §11.5.4, “Changed attribute for handoutMasterId element (Part 1, §19.2.1.14)”, new subclause

Attributes	Description
<p>id (Relationship Identifier)</p> <p>Namespace: .../officeDocument/2006/relationships ps</p>	<p>Specifies the relationship identifier that is used in conjunction with a corresponding relationship file to resolve the location within a presentation of the handoutMaster element defining this handout master.</p> <p>The possible values for this attribute are defined by the ST_RelationshipId simple type (Part 1, §22.8.2.1).</p>

154. §11.5.5, “Changed attribute for italic element (Part 1, §19.2.1.16)”, new subclause

Attributes	Description
<p>id (Relationship Identifier)</p> <p>Namespace: .../officeDocument/2006/relationships ps</p>	<p>Specifies the relationship identifier that is used in conjunction with a corresponding relationship file to resolve the location of this embedded font that is referenced in a presentation.</p> <p>The possible values for this attribute are defined by the ST_RelationshipId simple type (Part 1, §22.8.2.1).</p>

155. §11.5.6, “Changed attribute for notesMasterId element (Part 1, §19.2.1.20)”, new subclause

Attributes	Description
<p>id (Relationship Identifier)</p> <p>Namespace: .../officeDocument/2006/relationships ps</p>	<p>Specifies the relationship identifier that is used in conjunction with a corresponding relationship file to resolve the location within a presentation of the notesMaster element defining this notes master.</p> <p>The possible values for this attribute are defined by the ST_RelationshipId simple type (Part 1, §22.8.2.1).</p>

156. §11.5.7, “Changed attribute for notesSz element (Part 1, §19.2.1.22)”, new subclause

Attributes	Description
<p>cx (Extent Length)</p> <p>Namespace: .../drawingml/2006/main</p>	<p>Specifies the length of the extents rectangle in EMUs. This rectangle shall dictate the size of the object as displayed (the result of any scaling to the original object).</p> <p>[Example: Consider a DrawingML object specified as follows:</p> <pre data-bbox="451 548 919 579"><... cx="1828800" cy="200000" /></pre> <p>The cx attributes specifies that this object has a height of 1828800 EMUs (English Metric Units). end example]</p> <p>The possible values for this attribute are defined by the ST PositiveCoordinate simple type (Part 1, §20.1.10.42).</p>
<p>cy (Extent Width)</p> <p>Namespace: .../drawingml/2006/main</p>	<p>Specifies the width of the extents rectangle in EMUs. This rectangle shall dictate the size of the object as displayed (the result of any scaling to the original object).</p> <p>[Example: Consider a DrawingML object specified as follows:</p> <pre data-bbox="451 989 935 1020">< ... cx="1828800" cy="200000" /></pre> <p>The cy attribute specifies that this object has a width of 200000 EMUs (English Metric Units). end example]</p> <p>The possible values for this attribute are defined by the ST PositiveCoordinate simple type (Part 1, §20.1.10.42).</p>

157. §11.5.8, “Changed attribute for regular element (Part 1, §19.2.1.29)”, new subclause

Attributes	Description
<p>id (Relationship Identifier)</p> <p>Namespace: .../officeDocument/2006/relationships</p>	<p>Specifies the relationship identifier that is used in conjunction with a corresponding relationship file to resolve the location of this embedded font that is referenced in a presentation.</p> <p>The possible values for this attribute are defined by the ST RelationshipId simple type (Part 1, §22.8.2.1).</p>

158. §11.5.9, “Changed attribute for sld element (Part 1, §19.2.1.31)”, new subclause

Attributes	Description
<p>id (Relationship ID)</p> <p>Namespace: .../officeDocument/2006/relationships</p>	<p>This attribute specifies the relationship id that is used to reference to the actual slide XML file that contains all the information to the slide listed within the slide list.</p> <p>The possible values for this attribute are defined by the ST_RelationshipId simple type (Part 1, §22.8.2.1).</p>

159. §11.5.10, “Changed attribute for sldId element (Part 1, §19.2.1.33)”, new subclause

Attributes	Description
<p>id (Relationship Identifier)</p> <p>Namespace: .../officeDocument/2006/relationships</p>	<p>Specifies the relationship identifier that is used in conjunction with a corresponding relationship file to resolve the location within a presentation of the sld element defining this slide.</p> <p>The possible values for this attribute are defined by the ST_RelationshipId simple type (Part 1, §22.8.2.1).</p>

160. §11.5.11, “Changed attribute for sldMasterId element (Part 1, §19.2.1.36)”, new subclause

Attributes	Description
<p>id (Relationship Identifier)</p> <p>Namespace: .../officeDocument/2006/relationships</p>	<p>Specifies the relationship identifier that is used in conjunction with a corresponding relationship file to resolve the location within a presentation of the sldMaster element defining this slide master.</p> <p>The possible values for this attribute are defined by the ST_RelationshipId simple type (Part 1, §22.8.2.1).</p>

161. §11.5.12, “Changed attribute for SmartTags element (Part 1, §19.2.1.40)”, new subclause

Attributes	Description
<p>id (Relationship Identifier)</p> <p>Namespace: .../officeDocument/2006/relationships</p>	<p>Specifies the relationship identifier that is used in conjunction with a corresponding relationship file to resolve the location of this smart tag.</p> <p>The possible values for this attribute are defined by the ST_RelationshipId simple type (Part 1, §22.8.2.1).</p>

162. §11.5.13, “Changed attribute for gridSpacing element (Part 1, §19.2.2.3)”, new subclause

Attributes	Description
<p>cx (Extent Length)</p> <p>Namespace: .../drawingml/2006/main</p>	<p>Specifies the length of the extents rectangle in EMUs. This rectangle shall dictate the size of the object as displayed (the result of any scaling to the original object).</p> <p>[Example: Consider a DrawingML object specified as follows:</p> <pre data-bbox="451 993 919 1024" style="text-align: center;"><code><... cx="1828800" cy="200000"/></code></pre> <p>The cx attributes specifies that this object has a height of 1828800 EMUs (English Metric Units). end example]</p> <p>The possible values for this attribute are defined by the ST_PositiveCoordinate simple type (Part 1, §20.1.10.42).</p>
<p>cy (Extent Width)</p> <p>Namespace: .../drawingml/2006/main</p>	<p>Specifies the width of the extents rectangle in EMUs. This rectangle shall dictate the size of the object as displayed (the result of any scaling to the original object).</p> <p>[Example: Consider a DrawingML object specified as follows:</p> <pre data-bbox="451 1430 935 1461" style="text-align: center;"><code>< ... cx="1828800" cy="200000"/></code></pre> <p>The cy attribute specifies that this object has a width of 200000 EMUs (English Metric Units). end example]</p> <p>The possible values for this attribute are defined by the ST_PositiveCoordinate simple type (Part 1, §20.1.10.42).</p>

163. §11.5.14, “Changed attribute for origin element (Part 1, §19.2.2.9)”, new subclause

Attributes	Description
<p>x (X-Axis Coordinate)</p> <p>Namespace: .../drawingml/2006/main</p>	<p>Specifies a coordinate on the x-axis. The origin point for this coordinate shall be specified by the parent XML element.</p> <p>[Example: Consider the following point on a basic wrapping polygon for a DrawingML object:</p> <pre data-bbox="451 583 760 615"><... x="0" y="100" /></pre> <p>The x attribute defines an x-coordinate of 0. end example]</p> <p>The possible values for this attribute are defined by the ST Coordinate simple type (Part 1, §20.1.10.16).</p>
<p>y (Y-Axis Coordinate)</p> <p>Namespace: .../drawingml/2006/main</p>	<p>Specifies a coordinate on the y-axis. The origin point for this coordinate shall be specified by the parent XML element.</p> <p>[Example: Consider the following point on a basic wrapping polygon for a DrawingML object:</p> <pre data-bbox="451 1024 760 1056"><... x="0" y="100" /></pre> <p>The y attribute defines a y-coordinate of 100. end example]</p> <p>The possible values for this attribute are defined by the ST Coordinate simple type (Part 1, §20.1.10.16).</p>

164. §11.5.15, “Changed attribute for sld element (Part 1, §19.2.2.14)”, new subclause

Attributes	Description
<p>id (Relationship Identifier)</p> <p>Namespace: .../officeDocument/2006/relationships</p>	<p>Specifies the relationship identifier that is used in conjunction with a corresponding relationship file to resolve the location of this presentation slide within a presentation.</p> <p>The possible values for this attribute are defined by the ST RelationshipId simple type (Part 1, §22.8.2.1).</p>

165. §11.5.16, “Changed attribute for bgRef element (Part 1, §19.3.1.3)”, new subclause

Attributes	Description
idx (Style Matrix Index) Namespace: .../drawingml/2006/main	Specifies the style matrix index of the style referred to. The possible values for this attribute are defined by the ST_StyleMatrixColumnIndex simple type (Part 1, §20.1.10.57).

166. §11.5.17, “Changed attribute for blipFill element (Part 1, §19.3.1.4)”, new subclause

Attributes	Description
dpi (DPI Setting) Namespace: .../drawingml/2006/main	Specifies the DPI (dots per inch) used to calculate the size of the blip. If not present or zero, the DPI in the blip is used. _____ [Note: This attribute is primarily used to keep track of the picture quality within a document. There are different levels of quality needed for print than on-screen viewing and thus a need to track this information. end note] The possible values for this attribute are defined by the W3C XML Schema unsignedInt datatype.
rotWithShape (Rotate With Shape) Namespace: .../drawingml/2006/main	Specifies that the fill should rotate with the shape. That is, when the shape that has been filled with a picture and the containing shape (say a rectangle) is transformed with a rotation then the fill is transformed with the same rotation. The possible values for this attribute are defined by the W3C XML Schema boolean datatype.

167. §11.5.18, “Changed attribute for clrMap element (Part 1, §19.3.1.6)”, new subclause

Attributes	Description
accent1 (Accent 1) Namespace: .../drawingml/2006/main	Specifies a color defined which is associated as the accent 1 color. The possible values for this attribute are defined by the ST_ColorSchemeIndex simple type (Part 1, §20.1.10.14).
accent2 (Accent 2) Namespace: .../drawingml/2006/main	Specifies a color defined which is associated as the accent 2 color. The possible values for this attribute are defined by the ST_ColorSchemeIndex simple type (Part 1, §20.1.10.14).

Attributes	Description
<p>accent3 (Accent 3)</p> <p>Namespace: .../drawingml/2006/main</p>	<p>Specifies a color defined which is associated as the accent 3 color.</p> <p>The possible values for this attribute are defined by the ST_ColorSchemeIndex simple type (Part 1, §20.1.10.14).</p>
<p>accent4 (Accent 4)</p> <p>Namespace: .../drawingml/2006/main</p>	<p>Specifies a color defined which is associated as the accent 4 color.</p> <p>The possible values for this attribute are defined by the ST_ColorSchemeIndex simple type (Part 1, §20.1.10.14).</p>
<p>accent5 (Accent 5)</p> <p>Namespace: .../drawingml/2006/main</p>	<p>Specifies a color defined which is associated as the accent 5 color.</p> <p>The possible values for this attribute are defined by the ST_ColorSchemeIndex simple type (Part 1, §20.1.10.14).</p>
<p>accent6 (Accent 6)</p> <p>Namespace: .../drawingml/2006/main</p>	<p>Specifies a color defined which is associated as the accent 6 color.</p> <p>The possible values for this attribute are defined by the ST_ColorSchemeIndex simple type (Part 1, §20.1.10.14).</p>
<p>bg1 (Background 1)</p> <p>Namespace: .../drawingml/2006/main</p>	<p>A color defined which is associated as the first background color.</p> <p>The possible values for this attribute are defined by the ST_ColorSchemeIndex simple type (Part 1, §20.1.10.14).</p>
<p>bg2 (Background 2)</p> <p>Namespace: .../drawingml/2006/main</p>	<p>Specifies a color defined which is associated as the second background color.</p> <p>The possible values for this attribute are defined by the ST_ColorSchemeIndex simple type (Part 1, §20.1.10.14).</p>
<p>folHlink (Followed Hyperlink)</p> <p>Namespace: .../drawingml/2006/main</p>	<p>Specifies a color defined which is associated as the color for a followed hyperlink.</p> <p>The possible values for this attribute are defined by the ST_ColorSchemeIndex simple type (Part 1, §20.1.10.14).</p>
<p>hlink (Hyperlink)</p> <p>Namespace: .../drawingml/2006/main</p>	<p>Specifies a color defined which is associated as the color for a hyperlink.</p> <p>The possible values for this attribute are defined by the ST_ColorSchemeIndex simple type (Part 1, §20.1.10.14).</p>

<u>Attributes</u>	<u>Description</u>
<u>tx1 (Text 1)</u> Namespace: <u>.../drawingml/2006/main</u>	<u>Specifies a color defined which is associated as the first text color.</u> <u>The possible values for this attribute are defined by the ST_ColorSchemeIndex simple type (Part 1, §20.1.10.14).</u>
<u>tx2 (Text 2)</u> Namespace: <u>.../drawingml/2006/main</u>	<u>Specifies a color defined which is associated as the second text color.</u> <u>The possible values for this attribute are defined by the ST_ColorSchemeIndex simple type (Part 1, §20.1.10.14).</u>

168. §11.5.19, “Changed attribute for cNvPicPr element (Part 1, §19.3.1.11)”, new subclause

<u>Attributes</u>	<u>Description</u>
<u>preferRelativeResi</u> <u>ze (Relative Resize Preferred)</u> Namespace: <u>.../drawingml/2006/main</u>	<u>Specifies if the user interface should show the resizing of the picture based on the picture's current size or its original size. If this attribute is set to true, then scaling is relative to the original picture size as opposed to the current picture size.</u> <u>[Example: Consider the case where a picture has been resized within a document and is now 50% of the originally inserted picture size. Now if the user chooses to make a later adjustment to the size of this picture within the generating application, then the value of this attribute should be checked.</u> <u>If this attribute is set to true then a value of 50% is shown. Similarly, if this attribute is set to false, then a value of 100% should be shown because the picture has not yet been resized from its current (smaller) size. end example]</u> <u>The possible values for this attribute are defined by the W3C XML Schema boolean datatype.</u>

169. §11.5.20, “Changed attribute for cNvPr element (Part 1, §19.3.1.12)”, new subclause

<u>Attributes</u>	<u>Description</u>
<u>descr (Alternative Text for Object)</u> Namespace: <u>.../drawingml/2006/main</u>	<u>Specifies alternative text for the current DrawingML object, for use by assistive technologies or applications that do not display the current object.</u> <u>If this element is omitted, then no alternative text is present for the parent object.</u> <u>[Example: Consider a DrawingML object defined as follows:</u> <u><... descr="A picture of a bowl of fruit"></u>

Attributes	Description
	<p>The descr attribute contains alternative text that can be used in place of the actual DrawingML object. <i>end example</i></p> <p>The possible values for this attribute are defined by the W3C XML Schema string datatype.</p>
<p><u>hidden (Hidden)</u></p> <p>Namespace: <u>.../drawingml/2006/main</u></p>	<p>Specifies whether this DrawingML object is displayed. When a DrawingML object is displayed within a document, that object can be hidden (i.e., present, but not visible). This attribute determines whether the object is rendered or made hidden. [Note: An application can have settings which allow this object to be viewed. <i>end note</i>]</p> <p>If this attribute is omitted, then the parent DrawingML object shall be displayed (i.e., not hidden).</p> <p>[Example: Consider an inline DrawingML object that must be hidden within the document's content. This setting would be specified as follows:</p> <pre data-bbox="451 829 760 861"><... hidden="true" /></pre> <p>The hidden attribute has a value of true, which specifies that the DrawingML object is hidden and not displayed when the document is displayed. <i>end example</i></p> <p>The possible values for this attribute are defined by the W3C XML Schema boolean datatype.</p>
<p><u>id (Unique Identifier)</u></p> <p>Namespace: <u>.../drawingml/2006/main</u></p>	<p>Specifies a unique identifier for the current DrawingML object within the current document. This ID can be used to assist in uniquely identifying this object so that it can be referred to by other parts of the document.</p> <p>If multiple objects within the same document share the same id attribute value, then the document shall be considered non-conformant.</p> <p>[Example: Consider a DrawingML object defined as follows:</p> <pre data-bbox="451 1413 678 1444"><... id="10" ... ></pre> <p>The id attribute has a value of 10, which is the unique identifier for this DrawingML object. <i>end example</i></p> <p>The possible values for this attribute are defined by the ST_DrawingElementId simple type (Part 1, §20.1.10.21).</p>
<p><u>name (Name)</u></p> <p>Namespace: <u>.../drawingml/2006/main</u></p>	<p>Specifies the name of the object. [Note: Typically, this is used to store the original file name of a picture object. <i>end note</i>]</p> <p>[Example: Consider a DrawingML object defined as follows:</p> <pre data-bbox="451 1850 776 1881">< ... name="foo.jpg" ></pre>

Attributes	Description
	<p>The name attribute has a value of <code>foo.jpg</code>, which is the name of this DrawingML object. <i>end example</i></p> <p>The possible values for this attribute are defined by the W3C XML Schema string datatype.</p>
<p><u>title (Title)</u></p> <p>Namespace: <u>.../drawingml/2006/main</u></p>	<p>Specifies the title (caption) of the current DrawingML object.</p> <p>If this attribute is omitted, then no title text is present for the parent object.</p> <p>[Example: Consider a DrawingML object defined as follows:</p> <pre data-bbox="451 688 971 720"><... title="Process Flow Diagram"></pre> <p><i>end example</i></p> <p>The possible values for this attribute are defined by the W3C XML Schema string datatype.</p>

170. §11.5.21, “Changed attribute for `cNvSpPr` element (Part 1, §19.3.1.13)”, new subclause

Attributes	Description
<p><u>txBox (Text Box)</u></p> <p>Namespace: <u>.../drawingml/2006/main</u></p>	<p>Specifies that the corresponding shape is a text box and thus should be treated as such by the generating application. If this attribute is omitted then it is assumed that the corresponding shape is not specifically a text box.</p> <p>[Note: Because a shape is not specified to be a text box does not mean that it cannot have text attached to it. A text box is merely a specialized shape with specific properties. <i>end note</i></p> <p>The possible values for this attribute are defined by the W3C XML Schema boolean datatype.</p>

171. §11.5.22, “Changed attribute for contentPart element (Part 1, §19.3.1.14)”, new subclause

Attributes	Description
<p>id (Relationship to Part)</p> <p>Namespace: .../officeDocument/2006/relationships</p>	<p>Specifies the relationship ID to a content part.</p> <p>[Example: Consider an XML element which has the following id attribute:</p> <pre data-bbox="451 510 727 541"><... r:id="rId1" /></pre> <p>The markup specifies the associated relationship part with relationship ID rId1 contains the corresponding relationship information for the parent XML element. end example]</p> <p>The possible values for this attribute are defined by the ST_RelationshipId simple type (Part 1, §22.8.2.1).</p>

172. §11.5.23, “Changed attribute for custData element (Part 1, §19.3.1.17)”, new subclause

Attributes	Description
<p>id (Relationship ID)</p> <p>Namespace: .../officeDocument/2006/relationships</p>	<p>This attribute specifies the relationship id for referencing other resources outside the scope of the current PresentationML file.</p> <p>The possible values for this attribute are defined by the ST_RelationshipId simple type (Part 1, §22.8.2.1).</p>

173. §11.5.24, “Changed attribute for grpSpPr element (Part 1, §19.3.1.23)”, new subclause

Attributes	Description
<p>bwMode (Black and White Mode)</p> <p>Namespace: .../drawingml/2006/main</p>	<p>Specifies that the group shape should be rendered using only black and white coloring. That is the coloring information for the group shape should be converted to either black or white when rendering the corresponding shapes.</p> <p>No gray is to be used in rendering this image, only stark black and stark white.</p> <p>[Note: This does not mean that the group shapes themselves are stored with only black and white color information. This attribute instead sets the rendering mode that the shapes use when rendering. end note]</p> <p>The possible values for this attribute are defined by the ST_BlackWhiteMode simple type (Part 1, §20.1.10.10).</p>

174. §11.5.25, “Changed attribute for sldLayoutId element (Part 1, §19.3.1.40)”, new subclause

<u>Attributes</u>	<u>Description</u>
<p><u>id (ID Tag)</u></p> <p>Namespace: <u>.../officeDocument/2006/relationships</u></p>	<p><u>Specifies the relationship id value that the generating application can use to resolve which slide layout is used in the creation of the slide. This relationship id is used within the relationship file for the master slide to expose the location of the corresponding layout file within the presentation.</u></p> <p><u>The possible values for this attribute are defined by the ST_RelationshipId simple type (Part 1, §22.8.2.1).</u></p>

175. §11.5.26, “Changed attribute for spPr element (Part 1, §19.3.1.44)”, new subclause

<u>Attributes</u>	<u>Description</u>
<p><u>bwMode (Black and White Mode)</u></p> <p>Namespace: <u>.../drawingml/2006/main</u></p>	<p><u>Specifies that the picture should be rendered using only black and white coloring. That is the coloring information for the picture should be converted to either black or white when rendering the picture.</u></p> <p><u>No gray is to be used in rendering this image, only stark black and stark white.</u></p> <p><u>[Note: This does not mean that the picture itself that is stored within the file is necessarily a black and white picture. This attribute instead sets the rendering mode that the picture has applied to when rendering. end note]</u></p> <p><u>The possible values for this attribute are defined by the ST_BlackWhiteMode simple type (Part 1, §20.1.10.10).</u></p>

176. §11.5.27, “Changed attribute for tags element (Part 1, §19.3.1.47)”, new subclause

<u>Attributes</u>	<u>Description</u>
<p><u>id (Relationship ID)</u></p> <p>Namespace: <u>.../officeDocument/2006/relationships</u></p>	<p><u>This attribute specifies the relationship identifier for the customer data tag. This allows for a link to a resource that is external from the current XML document but still contained within the presentation document.</u></p> <p><u>The possible values for this attribute are defined by the ST_RelationshipId simple type (Part 1, §22.8.2.1).</u></p>

177. §11.5.28, “Changed attribute for xfrm element (Part 1, §19.3.1.53)”, new subclause

Attributes	Description
<p>flipH (Horizontal Flip)</p> <p>Namespace: .../drawingml/2006/main</p>	<p>Specifies a horizontal flip. When true, this attribute defines that the shape is flipped horizontally about the center of its bounding box.</p> <p>[Example: The following illustrates the effect of a horizontal flip.</p> <div data-bbox="414 541 1027 714" style="text-align: center;"> </div> <p>end example]</p> <p>The possible values for this attribute are defined by the W3C XML Schema boolean datatype.</p>
<p>flipV (Vertical Flip)</p> <p>Namespace: .../drawingml/2006/main</p>	<p>Specifies a vertical flip. When true, this attribute defines that the group is flipped vertically about the center of its bounding box.</p> <p>[Example: The following illustrates the effect of a vertical flip.</p> <div data-bbox="414 1050 1027 1222" style="text-align: center;"> </div> <p>end example]</p> <p>The possible values for this attribute are defined by the W3C XML Schema boolean datatype.</p>
<p>rot (Rotation)</p> <p>Namespace: .../drawingml/2006/main</p>	<p>Specifies the rotation of the Graphic Frame. The units for which this attribute is specified in reside within the simple type definition referenced below.</p> <p>The possible values for this attribute are defined by the ST_Angle simple type (Part 1, §20.1.10.3).</p>

178. §11.5.29, “Changed attribute for control element (Part 1, §19.3.2.1)”, new subclause

Attributes	Description
<u>id (Relationship ID)</u> Namespace: <u>.../officeDocument/2006/relationships</u>	<u>Specifies the relationship id that is used to identify this Embedded object from within a slide.</u> <u>The possible values for this attribute are defined by the ST_RelationshipId simple type (Part 1, §22.8.2.1).</u>

179. §11.5.30, “Changed attribute for oleObj element (Part 1, §19.3.2.4)”, new subclause

Attributes	Description
<u>id (Relationship ID)</u> Namespace: <u>.../officeDocument/2006/relationships</u>	<u>Specifies the relationship id that is used to identify this Embedded object from within a slide.</u> <u>The possible values for this attribute are defined by the ST_RelationshipId simple type (Part 1, §22.8.2.1).</u>

180. §11.5.31, “Changed attribute for pos element (Part 1, §19.4.5)”, new subclause

Attributes	Description
<u>x (X-Axis Coordinate)</u> Namespace: <u>.../drawingml/2006/main</u>	<u>Specifies a coordinate on the x-axis. The origin point for this coordinate shall be specified by the parent XML element.</u> <u>[Example: Consider the following point on a basic wrapping polygon for a DrawingML object:</u> <u>... x="0" y="100" /></u> <u>The x attribute defines an x-coordinate of 0. end example]</u> <u>The possible values for this attribute are defined by the ST_Coordinate simple type (Part 1, §20.1.10.16).</u>

Attributes	Description
<p>y (Y-Axis Coordinate)</p> <p>Namespace: .../drawingml/2006/main</p>	<p>Specifies a coordinate on the y-axis. The origin point for this coordinate shall be specified by the parent XML element.</p> <p>[Example: Consider the following point on a basic wrapping polygon for a DrawingML object:</p> <pre data-bbox="451 464 760 495" style="text-align: center;"><... x="0" y="100" /></pre> <p>The y attribute defines a y-coordinate of 100. end example]</p> <p>The possible values for this attribute are defined by the ST_Coordinate simple type (Part 1, §20.1.10.16).</p>

181. §11.5.32, “Changed attribute for snd element (Part 1, §19.5.68)”, new subclause

Attributes	Description
<p>embed (Embedded Audio File Relationship ID)</p> <p>Namespace: .../officeDocument/2006/relationships</p>	<p>Specifies the identification information for an embedded audio file. This attribute is used to specify the location of an object that resides locally within the file. [Note: A list of suggested audio types is provided in Part 1, §15.2.2. end note]</p> <p>The possible values for this attribute are defined by the ST_RelationshipId simple type (Part 1, §22.8.2.1).</p>
<p>name (Sound Name)</p> <p>Namespace: .../drawingml/2006/main</p>	<p>Specifies the original name or given short name for the corresponding sound. This is used to distinguish this sound from others by providing a human readable name for the attached sound should the user need to identify the sound among others within the UI.</p> <p>The possible values for this attribute are defined by the W3C XML Schema string datatype.</p>

182. §11.5.33, “Changed attribute for sndTgt element (Part 1, §19.5.70)”, new subclause

Attributes	Description
<p>embed (Embedded Audio File Relationship ID)</p> <p>Namespace: .../officeDocument/2006/relationships</p>	<p>Specifies the identification information for an embedded audio file. This attribute is used to specify the location of an object that resides locally within the file. [Note: A list of suggested audio types is provided in Part 1, §15.2.2. end note]</p> <p>The possible values for this attribute are defined by the ST_RelationshipId simple type (Part 1, §22.8.2.1).</p>

Attributes	Description
name (Sound Name) Namespace: .../drawingml/2006/main	Specifies the original name or given short name for the corresponding sound. This is used to distinguish this sound from others by providing a human readable name for the attached sound should the user need to identify the sound among others within the UI. The possible values for this attribute are defined by the W3C XML Schema string datatype.

183. §12.1.2.2, “Additional member types for the union in ST_Percentage (Part 1, §20.1.10.40)”, pp. 199–200

The value space of the following additional member types can be used within the context of this simple type for a document of a transitional conformance class.

- The ST_PercentageDecimal simple type (~~Part 1, §20.1.10.41~~ [Part 4, §12.1.2.12](#)).

184. §12.1.2.12, “ST_PercentageDecimal (Percentage as Decimal Number)”, new subclause

[This simple type represents a percentage in 1000ths of a percent, e.g., a value of 1 represents 0.001% == 0.00001; a value of 100000 is equal to 100%. Percentages have no intrinsic units, but are used to scale other values with units.](#)

[This simple type's contents are a restriction of the W3C XML Schema int datatype.](#)

Referenced By
ST_Percentage (Part 1, §20.1.10.40)

[\[Note: The W3C XML Schema definition of this simple type's content model \(ST_PercentageDecimal\) is located in §A.4.1. end note\]](#)

185. §12.1.2.13, “Additional member types for the union in ST_PrSetCustVal (Part 1, §21.4.7.66)”, new subclause

[The value space of the following additional member types can be used within the context of this simple type for a document of a transitional conformance class.](#)

- [The W3C XML Schema int datatype.](#)

186. §12.1.2.14, “ST_TextBulletSizeDecimal (Bullet Size Percentage)”, new subclause

This simple type specifies the range that the bullet percent can be. A bullet percent is the size of the bullet with respect to the text that should follow it. 25000 = 25%, 400000 = 400%

This simple type's contents are a restriction of the ST_PercentageDecimal datatype (Part 4, §12.1.2.12).

This simple type also specifies the following restrictions:

- This simple type has a minimum value of greater than or equal to 25000.
- This simple type has a maximum value of less than or equal to 400000.

<u>Referenced By</u>
ST_TextBulletSize (Part 1, §20.1.10.86)

[Note: The W3C XML Schema definition of this simple type’s content model (ST_TextBulletSizeDecimal) is located in §A.4.1. *end note*]

187. §12.1.2.15, “Additional member types for the union in ST_TextBulletSize (Part 1, §20.1.10.86)”, new subclause

The value space of the following additional member types can be used within the context of this simple type for a document of a transitional conformance class.

- The ST_TextBulletSizeDecimal simple type (Part 4, §12.1.2.14).

188. §12.3, “Changed attributes”, new subclause

The following attributes, which are defined in subclauses within Part 1, §20, “DrawingML - Framework Reference Material”, have different source relationships when used in documents of the Transitional conformance class:

189. §12.3.1, “Changed attribute for hlinkHover element (Part 1, §20.1.2.2.23)”, new subclause

<u>Attributes</u>	<u>Description</u>
id (Drawing Object Hyperlink Target) Namespace: .../officeDocument/2006/relationships	Specifies the relationship id that when looked up in this slides relationship file contains the target of this hyperlink. This attribute cannot be omitted. The possible values for this attribute are defined by the ST_RelationshipId simple type (Part 1, §22.8.2.1).

190. §12.3.2, “Changed attribute for snd element (Part 1, §20.1.2.2.32)”, new subclause

Attributes	Description
<p>embed (Embedded Audio File Relationship ID)</p> <p>Namespace: .../officeDocument/2006/relationships</p>	<p>Specifies the identification information for an embedded audio file. This attribute is used to specify the location of an object that resides locally within the file. [Note: A list of suggested audio types is provided in Part 1, §15.2.2. end note]</p> <p>The possible values for this attribute are defined by the ST_RelationshipId simple type (Part 1, §22.8.2.1).</p>

191. §12.3.3, “Changed attribute for audioFile element (Part 1, §20.1.3.2)”, new subclause

Attributes	Description
<p>link (Linked Relationship ID)</p> <p>Namespace: .../officeDocument/2006/relationships</p>	<p>Specifies the identification information for a linked object. This attribute is used to specify the location of an object that does not reside within this file.</p> <p>The possible values for this attribute are defined by the ST_RelationshipId simple type (Part 1, §22.8.2.1).</p>

192. §12.3.4, “Changed attribute for quickTimeFile element (Part 1, §20.1.3.4)”, new subclause

Attributes	Description
<p>link (Linked Relationship ID)</p> <p>Namespace: .../officeDocument/2006/relationships</p>	<p>Specifies the identification information for a linked object. This attribute is used to specify the location of an object that does not reside within this file.</p> <p>The possible values for this attribute are defined by the ST_RelationshipId simple type (Part 1, §22.8.2.1).</p>

193. §12.3.5, “Changed attribute for videoFile element (Part 1, §20.1.3.6)”, new subclause

Attributes	Description
<p>link (Linked Relationship ID)</p> <p>Namespace: .../officeDocument/2006/relationships</p>	<p>Specifies the identification information for a linked object. This attribute is used to specify the location of an object that does not reside within this file.</p> <p>The possible values for this attribute are defined by the ST_RelationshipId simple type (Part 1, §22.8.2.1).</p>

194. §12.3.6 “Changed attribute for wavAudioFile element (Part 1, §20.1.3.7)”, new subclause

Attributes	Description
<p>embed (Embedded Audio File Relationship ID)</p> <p>Namespace: .../officeDocument/2006/relationships</p>	<p>Specifies the identification information for an embedded audio file. This attribute is used to specify the location of an object that resides locally within the file. [Note: A list of suggested audio types is provided in Part 1, §15.2.2. end note]</p> <p>The possible values for this attribute are defined by the ST_RelationshipId simple type (Part 1, §22.8.2.1).</p>

195. §12.3.7, “Changed attribute for blip element (Part 1, §20.1.8.13)”, new subclause

Attributes	Description
<p>embed (Embedded Picture Reference)</p> <p>Namespace: .../officeDocument/2006/relationships</p>	<p>Specifies the identification information for an embedded picture. This attribute is used to specify an image that resides locally within the file.</p> <p>The possible values for this attribute are defined by the ST_RelationshipId simple type (Part 1, §22.8.2.1).</p>
<p>link (Linked Picture Reference)</p> <p>Namespace: .../officeDocument/2006/relationships</p>	<p>Specifies the identification information for a linked picture. This attribute is used to specify an image that does not reside within this file.</p> <p>The possible values for this attribute are defined by the ST_RelationshipId simple type (Part 1, §22.8.2.1).</p>

196. §12.3.8, “Changed attribute for blipFill element (Part 1, §20.2.2.1)”, new subclause

Attributes	Description
<p>dpi (DPI Setting)</p> <p>Namespace: .../drawingml/2006/main</p>	<p>Specifies the DPI (dots per inch) used to calculate the size of the blip. If not present or zero, the DPI in the blip is used.</p> <p>[Note: This attribute is primarily used to keep track of the picture quality within a document. There are different levels of quality needed for print than on-screen viewing and thus a need to track this information. end note]</p> <p>The possible values for this attribute are defined by the W3C XML Schema unsignedInt datatype.</p>
<p>rotWithShape (Rotate With Shape)</p> <p>Namespace: .../drawingml/2006/main</p>	<p>Specifies that the fill should rotate with the shape. That is, when the shape that has been filled with a picture and the containing shape (say a rectangle) is transformed with a rotation then the fill is transformed with the same rotation.</p> <p>The possible values for this attribute are defined by the W3C XML Schema boolean datatype.</p>

197. §12.3.9, “Changed attribute for cNvPicPr element (Part 1, §20.2.2.2)”, new subclause

Attributes	Description
<p>preferRelativeResi ze (Relative Resize Preferred)</p> <p>Namespace: .../drawingml/2006/main</p>	<p>Specifies if the user interface should show the resizing of the picture based on the picture's current size or its original size. If this attribute is set to true, then scaling is relative to the original picture size as opposed to the current picture size.</p> <p>[Example: Consider the case where a picture has been resized within a document and is now 50% of the originally inserted picture size. Now if the user chooses to make a later adjustment to the size of this picture within the generating application, then the value of this attribute should be checked.</p> <p>If this attribute is set to true then a value of 50% is shown. Similarly, if this attribute is set to false, then a value of 100% should be shown because the picture has not yet been resized from its current (smaller) size. end example]</p> <p>The possible values for this attribute are defined by the W3C XML Schema boolean datatype.</p>

198. §12.3.10, “Changed attribute for cNvPr element (Part 1, §20.2.2.3)”, new subclause

Attributes	Description
<p>descr (Alternative Text for Object)</p> <p>Namespace: .../drawingml/2006/main</p>	<p>Specifies alternative text for the current DrawingML object, for use by assistive technologies or applications that do not display the current object.</p> <p>If this element is omitted, then no alternative text is present for the parent object.</p> <p>[Example: Consider a DrawingML object defined as follows:</p> <pre data-bbox="451 617 1096 646"><... descr="A picture of a bowl of fruit"></pre> <p>The descr attribute contains alternative text that can be used in place of the actual DrawingML object. end example]</p> <p>The possible values for this attribute are defined by the W3C XML Schema string datatype.</p>
<p>hidden (Hidden)</p> <p>Namespace: .../drawingml/2006/main</p>	<p>Specifies whether this DrawingML object is displayed. When a DrawingML object is displayed within a document, that object can be hidden (i.e., present, but not visible). This attribute determines whether the object is rendered or made hidden. [Note: An application can have settings that allow this object to be viewed. end note]</p> <p>If this attribute is omitted, then the parent DrawingML object shall be displayed (i.e., not hidden).</p> <p>[Example: Consider an inline DrawingML object that must be hidden within the document's content. This setting would be specified as follows:</p> <pre data-bbox="451 1268 760 1297"><... hidden="true" /></pre> <p>The hidden attribute has a value of true, which specifies that the DrawingML object is hidden and not displayed when the document is displayed. end example]</p> <p>The possible values for this attribute are defined by the W3C XML Schema boolean datatype.</p>
<p>id (Unique Identifier)</p> <p>Namespace: .../drawingml/2006/main</p>	<p>Specifies a unique identifier for the current DrawingML object within the current document. This ID can be used to assist in uniquely identifying this object so that it can be referred to by other parts of the document.</p> <p>If multiple objects within the same document share the same id attribute value, then the document shall be considered non-conformant.</p> <p>[Example: Consider a DrawingML object defined as follows:</p> <pre data-bbox="451 1850 678 1879"><... id="10" ... ></pre>

Attributes	Description
	<p>The id attribute has a value of 10, which is the unique identifier for this DrawingML object. <i>end example</i></p> <p>The possible values for this attribute are defined by the ST DrawingElementId simple type (Part 1, §20.1.10.21).</p>
<p><u>name (Name)</u></p> <p>Namespace: <u>.../drawingml/2006/main</u></p>	<p>Specifies the name of the object. [<i>Note</i>: Typically, this is used to store the original file name of a picture object. <i>end note</i>]</p> <p>[<i>Example</i>: Consider a DrawingML object defined as follows:</p> <pre data-bbox="451 653 776 684">< ... name="foo.jpg" ></pre> <p>The name attribute has a value of foo.jpg, which is the name of this DrawingML object. <i>end example</i></p> <p>The possible values for this attribute are defined by the W3C XML Schema string datatype.</p>
<p><u>title (Title)</u></p> <p>Namespace: <u>.../drawingml/2006/main</u></p>	<p>Specifies the title (caption) of the current DrawingML object.</p> <p>If this attribute is omitted, then no title text is present for the parent object.</p> <p>[<i>Example</i>: Consider a DrawingML object defined as follows:</p> <pre data-bbox="451 1125 967 1157"><... title="Process Flow Diagram"></pre> <p><i>end example</i></p> <p>The possible values for this attribute are defined by the W3C XML Schema string datatype.</p>

199. §12.3.11, “Changed attribute for spPr element (Part 1, §20.2.2.6)”, new subclause

Attributes	Description
<p><u>bwMode (Black and White Mode)</u></p> <p>Namespace: <u>.../drawingml/2006/main</u></p>	<p>Specifies that the picture should be rendered using only black and white coloring. That is the coloring information for the picture should be converted to either black or white when rendering the picture.</p> <p>No gray is to be used in rendering this image, only stark black and stark white.</p> <p>[<i>Note</i>: This does not mean that the picture itself that is stored within the file is necessarily a black and white picture. This attribute instead sets the rendering mode that the picture has applied to when rendering. <i>end note</i>]</p>

Attributes	Description
	<p>The possible values for this attribute are defined by the ST_BlackWhiteMode simple type (Part 1, §20.1.10.10).</p>

200. §12.3.12, “Changed attribute for docPr element (Part 1, §20.4.2.5)”, new subclause

Attributes	Description
<p>descr (Alternative Text for Object)</p> <p>Namespace: .../drawingml/2006/main</p>	<p>Specifies alternative text for the current DrawingML object, for use by assistive technologies or applications that do not display the current object.</p> <p>If this element is omitted, then no alternative text is present for the parent object.</p> <p>[Example: Consider a DrawingML object defined as follows:</p> <pre data-bbox="451 772 1096 804"><... descr="A picture of a bowl of fruit"></pre> <p>The descr attribute contains alternative text that can be used in place of the actual DrawingML object. end example]</p> <p>The possible values for this attribute are defined by the W3C XML Schema string datatype.</p>
<p>hidden (Hidden)</p> <p>Namespace: .../drawingml/2006/main</p>	<p>Specifies whether this DrawingML object is displayed. When a DrawingML object is displayed within a document, that object can be hidden (i.e., present, but not visible). This attribute determines whether the object is rendered or made hidden. [Note: An application can have settings that allow this object to be viewed. end note]</p> <p>If this attribute is omitted, then the parent DrawingML object shall be displayed (i.e., not hidden).</p> <p>[Example: Consider an inline DrawingML object that must be hidden within the document's content. This setting would be specified as follows:</p> <pre data-bbox="451 1430 760 1461"><... hidden="true" /></pre> <p>The hidden attribute has a value of true, which specifies that the DrawingML object is hidden and not displayed when the document is displayed. end example]</p> <p>The possible values for this attribute are defined by the W3C XML Schema boolean datatype.</p>
<p>id (Unique Identifier)</p> <p>Namespace: .../drawingml/2006/main</p>	<p>Specifies a unique identifier for the current DrawingML object within the current document. This ID can be used to assist in uniquely identifying this object so that it can be referred to by other parts of the document.</p> <p>If multiple objects within the same document share the same id attribute value, then the document shall be considered non-conformant.</p>

Attributes	Description
	<p><u>[Example: Consider a DrawingML object defined as follows:</u></p> <pre data-bbox="451 359 678 390"><... id="10" ... ></pre> <p><u>The id attribute has a value of 10, which is the unique identifier for this DrawingML object. end example]</u></p> <p><u>The possible values for this attribute are defined by the ST_DrawingElementId simple type (Part 1, §20.1.10.21).</u></p>
<p><u>name (Name)</u></p> <p><u>Namespace:</u> <u>.../drawingml/2006/main</u></p>	<p><u>Specifies the name of the object. [Note: Typically, this is used to store the original file name of a picture object. end note]</u></p> <p><u>[Example: Consider a DrawingML object defined as follows:</u></p> <pre data-bbox="451 800 776 831">< ... name="foo.jpg" ></pre> <p><u>The name attribute has a value of foo.jpg, which is the name of this DrawingML object. end example]</u></p> <p><u>The possible values for this attribute are defined by the W3C XML Schema string datatype.</u></p>
<p><u>title (Title)</u></p> <p><u>Namespace:</u> <u>.../drawingml/2006/main</u></p>	<p><u>Specifies the title (caption) of the current DrawingML object.</u></p> <p><u>If this attribute is omitted, then no title text is present for the parent object.</u></p> <p><u>[Example: Consider a DrawingML object defined as follows:</u></p> <pre data-bbox="451 1272 971 1304"><... title="Process Flow Diagram"></pre> <p><u>end example]</u></p> <p><u>The possible values for this attribute are defined by the W3C XML Schema string datatype.</u></p>

201. §12.3.13, “Changed attribute for extent element (Part 1, §20.4.2.7)”, new subclause

Attributes	Description
<p><u>cx (Extent Width)</u></p> <p>Namespace: <u>.../drawingml/2006/main</u></p>	<p><u>Specifies the width of the extents rectangle in EMUs. This rectangle shall dictate the size of the object as displayed (the result of any scaling to the original object).</u></p> <p><u>[Example: Consider a DrawingML object specified as follows:</u></p> <p style="text-align: center;"><u><... cx="1828800" cy="200000" /></u></p> <p><u>The cx attribute specifies that this object has a width of 1828800 EMUs (English Metric Units). end example]</u></p> <p><u>The possible values for this attribute are defined by the ST PositiveCoordinate simple type (Part 1, §20.1.10.42).</u></p>
<p><u>cy (Extent Height)</u></p> <p>Namespace: <u>.../drawingml/2006/main</u></p>	<p><u>Specifies the height of the extents rectangle in EMUs. This rectangle shall dictate the size of the object as displayed (the result of any scaling to the original object).</u></p> <p><u>[Example: Consider a DrawingML object specified as follows:</u></p> <p style="text-align: center;"><u>< ... cx="1828800" cy="200000" /></u></p> <p><u>The cy attribute specifies that this object has a height of 200000 EMUs (English Metric Units). end example]</u></p> <p><u>The possible values for this attribute are defined by the ST PositiveCoordinate simple type (Part 1, §20.1.10.42).</u></p>

202. §12.3.14, “Changed attribute for lineTo element (Part 1, §20.4.2.9)”, new subclause

Attributes	Description
<p><u>x (X-Axis Coordinate)</u></p> <p>Namespace: <u>.../drawingml/2006/main</u></p>	<p><u>Specifies a coordinate on the x-axis. The origin point for this coordinate shall be specified by the parent XML element.</u></p> <p><u>[Example: Consider the following point on a basic wrapping polygon for a DrawingML object:</u></p> <p style="text-align: center;"><u><... x="0" y="100" /></u></p> <p><u>The x attribute defines an x-coordinate of 0. end example]</u></p> <p><u>The possible values for this attribute are defined by the ST Coordinate simple type (Part 1, §20.1.10.16).</u></p>

Attributes	Description
<p><u>y (Y-Axis Coordinate)</u></p> <p>Namespace: <u>.../drawingml/2006/main</u></p>	<p><u>Specifies a coordinate on the y-axis. The origin point for this coordinate shall be specified by the parent XML element.</u></p> <p><u>[Example: Consider the following point on a basic wrapping polygon for a DrawingML object:</u></p> <pre data-bbox="451 464 760 495" style="text-align: center;"><u><... x="0" y="100" /></u></pre> <p><u>The y attribute defines a y-coordinate of 100. end example]</u></p> <p><u>The possible values for this attribute are defined by the ST_Coordinate simple type (Part 1, §20.1.10.16).</u></p>

203. §12.3.15, “Changed attribute for simplePos element (Part 1, §20.4.2.13)”, new subclause

Attributes	Description
<p><u>x (X-Axis Coordinate)</u></p> <p>Namespace: <u>.../drawingml/2006/main</u></p>	<p><u>Specifies a coordinate on the x-axis. The origin point for this coordinate shall be specified by the parent XML element.</u></p> <p><u>[Example: Consider the following point on a basic wrapping polygon for a DrawingML object:</u></p> <pre data-bbox="451 1094 760 1125" style="text-align: center;"><u><... x="0" y="100" /></u></pre> <p><u>The x attribute defines an x-coordinate of 0. end example]</u></p> <p><u>The possible values for this attribute are defined by the ST_Coordinate simple type (Part 1, §20.1.10.16).</u></p>
<p><u>y (Y-Axis Coordinate)</u></p> <p>Namespace: <u>.../drawingml/2006/main</u></p>	<p><u>Specifies a coordinate on the y-axis. The origin point for this coordinate shall be specified by the parent XML element.</u></p> <p><u>[Example: Consider the following point on a basic wrapping polygon for a DrawingML object:</u></p> <pre data-bbox="451 1535 760 1566" style="text-align: center;"><u><... x="0" y="100" /></u></pre> <p><u>The y attribute defines a y-coordinate of 100. end example]</u></p> <p><u>The possible values for this attribute are defined by the ST_Coordinate simple type (Part 1, §20.1.10.16).</u></p>

204. §12.3.16, “Changed attribute for start element (Part 1, §20.4.2.14)”, new subclause

Attributes	Description
<p>x (X-Axis Coordinate)</p> <p>Namespace: .../drawingml/2006/main</p>	<p>Specifies a coordinate on the x-axis. The origin point for this coordinate shall be specified by the parent XML element.</p> <p>[Example: Consider the following point on a basic wrapping polygon for a DrawingML object:</p> <pre data-bbox="451 583 760 615" style="text-align: center;"><... x="0" y="100" /></pre> <p>The x attribute defines an x-coordinate of 0. end example]</p> <p>The possible values for this attribute are defined by the ST Coordinate simple type (Part 1, §20.1.10.16).</p>
<p>y (Y-Axis Coordinate)</p> <p>Namespace: .../drawingml/2006/main</p>	<p>Specifies a coordinate on the y-axis. The origin point for this coordinate shall be specified by the parent XML element.</p> <p>[Example: Consider the following point on a basic wrapping polygon for a DrawingML object:</p> <pre data-bbox="451 1024 760 1056" style="text-align: center;"><... x="0" y="100" /></pre> <p>The y attribute defines a y-coordinate of 100. end example]</p> <p>The possible values for this attribute are defined by the ST Coordinate simple type (Part 1, §20.1.10.16).</p>

205. §12.3.17, “Changed attribute for blipFill element (Part 1, §20.5.2.2)”, new subclause

Attributes	Description
<p>dpi (DPI Setting)</p> <p>Namespace: .../drawingml/2006/main</p>	<p>Specifies the DPI (dots per inch) used to calculate the size of the blip. If not present or zero, the DPI in the blip is used.</p> <p>[Note: This attribute is primarily used to keep track of the picture quality within a document. There are different levels of quality needed for print than on-screen viewing and thus a need to track this information. end note]</p> <p>The possible values for this attribute are defined by the W3C XML Schema unsignedInt datatype.</p>

Attributes	Description
<p>rotWithShape (Rotate With Shape)</p> <p>Namespace: .../drawingml/2006/main</p>	<p>Specifies that the fill should rotate with the shape. That is, when the shape that has been filled with a picture and the containing shape (say a rectangle) is transformed with a rotation then the fill is transformed with the same rotation.</p> <p>The possible values for this attribute are defined by the W3C XML Schema boolean datatype.</p>

206. §12.3.18, “Changed attribute for cNvPicPr element (Part 1, §20.5.2.7)”, new subclause

Attributes	Description
<p>preferRelativeResi ze (Relative Resize Preferred)</p> <p>Namespace: .../drawingml/2006/main</p>	<p>Specifies if the user interface should show the resizing of the picture based on the picture's current size or its original size. If this attribute is set to true, then scaling is relative to the original picture size as opposed to the current picture size.</p> <p>[Example: Consider the case where a picture has been resized within a document and is now 50% of the originally inserted picture size. Now if the user chooses to make a later adjustment to the size of this picture within the generating application, then the value of this attribute should be checked.]</p> <p>If this attribute is set to true then a value of 50% is shown. Similarly, if this attribute is set to false, then a value of 100% should be shown because the picture has not yet been resized from its current (smaller) size. end example]</p> <p>The possible values for this attribute are defined by the W3C XML Schema boolean datatype.</p>

207. §12.3.19, “Changed attribute for cNvPr element (Part 1, §20.5.2.8)”, new subclause

Attributes	Description
<p>descr (Alternative Text for Object)</p> <p>Namespace: .../drawingml/2006/main</p>	<p>Specifies alternative text for the current DrawingML object, for use by assistive technologies or applications that do not display the current object.</p> <p>If this element is omitted, then no alternative text is present for the parent object.</p> <p>[Example: Consider a DrawingML object defined as follows:</p> <p style="text-align: center;"><... descr="A picture of a bowl of fruit"></p> <p>The descr attribute contains alternative text that can be used in place of the actual DrawingML object. end example]</p> <p>The possible values for this attribute are defined by the W3C XML Schema string datatype.</p>

Attributes	Description
<p>hidden (Hidden)</p> <p>Namespace: .../drawingml/2006/main</p>	<p>Specifies whether this DrawingML object is displayed. When a DrawingML object is displayed within a document, that object can be hidden (i.e., present, but not visible). This attribute determines whether the object is rendered or made hidden. [Note: An application can have settings that allow this object to be viewed. end note]</p> <p>If this attribute is omitted, then the parent DrawingML object shall be displayed (i.e., not hidden).</p> <p>[Example: Consider an inline DrawingML object that must be hidden within the document's content. This setting would be specified as follows:</p> <pre data-bbox="451 638 760 674" style="text-align: center;"><code><... hidden="true" /></code></pre> <p>The hidden attribute has a value of true, which specifies that the DrawingML object is hidden and not displayed when the document is displayed. end example]</p> <p>The possible values for this attribute are defined by the W3C XML Schema boolean datatype.</p>
<p>id (Unique Identifier)</p> <p>Namespace: .../drawingml/2006/main</p>	<p>Specifies a unique identifier for the current DrawingML object within the current document. This ID can be used to assist in uniquely identifying this object so that it can be referred to by other parts of the document.</p> <p>If multiple objects within the same document share the same id attribute value, then the document shall be considered non-conformant.</p> <p>[Example: Consider a DrawingML object defined as follows:</p> <pre data-bbox="451 1220 678 1255" style="text-align: center;"><code><... id="10" ... ></code></pre> <p>The id attribute has a value of 10, which is the unique identifier for this DrawingML object. end example]</p> <p>The possible values for this attribute are defined by the ST_DrawingElementId simple type (Part 1, §20.1.10.21).</p>
<p>name (Name)</p> <p>Namespace: .../drawingml/2006/main</p>	<p>Specifies the name of the object. [Note: Typically, this is used to store the original file name of a picture object. end note]</p> <p>[Example: Consider a DrawingML object defined as follows:</p> <pre data-bbox="451 1661 776 1696" style="text-align: center;"><code>< ... name="foo.jpg" ></code></pre> <p>The name attribute has a value of foo.jpg, which is the name of this DrawingML object. end example]</p> <p>The possible values for this attribute are defined by the type W3C XML Schema string.</p>

Attributes	Description
<p>title (Title)</p> <p>Namespace: .../drawingml/2006/main</p>	<p>Specifies the title (caption) of the current DrawingML object.</p> <p>If this attribute is omitted, then no title text is present for the parent object.</p> <p>[Example: Consider a DrawingML object defined as follows:</p> <pre data-bbox="451 464 971 495"><... title="Process Flow Diagram"></pre> <p>end example]</p> <p>The possible values for this attribute are defined by the W3C XML Schema string datatype.</p>

208. §12.3.20, “Changed attribute for cNvSpPr element (Part 1, §20.5.2.9)”, new subclause

Attributes	Description
<p>txBox (Text Box)</p> <p>Namespace: .../drawingml/2006/main</p>	<p>Specifies that the corresponding shape is a text box and thus should be treated as such by the generating application. If this attribute is omitted then it is assumed that the corresponding shape is not specifically a text box.</p> <p>[Note: Because a shape is not specified to be a text box does not mean that it cannot have text attached to it. A text box is merely a specialized shape with specific properties. end note]</p> <p>The possible values for this attribute are defined by the W3C XML Schema boolean datatype.</p>

209. §12.3.21, “Changed attribute for contentPart element (Part 1, §20.5.2.12)”, new subclause

Attributes	Description
<p>id (Relationship to Part)</p> <p>Namespace: .../officeDocument/2006/relationships</p>	<p>Specifies the relationship ID to a content part.</p> <p>[Example: Consider an XML element that has the following id attribute:</p> <pre data-bbox="451 1577 727 1608"><... r:id="rId1" /></pre> <p>The markup specifies the associated relationship part with relationship ID rId1 contains the corresponding relationship information for the parent XML element. end example]</p> <p>The possible values for this attribute are defined by the ST_RelationshipId simple type (Part 1, §22.8.2.1).</p>

210. §12.3.22, “Changed attribute for ext element (Part 1, §20.5.2.14)”, new subclause

Attributes	Description
<p>cx (Extent Width)</p> <p>Namespace: .../drawingml/2006/main</p>	<p>Specifies the width of the extents rectangle in EMUs. This rectangle shall dictate the size of the object as displayed (the result of any scaling to the original object).</p> <p>[Example: Consider a DrawingML object specified as follows:</p> <pre data-bbox="451 541 922 575"><... cx="1828800" cy="200000" /></pre> <p>The cx attribute specifies that this object has a width of 1828800 EMUs (English Metric Units). end example]</p> <p>The possible values for this attribute are defined by the ST_PositiveCoordinate simple type (Part 1, §20.1.10.42).</p>
<p>cy (Extent Height)</p> <p>Namespace: .../drawingml/2006/main</p>	<p>Specifies the height of the extents rectangle in EMUs. This rectangle shall dictate the size of the object as displayed (the result of any scaling to the original object).</p> <p>[Example: Consider a DrawingML object specified as follows:</p> <pre data-bbox="451 982 938 1016">< ... cx="1828800" cy="200000" /></pre> <p>The cy attribute specifies that this object has a height of 200000 EMUs (English Metric Units). end example]</p> <p>The possible values for this attribute are defined by the ST_PositiveCoordinate simple type (Part 1, §20.1.10.42).</p>

211. §12.3.23, “Changed attribute for grpSpPr element (Part 1, §20.5.2.18)”, new subclause

Attributes	Description
<p>bwMode (Black and White Mode)</p> <p>Namespace: .../drawingml/2006/main</p>	<p>Specifies that the group shape should be rendered using only black and white coloring. That is the coloring information for the group shape should be converted to either black or white when rendering the corresponding shapes.</p> <p>No gray is to be used in rendering this image, only stark black and stark white.</p> <p>[Note: This does not mean that the group shapes themselves are stored with only black and white color information. This attribute instead sets the rendering mode that the shapes use when rendering. end note]</p> <p>The possible values for this attribute are defined by the ST_BlackWhiteMode simple type (Part 1, §20.1.10.10).</p>

212. §12.3.24, “Changed attribute for pos element (Part 1, §20.5.2.26)”, new subclause

Attributes	Description
<p>x (X-Axis Coordinate)</p> <p>Namespace: .../drawingml/2006/main</p>	<p>Specifies a coordinate on the x-axis. The origin point for this coordinate shall be specified by the parent XML element.</p> <p>[Example: Consider the following point on a basic wrapping polygon for a DrawingML object:</p> <pre data-bbox="451 583 760 615"><... x="0" y="100" /></pre> <p>The x attribute defines an x-coordinate of 0. end example]</p> <p>The possible values for this attribute are defined by the ST Coordinate simple type (Part 1, §20.1.10.16).</p>
<p>y (Y-Axis Coordinate)</p> <p>Namespace: .../drawingml/2006/main</p>	<p>Specifies a coordinate on the y-axis. The origin point for this coordinate shall be specified by the parent XML element.</p> <p>[Example: Consider the following point on a basic wrapping polygon for a DrawingML object:</p> <pre data-bbox="451 1024 760 1056"><... x="0" y="100" /></pre> <p>The y attribute defines a y-coordinate of 100. end example]</p> <p>The possible values for this attribute are defined by the ST Coordinate simple type (Part 1, §20.1.10.16).</p>

213. §12.3.25, “Changed attribute for spPr element (Part 1, §20.5.2.30)”, new subclause

Attributes	Description
<p>bwMode (Black and White Mode)</p> <p>Namespace: .../drawingml/2006/main</p>	<p>Specifies that the picture should be rendered using only black and white coloring. That is the coloring information for the picture should be converted to either black or white when rendering the picture.</p> <p>No gray is to be used in rendering this image, only stark black and stark white.</p> <p>[Note: This does not mean that the picture itself that is stored within the file is necessarily a black and white picture. This attribute instead sets the rendering mode that the picture has applied to when rendering. end note]</p> <p>The possible values for this attribute are defined by the ST BlackWhiteMode simple type (Part 1, §20.1.10.10).</p>

214. §12.3.26, “Changed attribute for xfrm element (Part 1, §20.5.2.36)”, new subclause

Attributes	Description
<p>flipH (Horizontal Flip)</p> <p>Namespace: .../drawingml/2006/main</p>	<p>Specifies a horizontal flip. When true, this attribute defines that the shape is flipped horizontally about the center of its bounding box.</p> <p>[Example: The following illustrates the effect of a horizontal flip.</p> <div data-bbox="412 541 1027 716" style="text-align: center;"> </div> <p>end example]</p> <p>The possible values for this attribute are defined by the W3C XML Schema boolean datatype.</p>
<p>flipV (Vertical Flip)</p> <p>Namespace: .../drawingml/2006/main</p>	<p>Specifies a vertical flip. When true, this attribute defines that the group is flipped vertically about the center of its bounding box.</p> <p>[Example: The following illustrates the effect of a vertical flip.</p> <div data-bbox="412 1052 1027 1226" style="text-align: center;"> </div> <p>end example]</p> <p>The possible values for this attribute are defined by the W3C XML Schema boolean datatype.</p>
<p>rot (Rotation)</p> <p>Namespace: .../drawingml/2006/main</p>	<p>Specifies the rotation of the Graphic Frame. The units for that this attribute is specified in reside within the simple type definition referenced below.</p> <p>The possible values for this attribute are defined by the ST_Angle simple type (Part 1, §20.1.10.3).</p>

215. §13.1.3, “Simple Types”, new subclause

216. §13.1.3.1, “Additional member types for union in ST_DepthPercent”, new subclause

The value space of the following additional member types can be used within the context of this simple type for a document of a transitional conformance class.

- [The ST_DepthPercentUShort simple type \(§13.1.3.2\).](#)

217. §13.1.3.2, “ST_DepthPercentUShort (Depth Percent UnsignedShort) (Part 1, §21.2.3.9)”, new subclause

This simple type specifies that its contents contain a whole number between 20 and 2000, whose contents are a percentage. This simple type's contents are a restriction of the W3C XML Schema unsignedShort datatype.

This simple type also specifies the following restrictions:

- [This simple type has a minimum value of greater than or equal to 20.](#)
- [This simple type has a maximum value of less than or equal to 2000.](#)

Referenced By
ST_DepthPercent (Part 1, §21.2.3.9)

218. §13.1.3.3, “Additional member types for union in ST_HPercent (Part 1, §21.2.3.19)”, new subclause

The value space of the following additional member types can be used within the context of this simple type for a document of a transitional conformance class.

- [The ST_HPercentUShort simple type \(§13.1.3.4\).](#)

219. §13.1.3.4, “ST_HPercentUShort (Depth Percent UnsignedShort)”, new subclause

This simple type specifies that its contents contain a whole number between 5 and 500, whose contents are a percentage.

This simple type's contents are a restriction of the W3C XML Schema unsignedShort datatype.

This simple type also specifies the following restrictions:

- [This simple type has a minimum value of greater than or equal to 5.](#)
- [This simple type has a maximum value of less than or equal to 500.](#)

Referenced By
ST_HPercent (Part 1, §21.2.3.19)

220. §13.1.3.5, “Additional member types for union in ST_GapAmount (Part 1, §21.2.3.16)”, new subclause

The value space of the following additional member types can be used within the context of this simple type for a document of a transitional conformance class.

- The ST_GapAmountUShort simple type (§13.1.3.6).

221. §13.1.3.6, “ST_GapAmountUShort (Gap Amount UnsignedShort)”, new subclause

This simple type specifies that its contents contain a whole number between 0 and 500, whose contents are a percentage.

This simple type's contents are a restriction of the W3C XML Schema unsignedShort datatype.

This simple type also specifies the following restrictions:

- This simple type has a minimum value of greater than or equal to 0.
- This simple type has a maximum value of less than or equal to 500.

Referenced By
ST_GapAmount (Part 1, §21.2.3.16)

222. §13.1.3.7, “Additional member types for union in ST_Perspective (Part 1, §21.2.3.34)”, new subclause

The value space of the following additional member types can be used within the context of this simple type for a document of a transitional conformance class.

- The ST_PerspectiveUByte simple type (§13.1.3.8).

223. §13.1.3.8, “ST_PerspectiveUByte (Perspective UnsignedByte)”, new subclause

This simple type specifies that its contents contain a whole number between 0 and 240, whose contents are a percentage.

This simple type's contents are a restriction of the W3C XML Schema unsignedByte datatype.

This simple type also specifies the following restrictions:

- This simple type has a minimum value of greater than or equal to 0.
- This simple type has a maximum value of less than or equal to 240.

<u>Referenced By</u>
ST Perspective (Part 1, §21.2.3.34)

224. §13.1.3.9, “Additional member types for union in ST_SecondPieSize (Part 1, §21.2.3.41)”, new subclause

[The value space of the following additional member types can be used within the context of this simple type for a document of a transitional conformance class.](#)

- [The ST_SecondPieSizeUShort simple type \(§13.1.3.10\).](#)

225. §13.1.3.10, “ST_SecondPieSizeUShort (Second Pie Size UnsignedShort)”, new subclause

[This simple type specifies that its contents contain a whole number between 5 and 200, whose contents are a percentage.](#)

[This simple type's contents are a restriction of the W3C XML Schema unsignedShort datatype.](#)

[This simple type also specifies the following restrictions:](#)

- [This simple type has a minimum value of greater than or equal to 5.](#)
- [This simple type has a maximum value of less than or equal to 200.](#)

<u>Referenced By</u>
ST_SecondPieSize (Part 1, §21.2.3.41)

226. §13.1.3.11, “Additional member types for union in ST_HoleSize (Part 1, §21.2.3.18)”, new subclause

[The value space of the following additional member types can be used within the context of this simple type for a document of a transitional conformance class.](#)

- [The ST_HoleSizeUByte simple type \(§13.1.3.12\).](#)

227. §13.1.3.12, “ST_HoleSizeUByte (Hole Size UnsignedByte)”, new subclause

[This simple type specifies that its contents contain a whole number between 10 and 90, whose contents are a percentage.](#)

[This simple type's contents are a restriction of the W3C XML Schema unsignedByte datatype.](#)

[This simple type also specifies the following restrictions:](#)

- [This simple type has a minimum value of greater than or equal to 10.](#)
- [This simple type has a maximum value of less than or equal to 90.](#)

<u>Referenced By</u>
ST HoleSize (Part 1, §21.2.3.18)

228. §13.1.3.13, “Additional member types for union in ST_LblOffset (Part 1, §21.2.3.23)”, new subclause

[The value space of the following additional member types can be used within the context of this simple type for a document of a transitional conformance class.](#)

- [The ST_LblOffsetUShort simple type \(§13.1.3.14\).](#)

229. §13.1.3.14, “ST_LblOffsetUShort (Label Offset UnsignedShort)”, new subclause

[This simple type specifies that its contents contain a whole number between 0 and 1000, whose contents are a percentage.](#)

[This simple type's contents are a restriction of the W3C XML Schema unsignedShort datatype.](#)

[This simple type also specifies the following restrictions:](#)

- [This simple type has a minimum value of greater than or equal to 0.](#)
- [This simple type has a maximum value of less than or equal to 1000.](#)

<u>Referenced By</u>
ST_LblOffset (Part 1, §21.2.3.23)

230. §13.1.3.15, “Additional member types for union in ST_Overlap (Part 1, §21.2.3.31)”, new subclause

[The value space of the following additional member types can be used within the context of this simple type for a document of a transitional conformance class.](#)

- [The ST_OverlapByte simple type \(§13.1.3.16\).](#)

231. §13.1.3.16, “ST_OverlapByte (Overlap Byte)”, new subclause

[This simple type specifies that its contents contain a whole number between -100 and 100, whose contents are a percentage.](#)

[This simple type's contents are a restriction of the W3C XML Schema byte datatype.](#)

[This simple type also specifies the following restrictions:](#)

- [This simple type has a minimum value of greater than or equal to -100.](#)
- [This simple type has a maximum value of less than or equal to 100.](#)

Referenced By
ST Overlap (Part 1, §21.2.3.31)

232. §13.1.3.17, “Additional member types for union in ST_BubbleScale (Part 1, §21.2.3.5)”, new subclause

[The value space of the following additional member types can be used within the context of this simple type for a document of a transitional conformance class.](#)

- [The ST_BubbleScaleUInt simple type \(§13.1.3.18\).](#)

233. §13.1.3.18, “ST_BubbleScaleUInt (Bubble Scale UnsignedInt)”, new subclause

[This simple type specifies that its contents contain a whole number between 0 and 300, whose contents are a percentage.](#)

[This simple type's contents are a restriction of the W3C XML Schema unsignedInt datatype.](#)

[This simple type also specifies the following restrictions:](#)

- [This simple type has a minimum value of greater than or equal to 0.](#)
- [This simple type has a maximum value of less than or equal to 300.](#)

Referenced By
ST_BubbleScale (Part 1, §21.2.3.5)

234. §13.1.3.19, “Additional member types for union in ST_Thickness (Part 1, §21.2.3.206)”, new subclause

[The value space of the following additional member types can be used within the context of this simple type for a document of a transitional conformance class.](#)

- [The W3C XML Schema unsignedInt datatype.](#)

235. §13.2, “Changed attributes”, new subclause

[The following attributes, which are defined in subclauses within Part 1, §21, “DrawingML - Components Reference Material”, have different source relationships when used in documents of the Transitional conformance class:](#)

236. §13.2.1, “Changed attribute for hlinkClickelement (Part 1, §21.1.2.3.5)”, new subclause

Attributes	Description
<p>id (Drawing Object Hyperlink Target)</p> <p>Namespace: .../officeDocument/2006/relationships</p>	<p>Specifies the relationship id that when looked up in this slides relationship file contains the target of this hyperlink. This attribute cannot be omitted.</p> <p>The possible values for this attribute are defined by the ST_RelationshipId simple type (Part 1, §22.8.2.1).</p>

237. §13.2.2, “Changed attribute for hlinkMouseOver element (Part 1, §21.1.2.3.6)”, new subclause

Attributes	Description
<p>id (Drawing Object Hyperlink Target)</p> <p>Namespace: .../officeDocument/2006/relationships</p>	<p>Specifies the relationship id that when looked up in this slides relationship file contains the target of this hyperlink. This attribute cannot be omitted.</p> <p>The possible values for this attribute are defined by the ST_RelationshipId simple type (Part 1, §22.8.2.1).</p>

238. §13.2.3, “Changed attribute for chart element (Part 1, §21.2.2.26)”, new subclause

Attributes	Description
<p>id (Relationship Reference)</p> <p>Namespace: .../officeDocument/2006/relationships</p>	<p>Specifies the relationship ID for the relationship for this Chart or Chart Drawing part. The type of relationship needed is specified by the parent element.</p> <p>The possible values for this attribute are defined by the ST_RelationshipId simple type (Part 1, §22.8.2.1).</p>

239. §13.2.4, “Changed attribute for clrMapOvr element (Part 1, §21.2.2.30)”, new subclause

Attributes	Description
<p>accent1 (Accent 1)</p> <p>Namespace: .../drawingml/2006/main</p>	<p>Specifies a color defined that is associated as the accent 1 color.</p> <p>The possible values for this attribute are defined by the ST_ColorSchemeIndex simple type (Part 1, §20.1.10.14).</p>

Attributes	Description
<u>accent2 (Accent 2)</u> Namespace: <u>.../drawingml/2006/main</u>	<u>Specifies a color defined that is associated as the accent 2 color.</u> <u>The possible values for this attribute are defined by the ST_ColorSchemeIndex simple type (Part 1, §20.1.10.14).</u>
<u>accent3 (Accent 3)</u> Namespace: <u>.../drawingml/2006/main</u>	<u>Specifies a color defined that is associated as the accent 3 color.</u> <u>The possible values for this attribute are defined by the ST_ColorSchemeIndex simple type (Part 1, §20.1.10.14).</u>
<u>accent4 (Accent 4)</u> Namespace: <u>.../drawingml/2006/main</u>	<u>Specifies a color defined that is associated as the accent 4 color.</u> <u>The possible values for this attribute are defined by the ST_ColorSchemeIndex simple type (Part 1, §20.1.10.14).</u>
<u>accent5 (Accent 5)</u> Namespace: <u>.../drawingml/2006/main</u>	<u>Specifies a color defined that is associated as the accent 5 color.</u> <u>The possible values for this attribute are defined by the ST_ColorSchemeIndex simple type (Part 1, §20.1.10.14).</u>
<u>accent6 (Accent 6)</u> Namespace: <u>.../drawingml/2006/main</u>	<u>Specifies a color defined that is associated as the accent 6 color.</u> <u>The possible values for this attribute are defined by the ST_ColorSchemeIndex simple type (Part 1, §20.1.10.14).</u>
<u>bg1 (Background 1)</u> Namespace: <u>.../drawingml/2006/main</u>	<u>A color defined that is associated as the first background color.</u> <u>The possible values for this attribute are defined by the ST_ColorSchemeIndex simple type (Part 1, §20.1.10.14).</u>
<u>bg2 (Background 2)</u> Namespace: <u>.../drawingml/2006/main</u>	<u>Specifies a color defined that is associated as the second background color.</u> <u>The possible values for this attribute are defined by the ST_ColorSchemeIndex simple type (Part 1, §20.1.10.14).</u>
<u>folHlink (Followed Hyperlink)</u> Namespace: <u>.../drawingml/2006/main</u>	<u>Specifies a color defined that is associated as the color for a followed hyperlink.</u> <u>The possible values for this attribute are defined by the ST_ColorSchemeIndex simple type (Part 1, §20.1.10.14).</u>

Attributes	Description
<p>hlink (Hyperlink)</p> <p>Namespace: .../drawingml/2006/main</p>	<p>Specifies a color defined that is associated as the color for a hyperlink.</p> <p>The possible values for this attribute are defined by the ST_ColorSchemeIndex simple type (Part 1, §20.1.10.14).</p>
<p>tx1 (Text 1)</p> <p>Namespace: .../drawingml/2006/main</p>	<p>Specifies a color defined that is associated as the first text color.</p> <p>The possible values for this attribute are defined by the ST_ColorSchemeIndex simple type (Part 1, §20.1.10.14).</p>
<p>tx2 (Text 2)</p> <p>Namespace: .../drawingml/2006/main</p>	<p>Specifies a color defined that is associated as the second text color.</p> <p>The possible values for this attribute are defined by the ST_ColorSchemeIndex simple type (Part 1, §20.1.10.14).</p>

240. §13.2.5, “Changed attribute for externalData element (Part 1, §21.2.2.63)”, new subclause

Attributes	Description
<p>id (Relationship Reference)</p> <p>Namespace: .../officeDocument/2006/relationships</p>	<p>Specifies the relationship ID for the relationship for this chart. The relationship explicitly targeted by this attribute shall be of type http://schemas.openxmlformats.org/officeDocument/2006/relationships/package.</p> <p>The possible values for this attribute are defined by the ST_RelationshipId simple type (Part 1, §22.8.2.1).</p>

241. §13.2.6, “Changed attribute for spPr element (Part 1, §21.2.2.197)”, new subclause

Attributes	Description
<p>bwMode (Black and White Mode)</p> <p>Namespace: .../drawingml/2006/main</p>	<p>Specifies that the picture should be rendered using only black and white coloring. That is the coloring information for the picture should be converted to either black or white when rendering the picture.</p> <p>No gray is to be used in rendering this image, only stark black and stark white.</p> <p>[Note: This does not mean that the picture itself that is stored within the file is necessarily a black and white picture. This attribute instead sets the rendering mode that the picture has applied to when rendering. end note]</p> <p>The possible values for this attribute are defined by the ST_BlackWhiteMode simple type (Part 1, §20.1.10.10).</p>

242. §13.2.7, “Changed attribute for userShapes element (Part 1, §21.2.2.221)”, new subclause

Attributes	Description
<p>id (Relationship Reference)</p> <p>Namespace: .../officeDocument/2006/relationships</p>	<p>Specifies the relationship ID for the relationship for this Chart or Chart Drawing part. The type of relationship needed is specified by the parent element.</p> <p>The possible values for this attribute are defined by the ST_RelationshipId simple type (Part 1, §22.8.2.1).</p>

243. §13.2.8, “Changed attribute for blipFill element (Part 1, §21.3.2.2)”, new subclause

Attributes	Description
<p>dpi (DPI Setting)</p> <p>Namespace: .../drawingml/2006/main</p>	<p>Specifies the DPI (dots per inch) used to calculate the size of the blip. If not present or zero, the DPI in the blip is used.</p> <p>[Note: This attribute is primarily used to keep track of the picture quality within a document. There are different levels of quality needed for print than on-screen viewing and thus a need to track this information. end note]</p> <p>The possible values for this attribute are defined by the W3C XML Schema unsignedInt datatype.</p>
<p>rotWithShape (Rotate With Shape)</p> <p>Namespace: .../drawingml/2006/main</p>	<p>Specifies that the fill should rotate with the shape. That is, when the shape that has been filled with a picture and the containing shape (say a rectangle) is transformed with a rotation then the fill is transformed with the same rotation.</p> <p>The possible values for this attribute are defined by the W3C XML Schema boolean datatype.</p>

244. §13.2.9, “Changed attribute for cNvPicPr element (Part 1, §21.3.2.6)”, new subclause

Attributes	Description
<p>preferRelativeResize (Relative Resize Preferred)</p> <p>Namespace: .../drawingml/2006/main</p>	<p>Specifies if the user interface should show the resizing of the picture based on the picture's current size or its original size. If this attribute is set to true, then scaling is relative to the original picture size as opposed to the current picture size.</p> <p>[Example: Consider the case where a picture has been resized within a document and is now 50% of the originally inserted picture size. Now if the user chooses to make a later adjustment to the size of this picture within the generating application, then the value of this attribute should be checked.]</p>

Attributes	Description
	<p>If this attribute is set to true then a value of 50% is shown. Similarly, if this attribute is set to false, then a value of 100% should be shown because the picture has not yet been resized from its current (smaller) size. <i>end example</i></p> <p>The possible values for this attribute are defined by the W3C XML Schema boolean datatype.</p>

245. §13.2.10, “Changed attribute for cNvPr element (Part 1, §21.3.2.7)” new subclause

Attributes	Description
<p><u>descr (Alternative Text for Object)</u></p> <p>Namespace: <u>.../drawingml/2006/main</u></p>	<p><u>Specifies alternative text for the current DrawingML object, for use by assistive technologies or applications that do not display the current object.</u></p> <p>If this element is omitted, then no alternative text is present for the parent object.</p> <p><u>[Example: Consider a DrawingML object defined as follows:</u></p> <p style="text-align: center;"><u><... descr="A picture of a bowl of fruit"></u></p> <p><u>The descr attribute contains alternative text that can be used in place of the actual DrawingML object. end example]</u></p> <p>The possible values for this attribute are defined by the W3C XML Schema string datatype.</p>
<p><u>hidden (Hidden)</u></p> <p>Namespace: <u>.../drawingml/2006/main</u></p>	<p><u>Specifies whether this DrawingML object is displayed. When a DrawingML object is displayed within a document, that object can be hidden (i.e., present, but not visible). This attribute determines whether the object is rendered or made hidden. [Note: An application can have settings that allow this object to be viewed. end note]</u></p> <p>If this attribute is omitted, then the parent DrawingML object shall be displayed (i.e., not hidden).</p> <p><u>[Example: Consider an inline DrawingML object that must be hidden within the document's content. This setting would be specified as follows:</u></p> <p style="text-align: center;"><u><... hidden="true" /></u></p> <p><u>The hidden attribute has a value of true, which specifies that the DrawingML object is hidden and not displayed when the document is displayed. end example]</u></p> <p>The possible values for this attribute are defined by the W3C XML Schema boolean datatype.</p>

Attributes	Description
<p><u>id (Unique Identifier)</u></p> <p>Namespace: <u>.../drawingml/2006/main</u></p>	<p><u>Specifies a unique identifier for the current DrawingML object within the current document. This ID can be used to assist in uniquely identifying this object so that it can be referred to by other parts of the document.</u></p> <p><u>If multiple objects within the same document share the same id attribute value, then the document shall be considered non-conformant.</u></p> <p><u>[Example: Consider a DrawingML object defined as follows:</u></p> <pre data-bbox="451 569 678 600" style="text-align: center;"><u><... id="10" ... ></u></pre> <p><u>The id attribute has a value of 10, which is the unique identifier for this DrawingML object. end example]</u></p> <p><u>The possible values for this attribute are defined by the ST DrawingElementId simple type (Part 1, §20.1.10.21).</u></p>
<p><u>name (Name)</u></p> <p>Namespace: <u>.../drawingml/2006/main</u></p>	<p><u>Specifies the name of the object. [Note: Typically, this is used to store the original file name of a picture object. end note]</u></p> <p><u>[Example: Consider a DrawingML object defined as follows:</u></p> <pre data-bbox="451 1010 776 1041" style="text-align: center;"><u>< ... name="foo.jpg" ></u></pre> <p><u>The name attribute has a value of foo.jpg, which is the name of this DrawingML object. end example]</u></p> <p><u>The possible values for this attribute are defined by the W3C XML Schema string datatype.</u></p>
<p><u>title (Title)</u></p> <p>Namespace: <u>.../drawingml/2006/main</u></p>	<p><u>Specifies the title (caption) of the current DrawingML object.</u></p> <p><u>If this attribute is omitted, then no title text is present for the parent object.</u></p> <p><u>[Example: Consider a DrawingML object defined as follows:</u></p> <pre data-bbox="451 1482 967 1514" style="text-align: center;"><u><... title="Process Flow Diagram"></u></pre> <p><u>end example]</u></p> <p><u>The possible values for this attribute are defined by the W3C XML Schema string datatype.</u></p>

246. §13.2.11, “Changed attribute for cNvSpPr element (Part 1, §21.3.2.8)”, new subclause

Attributes	Description
<p>txBox (Text Box)</p> <p>Namespace: .../drawingml/2006/main</p>	<p>Specifies that the corresponding shape is a text box and thus should be treated as such by the generating application. If this attribute is omitted then it is assumed that the corresponding shape is not specifically a text box.</p> <p>[Note: Because a shape is not specified to be a text box does not mean that it cannot have text attached to it. A text box is merely a specialized shape with specific properties. end note]</p> <p>The possible values for this attribute are defined by the W3C XML Schema boolean datatype.</p>

247. §13.2.12, “Changed attribute for ext element (Part 1, §21.3.2.10)”, new subclause

Attributes	Description
<p>cx (Extent Width)</p> <p>Namespace: .../drawingml/2006/main</p>	<p>Specifies the width of the extents rectangle in EMUs. This rectangle shall dictate the size of the object as displayed (the result of any scaling to the original object).</p> <p>[Example: Consider a DrawingML object specified as follows:</p> <p style="text-align: center;"><... cx="1828800" cy="200000"/></p> <p>The cx attribute specifies that this object has a width of 1828800 EMUs (English Metric Units). end example]</p> <p>The possible values for this attribute are defined by the ST_PositiveCoordinate simple type (Part 1, §20.1.10.42).</p>
<p>cy (Extent Height)</p> <p>Namespace: .../drawingml/2006/main</p>	<p>Specifies the height of the extents rectangle in EMUs. This rectangle shall dictate the size of the object as displayed (the result of any scaling to the original object).</p> <p>[Example: Consider a DrawingML object specified as follows:</p> <p style="text-align: center;">< ... cx="1828800" cy="200000"/></p> <p>The cy attribute specifies that this object has a height of 200000 EMUs (English Metric Units). end example]</p> <p>The possible values for this attribute are defined by the ST_PositiveCoordinate simple type (Part 1, §20.1.10.42).</p>