

---

---

**Information technology — Redfish  
scalable platforms management API  
specification —**

**Part 1:  
Redfish Specification v1.13.0**

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 30115-1:2022



STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 30115-1:2022



**COPYRIGHT PROTECTED DOCUMENT**

© ISO/IEC 2022

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
CP 401 • Ch. de Blandonnet 8  
CH-1214 Vernier, Geneva  
Phone: +41 22 749 01 11  
Email: [copyright@iso.org](mailto:copyright@iso.org)  
Website: [www.iso.org](http://www.iso.org)

Published in Switzerland

## Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of document should be noted (see [www.iso.org/directives](http://www.iso.org/directives) or [www.iec.ch/members\\_experts/refdocs](http://www.iec.ch/members_experts/refdocs)).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)) or the IEC list of patent declarations received (see <https://patents.iec.ch>).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see [www.iso.org/iso/foreword.html](http://www.iso.org/iso/foreword.html). In the IEC, see [www.iec.ch/understanding-standards](http://www.iec.ch/understanding-standards).

This document was prepared by DMTF (as DMTF Redfish Specification, DSP0266, Version 1.13.0) and drafted in accordance with its editorial rules. It was adopted, under the JTC 1 PAS procedure, by Joint Technical Committee ISO/IEC JTC 1, *Information technology*.

This first edition cancels and replaces the first edition (ISO/IEC 30115:2018), which has been technically revised.

The main changes are as follows:

- a number of clauses have been added expanding the functionality of the protocol, including additions for controlling software-defined composable systems, for performing software or firmware updates and for aggregating multiple service instances;
- the protocol itself has been enhanced to provide a number of optional query parameters to enable more efficient transactions;
- the specification and its data model have been enhanced to provide compatibility with the OpenAPI v3.0 specification allowing the use of the OpenAPI toolchain for both documentation and code generation.

A list of all parts in the ISO/IEC 30115 series can be found on the ISO and IEC websites.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at [www.iso.org/members.html](http://www.iso.org/members.html) and [www.iec.ch/national-committees](http://www.iec.ch/national-committees).

Copyright Notice

Copyright © 2015-2021 DMTF. All rights reserved.

DMTF is a not-for-profit association of industry members dedicated to promoting enterprise and systems management and interoperability. Members and non-members may reproduce DMTF specifications and documents, provided that correct attribution is given. As DMTF specifications may be revised from time to time, the particular version and release date should always be noted.

Implementation of certain elements of this standard or proposed standard may be subject to third party patent rights, including provisional patent rights (herein "patent rights"). DMTF makes no representations to users of the standard as to the existence of such rights, and is not responsible to recognize, disclose, or identify any or all such third party patent right, owners or claimants, nor for any incomplete or inaccurate identification or disclosure of such rights, owners or claimants. DMTF shall have no liability to any party, in any manner or circumstance, under any legal theory whatsoever, for failure to recognize, disclose, or identify any such third party patent rights, or for such party's reliance on the standard or incorporation thereof in its product, protocols or testing procedures. DMTF shall have no liability to any party implementing such standard, whether such implementation is foreseeable or not, nor to any patent owner or claimant, and shall have no liability or responsibility for costs or losses incurred if a standard is withdrawn or modified after publication, and shall be indemnified and held harmless by any party implementing the standard from any and all claims of infringement by a patent owner for such implementations.

For information about patents held by third-parties which have notified the DMTF that, in their opinion, such patent may relate to or impact implementations of DMTF standards, visit <http://www.dmtf.org/about/policies/disclosures.php>.

This document's normative language is English. Translation into other languages is permitted.

CONTENTS

1 Foreword {-}	11
1.1 Acknowledgments {-}	11
2 Introduction {-}	13
3 Scope	14
4 Normative references	15
5 Terms, definitions, symbols, and abbreviated terms	17
5.1 Hardware terms	17
5.1.1 baseboard management controller (BMC)	17
5.1.2 IPMI	17
5.1.3 KVM-IP	18
5.1.4 NIC	18
5.1.5 PCI	18
5.1.6 PCIe	18
5.2 Web development terms	18
5.2.1 CORS	18
5.2.2 CRUD	18
5.2.3 CSRF	18
5.2.4 event	18
5.2.5 excerpt	18
5.2.6 HTTP	19
5.2.7 HTTPS	19
5.2.8 hypermedia API	19
5.2.9 IP	19
5.2.10 JSON	19
5.2.11 member	19
5.2.12 message	19
5.2.13 OData	19
5.2.14 OData service document	19
5.2.15 operation	20
5.2.16 parent resource	20
5.2.17 property	20
5.2.18 request	20
5.2.19 response	20
5.2.20 subscription	20
5.2.21 task	20
5.2.22 task monitor	20
5.2.23 TCP	20
5.2.24 TLS	21
5.2.25 XSS	21
5.3 Redfish terms	21
5.3.1 collection	21

5.3.2 Redfish client	21
5.3.3 Redfish protocol	21
5.3.4 Redfish schema	21
5.3.5 Redfish service	21
5.3.6 resource	21
5.3.7 resource collection	22
5.3.8 resource tree	22
5.3.9 resource type	22
5.3.10 service root	22
5.3.11 subordinate resource	22
6 Typographical conventions	23
7 Overview	24
7.1 Goals	24
7.2 Design tenets	25
7.3 Limitations	25
7.4 Additional design background and rationale	26
7.4.1 REST-based interface	26
7.4.2 Data-oriented	26
7.4.3 Separation of protocol from data model	26
7.4.4 Hypermedia API service root	26
7.4.5 OpenAPI v3.0 support	26
7.4.6 OData conventions	27
7.5 Service elements	27
7.5.1 Synchronous and asynchronous operation support	27
7.5.2 Eventing mechanism	27
7.5.3 Actions	28
7.5.4 Service discovery	28
7.5.5 Remote access support	28
7.6 Security	28
8 Protocol details	29
8.1 Universal Resource Identifiers	29
8.2 HTTP methods	31
8.3 HTTP redirect	32
8.4 Media types	32
8.5 ETags	32
8.6 Protocol version	33
8.7 Redfish-defined URIs and relative reference rules	34
9 Service requests	36
9.1 Request headers	36
9.2 GET (read requests)	39
9.2.1 GET (read requests) overview	39
9.2.2 Resource collection requests	39
9.2.3 Service root request	40

9.2.4 OData service and metadata document requests . . . . .	40
9.3 Query parameters . . . . .	41
9.3.1 Query parameter overview . . . . .	41
9.3.2 The \$expand query parameter . . . . .	43
9.3.3 The \$select query parameter . . . . .	45
9.3.4 The \$filter query parameter . . . . .	46
9.4 HEAD . . . . .	47
9.5 Data modification requests . . . . .	48
9.5.1 Data modification requests overview . . . . .	48
9.5.2 Modification success responses . . . . .	48
9.5.3 Modification error responses . . . . .	49
9.6 PATCH (update) . . . . .	49
9.7 PATCH on array properties . . . . .	50
9.8 PUT (replace) . . . . .	51
9.9 POST (create) . . . . .	51
9.10 DELETE (delete) . . . . .	52
9.11 POST (action) . . . . .	52
9.12 Operation apply time . . . . .	54
9.13 Deep operations . . . . .	57
10 Service responses . . . . .	61
10.1 Response headers . . . . .	61
10.2 Link header . . . . .	63
10.3 Status codes . . . . .	63
10.4 OData metadata responses . . . . .	66
10.4.1 OData metadata responses overview . . . . .	66
10.4.2 OData \$metadata . . . . .	66
10.4.2.1 Referencing other schemas . . . . .	67
10.4.2.2 Referencing OEM extensions . . . . .	67
10.4.3 OData service document . . . . .	68
10.5 Resource responses . . . . .	68
10.6 Error responses . . . . .	69
11 Data model . . . . .	71
11.1 Resources . . . . .	71
11.2 Resource types . . . . .	71
11.3 Resource collections . . . . .	72
11.4 OEM resources . . . . .	72
11.5 Common data types . . . . .	73
11.5.1 Primitive types . . . . .	73
11.5.2 Empty string values . . . . .	73
11.5.3 GUID and UUID values . . . . .	74
11.5.4 Date-Time values . . . . .	74
11.5.5 Duration values . . . . .	74
11.5.6 Reference properties . . . . .	75

11.5.7 Non-resource reference properties	75
11.5.8 Array properties	76
11.5.9 Structured properties	76
11.5.10 Message object	77
11.5.10.1 Overview	77
11.5.10.2 MessageId format	78
11.6 Properties	79
11.6.1 Properties overview	79
11.6.2 Resource identifier (@odata.id) property	79
11.6.3 Resource type (@odata.type) property	79
11.6.4 Resource ETag (@odata.etag) property	80
11.6.5 Resource context (@odata.context) property	80
11.6.6 Id	81
11.6.7 Name	81
11.6.8 Description	81
11.6.9 MemberId	81
11.6.10 Count (Members@odata.count) property	81
11.6.11 Members	82
11.6.12 Next link (Members@odata.nextLink) property	82
11.6.13 Links	82
11.6.13.1 Reference to a related resource	82
11.6.13.2 References to multiple related resources	83
11.6.14 Actions property	83
11.6.14.1 Action representation	83
11.6.14.2 Action responses	84
11.6.15 Oem	84
11.6.16 Status	85
11.7 Naming conventions	85
11.7.1 Naming rules	85
11.7.2 URI naming rules	86
11.8 Extending standard resources	87
11.8.1 Extending standard resources overview	87
11.8.2 OEM property format and content	87
11.8.3 OEM-specified object naming	87
11.8.4 OEM resource types	88
11.8.5 OEM registries	88
11.8.6 OEM URIs	89
11.8.7 OEM property examples	89
11.8.8 OEM actions	90
11.9 Payload annotations	91
11.9.1 Payload annotations overview	91
11.9.2 Allowable values	91
11.9.3 Extended information	92

11.9.3.1	Extended object information	92
11.9.3.2	Extended property information	93
11.9.4	Action info annotation	93
11.9.5	Settings and settings apply time annotations	94
11.9.6	Operation apply time and operation apply time support annotations	94
11.9.7	Maintenance window annotation	94
11.9.8	Collection capabilities annotation	95
11.9.9	Requested count and allow over-provisioning annotations	97
11.9.10	Zone affinity annotation	97
11.9.11	Supported certificates annotation	98
11.9.12	Deprecated annotation	98
11.10	Settings resource	98
11.11	Special resource situations	101
11.11.1	Overview	101
11.11.2	Absent resources	101
11.12	Registries	101
11.13	Schema annotations	102
11.13.1	Schema annotations overview	102
11.13.2	Description annotation	102
11.13.3	Long description annotation	103
11.13.4	Resource capabilities annotation	103
11.13.5	Resource URI patterns annotation	103
11.13.6	Additional properties annotation	104
11.13.7	Permissions annotation	105
11.13.8	Required annotation	105
11.13.9	Required on create annotation	105
11.13.10	Units of measure annotation	105
11.13.11	Expanded resource annotation	105
11.13.12	Owning entity annotation	106
11.13.13	Deprecated annotation	106
11.14	Versioning	106
11.15	Localization	107
12	File naming and publication	108
12.1	Registry file naming	108
12.2	Profile file naming	108
12.3	Dictionary file naming	108
12.4	Localized file naming	108
12.5	DMTF Redfish file repository	109
13	Schema definition languages	111
13.1	OData Common Schema Definition Language	111
13.1.1	OData Common Schema Definition Language overview	111
13.1.2	File naming conventions for CSDL	111
13.1.3	Core CSDL files	111

13.1.4 CSDL format	112
13.1.4.1 Referencing other CSDL files	112
13.1.4.2 CSDL data services	113
13.1.5 Elements of CSDL namespaces	113
13.1.5.1 Qualified names	114
13.1.5.2 Entity type and complex type elements	114
13.1.5.3 Action element	115
13.1.5.4 Action element for OEM actions	116
13.1.5.5 Action with a response body	116
13.1.5.6 Property element	117
13.1.5.7 Navigation property element	118
13.1.5.8 Enum type element	118
13.1.5.9 Annotation element	119
13.2 JSON Schema	122
13.2.1 JSON Schema overview	122
13.2.2 File naming conventions for JSON Schema	122
13.2.3 Core JSON Schema files	122
13.2.4 JSON Schema format	123
13.2.5 JSON Schema definitions body	123
13.2.5.1 Resource definitions in JSON Schema	123
13.2.5.2 Enumerations in JSON Schema	124
13.2.5.3 Actions in JSON Schema	125
13.2.5.4 OEM actions in JSON Schema	126
13.2.5.5 Action with a response body	127
13.2.6 JSON Schema terms	128
13.3 OpenAPI	129
13.3.1 OpenAPI overview	129
13.3.2 File naming conventions for OpenAPI schema	129
13.3.3 Core OpenAPI schema files	129
13.3.4 openapi.yaml	130
13.3.5 OpenAPI file format	132
13.3.6 OpenAPI components body	132
13.3.6.1 Resource definitions in OpenAPI	132
13.3.6.2 Enumerations in OpenAPI	133
13.3.6.3 Actions in OpenAPI	133
13.3.6.4 OEM actions in OpenAPI	135
13.3.7 OpenAPI terms used by Redfish	135
13.4 Schema modification rules	136
14 Service details	138
14.1 Eventing	138
14.1.1 Eventing overview	138
14.1.2 POST to subscription collection	138
14.1.3 Open an SSE connection	139

14.1.4	EventType-based eventing	140
14.1.5	Subscribing to events	140
14.1.6	Event formats	141
14.1.7	OEM extensions	142
14.2	Asynchronous operations	142
14.3	Resource tree stability	144
14.4	Discovery	144
14.4.1	Discovery overview	144
14.4.2	UPnP compatibility	145
14.4.3	USN format	145
14.4.4	M-SEARCH response	145
14.4.5	Notify, alive, and shutdown messages	146
14.5	Server-sent events	146
14.5.1	General	146
14.5.2	Event service	147
14.5.2.1	Event message SSE stream	149
14.5.2.2	Metric report SSE stream	150
14.6	Update service	151
14.6.1	Overview	151
14.6.2	Software update types	151
14.6.2.1	Simple updates	151
14.6.2.2	Multipart HTTP push updates	151
15	Security details	154
15.1	Transport Layer Security (TLS) protocol	154
15.1.1	Transport Layer Security (TLS) protocol overview	154
15.1.2	Cipher suites	154
15.1.3	Certificates	155
15.2	Sensitive data	155
15.3	Authentication	155
15.3.1	Authentication overview	155
15.3.2	Authentication requirements	156
15.3.2.1	Resource and operation authentication requirements	156
15.3.2.2	HTTP header authentication requirements	156
15.3.2.3	Authentication failure requirements	156
15.3.3	HTTP Basic authentication	157
15.3.4	Redfish session login authentication	157
15.3.4.1	Redfish login sessions	157
15.3.4.2	Session login	158
15.3.4.3	Session lifetime	159
15.3.4.4	Session termination or logout	159
15.4	Authorization	159
15.4.1	Authorization overview	159
15.4.2	Privilege model	160

15.4.2.1 Roles	160
15.4.2.2 Restricted roles and restricted privileges	161
15.4.2.3 OEM privileges	162
15.4.3 Redfish service operation-to-privilege mapping	162
15.4.3.1 Why specify operation-to-privilege mapping?	162
15.4.3.2 Representing operation-to-privilege mappings	162
15.4.3.3 Operation map syntax	163
15.4.3.4 Mapping overrides syntax	164
15.4.3.5 Property override example	164
15.4.3.6 Subordinate override	165
15.4.3.7 Resource URI override	166
15.4.3.8 Privilege AND and OR syntax	167
15.5 Account service	168
15.5.1 Account service overview	168
15.5.2 Password management	168
15.5.3 Password change required handling	169
15.6 Asynchronous tasks	169
15.7 Event subscriptions	169
16 Redfish Host Interface	170
17 Redfish composability	171
17.1 Composition requests	172
17.1.1 Composition requests overview	172
17.1.2 Specific composition	172
17.1.3 Constrained composition	173
17.1.4 Expandable resources	174
17.2 Updating a composed resource	174
18 Aggregation	175
18.1 Classes of aggregators	175
18.1.1 Implicit and complex aggregators	175
18.1.2 Use cases	176
18.2 Aggregation service	176
18.2.1 Aggregation service overview	176
18.2.2 Aggregator requirements	176
18.2.3 Aggregates	177
18.2.4 Aggregation sources and connection methods	177
19 ANNEX A (informative) Change log	179
20 Bibliography	192

# 1 Foreword {-}

---

The Redfish Forum of the DMTF develops the Redfish standard.

DMTF is a not-for-profit association of industry members that promotes enterprise and systems management and interoperability. For information about the DMTF, see [DMTF](#).

This version supersedes version 1.12.1. For a list of the changes, see [ANNEX A \(informative\) Change log](#).

## 1.1 Acknowledgments {-}

---

The DMTF acknowledges the following individuals for their contributions to the Redfish standard, including this document and Redfish schemas, interoperability profiles, and message registries:

- Rafiq Ahamed - Hewlett Packard Enterprise
- Richelle Ahlvers - Broadcom Inc.
- Jeff Autor - Hewlett Packard Enterprise
- David Black - Dell Inc.
- Jeff Bobzin - Insyde Software Corp.
- Patrick Boyd - Dell Inc.
- David Brockhaus - Vertiv
- Richard Brunner - VMware Inc.
- Sean Byland - Cray Inc.
- Lee Calcote - Seagate Technology
- Keith Campbell - Lenovo
- P Chandrasekhar - Dell Inc.
- Barbara Craig - Hewlett Packard Enterprise
- Chris Davenport - Hewlett Packard Enterprise
- Gamma Dean - Vertiv
- Daniel Dufresne - Dell Inc.
- Samer El-Haj-Mahmoud - Arm Limited, Lenovo, Hewlett Packard Enterprise
- George Ericson - Dell Inc.
- Wassim Fayed - Microsoft Corporation
- Kevin Ferguson - Vertiv
- Mike Garrett - Hewlett Packard Enterprise
- Steve Geffin - Vertiv
- Joe Handzik - Hewlett Packard Enterprise
- Jon Hass - Dell Inc.

## ISO/IEC 30115-1:2022(E)

- Jeff Hilland - Hewlett Packard Enterprise
- Chris Hoffman - Vertiv
- Cactus Jiang - Vertiv
- Barry Kittner - Intel Corporation
- Steven Krig - Intel Corporation
- Jennifer Lee - Intel Corporation
- John Leung - Intel Corporation
- Magnus Lundmark - Ericsson AB
- Steve Lyle - Hewlett Packard Enterprise
- Gunnar Mills - IBM
- Jagan Molleti - Dell Inc.
- Milena Natanov - Microsoft Corporation
- Scott Phuong - Cisco Systems, Inc.
- Michael Pizzo - Microsoft Corporation
- Chris Poblete - Dell Inc.
- Michael Raineri - Dell Inc.
- Joseph Reynolds - IBM
- Irina Salvan - Microsoft Corporation
- Bill Scherer - Hewlett Packard Enterprise
- Hemal Shah - Broadcom Inc.
- Jim Shelton - Vertiv
- Tom Slaight - Intel Corporation
- Josiah Smith - Eaton
- Donnie Sturgeon - Vertiv
- Pawel Szymanski - Intel Corporation
- Paul Vancil - Dell Inc.
- Joseph White - Dell Inc.
- Linda Wu - NVIDIA Corporation, Super Micro Computer, Inc.

## 2 Introduction {-}

---

Redfish is a standard that uses RESTful interface semantics to access a schema based data model to conduct management operations. It is suitable for a wide range of devices, from stand-alone servers, to composable infrastructures, and to large-scale cloud environments.

The initial Redfish scope targeted servers. The DMTF and its alliance partners expanded that scope to cover most data center IT equipment and other solutions, and both in- and out-of-band access methods.

Additionally, the DMTF and other organizations that use Redfish as part of their industry standard or solution have added educational material.

This document defines the RESTful interface protocol and the various concepts and services necessary to implement a Redfish interface. The definition of the schema based data model and standard messages for the Redfish interface are covered separately in the following documents:

- DMTF DSP8010, *Redfish Schema Bundle*, <https://www.dmtf.org/dsp/DSP8010> contains the individual schema definition files in multiple schema description languages.
- DMTF DSP0268, *Redfish Schema Supplement*, <https://www.dmtf.org/dsp/DSP0268> contains the normative descriptions and example payloads for all standard Redfish schema in a single reference guide.
- DMTF DSP8011, *Redfish Standard Registries Bundle*, <https://www.dmtf.org/dsp/DSP8011> contains the message registries used for error reporting and event messages.

## 3 Scope

---

This specification defines the required protocols, data model, behaviors, and other architectural components for an interoperable, multivendor, remote, and out-of-band capable interface. This interface meets the cloud-based and web-based IT professionals' expectations for scalable platform management. While large and hyperscale environments are the primary focus, clients can use the specification for individual system management.

The specification defines the required elements for all Redfish implementations, and the optional elements that system vendors and manufacturers can choose. This specification also defines at which points an implementation can provide OEM-specific extensions.

The specification sets normative requirements for *Redfish services* and associated materials, such as Redfish schema files. In general, the specification does not set requirements for Redfish clients but indicates how a client can successfully and effectively access and use a Redfish service.

The specification does not require that implementations of the Redfish interfaces and functions require particular hardware or firmware.

## 4 Normative references

---

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

- DMTF DSP0270, *Redfish Host Interface Specification*, [https://www.dmtf.org/sites/default/files/standards/documents/DSP0270\\_1.0.0.pdf](https://www.dmtf.org/sites/default/files/standards/documents/DSP0270_1.0.0.pdf)
- Redfish Schema: RedfishExtensions v1.0.0, [https://redfish.dmtf.org/schemas/v1/RedfishExtensions\\_v1.xml](https://redfish.dmtf.org/schemas/v1/RedfishExtensions_v1.xml)
- *Transport Layer Security (TLS) Parameters*, <https://www.iana.org/assignments/tls-parameters/tls-parameters.xhtml>
- *JSON Schema: A Media Type for Describing JSON Documents draft-handrews-json-schema-01*, <https://tools.ietf.org/html/draft-handrews-json-schema-01>
- *JSON Schema Validation: A Vocabulary for Structural Validation of JSON draft-handrews-json-schema-validation-01*, <https://tools.ietf.org/html/draft-handrews-json-schema-validation-01>
- IETF RFC1738, T. Berners-Lee et al, *Uniform Resource Locators (URL)*, <https://tools.ietf.org/html/rfc1738>
- IETF RFC3986, T. Berners-Lee et al, *Uniform Resource Identifier (URI): Generic Syntax*, <https://tools.ietf.org/html/rfc3986>
- IETF RFC5280, D. Cooper et al, *Internet X.509 Public Key Infrastructure Certificate and Certificate Revocation List (CRL) Profile*,
- IETF RFC6585, M. Nottingham et al, *Additional HTTP Status Codes*, <https://tools.ietf.org/html/rfc6585>
- IETF RFC6901, P. Bryan, Ed. et al, *JavaScript Object Notation (JSON) Pointer*, <https://tools.ietf.org/html/rfc6901>
- IETF RFC7230, R. Fielding et al, *Hypertext Transfer Protocol (HTTP/1.1): Message Syntax and Routing*, <https://tools.ietf.org/html/rfc7230>
- IETF RFC7231, R. Fielding et al, *Hypertext Transfer Protocol (HTTP/1.1): Semantics and Content*, <https://tools.ietf.org/html/rfc7231>
- IETF RFC7232, R. Fielding et al, *Hypertext Transfer Protocol (HTTP/1.1): Conditional Requests*, <https://tools.ietf.org/html/rfc7232>
- IETF RFC7234, R. Fielding et al, *Hypertext Transfer Protocol (HTTP/1.1): Caching*, <https://tools.ietf.org/html/rfc7234>
- IETF RFC7525, Y. Sheffer et al, *Recommendations for Secure Use of Transport Layer Security (TLS) and Datagram Transport Layer Security (DTLS)*, <https://tools.ietf.org/html/rfc7525>
- IETF RFC7578, L. Masinter et al, *Returning Values from Forms: multipart/form-data*, <https://tools.ietf.org/html/rfc7578>
- IETF RFC7617, J. Reschke et al, *The 'Basic' HTTP Authentication Scheme*, <https://tools.ietf.org/html/rfc7617>
- IETF RFC8259, T. Bray, Ed., *The JavaScript Object Notation (JSON) Data Interchange Format*, <https://tools.ietf.org/html/rfc8259>
- IETF RFC8288, M. Nottingham, *Web Linking*, <https://tools.ietf.org/html/rfc8288>

## ISO/IEC 30115-1:2022(E)

- ISO 639-1:2002, *Codes for the representation of names of languages - Part 1: Alpha-2 code*, <https://www.iso.org/standard/22109.html>
- 24 February 2014, *OData Version 4.0 Part 1: Protocol*, <https://docs.oasis-open.org/odata/odata/v4.0/os/part1-protocol/odata-v4.0-os-part1-protocol.html>
- 24 February 2014, *OData Version 4.0 Part 3: Common Schema Definition Language (CSDL)*, <https://docs.oasis-open.org/odata/odata/v4.0/os/part3-csdl/odata-v4.0-os-part3-csdl.html>
- 10 March 2016, *OData Version 4.0 Plus Errata 03 OASIS Standard incorporating Draft 01 of Errata 03*, <https://docs.oasis-open.org/odata/odata/v4.0/errata03/csd01/complete/vocabularies/Org.OData.Measures.V1.xml>
- 20 November 2014, *SNIA TLS Specification for Storage Systems*, [https://www.snia.org/tech\\_activities/standards/curr\\_standards/tls](https://www.snia.org/tech_activities/standards/curr_standards/tls)
- *The OpenAPI Specification*, <https://swagger.io/specification/>
- *The Unified Code for Units of Measure*, <https://ucum.org/ucum.html>
- 24 December 2020, *Fetch Living Standard*, <https://fetch.spec.whatwg.org/>
- 9.2 *Server-sent events in the HTML Living Standard*, <https://html.spec.whatwg.org/multipage/server-sent-events.html>

## 5 Terms, definitions, symbols, and abbreviated terms

---

Some terms and phrases in this document have specific meanings beyond their typical English meanings. This clause defines those terms and phrases.

The terms "shall" ("required"), "shall not", "should" ("recommended"), "should not" ("not recommended"), "may" "need not" ("not required"), "can" and "cannot" in this document are to be interpreted as described in ISO/IEC Directives, Part 2, Clause 7. The terms in parenthesis are alternatives for the preceding term, for use in exceptional cases when the preceding term cannot be used for linguistic reasons. Note that ISO/IEC Directives, Part 2, Clause 7 specifies additional alternatives. Occurrences of such additional alternatives shall be interpreted in their normal English meaning.

The terms "clause", "subclause", "paragraph", and "annex" in this document are to be interpreted as described in ISO/IEC Directives, Part 2, Clause 6.

The terms "normative" and "informative" in this document are to be interpreted as described in ISO/IEC Directives, Part 2, Clause 3. In this document, clauses, subclauses, or annexes labeled "(informative)" do not contain normative content. Notes and examples are always informative elements.

The term "deprecated" in this document is to be interpreted as material that is not recommended for use in new development efforts. Existing and new implementations may use this material, but they should move to the favored approach. Deprecated material may be implemented in order to achieve backwards compatibility. Deprecated material should contain references to the last published version that included the deprecated material as normative material and to a description of the favored approach. Deprecated material may be removed from the next major version of the specification.

This document defines these additional terms:

### 5.1 Hardware terms

---

#### 5.1.1 baseboard management controller (BMC)

embedded device or service

Note 1 to entry: Typically an independent microprocessor or system-on-chip with associated firmware in a computer system that completes out-of-band systems monitoring and management-related tasks.

#### 5.1.2 IPMI

Intelligent Platform Management Interface

---

### 5.1.3 KVM-IP

keyboard, video, mouse redirection over IP

### 5.1.4 NIC

network interface controller

### 5.1.5 PCI

Peripheral Component Interconnect

### 5.1.6 PCIe

Peripheral Component Interconnect Express

## 5.2 Web development terms

---

### 5.2.1 CORS

cross-origin resource sharing

### 5.2.2 CRUD

basic **C**reate, **R**ead, **U**ppdate, and **D**elate operations that any interface can support

### 5.2.3 CSRF

cross-site request forgery

### 5.2.4 event

data structure that corresponds to one or more alerts

### 5.2.5 excerpt

subset of data that is copied from one resource and presented in another resource

Note 1 to entry: An excerpt provides data in convenient locations without duplication of entire resources.

### 5.2.6 HTTP

Hypertext Transfer Protocol

### 5.2.7 HTTPS

Hypertext Transfer Protocol Secure

Note 1 to entry: TLS secures HTTP.

### 5.2.8 hypermedia API

API that enables you to navigate through URIs that a service returns

### 5.2.9 IP

Internet Protocol

### 5.2.10 JSON

JavaScript Object Notation

### 5.2.11 member

single [resource](#) instance in a [resource collection](#)

### 5.2.12 message

complete HTTP-formatted or HTTPS-formatted request or response

Note 1 to entry: In the REST-based Redfish protocol, every request results in a response.

### 5.2.13 OData

Open Data Protocol (OData), as defined in [OData Version 4.0 Part 1: Protocol](#)

### 5.2.14 OData service document

resource that provides information about the [service root](#) for generic OData clients

### 5.2.15 operation

HTTP `POST`, `GET`, `PUT`, `PATCH`, `HEAD`, and `DELETE` request methods that map to generic [CRUD](#) operations

### 5.2.16 parent resource

parent to another resource if the initial segment of the resource URI is the same as the URI of the other resource, but is at least one level higher

Note 1 to entry: For example, `/redfish/v1/Chassis/A88` is a parent resource of `/redfish/v1/Chassis/A88/Assembly`.

### 5.2.17 property

name-value pair in a Redfish-defined request or response

Note 1 to entry: A property can be any valid JSON data type.

### 5.2.18 request

message from a client to a service

### 5.2.19 response

message from a service to a client in response to a request message

### 5.2.20 subscription

registration of a destination to receive events

### 5.2.21 task

representation of a [long-running operation](#)

### 5.2.22 task monitor

opaque service-generated URI that the client who initiates the request can use to monitor an [asynchronous operation](#)

### 5.2.23 TCP

Transmission Control Protocol

### 5.2.24 TLS

Transport Layer Security

### 5.2.25 XSS

cross-site scripting

## 5.3 Redfish terms

---

### 5.3.1 collection

see [resource collection](#)

### 5.3.2 Redfish client

communicates with a [Redfish service](#) and accesses one or more of the service's resources or functions

### 5.3.3 Redfish protocol

discovers, connects to, and inter-communicates with a [Redfish service](#)

### 5.3.4 Redfish schema

a set of human and machine-readable documents that define Redfish resources using one or more of the supported [schema definition languages](#)

### 5.3.5 Redfish service

implementation of the protocols, resources, and functions that deliver the interface that this specification defines and its associated behaviors for one or more managed systems

Note 1 to entry: Also known as the *service*.

### 5.3.6 resource

URI-addressable Redfish data structure

### 5.3.7 resource collection

set of similar resources where the number of instances can shrink or grow

### 5.3.8 resource tree

tree structure of resources accessible through a well-known starting URI

Note 1 to entry: A client can discover the available resources on a Redfish service by following the resource hyperlinks from the base of the tree.

### 5.3.9 resource type

set of definitions for [properties](#) and [actions](#) contained within a [resource](#) and documented in the [Redfish schema](#) files

### 5.3.10 service root

starting-point resource for locating and accessing the other resources and associated metadata that make up an instance of a Redfish service

### 5.3.11 subordinate resource

is subordinate to another resource if the initial segment of the resource URI is the same as the URI of the other resource, but is at least one level deeper

Note 1 to entry: For example, `/redfish/v1/Chassis/A88/Assembly` is a subordinate resource of the `Chassis` resource named `A88`.

## 6 Typographical conventions

---

The following typographical convention indicates deprecated material:

---

### **DEPRECATED**

Deprecated material appears here.

### **END DEPRECATED**

---

In places where this typographical convention cannot be used, such as tables or figures, the "DEPRECATED" label is used alone.

## 7 Overview

---

Redfish is a management standard that uses a data model representation with a RESTful interface.

Being RESTful, Redfish is easier to use and implement.

Being model-oriented, it can express the relationships between components and the semantics of the Redfish services and components within them. The model is also easy to extend.

By requiring JSON representation, Redfish enables easy integration with programming environments. It is also easy to interpret by humans.

An interoperable Redfish schema defines this model, which is freely available and published in OpenAPI YAML, OData CSDL, and JSON Schema formats.

### 7.1 Goals

---

As an architecture, data model, and set of protocols that enable a client to access Redfish services, Redfish has these goals.

Table 1 describes these goals:

Goal	Purpose
Scalable	Can scale on stand-alone machines or racks of equipment.
Flexible	Can implement through existing hardware or entirely as a software service.
Extensible	Can easily add new and vendor-specific capabilities to the data model.
Backward-compatible	Can add capabilities while preserving investments in earlier implementations.
Interoperable	Provides consistent functionality across multiple vendor implementations.
Standards-based	Built on ubiquitous and secure protocols. Leverages other standards where applicable.
Simple	Easy-to-use without the need for highly specialized programming skills or systems knowledge.
Lightweight	Designed to reduce complexity and implementation costs. Minimizes the required footprint for implementations.

: Table 1 — Redfish goals

## 7.2 Design tenets

---

To deliver these goals, Redfish:

- Provides a RESTful interface by using a JSON payload and a data model.
- Separates the protocol from the data model, which enables the independent revision and use of each.
- Specifies versioning rules for protocols and schema.
- Leverages strength of ubiquitous standards where it meets architectural requirements, such as JSON, HTTP, OData, OpenAPI, and the RFCs that this document references.
- Organizes the data model so that it provides clearly demarcated and value-add features in the same payload as standardized items.
- Makes data in payloads as obvious in context as possible.
- Maintains implementation flexibility. Does not tie the interface to any particular underlying implementation or architecture.
- Focuses on widely used capabilities. To avoid complexity, does not add functions that only a small percentage of users value.

## 7.3 Limitations

---

Redfish minimizes the need for clients to complete upgrades by using strict versioning and forward-compatibility rules, and separation of the protocols from the data model. However, Redfish does not guarantee that clients never need to update their software. For example, clients might need to upgrade to manage new system or component types, or update the data model.

Interoperable does not mean identical. Many elements of Redfish are optional. Clients should be prepared to discover the optional elements by using the built-in discovery methods.

The *resource tree* reflects the topology of the system and its devices. Consequently, different hardware or device types result in different resource trees, even for identical systems from the same manufacturer. References between resources may result in a graph instead of a tree. Clients that traverse the resource tree should provide logic to avoid infinite loops.

Additionally, not all Redfish resources use simple REST read-and-write semantics. Different use cases may follow other types of client logic. For example, clients cannot simply read user credentials or certificates from one service and write them to another service.

Finally, the hyperlink values between resources and other elements can vary across implementations. Clients should not assume that they can reuse hyperlinks across different Redfish service instances.

## 7.4 Additional design background and rationale

---

### 7.4.1 REST-based interface

Redfish exposes many service applications as RESTful interfaces. This document defines a RESTful interface.

Redfish defines a RESTful interface because it:

- Enables a lightweight implementation, using fewer layers than previous standards.
- Is a prevalent access method in the industry.
- Is easy to learn, document, and implement in modern programming languages.
- Has a number of development environments and a healthy tooling ecosystem.
- Fits with the design goal of simplicity.
- Equally applies to software application space as it does to embedded environments, which enables convergence and sharing of code within the management ecosystem.
- Adapts well to any data modeling language.
- Has industry-provided security and discovery mechanisms.

### 7.4.2 Data-oriented

The Redfish data model is developed by focusing on the contents of the payload. By concentrating on the contents of the payload first, Redfish payloads are easily mapped to schema definition languages and encoding types. The data model is defined in various schema languages, including OpenAPI YAML, OData CSDL, and JSON Schema.

### 7.4.3 Separation of protocol from data model

Redfish separates the protocol operations from the data model and versions the protocol independently from the data model. This enables clients to extend and change the data model as needed without requiring the protocol version to change.

### 7.4.4 Hypermedia API service root

Redfish has a single service root URI and clients can discover all resources through referenced URIs. The [hypermedia API](#) enables the discovery of resources through hyperlinks.

### 7.4.5 OpenAPI v3.0 support

The OpenAPI v3.0 provides a rich ecosystem of tools for using RESTful interfaces that meet the design requirements of that specification. Starting with *Redfish Specification v1.6.0*, the Redfish schemas support the OpenAPI YAML file format and URI patterns that conform to the OpenAPI Specification were defined. Conforming Redfish services that

support the Redfish protocol version v1.6.0 or later implement those URI patterns to enable use of the OpenAPI ecosystem.

For details, see [OpenAPI Specification v3.0](#).

#### 7.4.6 OData conventions

With the popularity of RESTful APIs, there are nearly as many RESTful interfaces as there are applications. While following REST patterns helps promote good practices, due to design differences between the many RESTful APIs there are few common conventions between them.

To provide for interoperability between APIs, [OData](#) defines a set of common RESTful conventions and annotations. Redfish follows OData conventions for describing schema, [URL conventions](#), and definitions for typical properties in a JSON payload.

### 7.5 Service elements

---

#### 7.5.1 Synchronous and asynchronous operation support

Some operations can take more time than a client typically wants to wait. For this reason, some operations can be asynchronous at the discretion of the service. The request portion of an asynchronous operation is no different from the request portion of a synchronous operation.

To determine whether an operation was completed synchronously or asynchronously, clients can review the [HTTP status codes](#). For more information, see the [Asynchronous operations](#) clause.

#### 7.5.2 Eventing mechanism

Redfish enables clients to receive messages outside the normal request and response paradigm. The service uses these messages, or *events*, to asynchronously notify the client of a state change or error condition, usually of a time critical nature.

This specification defines two styles of eventing:

- Push-style eventing.

When the service detects the need to send an event, it calls HTTP `POST` to push the event message to the client. Clients can enable reception of events by creating a [subscription](#) entry in the event service, or an administrator can create subscriptions as part of the Redfish service configuration.

- [Server-sent events \(SSE\)](#)-style eventing.

The client opens an SSE connection to the service through a `GET` on the `ServerSentEventUri`-specified URI in the event service.

For information, see the [Eventing](#) clause.

### 7.5.3 Actions

Actions are Redfish operations that do not easily map to RESTful interface semantics. These types of operations may not directly affect properties in the Redfish resources. The Redfish schema defines certain standard actions for common Redfish resources. For these standard actions, the Redfish schema contains the normative language on the behavior of the action.

### 7.5.4 Service discovery

While the service itself is at a well-known URI, clients need to discover the network address of the service. Like UPnP, Redfish uses SSDP for discovery. A wide variety of devices, such as printers and client operating systems, support SSDP. It is simple, lightweight, IPv6 capable, and suitable for implementation in embedded environments.

For more information, see the [Discovery](#) clause.

### 7.5.5 Remote access support

Remote management functionality typically includes access mechanisms for redirecting operator interfaces such as serial console, keyboard video and mouse (KVM-IP), command shell, or command-line interface, and virtual media. While these mechanisms are critical functionality, they cannot be reasonably implemented as a RESTful interface.

Therefore, this standard does not define the protocols or access mechanisms for those services but encourages implementations that leverage existing standards. However, the Redfish schema includes resources and properties that enable client discovery of these capabilities and access mechanisms to enable interoperability.

## 7.6 Security

The challenge of remote interface security is to protect both the interface and exchanged data. To accomplish this, Redfish provides authentication and encryption. As part of this security, Redfish defines and requires minimum levels of encryption.

For more information, see the [Security details](#) clause.

## 8 Protocol details

In this document, the Redfish protocol refers to the RESTful mapping to HTTP, TCP/IP, and other protocol, transport, and messaging layer aspects. HTTP is the application protocol that transports the messages and TCP/IP is the transport protocol. The RESTful interface is a mapping to the message protocol.

The Redfish protocol is designed around a web service-based interface model, which provides network and interaction efficiency for both user interface (UI) and automation usage. Specifically, the protocol can leverage existing tool chains.

Table 2 describes the items that the Redfish protocol uses:

Item	Description
<a href="#">HTTP methods</a>	Maps to common CRUD operations.
<a href="#">Actions</a>	Expands operations beyond CRUD-type operations.
<a href="#">Media types</a>	Negotiates the type of data sent in the message body.
<a href="#">HTTP status codes</a>	Indicates the success or failure of the server's request.
<a href="#">Error responses</a>	Returns more information than HTTP status codes.
TLS	Secures messages. See <a href="#">Security details</a> .
<a href="#">Asynchronous semantics</a>	Manages long-running operations.

: Table 2 — Redfish protocol

A Redfish interface shall be exposed through a web service endpoint implemented by using HTTP version 1.1. See [RFC7230](#), [RFC7231](#), and [RFC7232](#).

The subsequent clauses describe how the Redfish interface uses and adds constraints to HTTP to ensure interoperability of Redfish implementations.

### 8.1 Universal Resource Identifiers

A Universal Resource Identifier (URI) identifies a resource, including the service root and all Redfish resources.

- A URI shall identify each unique instance of a resource.
- URIs shall not include any [RFC1738](#)-defined unsafe characters.
  - For example, the { , } , , | , ^ , ~ , [ , ] , \ , and \ characters are unsafe because gateways and other transport agents can sometimes modify these characters.

## ISO/IEC 30115-1:2022(E)

- Do not use the # character for anything other than the start of a fragment.
- URIs shall not include any percent-encoding of characters. This restriction does not apply to the [query parameters](#) portion of the URI.

A `GET` operation on a URI returns a representation of the resource with properties and hyperlinks to associated resources. The service root URI is well known and is based on the protocol version.

To discover the URIs to additional resources, extract the associated resource hyperlinks from earlier responses. The [hypermedia API](#) enables the discovery of resources through hyperlinks.

Redfish considers the [RFC3986](#)-defined scheme, authority, service root, and version, and unique resource path component parts of the URI.

For example, this URI:

```
https://mgmt.vendor.com/redfish/v1/Systems/1
```

Contains these component parts:

- `https:` is the scheme.
- `mgmt.vendor.com` is the authority to which to delegate the URI.
- `redfish/v1` is the service root and version.
- `Systems/1` is the unique resource path.

In a URI:

- The scheme and authority component parts are not part of the unique resource path because redirection capabilities and local operations may cause the connection portion to vary.
- The service root and resource path component parts *uniquely identify* the resource in a Redfish service.

In an implementation:

- The resource path component part shall be unique.
- A [relative reference](#) in the body and HTTP headers payload can identify a resource in that same implementation.
- An absolute URI in the body and HTTP headers payload can identify a resource in a different implementation.

For the absolute URI definition, see [RFC3986](#).

For example, a `POST` operation may return the `/redfish/v1/Systems/2` URI in the [Location header](#) of the response, which points to the `POST`-created resource.

Assuming that the client connects through the `mgmt.vendor.com` appliance, the client accesses the resource through the `https://mgmt.vendor.com/redfish/v1/Systems/2` absolute URI.

URIs that conform to [RFC3986](#) may also contain the query, `?query`, and frag, `#frag`, components. For information about queries, see [Query parameters](#). When a URI includes a fragment ( `frag` ) to submit an operation, the server ignores the fragment.

If a property in a response references another property within a resource, use the [RFC6901](#)-defined URI fragment identifier representation format. If the property is a [reference property](#) in the schema, the fragment shall reference a valid [resource identifier](#). For example, the following fragment identifies a property at index 0 of the `Fans` array in the `/redfish/v1/Chassis/MultiBladeEnc1/Thermal` resource:

```
{
  "@odata.id": "/redfish/v1/Chassis/MultiBladeEnc1/Thermal#/Fans/0"
}
```

For requirements on constructing Redfish URIs, see the [resource URI patterns annotation](#) clause.

## 8.2 HTTP methods

[Table 3](#) describes the mapping of HTTP methods to the Redfish-supported operations. If the **Required** column contains **Yes**, a Redfish interface shall support the HTTP method. If the **Required** column contains **No**, a Redfish interface may support the HTTP method.

HTTP method	Interface semantic	Required
POST	Create resource Resource action Eventing	Yes
GET	Retrieve resource	Yes
PUT	Replace resource	No
PATCH	Update resource	Yes
DELETE	Delete resource	Yes
HEAD	Retrieve resource header	No
OPTIONS	Retrieve header Cross-origin resource sharing (CORS) preflight	No

**Table 3 — Mapping of HTTP methods to Redfish-supported operations**

## ISO/IEC 30115-1:2022(E)

For HTTP methods that the Redfish service does not support or that [Table 3](#) omits, the Redfish service shall return the HTTP [405 Method Not Allowed](#) status code or the HTTP [501 Not Implemented](#) status code.

### 8.3 HTTP redirect

---

HTTP redirect enables a service to redirect a request to another URL. Among other things, HTTP redirect enables Redfish resources to alias areas of the data model.

All Redfish clients shall correctly handle HTTP redirect.

The service for the redirected resource shall enforce the [authentication](#) and [authorization](#) requirements for the redirected resource.

### 8.4 Media types

---

Some resources may be available in more than one type of representation. The media type indicates the representation type.

In HTTP messages, the media type is specified in the `Content-Type` header. To tell a service to return the response through certain media types, the client sets the HTTP `Accept` header to a list of the media types.

- All resources shall be available through the JSON `application/json` media type.
- Redfish services shall make every resource available in a JSON-based representation as a JSON object, as specified in [RFC8259](#). Receivers shall not reject a JSON-encoded message, and shall offer at least one JSON-based response representation. An implementation may offer additional non-JSON media type representations.

To request compression in the response body, clients specify an [Accept-Encoding](#) request header.

### 8.5 ETags

---

To reduce unnecessary RESTful accesses to resources, the Redfish service should support the association of a separate entity tag (ETag) with each resource.

- Implementations should support the return of [ETag properties](#) for each resource.
- Implementations should support the return of ETag headers for each single-resource response.
- Implementations shall support the return of ETag headers for `GET` requests of `ManagerAccount` resources.

Because the service knows whether the new version of the object is substantially different, the service generates and provides the ETag as part of the resource payload.

The ETag mechanism supports both **strong** and **weak** validation. If a resource supports an ETag, it shall use the RFC7232-defined ETag.

This specification does not mandate a particular algorithm for ETag creation, but ETags should be highly collision-free.

An ETag can be:

- A hash
- A generation ID
- A time stamp
- Some other value that changes when the underlying object changes

If a client calls `PUT` or `PATCH` to update a resource, it should include an ETag from a previous `GET` in the HTTP `If-Match` or `If-None-Match` header. If a service supports the return of the ETag header on a resource, it may respond with the HTTP `428 Precondition Required` status code if the `If-Match` or `If-None-Match` header is missing from the `PUT` or `PATCH` request for the same resource, as specified in RFC6585.

In addition to the return of the ETag property on each resource, a Redfish service should return the ETag header on:

- A client `PUT`, `POST`, or `PATCH` operation
- A `GET` operation for an individual resource

The format of the ETag header is:

```
ETag: <string>
```

## 8.6 Protocol version

The protocol version is separate from the resources' version or the Redfish schema version that the resources support.

Each Redfish protocol version is strongly typed by using the URI of the Redfish service in combination with the resource obtained at that URI, called the `ServiceRoot` resource.

The root URI for this version of the Redfish protocol shall be `/redfish/v1/`.

The URI defines the major version of the protocol.

The `RedfishVersion` property of the `ServiceRoot` resource defines the protocol version, which includes the major version, minor version, and errata version of the protocol, as defined in the Redfish schema for that resource.

The protocol version is a string in the format:

<MajorVersion>.<MinorVersion>.<ErrataVersion>

where

- <MajorVersion> is an integer that represents the major version. Indicates a backward-incompatible change.
- <MinorVersion> is an integer that represents the minor version. Indicates a minor update. Redfish introduces functionality but does not remove any functionality. The minor version preserves compatibility with earlier minor versions.
- <ErrataVersion> is an integer that represents the errata version. Indicates a fix to the earlier version.

Any resource that a client discovers through hyperlinks that the service root or any service root-referenced service or resource returns shall conform to the same protocol version that the service root supports.

A GET operation on the /redfish resource shall return this response body:

```
{
  "v1": "/redfish/v1/"
}
```

## 8.7 Redfish-defined URIs and relative reference rules

Table 4 describes the Redfish-defined URIs that a Redfish service shall support:

URI	Returns	Note
/redfish	Version. A major update that does not preserve compatibility with earlier minor versions.	Services shall support this URI.
/redfish/v1/	Redfish <a href="#">service root</a> .	Services shall support this URI.
/redfish/v1/odata	Redfish <a href="#">OData service document</a> .	Services shall support this URI.
/redfish/v1/\$metadata	Redfish <a href="#">metadata document</a> .	Services shall support this URI.
/redfish/v1/openapi.yaml	Redfish <a href="#">OpenAPI YAML document</a> .	Services should support this URI.

**Table 4 — Redfish-defined URIs**

In addition, Table 5 describes the URIs that services shall process without a trailing slash in one of these ways:

- Redirect it to the associated Redfish-defined URI.
- Treat it as the equivalent URI to the associated Redfish-defined URI.

URI	Associated Redfish-defined URI
/redfish/v1	/redfish/v1/
/redfish/	/redfish

**Table 5 — Redfish-defined URIs without trailing slashes**

All other Redfish service-supported URIs shall match the [resource URI patterns definitions](#), except the supplemental resources that the `@Redfish.Settings`, `@Redfish.ActionInfo`, and `@Redfish.CollectionCapabilities` [payload annotations](#) reference. The client shall treat the URIs for these supplemental resources as opaque.

All Redfish-defined URIs and URIs starting with `/redfish` are reserved for future standardization by DMTF and DMTF alliance partners, except OEM extension URIs, which shall conform to the requirements of the [OEM URIs](#) clause.

All relative references that the service uses shall start with either:

- A double forward slash ( `//` ) and include the authority (network-path), such as `//mgmt.vendor.com/redfish/v1/Systems` .
- A single forward slash ( `/` ) and include the absolute-path, such as `/redfish/v1/Systems` .

For details, see [RFC3986](#).

## 9 Service requests

---

This clause describes the requests that clients can send to Redfish services.

### 9.1 Request headers

---

The *HTTP Specification* defines headers for request messages. [Table 6](#) defines those headers and their requirements for Redfish services and clients.

For Redfish services:

- Redfish services shall process the headers in [Table 6](#) as defined by the *HTTP 1.1 Specification* if the **Service requirement** column contains **Yes** or **Conditional**.
- Redfish services should process the headers in [Table 6](#) and [Table 7](#) as defined by the *HTTP 1.1 Specification* if the **Service requirement** column contains **No**.

For Redfish clients (sending the HTTP requests):

- Redfish clients shall include the headers in [Table 6](#) as defined by the *HTTP 1.1 Specification* if the **Client requirement** column contains **Yes** or **Conditional**.
- Redfish clients should transmit the headers in [Table 6](#) and [Table 7](#) as defined by the *HTTP 1.1 Specification* if the **Client requirement** column contains **No**.

Header	Service requirement	Client requirement	Supported values	Description
Accept	Yes	No	RFC7231	<p>Communicates to the server the media type or types that this client is prepared to accept.</p> <p>Services shall support resource requests with <code>Accept</code> header values of <code>application/json</code> or <code>application/json; charset=utf-8</code>.</p> <p>Services shall support XML metadata requests with <code>Accept</code> header values of <code>application/xml</code> or <code>application/xml; charset=utf-8</code>.</p> <p>Services shall support OpenAPI YAML schema requests with <code>Accept</code> header values of <code>application/yaml</code> or <code>application/yaml; charset=utf-8</code> or <code>application/vnd.oai.openapi</code> or <code>application/vnd.oai.openapi; charset=utf-8</code>.</p> <p>Services shall support SSE requests with <code>Accept</code> header values of <code>text/event-stream</code> or <code>text/event-stream; charset=utf-8</code>.</p> <p>Services shall support any request with <code>Accept</code> header values of <code>application/*</code>, <code>application/*; charset=utf-8</code>, <code>/*</code>, or <code>/*; charset=utf-8</code>.</p>
Accept-Encoding	No	No	RFC7231	<p>Indicates whether the client can handle gzip-encoded responses. If a service cannot return an acceptable response to a request with this header, it shall respond with the HTTP <b>406 Not Acceptable</b> status code. If the request omits this header, the service should not return gzip-encoded responses.</p>
Accept-Language	No	No	RFC7231	<p>The languages that the client accepts in the response. If the request omits this header, uses the service's default language for the response.</p>
Authorization	Conditional	Conditional	RFC7617	<p>Required for HTTP basic authentication.</p> <p>A client can access unsecured resources without this header on systems that support basic authentication.</p>
Content-Length	No	No	RFC7231	<p>The size of the message body.</p> <p>To indicate the size of the body, a client can use the <code>Transfer-Encoding: chunked</code> header.</p> <p>If a service needs to use <code>Content-Length</code> and does not support <code>Transfer-Encoding</code>, it responds with the HTTP <b>406 Not Acceptable</b> status code.</p>
Content-Type	Conditional	Conditional	RFC7231	<p>The request format. Required for operations with a request body.</p> <p>Services shall accept the <code>Content-Type</code> header set to either <code>application/json</code> or <code>application/json; charset=utf-8</code>.</p> <p>It is recommended that clients use these values in requests because other values can cause an error.</p>

Header	Service requirement	Client requirement	Supported values	Description
Host	Yes	No	<a href="#">RFC7230</a>	Enables support of multiple origin hosts at a single IP address.
If-Match	Conditional	No	<a href="#">RFC7232</a>	To ensure that clients update the resource from a known state, <code>PUT</code> and <code>PATCH</code> requests for resources for which a service returns ETags shall support <code>If-Match</code> . While not required for clients, it is highly recommended for <code>PUT</code> and <code>PATCH</code> operations.
If-None-Match	No	No	<a href="#">RFC7232</a>	A service only returns the resource if the current ETag of that resource does not match the ETag sent in this header. If the ETag in this header matches the resource's current ETag, the <code>GET</code> operation returns the HTTP <code>304 Not Modified</code> status code.
Last-Event-ID	No	No	<a href="#">HTML5 SSE</a>	The event source's last <code>id</code> field from the SSE stream. Requests history event data. See <a href="#">Server-sent events</a> .
Max-Forwards	No	No	<a href="#">RFC7231</a>	Limits gateway and proxy hops. Prevents messages from remaining in the network indefinitely.
OData-MaxVersion	No	No	4.0	The maximum OData version that an OData-aware client understands.
OData-Version	Yes	No	4.0	The OData version. Services shall reject requests that specify an unsupported OData version. If a service encounters an unsupported OData version, it should reject the request with the HTTP <code>412 Precondition Failed</code> status code.
Origin	Yes	No	<a href="#">Fetch Living Standard, 3.1.</a> <a href="#">Origin header</a>	Enables web applications to consume a Redfish service while preventing CSRF attacks.
User-Agent	Yes	No	<a href="#">RFC7231</a>	Traces product tokens and their versions. The header can list multiple product tokens.
Via	No	No	<a href="#">RFC7230</a>	Defines the network hierarchy and recognizes message loops. Each pass inserts its own <code>via</code> header.

: Table 6 — Request headers

Redfish services shall understand and be able to process the headers in Table 7 as defined by this specification if the **Service requirement** column contains **Yes**.

Header	Service requirement	Client requirement	Supported values	Description
X-Auth-Token	Yes	Conditional	Opaque encoded octet strings	Authenticates user sessions. The token value shall be indistinguishable from random. While services shall support this header, a client can access unsecured resources without establishing a session.

: Table 7 — Request headers part 2

## 9.2 GET (read requests)

### 9.2.1 GET (read requests) overview

The `GET` operation retrieves resources from a Redfish service. Clients make a `GET` request to the individual resource URI. Clients may obtain the resource URI from published sources, such as the OpenAPI document, or from a [resource identifier property](#) in a previously retrieved resource response, such as the [links property](#).

The service shall return the resource representation using one of the media types listed in the `Accept` header, subject to the requirements of the [media types](#). If the `Accept` header is absent, the service shall return the resource's representation as `application/json`. Services may but are not required to support the convention of retrieving individual properties within a resource by appending a segment containing the property name to the URI of the resource.

- The HTTP `GET` operation shall retrieve a resource without causing any side effects.
- The service shall ignore the content of the body on a `GET`.
- The `GET` operation shall be idempotent in the absence of outside changes to the resource.

If supported by the service, clients can perform a conditional `GET` operation by specifying an [If-None-Match request header](#) that contains the ETag of the resource.

### 9.2.2 Resource collection requests

Clients retrieve a resource collection by making a `GET` request to the resource collection URI. The response includes the resource collection's properties and an array of its [members](#).

No requirements are placed on implementations to return a consistent set of members when a series of requests that use paging query parameters are made over time to obtain the entire set of members. These calls can result in missed or duplicate elements if multiple `GET` requests use paging to retrieve the `Members` array instances.

## ISO/IEC 30115-1:2022(E)

- Clients shall not make assumptions about the URIs for the members of a resource collection.
- Retrieved resource collections shall always include the `count ( Members@odata.count )` property to specify the total number of entries in its `Members` array.
- Regardless of the `next link ( Members@odata.nextLink )` property or paging, the `count ( Members@odata.count )` property shall return the total number of resources that the `Members` array references.

A subset of the members can be retrieved using client paging [query parameters](#).

A service might not be able to return all of the contents of a resource collection request in a single response body. In this case, the response can be paged by the service. If a service pages a response to a resource collection request, the following rules shall apply:

- Responses can contain a subset of the full resource collection's members.
- Individual members shall not be split across response bodies.
- A `next link ( Members@odata.nextLink )` property annotation shall be supplied in the response body with the URI to the next set of members in the collection.
- The `next link ( Members@odata.nextLink )` property shall adhere to the rules in the [Next link property](#) clause.
- `GET` operations on the `next link ( Members@odata.nextLink )` property shall return the subsequent section of the resource collection response.

### 9.2.3 Service root request

The root URL for Redfish version 1.x services shall be `/redfish/v1/`.

The service returns the `ServiceRoot` resource, as defined by this specification, as a response for the root URL.

Services shall not require authentication to retrieve the service root and `/redfish` resources.

### 9.2.4 OData service and metadata document requests

Redfish services expose two OData-defined documents at specific URIs to enable generic OData clients to navigate the Redfish service.

- Service shall expose an [OData metadata document](#) at the `/redfish/v1/$metadata` URI.
- Service shall expose an [OData service document](#) at the `/redfish/v1/odata` URI.
- Service shall not require authentication to retrieve the OData metadata document or the OData service document.

## 9.3 Query parameters

---

### 9.3.1 Query parameter overview

To paginate, retrieve subsets of resources, or expand the results in a single response, clients can include the query parameters. Some query parameters apply only to resource collections.

Services:

- Shall only support query parameters on `GET` operations.
- Should support the `$top`, `$skip`, `only`, and `excerpt` query parameters.
- May support the `$expand`, `$filter`, and `$select` query parameters.
- Shall include the `ProtocolFeaturesSupported` object in the service root, if the service supports query parameters.
  - This object indicates which parameters and options have been implemented.
- Shall ignore unknown or unsupported query parameters that do not begin with `$`.
- Shall use the `&` operator to separate multiple query parameters in a single request.

Services shall return:

- The HTTP `501 Not Implemented` status code for any unsupported query parameters that start with `$`.
- An `extended error` that indicates the unsupported query parameters for this resource.
- The HTTP `400 Bad Request` status code for any query parameters that contain values that are invalid, or values applied to query parameters without defined values, such as `excerpt` or `only`.

Services should return:

- The HTTP `400 Bad Request` status code with the `QueryNotSupportedOnResource` message from the Base Message Registry for any implemented query parameters that are not supported on a resource in the request.
- The HTTP `400 Bad Request` status code with the `QueryNotSupportedOnResource` message from the Base Message Registry for any supported query parameters that apply only to resource collections but are used on singular resources. This includes query parameters such as `$filter`, `$top`, `$skip`, and `only`.
- The HTTP `400 Bad Request` status code with the `QueryNotSupportedOnOperation` message from the Base Message Registry for any supported query parameters on operations other than `GET`.

Services shall process query parameters in this order:

- `$filter`
- `$skip`
- `$top`

- Apply server-side pagination
- `$expand`
- `excerpt`
- `$select`

Table 8 describes the query parameters:

Query parameter	Description and example
<code>excerpt</code>	<p>Returns a subset of the resource's properties that match the defined <code>Excerpt</code> schema annotation.</p> <p>If no <code>Excerpt</code> schema annotation is defined for the resource, the entire resource is returned.</p> <p><b>Example:</b></p> <p><code>https://resource?excerpt</code></p>
<code>\$expand=&lt;string&gt;</code>	<p>Returns a hyperlink and its contents in-line with retrieved resources, as if a <code>GET</code> call response was included in-line with that hyperlink.</p> <p>See <a href="#">The \$expand query parameter</a>.</p> <p><b>Example:</b></p> <p><code>https://resource?\$expand=*(.\$levels=3)</code></p> <p><code>https://resourcecollection?\$expand=.(.\$levels=1)</code></p>
<code>\$filter=&lt;string&gt;</code>	<p>Applies to resource collections. Returns a subset of collection members that match the <code>\$filter</code> expression.</p> <p>See <a href="#">The \$filter query parameter</a>.</p> <p><b>Example:</b></p> <p><code>https://resourcecollection?\$filter=SystemType eq 'Physical'</code></p>
<code>only</code>	<p>Applies to resource collections. If the target resource collection contains exactly one member, clients can use this query parameter to return that member's resource.</p> <p>If the collection contains either zero members or more than one member, the response returns the resource collection, as expected.</p> <p>Services should return the HTTP <code>400 Bad Request</code> with the <code>QueryCombinationInvalid</code> message from the Base Message Registry if <code>only</code> is being combined with other query parameters.</p> <p><b>Example:</b></p> <p><code>https://resourcecollection?only</code></p>

Query parameter	Description and example
\$select=<string>	<p>Returns a subset of the resource's properties that match the <code>\$select</code> expression.</p> <p>See <a href="#">The \$select query parameter</a>.</p> <p><b>Example:</b></p> <p><code>https://resource?\$select=SystemType,Status</code></p>
\$skip=<integer>	<p>Applies to resource collections. Returns a subset of the members in a resource collection, or an empty set of members if the <code>\$skip</code> value is greater than or equal to the member count. This paging query parameter defines the number of <a href="#">members</a> in the <a href="#">resource collection</a> to skip.</p> <p><b>Example:</b></p> <p><code>https://resourcecollection?\$skip=5</code></p>
\$top=<integer>	<p>Applies to resource collections. Defines the number of members to show in the response.</p> <p>Minimum value is <code>0</code>, though a value of <code>0</code> returns an empty set of members.</p> <p><b>Example:</b></p> <p><code>https://resourcecollection?\$top=30</code></p>

: Table 8 — Query parameters

### 9.3.2 The \$expand query parameter

The `$expand` query parameter enables a client to request a response that includes not only the requested resource, but also includes the contents of the [subordinate](#) or hyperlinked resources. The definition of this query parameter follows the [OData Protocol Specification](#).

The `$expand` query parameter has a set of possible options that determine which hyperlinks in a resource are included in the expanded response. Some resources may already be expanded due to the resource's schema annotation `AutoExpand`, such as the `Temperature` object in the `Thermal` resource.

[Table 9](#) describes the Redfish-supported options for the `$expand` query parameter. The service may implement some of these options but not others. Any other supported syntax for `$expand` is outside the scope of this specification.

Option	Description	Example
asterisk ( * )	<p>Shall expand all hyperlinks, including those in <a href="#">payload annotations</a>, such as <code>@Redfish.Settings</code>, <code>@Redfish.ActionInfo</code>, and <code>@Redfish.CollectionCapabilities</code>.</p>	<code>https://resource?\$expand=*</code>

Option	Description	Example
\$levels	<p>Number of levels the service should cascade the <code>\$expand</code> operation.</p> <p>The default level shall be 1.</p> <p>For example, <code>\$levels=2</code> expands both the hyperlinks in the current resource (level 1), and the hyperlinks in the resulting expanded resources (level 2).</p>	<code>https://resourcecollection?\$expand=.\$levels=2)</code>
period ( . )	<p>Shall expand all hyperlinks <b>not</b> in any <code>links property</code> instances of the resource, including those in payload annotations, such as <code>@Redfish.Settings</code>, <code>@Redfish.ActionInfo</code>, and <code>@Redfish.CollectionCapabilities</code>.</p>	<code>https://resourcecollection?\$expand=.</code>
tilde ( ~ )	<p>Shall expand all hyperlinks found in all <code>links property</code> instances of the resource.</p>	<code>https://resourcecollection?\$expand=~</code>

**Table 9 — The \$expand query parameter options**

Examples of `$expand` usage include:

- GET of a `SoftwareInventoryCollection`.

With `$expand`, the client can request multiple `SoftwareInventory` collection member resources in one request rather than fetching them one at a time.

- GET of a `ComputerSystem`.

With `$levels`, a single GET request can include the subordinate resource collections, such as `Processors` and `Memory`.

- GET all UUIDs in members of the `ComputerSystem` collection.

To accomplish this result, include both `$select` and `$expand` on the URI.

The syntax is `GET /redfish/v1/Systems?$select=UUID&$expand=.$levels=1)`

When services execute `$expand`, they may omit some of the referenced resource's properties.

When clients use `$expand`, they should be aware that the payload may increase beyond what can be sent in a single response.

If a service cannot return the payload due to its size, it shall return the HTTP `507 Insufficient Storage` status code.

If a service cannot return the payload corresponding to an individual `member` of a resource collection, it should

return the `@odata.id` property for that member and should return [extended information](#) indicating the reason that member was not returned, such as when a provider internal to the service returns an error or times out.

The following example expands the `RoleCollection` resource with the level set to 1:

```
{
  "@odata.id": "/redfish/v1/AccountService/Roles",
  "@odata.type": "#RoleCollection.RoleCollection",
  "Name": "Roles Collection",
  "Members@odata.count": 3,
  "Members": [{
    "@odata.id": "/redfish/v1/AccountService/Roles/Administrator",
    "@odata.type": "#Role.v1_1_0.Role",
    "Id": "Administrator",
    "Name": "User Role",
    "Description": "Admin User Role",
    "IsPredefined": true,
    "AssignedPrivileges": ["Login", "ConfigureManager",
      "ConfigureUsers", "ConfigureSelf", "ConfigureComponents"]
  }, {
    "@odata.id": "/redfish/v1/AccountService/Roles/Operator",
    "@odata.type": "#Role.v1_1_0.Role",
    "Id": "Operator",
    "Name": "User Role",
    "Description": "Operator User Role",
    "IsPredefined": true,
    "AssignedPrivileges": ["Login", "ConfigureSelf",
      "ConfigureComponents"]
  }, {
    "@odata.id": "/redfish/v1/AccountService/Roles/ReadOnly",
    "@odata.type": "#Role.v1_1_0.Role",
    "Id": "ReadOnly",
    "Name": "User Role",
    "Description": "ReadOnly User Role",
    "IsPredefined": true,
    "AssignedPrivileges": ["Login", "ConfigureSelf"]
  }
  ]
}
```

### 9.3.3 The `$select` query parameter

The `$select` query parameter indicates that the implementation should return a subset of the resource's properties that match the `$select` expression. If a request omits the `$select` query parameter, the response returns all properties by default. The definition of this query parameter follows the [OData Protocol Specification](#).

The `$select` expression shall not affect the resource itself.

The `$select` expression defines a comma-separated list of properties to return in the response body.

# ISO/IEC 30115-1:2022(E)

The syntax for properties in objects or properties in arrays of objects shall be the object and property names concatenated with a slash ( / ).

An example of `$select` usage is:

```
GET /redfish/v1/Systems/1?$select=Name,SystemType,Status/State
```

When services execute `$select`, they shall return all requested properties of the referenced resource. If a requested property is an object, the service shall return the entire object. The `@odata.id` and `@odata.type` properties shall be in the response payload and contain the same values as if `$select` was omitted. If the `@odata.context` property is supported, it shall be in the response payload and should be in the `context property` recommended format. If the `@odata.etag` property is supported, it shall be in the response payload and contain the same values as if `$select` was omitted.

Any other supported syntax for `$select` is outside the scope of this specification.

## 9.3.4 The `$filter` query parameter

The `$filter` parameter enables a client to request a subset of the resource collection's members based on the `$filter` expression. The definition of this query parameter follows the [OData Protocol Specification](#).

The `$filter` query parameter defines a set of properties and literals with an operator.

A literal value can be:

- A string enclosed in single quotes.
- A number.
- A boolean value.

If the literal value does not match the data type for the specified property, the service should reject `$filter` requests with the HTTP `400 Bad Request` status code.

The `$filter` section of the OData ABNF Components Specification contains the grammar for the allowable syntax of the `$filter` query parameter, with the additional restriction that only built-in filter operations are supported.

[Table 10](#) lists the Redfish-supported values for the `$filter` query parameter. Any other supported syntax for `$filter` is outside the scope of this specification.

Value	Description	Example
( )	Precedence grouping operator.	(Status/State eq 'Enabled' and Status/Health eq 'OK') or SystemType eq 'Physical'

Value	Description	Example
and	Logical and operator.	ProcessorSummary/Count eq 2 and MemorySummary/TotalSystemMemoryGiB gt 64
eq	Equal comparison operator.	ProcessorSummary/Count eq 2
ge	Greater than or equal to comparison operator.	ProcessorSummary/Count ge 2
gt	Great than comparison operator.	ProcessorSummary/Count gt 2
le	Less than or equal to comparison operator.	MemorySummary/TotalSystemMemoryGiB le 64
lt	Less than comparison operator.	MemorySummary/TotalSystemMemoryGiB lt 64
ne	Not equal comparison operator.	SystemType ne 'Physical'
not	Logical negation operator.	not (ProcessorSummary/Count eq 2)
or	Logical or operator.	ProcessorSummary/Count eq 2 or ProcessorSummary/Count eq 4

**Table 10 — The \$filter query parameter options**

When evaluating expressions, services shall use the following operator precedence:

- Grouping
- Logical negation
- Relational comparison. `gt`, `ge`, `lt`, and `le` all have equal precedence.
- Equality comparison. `eq` and `ne` both have equal precedence.
- Logical `and`
- Logical `or`

If the service receives an unsupported `$filter` query parameter, it shall reject the request and return the HTTP [501 Not Implemented](#) status code.

## 9.4 HEAD

The `HEAD` method differs from the `GET` method in that it shall not return message body information.

However, the `HEAD` method completes the same authorization checks and returns all the same meta information and status codes in the HTTP headers as a `GET` method.

Services may support the `HEAD` method to:

- Return meta information in the form of HTTP response headers.

- Verify hyperlink validity.

Services may support the `HEAD` method to verify resource accessibility.

Services shall not support any other use of the `HEAD` method.

The `HEAD` method shall be idempotent in the absence of outside changes to the resource.

Services shall reject `HEAD` requests that contain `query parameters`. Services should return the HTTP `400 Bad Request` status code if provided with a query parameter in a `HEAD` request.

## 9.5 Data modification requests

### 9.5.1 Data modification requests overview

To create, modify, and delete resources, clients issue the following operations:

- `POST` (create)
- `PATCH` (update)
- `PUT` (replace)
- `DELETE` (delete)
- `POST` (action) on the resource

The following clauses describe the success and error response requirements common to all data modification requests.

### 9.5.2 Modification success responses

For create operations, the response from the service, after the create request succeeds, should be one of these responses:

- The HTTP `201 Created` status code with a body that contains the JSON representation of the newly created resource after the request has been applied.
- The HTTP `202 Accepted` status code with a `Location` header set to the URI of a `task monitor` when the processing of the request requires additional time to be completed.
  - After processing of the `task` is complete, the created resource may be returned in response to a request to the task monitor URI with the HTTP `201 Created` status code.
- The HTTP `204 No Content` status code with empty payload in the event that the service cannot return a representation of the created resource.

For update, replace, and delete operations, the response from the service, after successful modification, should be one of the following responses:

- The HTTP `200 OK` status code with a body that contains the JSON representation of the targeted resource after the modification has been applied, or, for the delete operation, a representation of the deleted resource.
- The HTTP `202 Accepted` status code with a `Location` header set to the URI of a task monitor when the processing of the modification requires additional time.
  - After processing of the task is complete, the modified resource may be returned in response to a request to the task monitor URI with the HTTP `200 OK` status code.
- The HTTP `204 No Content` status code with an empty payload in the event that service cannot return a representation of the modified or deleted resource.

For details on successful responses to action requests, see [POST \(action\)](#).

### 9.5.3 Modification error responses

If the resource exists but does not support the requested operation, services shall return the HTTP `405 Method Not Allowed` status code.

Otherwise, if the service returns a client `4XX` or service `5XX` status code, the service encountered an error and the resource shall not have been modified or created as a result of the operation.

## 9.6 PATCH (update)

To update a resource's properties, the service shall support the `PATCH` method.

The request body defines the changes to make to one or more properties in the resource that the request URI references. The `PATCH` request does not change any properties that are not in the request body. The service shall ignore OData annotations in the request body, such as [resource identifier](#), [type](#), and [ETag](#) properties. Services may accept a `PATCH` method with an empty JSON object, which indicates that the service should make no changes to the resource.

For resources that allow for properties to not be updated immediately, clients can perform `PATCH` requests to a designated settings resource. For more information, see the [Settings resource](#) clause.

See the [Modification success responses](#) clause for behavior when the `PATCH` operation is successful.

If supported by the service, clients can perform a conditional `PATCH` operation by specifying an `If-Match` or `If-None-Match` request header that contains the ETag of the resource.

The implementation may reject the update on certain properties based on its own policies and, in this case, not make the requested update.

## ISO/IEC 30115-1:2022(E)

A partial success of a `PATCH` operation occurs when a modification request for multiple properties results in at least one property updated successfully, but one or more properties could not be updated. In these cases, the service shall return the HTTP `200 OK` status code and a resource representation with [extended information](#) that lists the properties that could not be updated. Examples include:

- A property is read-only, unknown, or unsupported.
- A service-side error occurred, such as a write failure for an EEPROM.

If all properties in the update request are read-only, unknown, or unsupported, but the resource can be updated, the service shall return the HTTP `400 Bad Request` status code and an [error response](#) with messages that show the non-updatable properties.

If the update request only contains OData annotations, such as [resource identifier](#), [type](#), and [ETag](#) properties, the service should return the HTTP `400 Bad Request` status code with the `NoOperation` message from the Base Message Registry.

In the absence of outside changes to the resource, the `PATCH` operation should be idempotent, although the original `ETag` value may no longer match.

### 9.7 PATCH on array properties

The [Array properties](#) clause describes the three styles of array properties in a resource.

Within a `PATCH` request, the service shall accept `null` to remove an element, and accept an empty object `{}` to leave an element unchanged. Array properties that use the fixed or variable length style remove those elements, while array properties that use the rigid style replace removed elements with `null` elements. A service may indicate the maximum size of an array by padding `null` elements at the end of the array sequence.

When processing a `PATCH` request, the order of operations shall be:

- Modifications
- Deletions
- Additions

A `PATCH` request with fewer elements than in the current array shall remove the remaining elements of the array.

For example, a fixed length-style `Flavors` array indicates that the service supports a maximum of six elements, by padding the array with `null` elements, with four populated.

```
{
  "Flavors": ["Chocolate", "Vanilla", "Mango", "Strawberry", null, null]
}
```

A client could issue the following `PATCH` request to remove `Vanilla`, replace `Strawberry` with `Cherry`, and add `Coffee` and `Banana` to the array, while leaving the other elements unchanged.

```
{
  "Flavors": [ {}, null, {}, "Cherry", "Coffee", "Banana" ]
}
```

After the `PATCH` operation, the resulting array is:

```
{
  "Flavors": [ "Chocolate", "Mango", "Cherry", "Coffee", "Banana", null ]
}
```

## 9.8 PUT (replace)

To completely replace a resource, services may support the `PUT` method. The service may add properties to the response resource that the client omits from the request body, the resource definition requires, or the service normally supplies.

The `PUT` operation should be idempotent in the absence of outside changes to the resource, with the possible exception that the operation might change ETag values.

See the [Modification success responses](#) clause for behavior when the `PUT` operation is successful.

If supported by the service, clients can perform a conditional `PUT` operation by specifying an `If-Match` or `If-None-Match` request header that contains the ETag of the resource.

Services may reject requests that do not include properties that the resource definition (schema) requires.

## 9.9 POST (create)

To create a resource, services shall support the `POST` method on resource collections.

The `POST` request is submitted to the resource collection to which the new resource will belong. See the [Modification success responses](#) clause for behavior when the `POST` operation is successful.

The body of the create request contains a representation of the object to create. The service may ignore any service-controlled properties, such as `Id`, which would force the service to overwrite those properties. Additionally, the service shall set the `Location` header in the response to the URI of the new resource.

## ISO/IEC 30115-1:2022(E)

- Submitting a `POST` request to a resource collection is equivalent to submitting the same request to the `Members` property of that resource collection. Services that support the addition of `Members` to a resource collection shall support both forms.
  - For example, if a client adds a member to the resource collection at `/redfish/v1/EventService/Subscriptions`, it can perform a `POST` request to either `/redfish/v1/EventService/Subscriptions` or `/redfish/v1/EventService/Subscriptions/Members`.
- The `POST` operation shall not be idempotent.
- Services may allow the inclusion of `@Redfish.OperationApplyTime` property in the request body. See [Operation apply time](#).
- Services should return the HTTP `400 Bad Request` status code for requests containing properties with the value `null`.

### 9.10 DELETE (delete)

To remove a resource, the service shall support the `DELETE` method. Resources `subordinate` to the resource removed by a `DELETE` method are typically removed, as the contents of subordinate resources are dependent on the `parent resource`. In some cases, related resources may also be relocated in the resource tree based on their definition and usage. Other resources in the resource tree may also be removed or incur side effects of a resource removal.

See the [Modification success responses](#) clause for behavior when the `DELETE` operation is successful.

- If the resource was already deleted, the service may return the HTTP `404 Not Found` status code or a `success code`.
- The service may allow the inclusion of the `@Redfish.OperationApplyTime` property in the request body. See [Operation apply time](#).

### 9.11 POST (action)

Services shall support the `POST` method as a way for clients to send actions to resources.

- The `POST` operation may not be idempotent.
- Services may allow the inclusion of the `@Redfish.OperationApplyTime` property in the request body. See [Operation apply time](#).

To request actions on a resource, send the HTTP `POST` method to the URI of the action. The `target` property in the resource's `Actions` property shall contain the URI of the action. The URI of the action shall be in the format:

```
<ResourceUri>/Actions/<QualifiedActionName>
```

where

- `<ResourceUri>` is the URI of the resource that supports the action.
- `Actions` is the name of the property that contains the actions for a resource, as defined by this specification.
- `<QualifiedActionName>` is the qualified name of the action. Includes the [resource type](#).

To determine the available [actions](#) and the [valid parameter values](#) for those actions, clients can query a resource directly.

Clients provide parameters for the action as a JSON object within the request body of the `POST` operation. For information about the structure of the request and required parameters, see the [Actions property](#) clause. Some parameter information may require that the client examine the [Redfish schema](#) that corresponds to the resource.

If the action request does not contain all required parameters, the service shall return the HTTP `400 Bad Request` status code. If the action request contains unsupported parameters, the service shall ignore the unsupported parameters or return the HTTP `400 Bad Request` status code. If an action does not have any required parameters, the service should accept an empty JSON object in the HTTP body for the action request.

[Table 11](#) describes the HTTP status codes and additional information that the service shall return a response to a successful `POST` (action) request:

To indicate	HTTP status code	Additional information
Success, and the schema does not contain a response definition.	<code>200 OK</code>	An <a href="#">error response</a> , with a message that indicates success or any additional relevant messages. If the action was successfully processed and completed without errors, warnings, or other notifications for the client, the service should return the <code>Success</code> message from the Base Message Registry in the <code>code</code> property in the response body.
Success, and the schema contains a response definition for the action.	<code>200 OK</code>	The response body conforms to the <a href="#">action response</a> defined in the schema.
A new resource was created, and the schema does not contain a response definition.	<code>201 Created</code>	A <a href="#">Location</a> response header set to the URI of the created resource. An <a href="#">error response</a> , with a message that indicates success or any additional relevant messages. If the action was successfully processed and completed without errors, warnings, or other notifications for the client, the service should return the <code>Success</code> message from the Base Message Registry in the <code>code</code> property in the response body.
A new resource was created, and the schema contains a response definition for the action.	<code>201 Created</code>	A <a href="#">Location</a> response header set to the URI of the created resource. The response body conforms to the <a href="#">action response</a> defined in the schema.
Additional time is required to process.	<code>202 Accepted</code>	A <a href="#">Location</a> response header set to the URI of a <a href="#">task monitor</a> .

To indicate	HTTP status code	Additional information
Success, and the schema does not contain a response definition.	204 No Content	No response body.

: Table 11 — POST (action) status codes

If an action requested by the client has no effect, such as a reset of a `ComputerSystem` where the `ResetType` parameter is set to `On` and the `ComputerSystem` is already `On`, the service should respond with the HTTP `200 OK` status code and return the `NoOperation` message from the Base Message Registry.

If an error was detected and the action request was not processed, the service shall return an HTTP `4xx` or HTTP `5xx` status code. The response body, if provided, shall contain an `error response` that describes the error or errors.

Example successful action response:

```

{
  "error": {
    "code": "Base.1.8.Success",
    "message": "Successfully Completed Request",
    "@Message.ExtendedInfo": [{
      "@odata.type": "#Message.v1_1_1.Message",
      "MessageId": "Base.1.8.Success",
      "Message": "Successfully Completed Request",
      "Severity": "OK",
      "MessageSeverity": "OK",
      "Resolution": "None"
    }]
  }
}

```

## 9.12 Operation apply time

Services may accept the `@Redfish.OperationApplyTime` annotation in the `POST (create)`, `DELETE (delete)`, or `POST (action)` request body. This annotation enables the client to control when an operation is carried out.

For example, if the client wants to delete a particular `Volume` resource, but can only safely do so when a reset occurs, the client can use this annotation to instruct the service to delete the `Volume` on the next reset.

If multiple operations are pending, the service shall process them in the order in which the service receives them.

Services that support the `@Redfish.OperationApplyTime` annotation for create operations on a resource collection and delete operations on members of a resource collection shall include the `@Redfish.OperationApplyTimeSupport` response annotation for the resource collection.

The following example response for a resource collection supports the `@Redfish.OperationApplyTime` annotation in requests to create new members and delete existing members:

```
{
  "@odata.id": "/redfish/v1/Systems/1/Storage/SATAEmbedded/Volumes",
  "@odata.type": "#VolumeCollection.VolumeCollection",
  "Name": "Storage Volume Collection",
  "Description": "Storage Volume Collection",
  "Members@odata.count": 2,
  "Members": [{
    "@odata.id": "/redfish/v1/Systems/1/Storage/SATAEmbedded/Volumes/1"
  }, {
    "@odata.id": "/redfish/v1/Systems/1/Storage/SATAEmbedded/Volumes/2"
  }],
  "@Redfish.OperationApplyTimeSupport": {
    "@odata.type": "#Settings.v1_2_0.OperationApplyTimeSupport"
    "SupportedValues": ["Immediate", "OnReset"]
  }
}
```

In the previous example, a client can annotate their create request body on the `VolumeCollection` itself, or a delete operation on the `Volumes` within the `VolumeCollection`.

The following sample request deletes a `Volume` on the next reset:

```
DELETE /redfish/v1/Systems/1/Storage/SATAEmbedded/Volumes/2 HTTP/1.1
Content-Type: application/json;charset=utf-8
Content-Length: <computed length>
OData-Version: 4.0

{
  "@Redfish.OperationApplyTime": "OnReset"
}
```

Services that support the `@Redfish.OperationApplyTime` annotation for an action shall include the `@Redfish.OperationApplyTimeSupport` response annotation for the action.

The following example response for a `ComputerSystem` resource supports the `@Redfish.OperationApplyTime` annotation in the reset action request:

```

{
  "@odata.id": "/redfish/v1/Systems/1",
  "@odata.type": "#ComputerSystem.v1_5_0.ComputerSystem",
  "Actions": {
    "#ComputerSystem.Reset": {
      "target": "/redfish/v1/Systems/1/Actions/ComputerSystem.Reset",
      "ResetType@Redfish.AllowableValues": ["On", "ForceOff", "ForceRestart",
        "Nmi", "ForceOn", "PushPowerButton"],
      "@Redfish.OperationApplyTimeSupport": {
        "@odata.type": "#Settings.v1_2_0.OperationApplyTimeSupport",
        "SupportedValues": ["Immediate", "AtMaintenanceWindowStart"],
        "MaintenanceWindowStartTime": "2017-05-03T23:12:37-05:00",
        "MaintenanceWindowDurationInSeconds": 600,
        "MaintenanceWindowResource": {
          "@odata.id": "/redfish/v1/Systems/1"
        }
      }
    }
  },
  ...
}

```

In the previous example, a client can annotate their reset action request body on the `ComputerSystem` in the payload.

The following sample request completes a reset at the start of the next maintenance window:

```

POST /redfish/v1/Systems/1/Actions/ComputerSystem.Reset HTTP/1.1
Content-Type: application/json;charset=utf-8
Content-Length: <computed length>
OData-Version: 4.0

{
  "ResetType": "ForceRestart",
  "@Redfish.OperationApplyTime": "AtMaintenanceWindowStart"
}

```

Services that support the `@Redfish.OperationApplyTime` annotation for a resource collection or action shall create a *task*, and respond with the HTTP `202 Accepted` status code with a `Location` header set to the URI of a *task monitor*, if the client's request body contains `@Redfish.OperationApplyTime` in the request.

The `Settings` Redfish schema defines the structure of the `@Redfish.OperationApplyTimeSupport` object and the `@Redfish.OperationApplyTime` annotation value.

## 9.13 Deep operations

Implementations may support operations that modify the current resource as well as subordinate resources. These operations are known as deep operations. They give the client the ability to modify more than one resource with a single operation.

Table 12 describes the types of deep operations that this specification defines:

Operation	Description	Example
Deep PATCH (update)	Modify a resource and one or more subordinate resources.	Modify a <code>ComputerSystem</code> resource as well as subordinate <code>Storage</code> and <code>NetworkInterface</code> resources.
Deep POST (create)	Create multiple resources in a resource collection.	Create <code>ManagerAccount</code> resources.

**Table 12 — Deep operations**

- Services that support deep PATCH for updating resources shall set the value of the `DeepPATCH` property in the `DeepOperations` property in the `ProtocolFeaturesSupported` property within the service root to `true`.
- Services that support deep POST for creating resources shall set the value of the `DeepPOST` property in the `DeepOperations` property in the `ProtocolFeaturesSupported` property within the service root to `true`.
- The `Members` property in resource collections shall not be removed when using a deep PATCH.
- Action URIs shall not support deep POST operations.
- If the service supports deep operations, the `MaxLevels` property in the `DeepOperations` property in the `ProtocolFeaturesSupported` property in the service root shall indicate the maximum number of levels that the service supports for deep operations.
- To request deep operations on a resource, send the HTTP method to the deep operation URI of the resource. The URI for deep operations on any resource shall be in the format: `<ResourceUri>.Deep`.
- The schema used for validating the root level of the request body shall be the schema of the resource in the resource URI.
  - The subordinate resources included in the request body shall be validated against their corresponding schema.

The body of deep operations contains the resource being modified as well as the subordinate resources being modified. This resource can be a collection or a single instance. These resources could be subordinate resources, subordinate resource collections, or subordinate members of resource collections. The client can omit properties from the request such as those it does not want to modify or that the service controls. Requests that include references to multiple instances, such as members of a collection, shall include the `Members` property as part of the request body.

## ISO/IEC 30115-1:2022(E)

To determine which members of subordinate resource collections are to be modified by a deep `PATCH`, services shall use the `@odata.id` property provided by the client to identify the member of the resource collection to be modified.

Clients may provide the `@odata.etag` property in subordinate resources being modified by a deep `PATCH`. If the request contains the `If-Match` or `If-None-Match` header, the service shall compare the ETag in the request header with the ETag of the resource specified by the URI. If this check passes, the operation can proceed using the `@odata.etag` values contained in the body of the subordinate resources. In this case, the operation on each subordinate resource shall be completed independently, where some subordinate values that pass the condition check proceed and the resources that fail do not proceed. In this case, annotated [extended information](#) shall be included in the subordinate resource representation of the response.

Failure semantics for deep operations are similar to that of other [operations of similar type](#). If any properties in a deep `PATCH` operation succeeded, the result is a `200 OK` with the results returned in the response, and the service should include extended information indicating warnings or errors. For a deep `POST` operation, if any member of the collection was created then a `201 Created` shall be returned, and any members that were not created should have extended information in their place holders with sufficient identifying information, such as returning all of the properties provided in the `POST` request body for that member, as well as extended information indicating why the creation was not successful. When sending a deep `POST` request, the value of the `Location` header shall be that of one of the URIs created and should be that of one of the least subordinate URIs, such as that of a `ComputerSystem` resource and not one of the devices subordinate to the `ComputerSystem` resource.

Deep `POST` shall not be allowed on the `SessionCollection` resource.

The following deep `PATCH` example modifies two members of the `RoleCollection` resource:

```
PATCH /redfish/v1/AccountService/Roles.Deep HTTP/1.1
Content-Type: application/json;charset=utf-8
Content-Length: <computed length>
OData-Version: 4.0

{
  "Members": [{
    "@odata.id": "/redfish/v1/AccountService/Roles/OperatorRestricted",
    "AssignedPrivileges": ["Login", "ConfigureComponents"]
  }, {
    "@odata.id": "/redfish/v1/AccountService/Roles/ReadOnlyRestricted",
    "AssignedPrivileges": ["Login"]
  }]
}
```

The following deep `POST` example creates two members in the `RoleCollection` resource:

```
POST /redfish/v1/AccountService/Roles.Deep HTTP/1.1
```

```

Content-Type: application/json;charset=utf-8
Content-Length: <computed length>
OData-Version: 4.0

{
  "Members": [{
    "RoleId": "OperatorRestricted",
    "AssignedPrivileges": ["Login", "ConfigureComponents"]
  }, {
    "RoleId": "ReadOnlyRestricted",
    "AssignedPrivileges": ["Login"]
  }]
}

```

The following deep PATCH example modifies the asset tag and BIOS settings of a `Computersystem` resource:

```

PATCH /redfish/v1/Systems/47832.Deep HTTP/1.1
Content-Type: application/json;charset=utf-8
Content-Length: <computed length>
OData-Version: 4.0

{
  "AssetTag": "Inventory Tag 12394783431",
  "Bios": {
    "@odata.id": "/redfish/v1/Systems/47832/Bios",
    "@Redfish.Settings": {
      "SettingsObject": {
        "@odata.id": "/redfish/v1/Systems/47832/Bios/SD",
        "Attributes": {
          "AdminPhone": "(123) 456-789",
          "BootMode": "Uefi"
        }
      }
    }
  }
}

```

The following example shows a deep PATCH with ETags in the request:

```

PATCH /redfish/v1/AccountService/Roles.Deep HTTP/1.1
Content-Type: application/json;charset=utf-8
Content-Length: <computed length>
If-Match: <Collection ETag>
OData-Version: 4.0

{

```

```
"Members": [{
  "@odata.id": "/redfish/v1/AccountService/Roles/OperatorRestricted",
  "@odata.etag": "W/\"ABCDEFG\"",
  "AssignedPrivileges": ["Login", "ConfigureComponents"]
}, {
  "@odata.id": "/redfish/v1/AccountService/Roles/ReadOnlyRestricted",
  "@odata.etag": "W/\"ABCDEFG\"",
  "AssignedPrivileges": ["Login"]
}]
}
```

The following example response shows a partial failure of a deep PATCH where the ETag provided in the request for the Role resource named ReadOnlyRestricted was incorrect:

```
HTTP/1.1 200 OK
Content-Type: application/json;charset=utf-8
Content-Length: <computed length>
ETag: <Resource collection ETag>
OData-Version: 4.0

{
  "Members": [{
    "@odata.id": "/redfish/v1/AccountService/Roles/OperatorRestricted",
    "@odata.etag": "W/\"ABCDEFG\"",
    "AssignedPrivileges": ["Login", "ConfigureComponents"]
  }, {
    "@odata.id": "/redfish/v1/AccountService/Roles/ReadOnlyRestricted",
    "@Message.ExtendedInfo": [{
      "@odata.type": "#Message.v1_1_1.Message",
      "MessageId": "Base.1.8.PreconditionFailed",
      "RelatedProperties": ["#/AssignedPrivileges"]
    }]
  }]
}
```

## 10 Service responses

This clause describes the responses that Redfish services can return to clients.

### 10.1 Response headers

HTTP defines headers for use in response messages. [Table 13](#) defines those headers and their requirements for Redfish services:

- Redfish services shall return the *HTTP 1.1 Specification*-defined headers if the **Required** column contains **Yes**.
- Redfish services should return the *HTTP 1.1 Specification*-defined headers if the **Required** column contains **No**.
- Redfish clients shall be able to both understand and process all the *HTTP 1.1 Specification*-defined headers.

Header	Required	Supported values	Description
Access-Control-Allow-Origin	Yes	<a href="#">Fetch Living Standard, 3.2.3. HTTP responses</a>	Prevents or allows requests based on originating domain. Prevents CSRF attacks.
Allow	Yes	POST , PUT , PATCH , DELETE , GET , HEAD	Shall be returned with the HTTP 405 (Method Not Allowed) status code to indicate the valid methods for the request URI. Shall be returned with any GET or HEAD operation to indicate the other allowable operations for this resource.
Cache-Control	Yes	<a href="#">RFC7234</a>	Shall be supported and indicates whether a response can or cannot be cached.
Content-Encoding	No	<a href="#">RFC7231</a>	Encoding used to compress the message body.
Content-Length	No	<a href="#">RFC7231</a>	Size of the message body. An optional means of indicating size of the body uses Transfer-Encoding: chunked , that does not use the Content-Length header. If a service does not support Transfer-Encoding and needs Content-Length instead, the service shall respond with the HTTP <a href="#">411 Length Required</a> status code.

Header	Required	Supported values	Description
Content-Type	Yes	RFC7231	<p>The message body's representation type.</p> <p>Services shall specify a <code>Content-Type</code> of <code>application/json</code> when returning resources as JSON.</p> <p>Services shall specify a <code>Content-Type</code> of <code>application/xml</code> when returning metadata as XML.</p> <p>Services shall specify a <code>Content-Type</code> of <code>application/yaml</code> or <code>application/vnd.oai.openapi</code> when returning OpenAPI schema as YAML.</p> <p>Services shall specify a <code>Content-Type</code> of <code>text/event-stream</code> when returning an SSE stream.</p> <p><code>;charset=utf-8</code> shall be appended to the <code>Content-Type</code> if specified in the chosen media-type in the <code>Accept</code> header for the request.</p>
ETag	Conditional	RFC7232	An identifier for a specific version of a resource, often a message digest. The <code>ETag</code> header shall be included on responses to <code>GET</code> s of <code>ManagerAccount</code> resources.
Link	Yes	RFC8288	<code>Link</code> headers shall be returned, as described in the <a href="#">Link headers</a> clause.
Location	Conditional	RFC7231	URI of a newly created resource. Shall be returned upon creation of a resource. <code>Location</code> and <code>X-Auth-Token</code> shall be included on responses that create user sessions.
Max-Forwards	No	RFC7231	Limits gateway and proxy hops. Prevents messages from remaining in the network indefinitely.
OData-Version	Yes	4.0	OData version of the payload to which the response conforms.
Retry-After	No	RFC7231, Section 7.1.3	Informs a client how long to wait before requesting the <a href="#">task</a> information again.
Server	No	RFC7231	A product token and its version. Multiple product tokens may be listed. <b>Note:</b> Previous versions of the Specification marked this header as required. This has been changed as no use cases for requiring it have been identified.
Via	No	RFC7230	Defines the network hierarchy and recognizes message loops. Each pass inserts its own <code>via</code> header.
WWW-Authenticate	Yes	RFC7617	Required for Basic and other optional authentication mechanisms. For details, see the <a href="#">Security details</a> clause.
X-Auth-Token	Yes	Opaque encoded octet strings	Contains the authentication token for user sessions. The token value shall be indistinguishable from random.

: Table 13 — Response headers

## 10.2 Link header

The **Link header** provides metadata information on the accessed resource in response to a **HEAD** or **GET** request. The metadata information can include hyperlinks from the resource and JSON Schemas that describe the resource.

The following example shows the **Link** headers for a **ManagerAccount** with an **Administrator** role, in addition to a **Settings** annotation:

```
Link: </redfish/v1/AccountService/Roles/Administrator>; path=/Links/Role
Link: <http://redfish.dmtf.org/schemas/Settings.json>
Link: </redfish/v1/JsonSchemas/ManagerAccount.v1_0_2.json>; rel=describedby
```

- The first **Link** header is an example of a hyperlink that comes from the resource. It describes hyperlinks within the resource. This type of header is outside the scope of this specification.
- The second **Link** header is an example of an annotation **Link** header as it references the JSON Schema that describes the annotation and does not have **rel=describedby**. This example references the public copy of the annotation on the DMTF's Redfish schema repository.
- The third **Link** header is an example for the JSON Schema that describes the actual resource.
  - Note that the URL can reference an unversioned JSON Schema because the **@odata.type** in the resource indicates the appropriate version, or reference the versioned JSON Schema, which according to previous normative statements need to match the version in the **@odata.type** property of the resource.

A **Link** header containing **rel=describedby** shall be returned on **GET** and **HEAD** requests. If the referenced JSON Schema is a versioned schema, it shall match the version contained in the value of the **@odata.type** property returned in this resource.

A **Link** header satisfying annotations should be returned on **GET** and **HEAD** requests.

## 10.3 Status codes

HTTP defines status codes that appear in responses. The status codes themselves provide general information about how the request was processed, such as whether the request was successful, if the client provided bad information, or the service encountered an error when processing the request.

- When the service returns a status code in the **4XX** or **5XX** range, services should return an **extended error response** in the response body to provide the client more meaningful and deterministic error semantics.
- When the service returns a status code in the **2XX** range and the response contains a representation of a resource, services may use **extended information** to convey additional information about the resource.
- Extended error messages shall not provide privileged information when authentication failures occur.

**Note:** For security implications of extended errors, See [Security details](#).

Table 14 lists HTTP status codes that have meaning or usage defined for a Redfish service, or are otherwise referenced by this specification. Other codes may be returned by the service as appropriate, and their usage is implementation-specific. For usage and additional requirements imposed by this specification, see the **Description** column.

- Clients shall understand and be able to process the status codes in Table 14 as defined by the *HTTP 1.1 Specification* and constrained by additional requirements defined by this specification.
- Services shall respond with the status codes in Table 14 as defined in **Description** column.
- Redfish services should not return the HTTP 100 status code. Using the HTTP protocol for a multipass data transfer should be avoided, except for the upload of extremely large data.
- If no other status code in the 4XX range is appropriate for client-side errors, the default status code should be the HTTP 400 *Bad Request* status code.
- If no other status code in the 5XX range is appropriate for service-side errors, the default status code should be the HTTP 500 *Internal Server Error* status code.

HTTP status code	Description
200 OK	Request completed successfully and includes a representation in its body.
201 Created	Request to create a resource completed successfully. The <a href="#">Location header</a> shall be set to the canonical URI for the newly created resource. For <a href="#">POST (create) requests</a> , the response body may include a representation of the newly created resource. For <a href="#">POST (action) requests</a> , the response body shall include the action response.
202 Accepted	Request has been accepted for processing but the processing has not been completed. The <a href="#">Location header</a> shall be set to the URI of a <a href="#">task monitor</a> that can later be queried to determine the status of the operation. The response body may include a representation of the <a href="#">Task</a> resource.
204 No Content	Request succeeded, but no content is being returned in the body of the response.
301 Moved Permanently	Requested resource resides under a different URI.
302 Found	Requested resource resides temporarily under a different URI.
304 Not Modified	Service has made a conditional <a href="#">GET</a> request where access is allowed but the resource content has not changed. Either or both the <a href="#">If-Modified-Since</a> and <a href="#">If-None-Match</a> headers initiate conditional requests to save network bandwidth if no change has occurred. See HTTP 1.1, sections 14.25 and 14.26.
400 Bad Request	Request could not be processed because it contains invalid information, such as an invalid input field, or is missing a required value. The response body shall return an extended error as defined in the <a href="#">Error responses</a> clause.
401 Unauthorized	Authentication credentials included with this request are missing or invalid.

HTTP status code	Description
403 Forbidden	Service recognized the credentials in the request but those credentials do not possess authorization to complete this request. This code is also returned when the user credentials provided need to be changed before access to the service can be granted. For details, see the <a href="#">Security details</a> clause.
404 Not Found	Request specified a URI of a resource that does not exist.
405 Method Not Allowed	HTTP verb in the request, such as <code>DELETE</code> , <code>GET</code> , <code>HEAD</code> , <code>POST</code> , <code>PUT</code> , or <code>PATCH</code> , is not supported for this request URI. The response shall include an <code>Allow</code> header that provides a list of methods that the resource identified by the URI in the client request supports.
406 Not Acceptable	<code>Accept</code> header was specified in the request and the resource identified by this request cannot generate a representation that corresponds to one of the media types in the <code>Accept</code> header.
409 Conflict	Creation or update request could not be completed because it would cause a conflict in the current state of the resources that the platform supports. For example, a conflict occurred due to an attempt to set multiple properties that work in a linked manner by using incompatible values.
410 Gone	Requested resource is no longer available at the service and no forwarding address is known. This condition is expected to be considered permanent. Clients with hyperlink editing capabilities should delete references to the URI in the client request after user approval. If the service does not know or cannot determine whether the condition is permanent, client should use the HTTP <code>404 Not Found</code> status code. This response is cacheable unless otherwise indicated.
411 Length Required	Request did not use the <code>Content-Length</code> header to specify the length of its content but perhaps used the <code>Transfer-Encoding: chunked</code> header instead. The addressed resource requires the <code>Content-Length</code> header.
412 Precondition Failed	Precondition check, such as check of the <code>OData-Version</code> , <code>If-Match</code> , or <code>If-Not-Modified</code> header, failed.
415 Unsupported Media Type	Request specifies a <code>Content-Type</code> for the body that is not supported.
428 Precondition Required	Request did not provide the required precondition, such as an <code>If-Match</code> or <code>If-None-Match</code> header.
431 Request Header Field Too Large	Service is unwilling to process the request because either an individual header field or the collection of all header fields are too large.
500 Internal Server Error	Service encountered an unexpected condition that prevented it from fulfilling the request. The response body shall return an extended error as defined in the <a href="#">Error responses</a> clause.
501 Not Implemented	Service does not currently support the functionality required to fulfill the request. This response is appropriate when the service does not recognize the request method and cannot support the method for any resource.

HTTP status code	Description
503 Service Unavailable	Service currently cannot handle the request due to temporary overloading or maintenance of the service. A service may use this response to indicate that the request URI is valid but the service is performing initialization or other maintenance on the resource. A service may also use this response to indicate that the service itself is undergoing maintenance, such as finishing initialization steps after reboot of the service.
507 Insufficient Storage	Service cannot build the response for the client due to the size of the response.

: Table 14 — HTTP status codes

## 10.4 OData metadata responses

### 10.4.1 OData metadata responses overview

OData metadata describes resources, resource collections, capabilities, and service-dependent behavior to generic OData consumers with no specific understanding of this specification. Clients are not required to request metadata if they already have sufficient understanding of the target service. For example, clients are not required to request metadata to request and interpret a JSON representation of a resource that this specification defines.

A client can access the OData metadata at the `/redfish/v1/$metadata` URI.

A client can access the OData service document at the `/redfish/v1/odata` URI.

### 10.4.2 OData \$metadata

The OData metadata describes top-level service resources and resource types according to [OData Common Schema Definition Language](#). The OData metadata is represented as an XML document with an `Edmx` root element in the `http://docs.oasis-open.org/odata/ns/edmx` namespace with an OData version attribute set to `4.0`.

The service shall use the `application/xml` or `application/xml; charset=utf-8` MIME types to return the OData metadata document as an XML document.

```
<edmx:Edmx xmlns:edmx="http://docs.oasis-open.org/odata/ns/edmx" Version="4.0">
  <!-- edmx:Reference and edmx:Schema elements go here -->
</edmx:Edmx>
```

#### 10.4.2.1 Referencing other schemas

The OData metadata should include the namespaces for each of the Redfish resource types, along with the `RedfishExtensions.v1_0_0` namespace. Dynamic clients that reference the OData metadata document leverage schema definitions that are referenced to understand the definitions of the resources in the service. However, there are cases where it might not be practical to maintain an accurate document, such as when resources are dynamically discovered by the service through devices that support Redfish Device Enablement.

These references may use either:

- The standard URI for the published Redfish schema definitions, such as on `http://redfish.dmtf.org/schemas`.
- A URI to a local version of the Redfish schema.

```
<edmx:Reference Uri="http://redfish.dmtf.org/schemas/v1/ServiceRoot_v1.xml">
  <edmx:Include Namespace="ServiceRoot"/>
  <edmx:Include Namespace="ServiceRoot.v1_0_0"/>
</edmx:Reference>

...

<edmx:Reference Uri="http://redfish.dmtf.org/schemas/v1/VirtualMedia_v1.xml">
  <edmx:Include Namespace="VirtualMedia"/>
  <edmx:Include Namespace="VirtualMedia.v1_0_0"/>
</edmx:Reference>
<edmx:Reference Uri="http://redfish.dmtf.org/schemas/v1/RedfishExtensions_v1.xml">
  <edmx:Include Namespace="RedfishExtensions.v1_0_0" Alias="Redfish"/>
</edmx:Reference>
```

The service's OData metadata document shall include an `EntityContainer` that defines the top-level resources and resource collections.

#### 10.4.2.2 Referencing OEM extensions

The OData metadata document may reference additional schema documents that describe OEM-specific extensions that the service uses.

For example, the OData metadata document may reference custom types for additional resource collections.

```
<edmx:Reference Uri="http://contoso.org/Schema/CustomTypes">
  <edmx:Include Namespace="CustomTypes"/>
</edmx:Reference>
```

### 10.4.3 OData service document

The OData service document serves as a top-level entry point for generic OData clients. More information about the OData service document can be found in the [OData JSON Format](#) Specification.

```

{
  "@odata.context": "/redfish/v1/$metadata",
  "value": [{
    "name": "Service",
    "kind": "Singleton",
    "url": "/redfish/v1/"
  }, {
    "name": "Systems",
    "kind": "Singleton",
    "url": "/redfish/v1/Systems"
  }, ...]
}

```

The service shall use the `application/json` MIME type to return the OData service document as a JSON object.

The JSON object shall contain the `@odata.context` context property set to `/redfish/v1/$metadata`.

The JSON object shall include a `value` property set to a JSON array that contains an entry for the [service root](#) and each resource that is a direct child of the service root.

Table 15 describes the properties that each JSON object entry includes:

Property	Description
<code>name</code>	User-friendly resource name of the resource.
<code>kind</code>	Type of resource. Value is <code>Singleton</code> for all cases defined by Redfish.
<code>url</code>	Relative URL for the top-level resource.

: Table 15 — JSON object properties

## 10.5 Resource responses

Services use the `application/json` MIME type to return resources and resource collections as JSON payloads. A service shall not break responses for a single resource into multiple results.

The format of these payloads is defined by the Redfish schema. For rules about the Redfish schema and how it maps to JSON payloads, see the [Data model](#) and [Schema definition languages](#) clauses.

## 10.6 Error responses

HTTP status codes often do not provide enough information to enable deterministic error semantics. For example, if a client makes a `PATCH` call and some properties do not match while others are not supported, the HTTP `400 Bad Request` status code does not tell the client which values are in error. Error responses provide the client more meaningful and deterministic error semantics.

To provide the client with as much information about the error as possible, a Redfish service may provide multiple error responses in the HTTP response. Additionally, the service may provide Redfish standardized errors, OEM-defined errors, or both, depending on the implementation's ability to convey the most useful information about the underlying error.

[Table 16](#) describes the properties in the extended error response, which is a single JSON object:

Property	Description
<code>code</code>	String. Defines a <code>MessageId</code> from the message registry. See the <a href="#">MessageId format clause</a> for the format of <code>MessageId</code> .
<code>message</code>	Displays a human-readable error message that corresponds to the message in the message registry.
<code>@Message.ExtendedInfo</code>	Displays an array of <a href="#">message objects</a> . Describes one or more error messages.

**Table 16 — Error properties**

See the [Schema definition languages](#) clause for references to the schema definitions of the error response payload.

The `@Message.ExtendedInfo` property should be present in all error responses. If the `@Message.ExtendedInfo` property is present, all information necessary to process the error should be provided in the `@Message.ExtendedInfo` property. Clients should look for the `@Message.ExtendedInfo` property for error processing first, and fallback on the `code` and `message` properties if `@Message.ExtendedInfo` is not present.

The following sample error response contains two messages in the `@Message.ExtendedInfo` property that describe two different errors. The message described by the `code` and `message` properties do not provide actionable information for the client.

```
{
  "error": {
    "code": "Base.1.8.GeneralError",
    "message": "A general error has occurred. See Resolution for information on how to resolve the error.",
  }
}
```

```
"@Message.ExtendedInfo": [{
  "@odata.type": "#Message.v1_1_1.Message",
  "MessageId": "Base.1.8.PropertyValueNotInList",
  "RelatedProperties": ["#/IndicatorLED"],
  "Message": "The value Red for the property IndicatorLED is not in the list of acceptable values.",
  "MessageArgs": ["Red", "IndicatorLED"],
  "Severity": "Warning",
  "MessageSeverity": "Warning",
  "Resolution": "Choose a value from the enumeration list that the implementation can support and resubmit the request"
}, {
  "@odata.type": "#Message.v1_1_1.Message",
  "MessageId": "Base.1.8.PropertyNotWritable",
  "RelatedProperties": ["#/SKU"],
  "Message": "The property SKU is a read only property and cannot be assigned a value.",
  "MessageArgs": ["SKU"],
  "Severity": "Warning",
  "MessageSeverity": "Warning",
  "Resolution": "Remove the property from the request body and resubmit the request if the operation failed."
}]
}
}
```

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 30115-1:2022

## 11 Data model

---

One of the key tenets of Redfish is the separation of protocol from the data model. This separation makes the data both transport and protocol agnostic. By concentrating on the data transported in the payload of the protocol (in HTTP, it is the HTTP body), Redfish can also define the payload in any encoding and the data model is intended to be schema-language agnostic. While Redfish uses the JSON data-interchange format, Redfish provides a common encoding type that ensures property naming conventions that make development easier in JavaScript, Python, and other languages. This encoding type helps the Redfish data model be more easily accessible in modern tools and programming environments.

The data model allows an OEM to extend the model by adding an *OEM resource* or *extending a resource*.

This clause describes common data model, resource, and Redfish schema requirements.

### 11.1 Resources

---

A *resource* is a single entity accessed at a specific URI. Services use the `application/json` MIME type to return resources as JSON payloads.

Each resource shall be strongly typed, defined by a *resource type* in a *Redfish schema document*, and identified in the response payload by the value of the *type identifier* property.

Responses for a single resource shall contain the following properties:

- `@odata.id`
  - *Registry resources* are not required to provide `@odata.id`
- `@odata.type`
- `Id`
- `Name`

Responses may also contain other properties defined within that *resource type*. Responses shall not include any properties not defined by that resource type.

### 11.2 Resource types

---

A *resource type* defines the set of properties that may be returned in the response payload of a Redfish resource request. Each resource type is documented in a *Redfish schema document*, and those documents are known collectively as the *Redfish schema*. The resource type may also include definitions for *actions* available for that resource.

## ISO/IEC 30115-1:2022(E)

Resource types are named to match the contents and purpose of the resource that they define. For example the `Circuit` resource type defines the properties and actions related to a single electrical circuit. Resource types provide global uniqueness for definitions across multiple schema files and allow for schema files to reference each other. Resource types may be defined by OEMs to extend the Redfish schema, and should follow the naming rules specified by the [OEM resource types](#) clause.

### 11.3 Resource collections

A [resource collection](#) is a set of resources that share the same schema definition. Services use the `application/json` MIME type to return resource collections as JSON payloads.

Resource collection responses shall contain the following properties:

- `@odata.id`
- `@odata.type`
- `Name`
- `Members`
- `Members@odata.count`

Responses for resource collections may contain the following properties:

- `@odata.context`
- `@odata.etag`
- `Description`
- `Members@odata.nextLink`
- `Oem`

Responses for resource collections shall not contain any other properties with the exception of [payload annotations](#).

### 11.4 OEM resources

OEMs and other third parties can extend the Redfish data model by creating additional resource types. Extending the data model is accomplished by defining an OEM resource type, and schema file, for each resource type, and creating hyperlinks to connect instances of new resources to the [resource tree](#).

Companies, OEMs, and other organizations may also use the `Oem` property in resources, the [links property](#), and the [actions property](#) to define additional [properties](#), hyperlinks, and [actions](#) for standard Redfish resource types.

While the information and semantics of these extensions are outside of the standard, the schema representing the data, the resource itself, and the semantics around the protocol shall conform to the requirements in this

specification. OEMs are encouraged to follow the design tenets and naming conventions in this specification when defining OEM resources or properties.

## 11.5 Common data types

### 11.5.1 Primitive types

Table 17 describes the primitive data types for properties and action parameters in the data model:

Type	Description
Boolean	A variable with a value of <code>true</code> or <code>false</code> .
Number	A number with optional decimal point or exponent. Number properties may restrict the representation to an integer or a number with decimal point.
String	A sequence of characters enclosed with double quotes ( <code>"</code> ).
Array	A comma-separated set of the previous types enclosed with square braces ( <code>[</code> and <code>]</code> ). See the <a href="#">Array properties</a> clause.
Object	A set of properties enclosed with curly braces ( <code>{</code> and <code>}</code> ). See the <a href="#">Structured properties</a> clause.
Null	<code>null</code> value, which the service uses when it is unable to determine the property's value due to an error or other temporary condition, or if the schema has requirements for using <code>null</code> for other special conditions.

: Table 17 — Primitive data types

When receiving values from the client, services should support other valid representations of the data in the specified JSON type. In particular, services should support valid integer and decimal values in exponential notation and integer values that contain a decimal point with no non-zero trailing digits.

### 11.5.2 Empty string values

String properties should return an empty string ( `""` ) for properties configured by a user or external service that have not been set to an initial value. This allows client software to identify the property as supported by the service, and avoids the use of `null`, which indicates an error condition. For example, the `AssetTag` property must be set by the end user, and therefore would return an empty string ( `""` ) until assigned a value by the user, while a failure to read the stored `AssetTag` value due to a non-volatile memory error would return `null`. To improve interoperability, implementations should avoid the use of filler strings, such as `N/A` or `<Empty>`, to represent a value not set by a user.

## 11.5.3 GUID and UUID values

Globally Unique Identifier (GUID) and Universally Unique Identifier (UUID) values are unique identifier strings and shall use the format:

```
{[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}}
```

## 11.5.4 Date-Time values

Date-Time values are strings according to the ISO 8601 extended format, including the time offset or UTC suffix.

Date-Time values shall use the format:

```
<YYYY>-<MM>-<DD>T<hh>:<mm>:<ss>[.<SSS>](Z|((+|-)<HH>:<MM>))
```

where

- **<YYYY>** is the four-digit year.
- **<MM>** is the two-digit month (1 to 12).
- **<DD>** is the two-digit day (1 to 31).
- **T** is the time separator. Shall be a capital **T**.
- **<hh>** is the two-digit hour (0 to 23).
- **<mm>** is the two-digit minute (0 to 59).
- **<ss>** is the two-digit second (0 to 59).
- **<SSS>** is optional and is the decimal fraction of a second. Shall be one or more digits where the number of digits implies the precision.
- **Z** is the zero offset indicator. Shall be a capital **Z**.
- **<HH>** is the two-digit hour offset (0 to 23).
- **<MM>** is the two-digit minute offset (0 to 59).

For example, `2015-03-13T04:14:33+06:00` represents March 13, 2015 at 4:14:33 with a +06:00 time offset.

When the time of day is unknown or serves no purpose, the service shall report `00:00:00Z` for the time of day value.

## 11.5.5 Duration values

Duration values are strings according to the ISO 8601 duration format, with the exception of not expressing a representation for years, months, or weeks. Duration values shall use the format:

```
P[<d>D][T[<h>H][<m>M][<s>[.<f>]S]]
```

where

- `<d>` is the number of days.
- `<h>` is the number of hours.
- `<m>` is the number of minutes.
- `<s>` is the number of seconds.
- `<f>` is the fractional seconds.

Each field is optional and can contain more than one digit.

For example, Table 18 describes the following durations:

Value	Duration
P90D	Ninety days.
P3D	Three days.
PT6H	Six hours.
PT10S	Ten seconds.
PT0.001S	0.001 seconds.
PT1H30M	One hour and 30 minutes.

: Table 18 — Durations

**DEPRECATED:** Duration values shall use the format: `P[<y>Y][<m>M][<w>W][<d>D][T[<h>H][<m>M][<s>[.<f>]S]]`. This definition allows for specifying years, months, and weeks. ISO 8601 does not specify an exact value for the duration of a year or of a month, which introduces interoperability challenges.

### 11.5.6 Reference properties

Reference properties provide a reference to another resource in the data model. Reference properties are JSON objects that contain an `@odata.id` property. The `@odata.id` property value is the URI of the referenced resource.

### 11.5.7 Non-resource reference properties

Non-resource reference properties provide a reference to services or documents that are not Redfish-defined resources. These properties shall include the `Uri` term in their property name. For example, `AssemblyBinaryDataUri` in the Assembly schema. The access protocol and data format of the referenced URI may be defined in schema for that property. Non-resource reference properties that refer to local HTTP/S targets shall follow the Redfish protocol, including use of Redfish sessions and access control, unless otherwise specified by the property definition in schema.

### 11.5.8 Array properties

Array properties contain a set of values or objects, and appear as JSON arrays within a response body. Array elements shall all contain values of the same data type.

Table 19 describes the array types, regardless of the data type of the elements:

Array type	Description
Fixed length	Contains a static number of elements. The property definition sets or the implementation chooses the size of the array.
Variable length	Contains a variable number of elements. The array size is not specified and the size varies among instances. The array size may change. This array style is the most common style.
Rigid	The array index is meaningful. When elements are added to or removed from the array, the elements do not change their position, or index, in the array. An element that is removed from a rigid array shall be replaced by a <code>null</code> element and all other elements shall remain at their current index.  Empty elements in a rigid array property shall be represented by <code>null</code> elements. Any array property that uses this style shall indicate the rigid style in the <a href="#">long description</a> of its schema definition.

: Table 19 — Array types

Services may pad an array property with `null` elements at the end of the sequence to indicate the array size to clients. This practice is useful for small fixed length arrays, and for variable or rigid arrays with a restrictive maximum size. Services should not pad array properties if the maximum array size is not restrictive. For example, an array property typically populated with two elements, that a service limits to a maximum of 16 elements, should not pad the array with 14 `null` elements.

### 11.5.9 Structured properties

Structured properties are JSON objects within a response body.

Some structured properties inherit from the `Resource.v1_0_0.ReferenceableMember` definition. Structured properties that follow this definition shall contain the `MemberId` and `resource identifier` properties.

Because the definition of structured properties can evolve over time, clients need to be aware of the inheritance model that the different structured property definitions use.

For example, the `Location` property definition in the `Resource` schema has gone through several iterations since the `Resource.v1_1_0` type was introduced, and each iteration inherits from the earlier version so that existing references in other schemas can leverage the additions.

Structured property references need to be resolved for both local and external references.

A local reference is a resource that has a structured property in its own schema, such as `ProcessorSummary` in the `ComputerSystem` resource. In these cases, the `type` property for the resource is the starting point for resolving the structured property definition.

To find the latest applicable version, clients can step the `version of the resource` backwards.

For example, if a service returns `#ComputerSystem.v1_4_0.ComputerSystem` as the resource type, a client can step backwards from `ComputerSystem.v1_4_0`, to `ComputerSystem.v1_3_0`, to `ComputerSystem.v1_2_0`, and so on, until it finds the `ProcessorSummary` structured property definition.

An external reference is a resource that has a property that references a definition found in a different schema, such as the `Location` property in the `Chassis` resource.

In these cases, clients can use the latest version of the external schema file as a starting point to resolve the structured property definition.

For example, if the latest version of the `Resource` schema is `1.6.0`, a client can go backward from `Resource.v1_6_0`, to `Resource.v1_5_0`, to `Resource.v1_4_0`, and so on, until it finds the `Location` structured property definition.

### 11.5.10 Message object

#### 11.5.10.1 Overview

A message object provides additional information about an `object`, `property`, or `error response`.

Table 20 describes the properties of the message object, which is a JSON object:

Property	Type	Required	Defines
<code>MessageId</code>	String	Yes	Error or message. Do not confuse this value with the HTTP status code. Clients can use this code to access a detailed message from a message registry.
<code>Message</code>	String	No	Human-readable error message that indicates the semantics associated with the error. This shall be the complete message, and not rely on substitution variables.
<code>RelatedProperties</code>	An array of JSON pointers	No	Properties in a JSON payload that the message describes.
<code>MessageArgs</code>	An array of strings	No	Substitution parameter values for the message. If the parameterized message defines a <code>MessageId</code> , the service shall include the <code>MessageArgs</code> in the response.
<code>MessageSeverity</code>	String (enumeration)	No	Severity of the error. Services can replace the value of the <code>MessageSeverity</code> property defined in the message registry with a value more applicable to the implementation.

Property	Type	Required	Defines
Severity	String	No	Severity of the error. Services can replace the value of the <code>Severity</code> property defined in the message registry with a value more applicable to the implementation.  <b>DEPRECATED:</b> This property has been deprecated in favor of <code>MessageSeverity</code> .
Resolution	String	No	Recommended actions to take to resolve the error. Services can replace the value of the <code>Resolution</code> property defined in the message registry with a service-defined resolution.

: Table 20 — Message object properties

Each instance of a message object shall contain at least a `MessageId`, together with any applicable `MessageArgs`, or a `Message` property that defines the complete human-readable error message.

A `MessageId` identifies a specific message that a [message registry](#) defines.

#### 11.5.10.2 MessageId format

The `MessageId` property value shall be in the format:

```
<RegistryName>.<MajorVersion>.<MinorVersion>.<MessageKey>
```

where

- `<RegistryName>` is the name of the registry. The registry name shall be Pascal-cased.
- `<MajorVersion>` is a non-negative integer that represents the major version of the registry.
- `<MinorVersion>` is a non-negative integer that represents the minor version of the registry.
- `<MessageKey>` is a human-readable key into the registry. The message key shall be Pascal-cased and shall not include spaces, periods, or special characters.

To search the message registry for a message, the client can use the `MessageId`.

The message registry approach has advantages for internationalization because the registry can be translated easily, and is lightweight for implementations because large strings need not be included with the implementation.

The use of `GeneralError` from the Base Message Registry as a `MessageId` in `ExtendedInfo` is discouraged. If no better message exists or the `ExtendedInfo` array contains multiple messages, use `GeneralError` from the Base Message Registry only in the `code` property of the `error` object.

When an implementation uses `GeneralError` from the Base Message Registry in `ExtendedInfo`, the implementation should include a service-defined value for the `Resolution` property with this error to indicate how to resolve the problem.

## 11.6 Properties

### 11.6.1 Properties overview

Every property included in a Redfish response payload shall be defined in the schema for that [resource](#). The following attributes apply to all property definitions:

- Property names in the request and response payload shall match the casing of the `Name` attribute value in the defining schema.
- Required properties shall always be returned in a response.
- Properties not returned from a `GET` operation indicate that the property is not supported by the implementation, or by that particular resource instance. Differences in underlying product support or configuration varies among resource instances, and therefore the properties returned by each instance vary accordingly.
- If an implementation supports a property, it shall always provide a value for that property. If a value is unknown at the time of the operation due to an internal error, or inaccessibility of the data, the value of `null` is an acceptable value if supported by the schema definition.
- Resource instances should omit properties if the underlying product, service, or current configuration does not provide the function described by the property. For example, a chassis resource instance might not provide a serial number, and therefore should omit the `SerialNumber` property, while other chassis resource instances that have a serial number provide this property. See the [Special resource situations](#) clause for handling special resource situations.
- A service may implement a writable property as read-only.

This clause also contains a set of common properties across all Redfish resources. The property names in this clause shall not be used for any other purpose.

### 11.6.2 Resource identifier (@odata.id) property

[Registry resources](#) in a response may include an `@odata.id` property. All other [resources](#) and [resource collections](#) in a response shall include an `@odata.id` property. The value of the identifier property shall be the resource [URI](#).

### 11.6.3 Resource type (@odata.type) property

All [resources](#) and [resource collections](#) in a response shall include an `@odata.type` type property. To support generic OData clients, all [structured properties](#) in a response should include an `@odata.type` type property.

The value of the type property for resources and structured properties shall be in the format:

```
#<ResourceType>.<Version>.<TermName>
```

where

- `<ResourceType>` is the resource type in the Redfish schema that defines the resource.
- `<Version>` is the resource type version, in the format: `v<MajorVersion>_<MinorVersion>_<ErrataVersion>`.
- `<TermName>` is the specific type defined within the resource type definition. For most Redfish resources, the specific type name is the same as the resource type name.

An example of a resource type value is `#ComputerSystem.v1_0_0.ComputerSystem`, where `ComputerSystem.v1_0_0` denotes the version 1.0.0 of the `ComputerSystem` resource type, and the specific type is `ComputerSystem`.

The value of the type property for resource collections shall be in the format:

```
#<ResourceType>.<ResourceType>
```

where

- `<ResourceType>` is the resource type in the Redfish schema that defines the resource collection.

An example of a resource collection type value is `#ComputerSystemCollection.ComputerSystemCollection` for the `ComputerSystemCollection` resource collection.

### 11.6.4 Resource ETag (@odata.etag) property

ETags enable clients to conditionally retrieve or update a [resource](#). Resources should include an `@odata.etag` property. For a resource, the value shall be the [ETag](#).

### 11.6.5 Resource context (@odata.context) property

Responses for [resources](#) and [resource collections](#) may contain an `@odata.context` property that describes the source of the payload.

If the `@odata.context` property is present, it shall be the context URL that describes the resource, according to [OData Protocol](#).

The context URL for a resource should be in the format:

```
/redfish/v1/$metadata#<ResourceType>.<ResourceType>
```

where

- `<ResourceType>` is the resource type of the resource or resource collection.

For example, the following context URL specifies that the results show a single `ComputerSystem` resource:

```
{
  "@odata.context": "/redfish/v1/$metadata#ComputerSystem.ComputerSystem",
  ...
}
```

The context URL for a resource may be in one of the other formats that [OData Protocol](#) specifies.

### 11.6.6 Id

The `Id` property of a [resource](#) uniquely identifies the resource within the resource collection that contains it. The value of `Id` shall be unique across a [resource collection](#). The `Id` property shall follow the definition for `Id` in the `Resource` schema.

### 11.6.7 Name

The `Name` property conveys a human-readable moniker for a [resource](#). The type of the `Name` property shall be string. The value of `Name` is NOT required to be unique across resource instances within a [resource collection](#). The `Name` property shall follow the definition for `Name` in the `Resource` schema.

### 11.6.8 Description

The `Description` property conveys a human-readable description of the [resource](#). The `Description` property shall follow the definition for `Description` in the `Resource` schema.

### 11.6.9 MemberId

The `MemberId` property uniquely identifies an element within an array, where a [reference property](#) can reference the element. The `MemberId` value shall be unique across the array. The `MemberId` property shall follow the definition for `MemberId` in the `Resource` schema.

### 11.6.10 Count ([Members@odata.count](#)) property

The count property defines the total number of [resource](#), or [members](#), that are available in a [resource collection](#). The count property shall be named `Members@odata.count` and its value shall be the total number of members available in the resource collection. The `$top` or `$skip` [query parameters](#) shall not affect this count. If the number of members available in the resource collection is reduced due to filtering, such as in response to the `$filter` query parameter, the count should be the total number of members available in the resource collection after the filter is applied.

### 11.6.11 Members

The `Members` property of a [resource collection](#) identifies the [members](#) of the collection. The `Members` property is required and shall be returned in the response for any resource collection. The `Members` property shall be an array of JSON objects named `Members`. The `Members` property shall not be `null`. Empty collections shall be an empty JSON array.

### 11.6.12 Next link (`Members@odata.nextLink`) property

The next link (`Members@odata.nextLink`) property value shall be an opaque URL to a resource, with the same `@odata.type`, which contains the next set of partial [members](#) from the original operation. The next link property shall only be present if the number of members in the resource collection is greater than the number of members returned, and if the payload does not represent the end of the requested resource collection.

The `Members@odata.count` property value is the total number of resources available if the client enumerates all pages of the resource collection.

### 11.6.13 Links

The `Links` property represents the hyperlinks associated with the [resource](#), as defined by that resource's schema definition. All associated [reference properties](#) defined for a resource shall be nested under the links property. All directly ([subordinate](#)) referenced properties defined for a resource shall be in the root of the resource.

The links property shall be named `Links` and contain a property for each related resource.

To navigate vendor-specific hyperlinks, the `Links` property shall also include an `Oem` property.

#### 11.6.13.1 Reference to a related resource

A reference to a single [resource](#) is a JSON object that contains a single [resource identifier property](#). The name of this reference is the name of the relationship. The value of this reference is the URI of the referenced resource.

```
{
  "Links": {
    "ManagedBy": {
      "@odata.id": "/redfish/v1/Chassis/Enc11"
    }
  }
}
```

### 11.6.13.2 References to multiple related resources

A reference to a set of zero or more related [resources](#) is an array of JSON objects. The name of this reference is the name of the relationship. Each element of the array is a JSON object that contains a [resource identifier property](#) with the value of the URI of the referenced resource.

```
{
  "Links": {
    "Contains": [{
      "@odata.id": "/redfish/v1/Chassis/1"
    }, {
      "@odata.id": "/redfish/v1/Chassis/Enc11"
    }]
  }
}
```

### 11.6.14 Actions property

The `Actions` property contains the [actions](#) supported by a [resource](#).

#### 11.6.14.1 Action representation

Each supported action is represented as a property nested under `Actions`. The unique name that identifies the action is used to construct the property name.

This property name shall be in the format:

```
#<ResourceType>.<ActionName>
```

where

- `<ResourceType>` is the resource where the action is defined.
- `<ActionName>` is the name of the action.

The client may use this fragment to identify the action definition in the [referenced](#) Redfish schema document.

The property for the action is a JSON object and contains the following properties:

- The `target` property shall be present, and defines the relative or absolute URL to invoke the action.
- The `title` property may be present, and defines the action's name.

The [JSON Format](#) Specification defines the `target` and `title` properties.

## ISO/IEC 30115-1:2022(E)

To specify the list of supported values for a parameter, the service may include the `@Redfish.AllowableValues` annotation.

For example, the following property defines the `Reset` action for a `ComputerSystem` :

```
{
  "#ComputerSystem.Reset": {
    "target": "/redfish/v1/Systems/1/Actions/ComputerSystem.Reset",
    "title": "Computer System Reset",
    "ResetType@Redfish.AllowableValues": ["On", "ForceOff", "GracefulRestart",
      "GracefulShutdown", "ForceRestart", "Nmi", "ForceOn",
      "PushPowerButton"]
  },
  ...
}
```

Given this, the client could invoke a `POST` request to `/redfish/v1/Systems/1/Actions/ComputerSystem.Reset` with the following body:

```
POST /redfish/v1/Systems/1/Actions/ComputerSystem.Reset HTTP/1.1
Content-Type: application/json;charset=utf-8
Content-Length: <computed length>
OData-Version: 4.0

{
  "ResetType": "On"
}
```

The resource may provide a separate `@Redfish.ActionInfo` resource to describe the parameters and values that a particular instance or implementation supports. Use the `@Redfish.ActionInfo` annotation to specify the `ActionInfo` resource, which contains a URI to the `@Redfish.ActionInfo` resource for the action. For details, see the [Action info annotation](#) clause.

### 11.6.14.2 Action responses

Response payloads for actions may contain a JSON body that is described by the schema definition for the action. See the [Schema definition languages](#) clause for the representation of these definitions. Actions that do not define a response body may provide an [error response](#) in the response payload.

### 11.6.15 Oem

The `Oem` property is used for [extending standard resources](#) with OEM extensions.

### 11.6.16 Status

The `status` property represents the status of a `resource`. The `status` property shall follow the definition for `status` in the `Resource` schema.

By having a common representation of status, clients can depend on consistent semantics. The `status` property is capable of indicating the current state, health of the resource, and the health of subordinate resources.

## 11.7 Naming conventions

The Redfish interface is intended to be easily readable and intuitive. Thus, consistency helps the consumer understand the use of a newly discovered property. While consistency is no substitute for the normative information in the *Redfish Specification* and Redfish schema, the following [naming rules](#) help with readability and client usage. In general, names in Redfish are designed and intended to be human-readable and convey the meaning of the name, in context, without the need to consult schema definitions or other documentation.

### 11.7.1 Naming rules

Standard Redfish schema and registries defined and published by the DMTF, and those created by others and republished by the DMTF, shall follow a set of naming conventions. These conventions are intended to ensure consistent naming and eliminate naming collisions. For schema files, the `resource type` is used to construct the `type property` and the schema file name.

Standard Redfish properties follow similar naming conventions, and should use a common definition when defined in multiple schemas across the Redfish data model. This consistency enables code re-use across resources and increases interoperability. New resource definitions should leverage existing property definitions whenever possible.

The general Redfish naming rules for resource types, registries, properties, action parameters, and enumerations are as follows:

- Names shall be Pascal-cased. The first letter of each word in a name shall be uppercase and spaces between words shall be removed. For example, `ComputerSystem`, `PowerState`, and `SerialNumber`.
- Names of array properties or reference properties for resource collections should use a plural form of the name. All other names should use the singular form of the name.
- Reference properties for resource collections should omit the term "collection" in the name.
- Names shall not contain spaces or underscore characters. Names should not contain any special characters that violate naming rules for supported schema description languages or programming languages.
- Both characters should be capitalized for two-character acronyms. For example, `IPAddress` or `RemoteIP`.
- Names constructed from a single acronym or mixed-case name, such as `LDAP`, `PCIe`, or `SNMP`, should use the typical capitalization for that name.

## ISO/IEC 30115-1:2022(E)

- Names incorporating acronyms with three or more characters should follow the capitalization used in related names for consistency. For example, `EnableSNMPv1` and `EnableSNMPv2` follow the pattern used for `SNMP`.
- Pascal-casing may be used for acronyms longer than two characters to improve readability, especially when two or more acronyms appear together in a name, which should be avoided.
- Enumeration names should start with a letter and be followed by letters or numbers to conform to schema description language requirements. Underscore characters may be used to replace other special characters, or to significantly improve readability, but this usage is discouraged.
- Enumeration names should prioritize readability as they may appear unmodified on user interfaces, whereas property or schema names should follow conventions and strive for consistency.
- The names `Settings` and `SD` are reserved for use for [settings resources](#) and shall not be used for schema names.

Exceptions are allowed for the following cases:

- Well-known technology abbreviations, acronyms, or product names should follow their defined capitalization. Examples include `iSCSI`, `iSCSITarget`, and `iLO`.
- OEM appears as `oem` in schema and property names either alone or as a portion of a name, but should be `OEM` when used alone as an enumeration value.
- Underscore characters are allowed in the construction of OEM-specified object property names when required, and in OEM-defined resource types or OEM-defined registry names.

For properties that have units or other special meaning, append a unit identifier to the name. Examples include:

- Bandwidth (Mbps). For example, `PortSpeedMbps`.
- CPU speed (Mhz). For example, `ProcessorSpeedMhz`.
- Memory size (MB). For example, `MemoryMB`.
- Counts of items (Count). For example, `ProcessorCount` or `FanCount`.
- The state of a resource (State). For example, `PowerState`.
- State values where work is in process. For example, `Applying` or `ClearingLogic`.

### 11.7.2 URI naming rules

The following rules apply to Redfish schema-defined URIs:

- URI segments should generally follow the naming rules, and for each segment, follow the name of the property that provides the hyperlink.
- URI segments for resource collections should use the plural form of the resource collection schema name, with the `Collection` term omitted. For example, `Processors` for a `ProcessorCollection`.
- If a hyperlink to a subordinate resource is not found at the root of the resource, the URI segments should contain the property path. For example, for the `Certificates` hyperlink found in `ManagerNetworkProtocol` within the `HTTPS` object, `HTTPS` should be one of the URI segments.

## 11.8 Extending standard resources

---

### 11.8.1 Extending standard resources overview

In the context of this clause, the OEM term refers to any company, manufacturer, or organization that provides or defines an extension to the DMTF-published schema and functionality for Redfish. All Redfish-specified [resources](#) include an empty structured `Oem` property. The value of this predefined placeholder can encapsulate one or more OEM-specified object properties, which can contain OEM-specific property definitions.

### 11.8.2 OEM property format and content

Each property contained within the `Oem` property shall be an OEM-specified JSON object. The name of each object property shall uniquely identify the OEM or organization that defines the properties contained by that object. The [OEM-specified object naming](#) clause describes this naming convention.

The OEM-specified object shall include a [type property](#) if the object:

- Is not contained in an array of objects.
- Is contained in the first object within an array of objects.
- In subsequent array members containing an OEM-specified object, whose type is different than the first array member.

The `Oem` property can simultaneously hold multiple OEM-specified objects, including objects for more than one company or organization.

The definition of any other properties that are contained within the OEM-specified object, along with the functional specifications, validation, or other requirements for that content is OEM-specific and outside the scope of this specification. While there are no Redfish-specified limits on the size or complexity of the elements within an OEM-specified object, it is intended it is typically used for only a small number of simple properties that augment the Redfish [resource](#). If a large number of objects or a large quantity of data compared to the size of the Redfish resource is to be supported, the OEM should consider creating a [subordinate resource](#) for their extensions.

### 11.8.3 OEM-specified object naming

The OEM-specified object properties within the `Oem` property are named by using a unique OEM identifier. There are two specified forms for the identifier. The identifier shall be either an ICANN-recognized domain name (including the top-level domain suffix), with all dot ( . ) separators replaced with underscores ( \_ ), or an IANA-assigned Enterprise Number prefixed with "EID\_."

**DEPRECATED:** The identifier shall be either an ICANN-recognized domain name including the top-level domain suffix, or an IANA-assigned Enterprise Number prefixed with `EID:` .

## ISO/IEC 30115-1:2022(E)

Organizations that use `.com` domain names may omit the `.com` suffix. For example, `Contoso.com` would use `Contoso` instead of `Contoso.com`, but `Contoso.org` would use `Contoso_org`. The domain name portion of an OEM identifier shall be considered to be case independent. That is, the text `Contoso_biz`, `contoso_BIZ`, `conT0so_biZ`, and so on all identify the same OEM.

The OEM identifier portion of the object name may be followed by an underscore (`_`) and any additional string to enable further subdivisions of OEM-specified objects as desired. For example, `Contoso_xxxx` or `EID_412_xxxx`. The form and meaning of any text that follows the trailing underscore is completely OEM-specific. OEM-specified extension suffixes may be case sensitive, depending on the OEM. Generic client software should treat such extensions, if present, as opaque and not try to parse nor interpret the content.

This suffix could be used in many ways, depending on OEM need. For example, the Contoso company may have a *Research* suborganization, in which case the OEM-specified property name might be extended to *Contoso\_Research*. Alternatively, it can identify a unique resource type for a functional area, geography, subsidiary, and so on.

The OEM identifier portion of the name typically identifies the company or organization that created and maintains the schema for the property. However, this practice is not a requirement. The identifier is only required to uniquely identify the party that is the top-level manager of a resource type to prevent collisions between OEM property definitions from different vendors or organizations. Consequently, the organization for the top of the resource type may be different than the organization that provides the definition of the OEM-specified property. For example, Contoso may allow one of their customers, such as `CustomerA`, to extend a Contoso product with certain `CustomerA` proprietary properties. In this case, although Contoso allocated the name `Contoso_CustomerA`, it could be `CustomerA` that defines the content and functionality within that resource type. In all cases, OEM identifiers should not be used except with permission or as specified by the identified company or organization.

### 11.8.4 OEM resource types

Companies, OEMs, and other organizations can define additional [resources](#) and link to them from an [Oem property](#) in a standard Redfish resource, preferably from the `oem` property within the [Links](#) property. To avoid naming collisions with current or future standard Redfish schema files, the defining organization's name should be prepended to the resource type name, which is also used to construct the file name of the schema files. For example, `ContosoDrive` would not conflict with a `Drive` resource type or schema, or conflict with another OEM's drive-related definition.

### 11.8.5 OEM registries

Companies, OEMs, and other organizations can define additional [registries](#) and utilize them in [message objects](#) or for BIOS attributes. To avoid naming collisions with current or future standard Redfish message registries, the defining organization's name should be prepended to the registry name, which is also used to construct the name of the registry file. For example, `ContosoDriveEvents` would not conflict with a `DriveEvent` message registry, or conflict with another OEM's drive-related registry.

### 11.8.6 OEM URIs

To avoid URI collisions with other OEM resources and future Redfish standard resources, the URIs for OEM resources within the Redfish *resource tree* shall be in the form:

```
<BaseUri>/Oem/<OemName>/<ResourcePath>
```

where

- `<BaseUri>` is the URI segment of the standard Redfish resource starting with `/redfish/` where the `Oem` property is used. For example, `/redfish/v1/Systems/3AZ38944T523`.
- `<OemName>` is the name of the OEM, that follows the same naming as defined in the [OEM-specified object naming](#) clause.
- `<ResourcePath>` is the path to the OEM-defined resource. This path might contain multiple segments for cases where OEM-defined resources are subordinate to an OEM-defined resource. Each segment in the path contains the name of an OEM-defined resource.

For example, if Contoso defined a new `ContosoAccountServiceMetrics` resource to be linked through the `Oem` property at the `/redfish/v1/AccountService` URI, the OEM resource has the `/redfish/v1/AccountService/Oem/Contoso/AccountServiceMetrics` URI.

### 11.8.7 OEM property examples

The following fragment shows examples of naming and the `Oem` property as it might appear when accessing a [resource](#). The example shows that the OEM identifiers can be of different forms, that OEM-specified content can be simple or complex, and that the format and usage of extensions of the OEM identifier is OEM-specific.

```
{
  "Oem": {
    "Contoso": {
      "@odata.type": "#ContosoAnvil.v1_2_1.AnvilTypes1",
      "Slogan": "Contoso anvils never fail",
      "Disclaimer": "* Most of the time"
    },
    "Contoso_biz": {
      "@odata.type": "#ContosoBizEngine.v1_1_0.RelatedSpeed",
      "Speed": "Ludicrous"
    },
    "EID_412": {
      "@odata.type": "#AdatumPowerExtensions.v1_0_1.PowerInfoExt",
      "ReadingInfo": {
        "Accuracy": "5",
        "IntervalSeconds": "20"
      }
    }
  }
}
```

```
    }
  },
  "Contoso_CustomerA": {
    "@odata.type": "#ContosoCustomerASling.v1_0_0.SlingPower",
    "AvailableTargets": ["Rabbit", "Duck", "Runner"],
    "LaunchPowerOptions": ["Low", "Medium", "Eliminate"],
    "LaunchPower": "Eliminate",
    "Target": "Rabbit"
  }
},
...
}
```

### 11.8.8 OEM actions

OEM-specific actions appear in the JSON payload as properties of the `Oem` object, nested under an `Actions` property.

The name of the property that represents the action, which shall follow the form:

```
#<ResourceType>.<Action>
```

where

- `<ResourceType>` is the resource type.
- `<Action>` is the action.

```
{
  "Actions": {
    "Oem": {
      "#Contoso_ABC_ComputerSystem.Ping": {
        "target": "/redfish/v1/Systems/1/Actions/Oem/Contoso_ABC_ComputerSystem.Ping"
      }
    }
  },
  ...
}
```

The URI of the OEM action in the `target` property shall be in the form:

```
<ResourceUri>/Actions/Oem/<ResourceType>.<Action>
```

where

- `<ResourceUri>` is the URI of the resource that supports invoking the action. For example, `/redfish/v1/Systems/1/`.
- `Actions` is the name of the property containing the actions for a resource.
- `Oem` is the name of the OEM property within the `Actions` property.
- `<ResourceType>.<Action>` is the resource type followed by the action. For example, `Contoso_ABC_ComputerSystem.Ping`.

## 11.9 Payload annotations

### 11.9.1 Payload annotations overview

[Resources](#), [objects within a resource](#), and [properties](#) may include additional annotations as properties with the name, in the format:

```
[<PropertyName>]@<Namespace>.<TermName>
```

where

- `<PropertyName>` is the name of the property to annotate. If absent, the annotation applies to the entire JSON object, which may be an entire resource.
- `<Namespace>` is the namespace that defines the annotation term.
- `<TermName>` is the annotation term to apply to the resource or property of the resource.

Services shall limit the annotation usage to the `odata`, `Redfish`, and `Message` namespaces. The [OData JSON Format Specification](#) defines the `odata` namespace. The `Redfish` namespace is an alias for the `RedfishExtensions.v1_0_0` namespace.

The client can get the definition of the annotation from the [OData metadata document](#), the [HTTP Link header](#), or may ignore the annotation entirely, but should not fail reading the resource due to unrecognized annotations, including new annotations that the `Redfish` namespace defines.

### 11.9.2 Allowable values

To specify the list of allowable values for a [property](#) or [action](#) parameter, services may use the `@Redfish.AllowableValues` annotation for properties or action parameters.

To specify the set of allowable values, include a property with the name of the property or action parameter, followed by `@Redfish.AllowableValues`. The property value is a JSON array of strings that define the allowable values for the property or action parameter.

### 11.9.3 Extended information

The following clauses describe the methods of providing extended information:

- [Extended object information](#)
- [Extended property information](#)

#### 11.9.3.1 Extended object information

To specify object-level status information, services may annotate a JSON object with the `@Message.ExtendedInfo` annotation.

```
{
  "@odata.id": "/redfish/v1/Managers/1/SerialInterfaces/1",
  "@odata.type": "#SerialInterface.v1_0_0.SerialInterface",
  "Name": "Managed Serial Interface 1",
  "Description": "Management for Serial Interface",
  "Status": {
    "State": "Enabled",
    "Health": "OK"
  },
  "InterfaceEnabled": true,
  "SignalType": "Rs232",
  "BitRate": "115200",
  "Parity": "None",
  "DataBits": "8",
  "StopBits": "1",
  "FlowControl": "None",
  "ConnectorType": "RJ45",
  "PinOut": "Cyclades",
  "@Message.ExtendedInfo": [
    {
      "MessageId": "Base.1.8.PropertyDuplicate",
      "Message": "Indicates that a duplicate property was included in the request body.",
      "RelatedProperties": ["#/InterfaceEnabled"],
      "Severity": "Warning",
      "MessageSeverity": "Warning",
      "Resolution": "Remove the duplicate property from the request body and resubmit the request if the operation failed."
    }
  ]
}
```

The property contains an array of [message objects](#).

### 11.9.3.2 Extended property information

Services may use `@Message.ExtendedInfo`, prepended with the name of the property to annotate an individual property in a JSON object with extended information:

```
{
  "@odata.id": "/redfish/v1/Managers/1/SerialInterfaces/1",
  "@odata.type": "#SerialInterface.v1_0_0.SerialInterface",
  "Name": "Managed Serial Interface 1",
  "Description": "Management for Serial Interface",
  "Status": {
    "State": "Enabled",
    "Health": "OK"
  },
  "InterfaceEnabled": true,
  "SignalType": "Rs232",
  "BitRate": 115200,
  "Parity": "None",
  "DataBits": 8,
  "StopBits": 1,
  "FlowControl": "None",
  "ConnectorType": "RJ45",
  "PinOut": "Cyclades",
  "PinOut@Message.ExtendedInfo": [{
    "MessageId": "Base.1.8.PropertyValueNotInList",
    "Message": "The value Contoso for the property PinOut is not in the list of acceptable values.",
    "Severity": "Warning",
    "MessageSeverity": "Warning",
    "Resolution": "Choose a value from the enumeration list that the implementation can support and resubmit the request if"
  }]
}
```

### 11.9.4 Action info annotation

The `@Redfish.ActionInfo` term within the [action representation](#) conveys the parameter requirements and allowable values on parameters for [actions](#). This term contains a URI to the `ActionInfo` resource.

Example `#ComputerSystem.Reset` action with the `@Redfish.ActionInfo` annotation and resource:

```
"Actions": {
  "#ComputerSystem.Reset": {
    "target": "/redfish/v1/Systems/1/Actions/ComputerSystem.Reset",
    "@Redfish.ActionInfo": "/redfish/v1/Systems/1/ResetActionInfo"
  }
}
```

```
    },  
    ...  
  }  
}
```

The `ResetActionInfo` resource contains a more detailed description of the parameters and the supported values. This resource follows the `ActionInfo` schema definition.

```
{  
  "@odata.id": "/redfish/v1/Systems/1/ResetActionInfo",  
  "@odata.type": "#ActionInfo.v1_0_0.ActionInfo",  
  "Id": "ResetActionInfo",  
  "Name": "Reset Action Info",  
  "Parameters": [{  
    "Name": "ResetType",  
    "Required": true,  
    "DataType": "String",  
    "AllowableValues": ["On", "ForceOff", "ForceRestart", "Nmi",  
      "ForceOn", "PushPowerButton"]  
  }]  
}
```

### 11.9.5 Settings and settings apply time annotations

See the [Settings](#) resource clause.

### 11.9.6 Operation apply time and operation apply time support annotations

See the [Operation apply time](#) clause.

### 11.9.7 Maintenance window annotation

The [settings apply time](#) and [operation apply time](#) annotations enable an operation to be performed during a maintenance window. The `@Redfish.MaintenanceWindow` term at the root of a resource configures the start time and duration of a maintenance window for a resource.

The following example body for the `/redfish/v1/Systems/1` resource configures the maintenance window to start at `2017-05-03T23:12:37-05:00` and last for 600 seconds.

```
{  
  "@odata.id": "/redfish/v1/Systems/1",  
  "@odata.type": "#ComputerSystem.v1_5_0.ComputerSystem",  
  "@Redfish.MaintenanceWindow": {  
    "Start": "2017-05-03T23:12:37-05:00",  
    "Duration": 600  
  }  
}
```

```

"@Redfish.MaintenanceWindow": {
  "MaintenanceWindowStartTime": "2017-05-03T23:12:37-05:00",
  "MaintenanceWindowDurationInSeconds": 600
},
...
}

```

### 11.9.8 Collection capabilities annotation

**Resource collections** may contain a collection capabilities annotation. The `@Redfish.CollectionCapabilities` term at the root of a resource collection shows what properties a client is allowed to use in a **POST** request for creating a resource.

The following `ComputerSystemCollection` example body contains the collection capabilities annotation. The `useCase` property contains the `ComputerSystemComposition` value, and the `CapabilitiesObject` property contains the `/redfish/v1/Systems/Capabilities` value. The resource at `/redfish/v1/Systems/Capabilities` describes the **POST** request format for creating a `ComputerSystem` resource for compositions.

```

{
  "@odata.id": "/redfish/v1/Systems",
  "@odata.type": "#ComputerSystemCollection.ComputerSystemCollection",
  "Name": "Computer System Collection",
  "Members@odata.count": 0,
  "Members": [],
  "@Redfish.CollectionCapabilities": {
    "@odata.type": "#CollectionCapabilities.v1_1_0.CollectionCapabilities",
    "Capabilities": [{
      "CapabilitiesObject": {
        "@odata.id": "/redfish/v1/Systems/Capabilities"
      },
      "UseCase": "ComputerSystemComposition",
      "Links": {
        "TargetCollection": {
          "@odata.id": "/redfish/v1/Systems"
        }
      }
    }]
  }
}

```

The `CapabilitiesObject` resource follows the same schema for the resource that the resource collection contains. It contains annotations to show which properties the client can use in the **POST** request body. [Table 21](#) describes the `CapabilitiesObject` resource annotations. These annotations describe which properties are required, optional, or if other rules are associated with the properties.

Annotation	Description
<PropertyName>@Redfish.RequiredOnCreate	Required in the POST request body.
<PropertyName>@Redfish.OptionalOnCreate	Not required in the POST request body.
<PropertyName>@Redfish.SetOnlyOnCreate	Cannot be modified after the resource is created.
<PropertyName>@Redfish.UpdatableAfterCreate	Can be modified after the resource is created.
<PropertyName>@Redfish.AllowableValues	Can be set to any of the listed values.
@Redfish.RequestedCountRequired	Required in the POST request body for the corresponding object to indicate the number of requested object instances.  Used for <a href="#">composition requests</a> .
@Redfish.ResourceBlockLimits	Indicates restrictions regarding quantities of ResourceBlock resources of a given type in the POST request body.  Used for <a href="#">composition requests</a> .

: Table 21 — CapabilitiesObject resource annotations

Example CapabilitiesObject resource:

```

{
  "@odata.id": "/redfish/v1/Systems/Capabilities",
  "@odata.type": "#ComputerSystem.v1_8_0.ComputerSystem",
  "Id": "Capabilities",
  "Name": "Capabilities for the system collection",
  "Name@Redfish.RequiredOnCreate": true,
  "Name@Redfish.SetOnlyOnCreate": true,
  "Description@Redfish.OptionalOnCreate": true,
  "Description@Redfish.SetOnlyOnCreate": true,
  "HostName@Redfish.OptionalOnCreate": true,
  "HostName@Redfish.UpdatableAfterCreate": true,
  "Links@Redfish.RequiredOnCreate": true,
  "Links": {
    "ResourceBlocks@Redfish.RequiredOnCreate": true,
    "ResourceBlocks@Redfish.UpdatableAfterCreate": true
  },
  "@Redfish.ResourceBlockLimits": {
    "MinCompute": 1,
    "MaxCompute": 1,
    "MaxStorage": 8
  }
}

```

### 11.9.9 Requested count and allow over-provisioning annotations

Table 22 describes the `@Redfish.RequestedCount` and `@Redfish.AllowOverprovisioning` annotations.

Clients use these annotations in [composition requests](#) to define the number of [resource](#) to allocate and to indicate whether the Redfish service can provision more resources than the client requests:

Annotation	Description
<code>@Redfish.RequestedCount</code>	Number of requested resources.
<code>@Redfish.AllowOverprovisioning</code>	Boolean. If <code>true</code> , the service may provision more resources than the <code>@Redfish.RequestedCount</code> annotation requests. Default is <code>false</code> .

: Table 22 — RequestCount and AllowOverprovisioning annotations

Example client request for at least four and possibly more `Processor` resources:

```
{
  "Processors": {
    "Members": [{
      "@Redfish.RequestedCount": 4,
      "@Redfish.AllowOverprovisioning": true
    }]
  },
  ...
}
```

### 11.9.10 Zone affinity annotation

The zone affinity annotation is used by clients in [composition requests](#) to indicate the components for the composition come from the specified resource zone. The `@Redfish.ZoneAffinity` term in the request body contains the value of the `Id` property of the requested resource zone.

Example client request for components to be allocated from the resource zone with the `Id` property containing `1`:

```
{
  "@Redfish.ZoneAffinity": "1",
  ...
}
```

## 11.9.11 Supported certificates annotation

**Resource collections** of type `CertificateCollection` should contain a supported certificates annotation. The `@Redfish.SupportedCertificates` term at the root of a resource collection shows the different certificate formats allowed in the resource collection.

Example `CertificateCollection` that only supports PEM style certificates:

```
{
  "@odata.id": "/redfish/v1/Managers/BMC/NetworkProtocol/HTTPS/Certificates",
  "@odata.type": "#CertificateCollection.CertificateCollection",
  "Name": "Certificate collection",
  "Members@odata.count": 1,
  "Members": [{
    "@odata.id": "/redfish/v1/Managers/BMC/NetworkProtocol/HTTPS/Certificates/1"
  }],
  "@Redfish.SupportedCertificates": ["PEM"]
}
```

## 11.9.12 Deprecated annotation

Services may annotate **properties** with `@Redfish.Deprecated` if the schema definition has the property marked as deprecated.

Example deprecated property:

```
{
  "VendorID": "0xABCD",
  "VendorID@Redfish.Deprecated": "This property has been deprecated in favor of ModuleManufacturerID.",
  ...
}
```

## 11.10 Settings resource

A **settings resource** represents the future intended state of a **resource**. Some resources have properties that can be updated and the updates take place immediately. However, some properties need to be updated at a future point in time, such as after a system reset. While the *active resource* represents the current state, the settings resource represents the future intended state.

For resources that support a future intended state, the response shall contain a property with the `@Redfish.Settings` **payload annotation**. When a settings annotation is used, the following conditions shall apply:

- The settings resource shall be of the same schema definition as the active resource.
- The settings resource should contain a subset of updatable properties from the active resource. Additionally, it shall contain **required properties**, which are always mandatory.
- The settings resource shall not contain the `@Redfish.Settings` annotation.
- The settings resource may contain the `@Redfish.SettingsApplyTime` annotation.
- The URI for the settings resource shall reflect that it is subordinate to the active resource. The URI should be in the form `<BaseUri>/Settings` or `<BaseUri>/SD` where `<BaseUri>` is the URI of the active resource.

The settings resource shall contain the properties that are updated at a future point in time. For resources that support a future intended state, [Table 23](#) describes the behavior of supported properties in the resource and settings resource that a service should support.

Property	Active resource behavior	Settings resource behavior
Read-only, <b>required</b> .	Returned in the resource response to a <code>GET</code> request.	Returned in the settings resource response to a <code>GET</code> request.
Read-only, not required.	Returned in the resource response to a <code>GET</code> request.	Not returned in the settings resource response to a <code>GET</code> request.
Writable, updates immediately, but not at a future point in time.	Active value returned in the resource response to a <code>GET</code> request. <b>Modification requests</b> change the active value immediately.	Not returned in the settings resource response to a <code>GET</code> request. Modification requests are rejected.
Writable, updates immediately or at a future point in time.	Active value returned in the resource response to a <code>GET</code> request. <b>Modification requests</b> change the active value immediately.	Future value returned in the settings resource response to a <code>GET</code> request if a future value is pending, otherwise not returned. Modification requests change the future value.
Writable, updates at a future point in time, but not immediately.	Active value returned in the resource response to a <code>GET</code> request. <b>Modification requests</b> are rejected.	Future value returned in the settings resource response to a <code>GET</code> request. Modification requests change the future value.

**Table 23 — Active resource and settings resource property behavior**

The `@Redfish.Settings` annotation includes several properties that help clients monitor when the service has consumed the active resource and determine the success or failure of applying the values.

- The `Messages` property is a collection of messages that represent the results of the last time the values of the settings resource were applied.
- The `ETag` property contains the ETag of the settings resource that was last applied. Immediate updates made directly to the active resource are not reflected in it.

## ISO/IEC 30115-1:2022(E)

- The `Time` property indicates the time when the settings resource was last applied. Immediate updates made directly to the active resource are not reflected in it.

The following active resource example body supports a settings resource. A client can use the `SettingsObject` property to locate the URI of the settings resource.

```
{
  "@Redfish.Settings": {
    "@odata.type": "#Settings.v1_0_0.Settings",
    "SettingsObject": {
      "@odata.id": "/redfish/v1/Systems/1/Bios/SD"
    },
    "Time": "2017-05-03T23:12:37-05:00",
    "ETag": "\"A89B031B62\"",
    "Messages": [{
      "MessageId": "Base.1.8.PropertyNotWritable",
      "RelatedProperties": ["/#/Attributes/ProcTurboMode"]
    }]
  },
  ...
}
```

If a service enables a client to indicate when to apply settings:

- The settings resource shall contain a property with the `@Redfish.SettingsApplyTime` annotation.
  - Only settings resources shall contain the `@Redfish.SettingsApplyTime` annotation.
- The `@Redfish.Settings` annotation in the active resource shall contain the `SupportedApplyTimes` property for showing the allowable values for `ApplyTime` within `@Redfish.SettingsApplyTime`.
- Clients can **modify** the `@Redfish.SettingsApplyTime` annotation to indicate when to apply the settings.

In the following example request, the client indicates that the settings resource values are applied on reset during the specified maintenance window:

```
{
  "@Redfish.SettingsApplyTime": {
    "ApplyTime": "InMaintenanceWindowOnReset",
    "MaintenanceWindowStartTime": "2017-05-03T23:12:37-05:00",
    "MaintenanceWindowDurationInSeconds": 600
  },
  ...
}
```

## 11.11 Special resource situations

---

### 11.11.1 Overview

**Resources** need to exhibit common semantic behavior whenever possible. This can be difficult in some situations discussed in this clause.

### 11.11.2 Absent resources

**Resources** may be absent or their state unknown at the time a client requests information about that resource. For resources that represent removable or optional components, absence provides useful information to clients because it indicates a capability, such as an empty PCIe slot, DIMM socket, or drive bay, that would not be apparent if the resource simply did not exist.

This also applies to resources that represent a limited number of items or unconfigured capabilities within an implementation, but this usage should be applied sparingly and should not apply to resources limited in quantity due to arbitrary limits. For example, an implementation that limits `SoftwareInventory` to a maximum of 20 items should not populate 18 absent resources when only two items are present.

For resources that provide useful data in an absent state and where the URI is expected to remain constant, such as when a DIMM is removed from a memory socket, the resource should exist and should return the `Absent` value for the `State` property in the `Status` object.

In this circumstance, any required properties that have no known value shall be represented as `null`. Properties whose support is based on the configuration choice or the type of component installed, and therefore unknown while in the absent state, should not be returned. Likewise, subordinate resources for an absent resource should not be populated until their support can be determined. For example, the `Power` and `Thermal` resources under a `Chassis` resource should not exist for an absent `Chassis`.

Client software should be aware that when absent resources are later populated, the updated resource may represent a different configuration or physical item, and previous data, including read-only properties, obtained from that resource may be invalid. For example, the `Memory` resource shows details about an single DIMM socket and the installed DIMM. When that DIMM is removed, the `Memory` resource remains as an absent resource to indicate the empty DIMM socket. Later, a new DIMM is installed in that socket, and the `Memory` resource represents data about this new DIMM, which could have completely different characteristics.

## 11.12 Registries

---

Registry **resources** assist the client in interpreting Redfish resources beyond the Redfish schema definitions. To get

more information about a resource, event, message, or other item, use an identifier to search registries. This information can include other properties, property restrictions, and the like. Registries are themselves resources.

Table 24 describes the types of registries that Redfish supports:

Registry	Description	See
BIOS	<p>Determines the semantics of each property in a BIOS or BIOS <a href="#">settings resource</a>. Because BIOS information can vary from platform to platform, Redfish cannot define a fixed schema for these values. BIOS registries should be assigned unique identifiers to allow users to match a given registry with compatible products.</p> <p>This registry contains both property descriptions and other information, such as data type, allowable values, and user menu information.</p>	
Message	<p>Constructs a message from a <code>MessageId</code> and other message information to present to an end user. The messages in these registries appear in both eventing and error responses to operations.</p> <p>This registry is the most common type of registry.</p>	<ul style="list-style-type: none"> <li>• <a href="#">Error responses</a></li> <li>• <a href="#">Eventing</a></li> </ul>
Privilege	<p>Maps the resources in a Redfish service to the privileges that can complete specified operations against those resources.</p> <p>A client can use this information to:</p> <ul style="list-style-type: none"> <li>• Determine which roles should have specific privileges.</li> <li>• Map accounts to those roles so that the accounts can complete operations on Redfish resources.</li> </ul>	<a href="#">Privilege model</a>

: Table 24 — Registries

## 11.13 Schema annotations

### 11.13.1 Schema annotations overview

The schema definitions of the data model use schema annotations to provide additional documentation for developers. This clause describes the different types of schema annotations that the Redfish data model uses. For information about how each of the annotations are implemented in their respective schema languages, see the [Schema definition languages](#) clause.

### 11.13.2 Description annotation

The description annotation can be applied to any type, property, action, or parameter to provide a description of Redfish schema elements suitable for end users or user interface help text.

All schemas that are published or republished by the DMTF's Redfish Forum shall include a description annotation on the following schema definitions:

- Redfish types
- [Properties](#)
- [Reference properties](#)
- Enumeration values
- [Resources](#) and [resource collections](#)
- [Structured types](#)

### 11.13.3 Long description annotation

The long description annotation can be applied to any type, property, action, or parameter to provide a formal, normative specification of the schema element.

When the long descriptions in the Redfish schema contain normative language, the service shall be required to conform with the statement.

All schemas that are published or republished by the DMTF's Redfish Forum shall include a long description annotation on the following schema definitions:

- Redfish types
- [Properties](#)
- [Reference properties](#)
- [Resources](#) and [resource collections](#)
- [Structured types](#)

### 11.13.4 Resource capabilities annotation

The resource capabilities annotation can be applied to [resources](#) and [resource collections](#) to express the different type of HTTP operations a client can invoke on the given resource or resource collection.

- Insert capabilities indicate whether a client can perform a `POST` request on the resource to create a resource.
- Update capabilities indicate whether a client can perform a `PATCH` or `PUT` request on the resource.
- Delete capabilities indicate whether a client can perform a `DELETE` request on the resource.
- A service may implement a subset of the capabilities that are allowed on the resource or resource collection.

All schemas that are published or republished by the DMTF's Redfish Forum for resources and resource collections shall include resource capabilities annotations.

### 11.13.5 Resource URI patterns annotation

The resource URI patterns annotation expresses the valid URI patterns for a [resource](#) or [resource collection](#).

## ISO/IEC 30115-1:2022(E)

The strings for the URI patterns may use { and } characters to express parameters within a given URI pattern. Items between the { and } characters are treated as identifiers within the URI for given instances of a Redfish resource. Clients interpret this as a string to be replaced to access a given resource. A URI pattern may contain multiple identifier terms to support multiple levels of nested resource collections. The identifier term in the URI pattern shall match the Id string property for the corresponding resource, or the MemberId string property for the corresponding object within a resource. The process for forming the strings that are concatenated to form the URI pattern are in the [URI naming rules](#) clause.

The following string is an example URI pattern that describes a ManagerAccount resource: /redfish/v1/AccountService/Accounts/{ManagerAccountId}

Using the previous example, {ManagerAccountId} is replaced by the Id property of the corresponding ManagerAccount resource. If the Id property for a ManagerAccount resource is John, the full URI for that resource is /redfish/v1/AccountService/Accounts/John.

The URI patterns are constructed based on the formation of the [resource tree](#). When constructing the URI pattern for a subordinate resource, the URI pattern for the current resource is used and appended. For example, the RoleCollection resource is subordinate to AccountService. Because the URI pattern for AccountService is /redfish/v1/AccountService, the URI pattern for the RoleCollection resource is /redfish/v1/AccountService/Roles.

In some cases, the subordinate resource is found inside of a [structured property](#) of a resource. In these cases, the name of the structured property appears in the URI pattern for the subordinate resource. For example, the CertificateCollection resource is subordinate to the ManagerNetworkProtocol resource from the HTTPS property. Because the URI pattern for ManagerNetworkProtocol is /redfish/v1/Managers/{ManagerId}/NetworkProtocol, the URI pattern for the CertificateCollection resource is /redfish/v1/Managers/{ManagerId}/NetworkProtocol/HTTPS/Certificates.

All schemas that are published or republished by the DMTF's Redfish Forum for resources and resource collections shall be annotated with the resource URI patterns annotation.

All Redfish resources and Redfish resource collections implemented by a service shall match the URI pattern described by the resource URI patterns annotation for their given definition.

### 11.13.6 Additional properties annotation

The additional properties annotation specifies whether a type can contain additional [properties](#) outside of those defined in the schema. Types that do not support additional properties shall not contain properties beyond those described in the schema.

### 11.13.7 Permissions annotation

The permissions annotation specifies whether a client can modify the value of a [property](#), or if the property is read-only.

A service can implement a modifiable property as read-only.

### 11.13.8 Required annotation

The required annotation specifies whether a service needs to support a [property](#). Required properties shall be annotated with the required annotation. All other properties are optional.

### 11.13.9 Required on create annotation

The required on create annotation specifies that a [property](#) is required to be provided by the client on creation of the [resource](#). Properties not annotated with the required on create annotation are not required to be provided by the client on a create operation.

### 11.13.10 Units of measure annotation

In addition to following the [naming rules](#), [properties](#) representing units of measure shall be annotated with the units of measure annotation to specify the units of measurement for the property.

The value of the annotation shall be a string that contains the case-sensitive "(c/s)" symbol of the unit of measure as listed in the [Unified Code for Units of Measure \(UCUM\)](#), unless the symbolic representation does not reflect common usage. For example, `RPM` commonly reports fan speeds in revolutions-per-minute but has no simple UCUM representation. For units with prefixes, the case-sensitive ( *c/s* ) symbol for the prefix as listed in UCUM should be prepended to the unit symbol. For example, Mebibyte (1024<sup>2</sup> bytes), which has the UCUM `Mi` prefix and `By` symbol, would use `MiBy` as the value for the annotation. For values that also include rate information, such as megabits per second, the rate unit's symbol should be appended and use a slash ( / ) character as a separator. For example, `Mbit/s`.

### 11.13.11 Expanded resource annotation

The expanded resource annotation can be applied to a [reference property](#) to specify that the default behavior for the service is to include the contents of the related [resource](#) or [resource collection](#) in responses. This behavior follows the same semantics of the [expand query parameter](#) with a level of 1.

Reference properties annotated with this term shall be expanded by the service, even if not requested by the client. A service may page [resource collections](#).

### 11.13.12 Owing entity annotation

The owing entity annotation can be applied to a schema to specify the name of the entity responsible for development, publication, and maintenance of a given schema.

### 11.13.13 Deprecated annotation

The deprecated annotation specifies if a [property](#), enumeration, or other schema element has been deprecated. Schema elements marked as deprecated contain a schema version that shows when the element was deprecated, as well as text that specifies the favored approach.

Existing and new implementations may use deprecated schema elements, but they should move to the favored approach. Deprecated schema elements may be implemented to achieve backwards compatibility. Deprecated schema elements may be removed from the next major version of the schema.

## 11.14 Versioning

---

As stated previously, a resource can be an individual entity or a resource collection, which acts as a container for a set of resources.

A [resource collection](#) does not contain any version information because it defines a single `Members` property, and the overall collection definition never grows over time.

A [resource](#) has both unversioned and versioned definitions.

References from other resources use the unversioned definition of a resource to ensure no version dependencies exist between the definitions. The unversioned definition of a resource contains no property information about the resource.

The versioned definition of a resource contains a set of properties, actions, and other definitions associated with the resource. The version of a resource follows the format:

```
v<X>.<Y>.<Z>
```

where

- `<X>` is an integer that represents the major version. Indicates a backward-incompatible change.
- `<Y>` is an integer that represents the minor version. Indicates a minor update. Redfish introduces new functionality but does not remove any functionality. The minor version preserves compatibility with earlier minor versions. For example, a new property introduces a new minor version of the resource.
- `<Z>` is an integer that represents the errata version. Indicates a fix in an earlier version. For example, a fix to a [schema annotation](#) on a property introduces an errata version of the resource.

## 11.15 Localization

---

The creation of separate localized copies of Redfish schemas and registries is allowed and encouraged. Localized schema and registry files may be submitted to the DMTF for republication in the Redfish schema repository.

Property names, parameter names, and enumeration values in the JSON response payload are never localized but translated copies of those names may be provided as additional annotations in the localized schema for use by client applications. A separate file for each localized schema or registry shall be provided for each supported language. The English-language versions of Redfish schemas and registries shall be the normative versions, and alterations of meaning due to translation in localized versions of schemas and registries shall be forbidden.

Schemas and registries in non-English languages shall use the appropriate schema annotations to identify their language. Descriptive property, parameter, and enumeration text not translated into the specified language shall be removed from localized versions. This removal enables software and tools to combine normative and localized copies, especially for minor schema version differences.

## 12 File naming and publication

---

For consistency in publication and to enable programmatic access, all Redfish-related files shall follow a set of rules to construct the name of each file. The [Schema definition languages](#) clause describes the file name construction rules, while the following clauses describe the construction rules for other file types.

### 12.1 Registry file naming

---

Redfish message or privilege registry files shall use the registry name to construct the file name, in this format:

```
<RegistryName>.<MajorVersion>.<MinorVersion>.<Errata>.json
```

For example, the file name of the Base Message Registry v1.0.2 is `Base.1.0.2.json`.

### 12.2 Profile file naming

---

The document that describes a profile follows the Redfish schema file naming conventions. The file name format for profiles shall be:

```
<ProfileName>_v<MajorVersion>_<MinorVersion>_<Errata>.json
```

For example, the file name of the BasicServer profile v1.2.0 is `BasicServer.v1_2_0.json`. The file name shall include the profile name and version, which matches those property values within the document.

### 12.3 Dictionary file naming

---

The binary file describing a Redfish Device Enablement dictionary follows the Redfish schema file naming conventions for the schema definition language that the dictionary is converted from. Because a single dictionary file contains all minor revisions of the schema, only the major version appears in the file name. The file names for Dictionaries shall be formatted as:

```
<DictionaryName>_v<MajorVersion>.dict
```

For example, the file name of the Chassis dictionary v1.2.0 is `Chassis_v1.dict`.

### 12.4 Localized file naming

---

Localized schemas and registries shall follow the same file naming conventions as the English language versions.

When multiple localized copies are present in a repository and which have the same file name, files in languages other than English shall be organized into subfolders named to match the ISO 639-1 language code for those files. English language files may be duplicated in an `en` subfolder for consistency.

## 12.5 DMTF Redfish file repository

All Redfish schemas, registries, dictionaries, and profiles published or republished by the DMTF's Redfish Forum are available from the [DMTF website](#) for download. Programs may use the following durable URLs to access the repository. Programs incorporating remote repository access should implement a local cache to reduce latency, program requirements for Internet access and undue traffic burden on the DMTF website.

Organizations creating Redfish-related files such as OEM schemas, Redfish interoperability profiles, or message registries are encouraged to use the form at <https://redfish.dmtf.org/redfish/portal> to submit those files to the DMTF for republication in the DMTF Redfish file repository.

Table 25 describes how files are organized on the site:

URL	Folder contents
<code>redfish.dmtf.org/schemas</code>	Current (most recent minor or errata) release of each schema file in CSDL, JSON Schema, and/or OpenAPI formats.
<code>redfish.dmtf.org/schemas/v1</code>	Durable URL for programmatic access to all v1.xx schema files. Every v1.xx minor or errata release of each schema file in CSDL, JSON Schema, OpenAPI formats.
<code>redfish.dmtf.org/schemas/v1/{code}</code>	Durable URL for programmatic access to localized v1.xx schema files. Localized schemas are organized in subfolders using the two-character ISO 639-1 language code as the {code} segment.
<code>redfish.dmtf.org/schemas/archive</code>	Subfolders contain schema files specific to a particular version release.
<code>redfish.dmtf.org/registries</code>	Current (most recent minor or errata) release of each registry file.
<code>redfish.dmtf.org/registries/v1</code>	Durable URL for programmatic access to all v1.xx registry files. Every v1.xx minor or errata release of each registry file.
<code>redfish.dmtf.org/registries/v1/{code}</code>	Durable URL for programmatic access to localized v1.xx registry files. Localized schemas are organized in subfolders using the two-character ISO 639-1 language code as the {code} segment.
<code>redfish.dmtf.org/registries/archive</code>	Subfolders contain registry files specific to a particular version release.
<code>redfish.dmtf.org/profiles</code>	Current release of each Redfish interoperability profile (.json) file and associated documentation.
<code>redfish.dmtf.org/profiles/v1</code>	Durable URL for programmatic access to all v1.xx Redfish interoperability profile (.json) files.

## ISO/IEC 30115-1:2022(E)

URL	Folder contents
<a href="https://redfish.dmtf.org/profiles/archive">redfish.dmtf.org/ profiles/archive</a>	Subfolders contain profile files specific to a particular profile version or release.
<a href="https://redfish.dmtf.org/dictionaries">redfish.dmtf.org/ dictionaries</a>	Durable URL for programmatic access to all v1.xx Redfish Device Enablement dictionary files.
<a href="https://redfish.dmtf.org/dictionaries/v1">redfish.dmtf.org/ dictionaries/v1</a>	Durable URL for programmatic access to all v1.xx Redfish Device Enablement dictionary files.
<a href="https://redfish.dmtf.org/dictionaries/archive">redfish.dmtf.org/ dictionaries/archive</a>	Subfolders contain dictionary files specific to a particular version release.

: Table 25 — Redfish file repository

## 13 Schema definition languages

Individual resources and their dependent types and actions are defined within a Redfish schema document. This clause describes how these documents are constructed in the following formats:

- [OData Common Schema Definition Language](#)
- [JSON Schema](#)
- [OpenAPI](#)

### 13.1 OData Common Schema Definition Language

#### 13.1.1 OData Common Schema Definition Language overview

OData Common Schema Definition Language (CSDL) is an XML schema format defined by the [OData CSDL Specification](#). The following clause describes how Redfish uses CSDL to describe resources and resource collections.

#### 13.1.2 File naming conventions for CSDL

Redfish CSDL schema files shall be named using the [resource type](#) name for the schema, followed by `_v` and the major version of the schema. Because a single CSDL schema file contains all minor revisions of the schema, only the major version appears in the file name. The file name shall be formatted as:

```
<ResourceType>_v<MajorVersion>.xml
```

For example, version 1.3.0 of the Chassis schema is `Chassis_v1.xml`.

#### 13.1.3 Core CSDL files

[Table 26](#) describes the core CSDL files:

File	Description
<code>RedfishError_v1.xml</code>	Payload definition of the <a href="#">Redfish error response</a> .
<code>RedfishExtensions_v1.xml</code>	All definitions for Redfish types and annotations.
<code>Resource_v1.xml</code>	All base definitions for resources, resource collections, and common properties, such as <code>Status</code> .

: **Table 26 — Core CSDL files**

## 13.1.4 CSDL format

The outer element of the OData schema representation document shall be the `Edmx` element, and shall have a `Version` attribute with a value of `4.0`.

```
<edmx:Edmx xmlns:edmx="http://docs.oasis-open.org/odata/ns/edmx" Version="4.0">
  <!-- edmx:Reference and edmx:DataService elements go here -->
</edmx:Edmx>
```

The [Referencing other CSDL files](#) and [CSDL data services](#) clauses describe the items that are found within the `Edmx` element.

### 13.1.4.1 Referencing other CSDL files

CSDL files may use `Reference` tags to reference types defined in other CSDL documents.

The `Reference` element uses the `Uri` attribute to specify a CSDL file. The `Reference` element also contains one or more `Include` tags that specify the `Namespace` attribute containing the types to be referenced, along with an optional `Alias` attribute for that namespace.

Type definitions generally reference the OData and Redfish namespaces for common type annotation terms. Redfish CSDL files always use the `Alias` attribute on the following namespaces:

- `Org.OData.Core.V1` is aliased as `OData`.
- `Org.OData.Measures.V1` is aliased as `Measures`.
- `RedfishExtensions.v1_0_0` is aliased as `Redfish`.
- `Validation.v1_0_0` is aliased as `Validation`.

```
<edmx:Reference Uri="http://docs.oasis-open.org/odata/odata/v4.0/cs01/vocabularies/Org.OData.Core.V1.xml">
  <edmx:Include Namespace="Org.OData.Core.V1" Alias="OData"/>
</edmx:Reference>
<edmx:Reference Uri="http://docs.oasis-open.org/odata/odata/v4.0/os/vocabularies/Org.OData.Measures.V1.xml">
  <edmx:Include Namespace="Org.OData.Measures.V1" Alias="Measures"/>
</edmx:Reference>
<edmx:Reference Uri="http://redfish.dmtf.org/schemas/v1/RedfishExtensions_v1.xml">
  <edmx:Include Namespace="RedfishExtensions.v1_0_0" Alias="Redfish"/>
  <edmx:Include Namespace="Validation.v1_0_0" Alias="Validation"/>
</edmx:Reference>
<edmx:Reference Uri="http://redfish.dmtf.org/schemas/v1/Resource_v1.xml">
  <edmx:Include Namespace="Resource"/>
  <edmx:Include Namespace="Resource.v1_0_0"/>
</edmx:Reference>
```

```
</edmx:Reference>
```

### 13.1.4.2 CSDL data services

Define structures, enumerations, and other definitions in CSDL within a namespace. Use a `Schema` tag to define the schema and use the `Namespace` attribute to declare the name of the namespace.

Redfish uses namespaces to differentiate different versions of the schema. CSDL enables structures to inherit from other structures, which enables newer namespaces to define only the changes. The [Elements of CSDL namespaces](#) clause describes this behavior.

Namespaces containing unversioned [resource](#) and [resource collection](#) definitions shall use the [resource type](#) to name the namespace, in this format:

```
<ResourceType>
```

For example, the unversioned namespace of the Chassis resource is `Chassis`.

Namespaces containing versioned [resource](#) definitions shall use the [resource type](#) to name the namespace, in this format:

```
<ResourceType>.v<MajorVersion>_<MinorVersion>_<Errata>
```

For example, the version 1.3.0 namespace of the Chassis resource is `Chassis.v1_3_0`.

The `Schema` element is a child of the `DataServices` element, which is a child of the `Edmx` element:

```
<edmx:DataServices>
  <Schema xmlns="http://docs.oasis-open.org/odata/ns/edm" Namespace="MyTypes.v1_0_0">
    <!-- Type definitions for version 1.0.0 of MyTypes go here -->
  </Schema>
  <Schema xmlns="http://docs.oasis-open.org/odata/ns/edm" Namespace="MyTypes.v1_1_0">
    <!-- Type definitions for version 1.1.0 of MyTypes go here -->
  </Schema>
</edmx:DataServices>
```

### 13.1.5 Elements of CSDL namespaces

The following clauses describe the definitions within each namespace:

- [Qualified names](#)

- [Entity type and complex type elements](#)

## 13.1.5.1 Qualified names

Many definitions in CSDL use references to qualified names. CSDL defines this as a string in the form:

```
<Namespace>.<TypeName>
```

where

- `<Namespace>` is the namespace name.
- `<TypeName>` is the name of the element in the namespace.

For example, if a reference is made to `MyType.v1_0_0.MyDefinition`, the definition can be found in the `MyType.v1_0_0` namespace with an element named `MyDefinition`.

## 13.1.5.2 Entity type and complex type elements

Use the `EntityType` and `ComplexType` tags to define the entity type and complex type elements, respectively. These elements define a JSON structure and their set of properties by defining [property elements](#) and [navigation property elements](#) within the `EntityType` or `ComplexType` tags.

All entity types and complex types contain a `Name` attribute, which specifies the name of the definition.

Entity types and complex types may have a `BaseType` attribute, which specifies a [qualified name](#). When the `BaseType` attribute is used, all definitions of the referenced `BaseType` are available to the entity type or complex type being defined.

All [resources](#) and [resource collections](#) are defined with the entity type element. Resources inherit from `Resource.v1_0_0.Resource`, and resource collections inherit from `Resource.v1_0_0.ResourceCollection`.

Most [structured properties](#) are defined with the complex type element. Some use the entity type element that inherits from `Resource.v1_0_0.ReferenceableMember`. The entity type element enables references to be made by using the [Navigation Property element](#), whereas the complex type element does not allow for this usage.

Example entity type and complex type element:

```
<EntityType Name="TypeA" BaseType="Resource.v1_0_0.Resource">  
  <Annotation Term="OData.Description" String="The TypeA entity type description."/>  
  <Annotation Term="OData.LongDescription" String="The TypeA entity type normative description."/>  
  <!-- Property and navigation property definitions go here -->  
</EntityType>  
<ComplexType Name="PropertyTypeA">
```

```

<Annotation Term="OData.Description" String="The TypeA structured property description."/>
<Annotation Term="OData.LongDescription" String="The TypeA structured property normative description."/>
<!-- Property and navigation property definitions go here -->
</ComplexType>

```

### 13.1.5.3 Action element

Use the `Action` tag to define the action element. This element defines an `action` that can be performed on a `resource`.

All action elements contain a `Name` attribute, which specifies the name of the action. The action shall be represented in payloads as the `qualified name` of the action, preceded by `#`.

In Redfish, all action elements contain the `IsBound` attribute that is always set to `true`, which indicates that the action appears as a member of a structured type.

The action element contains one or more `Parameter` tags that specify the `Name` and `Type` of each parameter.

Because all action elements in Redfish use the `IsBound="true"` term, the first parameter is called the *binding parameter* and specifies the `structured type` to which the action belongs. In Redfish, this parameter is always one of the following `complex type elements`:

- For standard actions, the `Actions` complex type for the resource.
- For OEM actions, the `OemActions` complex type for the resource.

The remaining `Parameter` elements describe additional parameters to be passed to the action. Parameters containing the term `Nullable="false"` are required to be provided in the action request.

```

<Schema xmlns="http://docs.oasis-open.org/odata/ns/edm" Namespace="MyType">
  <Action Name="MyAction" IsBound="true">
    <Parameter Name="Thing" Type="MyType.Actions"/>
    <Parameter Name="Parameter1" Type="Edm.Boolean"/>
    <Parameter Name="Parameter2" Type="Edm.String" Nullable="false"/>
  </Action>

  <ComplexType Name="Actions">
    ..
  </ComplexType>

  ...

</Schema>

```

## ISO/IEC 30115-1:2022(E)

Some action parameters may specify a type that is defined by an entity type element. In these cases, the parameter in the request is a [reference object](#) to a resource within the service.

### 13.1.5.4 Action element for OEM actions

OEM-specific actions shall be defined by using the action element with the binding parameter set to the `OemActions` complex type for the resource. For example, the following definition defines the OEM `#Contoso.Ping` action for a `ComputerSystem`.

```
<Schema xmlns="http://docs.oasis-open.org/odata/ns/edm" Namespace="Contoso">
  <Action Name="Ping" IsBound="true">
    <Parameter Name="ComputerSystem" Type="ComputerSystem.v1_0_0.OemActions"/>
  </Action>
</Schema>
```

### 13.1.5.5 Action with a response body

A response body for an action shall be defined using the `ReturnType` tag within an Action element. For example, the following definition defines the `GenerateCSR` action with a response that contains the definition specified by `GenerateCSRResponse`.

```
<Action Name="GenerateCSR" IsBound="true">
  <Parameter Name="CertificateService" Type="CertificateService.v1_0_0.Actions"/>
  ...
  <ReturnType Type="CertificateService.v1_0_0.GenerateCSRResponse" Nullable="false"/>
</Action>

<ComplexType Name="GenerateCSRResponse">
  <Annotation Term="OData.AdditionalProperties" Bool="false"/>
  <Annotation Term="OData.Description" String="The response body for the GenerateCSR action."/>
  <NavigationProperty Name="CertificateCollection"
    Type="CertificateCollection.CertificateCollection" Nullable="false">
    <Annotation Term="OData.Permissions" EnumMember="OData.Permission/Read"/>
    <Annotation Term="OData.Description"
      String="The link to the certificate resource collection where the certificate is installed."/>
    <Annotation Term="Redfish.Required"/>
  </NavigationProperty>
  <Property Name="CSRString" Type="Edm.String" Nullable="false">
    <Annotation Term="OData.Permissions" EnumMember="OData.Permission/Read"/>
    <Annotation Term="OData.Description" String="The string for the certificate signing request."/>
    <Annotation Term="Redfish.Required"/>
  </Property>
</ComplexType>
```

Using the above example, the following payload is an example response for the `GenerateCSR` action.

```

{
  "CSRString": "-----BEGIN CERTIFICATE REQUEST-----...-----END CERTIFICATE REQUEST-----",
  "CertificateCollection": {
    "@odata.id": "/redfish/v1/Managers/BMC/NetworkProtocol/HTTPS/Certificates"
  }
}

```

### 13.1.5.6 Property element

Properties of resources, resource collections, and structured properties are defined using the property element. The `Property` tag defines a property element inside `entity type` and `complex type` elements.

All property elements contain a `Name` attribute, which specifies the name of the property.

All property elements contain a `Type` attribute specifies the data type. The `Type` attribute shall be one of the following names or types:

- A `qualified name` that references an `enum type element`.
- A `qualified name` that references a `complex type element`.
- A primitive data type.
- An array of the previous names or types by using the `Collection` term.

Table 27 describes the primitive data types:

Type	Meaning
Edm.Boolean	True or False.
Edm.DateTimeOffset	Date-time string.
Edm.Decimal	Numeric values with fixed precision and scale.
Edm.Double	IEEE 754 binary64 floating-point number (15-17 decimal digits).
Edm.Duration	Duration string.
Edm.Guid	GUID/UUID string.
Edm.Int64	Signed 64-bit integer.
Edm.String	UTF-8 string.

: Table 27 — Primitive data types

## ISO/IEC 30115-1:2022(E)

Property elements may specify a `Nullable` attribute. If the attribute is `false`, the property value cannot be `null`. If the attribute is `true` or absent, the property value can be `null`.

Example property element:

```
<Property Name="Property1" Type="Edm.String" Nullable="false">
  <Annotation Term="OData.Description" String="The Property1 property description."/>
  <Annotation Term="OData.LongDescription" String="The Property1 property normative description."/>
  <Annotation Term="OData.Permissions" EnumMember="OData.Permission/Read"/>
  <Annotation Term="Redfish.Required"/>
  <Annotation Term="Measures.Unit" String="Watts"/>
</Property>
```

### 13.1.5.7 Navigation property element

Reference properties of resources, resource collections, and structured properties are defined using the navigation property element. The `NavigationProperty` tag defines a navigation property element inside [entity type and complex type elements](#).

All navigation property elements contain a `Name` attribute, which specifies the name of the property.

All navigation property elements contain a `Type` attribute specifies the data type. The `Type` attribute is a [qualified name](#) that references an [entity type element](#). This can also be made into an array using the `Collection` term.

Navigation property elements may specify a `Nullable` attribute. If the attribute is `false`, the property value cannot be `null`. If the attribute is `true` or absent, the property value can be `null`.

Unless the reference property is to be [expanded](#), all navigation properties in Redfish use the `OData.AutoExpandReferences` annotation element to show that the reference is always available.

Example navigation property element:

```
<NavigationProperty Name="RelatedType" Type="MyTypes.TypeB">
  <Annotation Term="OData.Description" String="The RelatedType navigation property description."/>
  <Annotation Term="OData.LongDescription"
    String="The RelatedType navigation property normative description."/>
  <Annotation Term="OData.AutoExpandReferences"/>
</NavigationProperty>
```

### 13.1.5.8 Enum type element

Use the `EnumType` tag to define the enum type element. This element defines a set of enumeration values, which may be applied to one or more properties.

All enum type elements contain a `Name` attribute, which specifies the name of the set of enumeration values.

Enum type elements contain `Member` tags that define the members of the enumeration. The `Member` tags contain a `Name` attribute that specifies the string value of the member name.

```
<EnumType Name="EnumTypeA">
  <Annotation Term="OData.Description" String="The EnumTypeA enum type description."/>
  <Annotation Term="OData.LongDescription" String="The EnumTypeA enum type normative description."/>
  <Member Name="MemberA">
    <Annotation Term="OData.Description" String="The description of MemberA"/>
  </Member>
  <Member Name="MemberB">
    <Annotation Term="OData.Description" String="The description of MemberB"/>
  </Member>
</EnumType>
```

### 13.1.5.9 Annotation element

Annotations in CSDL are expressed using the `Annotation` element. The `Annotation` element can be applied to any schema element in CSDL.

The following examples show how each [Redfish schema annotation](#) is expressed in CSDL.

- The [OData Core Schema](#) defines terms with the `OData` prefix.
- The [OData Measures Schema](#) defines terms with the `Measures` prefix.
- The [RedfishExtensions Schema](#) defines terms with the `Redfish` prefix.

Example [description annotation](#):

```
<Annotation Term="OData.Description" String="This property contains the user name for the account."/>
```

Example [long description annotation](#):

```
<Annotation Term="OData.LongDescription" String="This property shall contain the user name for the account."/>
```

Example [additional properties annotation](#):

```
<Annotation Term="OData.AdditionalProperties"/>
```

## ISO/IEC 30115-1:2022(E)

Example [permissions annotation](#) (read-only):

```
<Annotation Term="OData.Permissions" EnumMember="OData.Permission/Read"/>
```

Example [permissions annotation](#) (read/write):

```
<Annotation Term="OData.Permissions" EnumMember="OData.Permission/ReadWrite"/>
```

Example [required annotation](#):

```
<Annotation Term="Redfish.Required"/>
```

Example [required on create annotation](#):

```
<Annotation Term="Redfish.RequiredOnCreate"/>
```

Example [units of measure annotation](#):

```
<Annotation Term="Measures.Unit" String="MiBy"/>
```

Example [expanded resource annotation](#):

```
<Annotation Term="OData.AutoExpand"/>
```

Example [insert capabilities annotation](#) (showing `POST` is not allowed):

```
<Annotation Term="Capabilities.InsertRestrictions">  
  <Record>  
    <PropertyValue Property="Insertable" Bool="false"/>  
  </Record>  
</Annotation>
```

Example [update capabilities annotation](#) (showing `PATCH` and `PUT` are allowed):

```

<Annotation Term="Capabilities.UpdateRestrictions">
  <Record>
    <PropertyValue Property="Updatable" Bool="true"/>
    <Annotation Term="OData.Description"
      String="Manager accounts can be updated to change the password and other writable properties."/>
  </Record>
</Annotation>

```

Example delete capabilities annotation (showing DELETE is allowed):

```

<Annotation Term="Capabilities.DeleteRestrictions">
  <Record>
    <PropertyValue Property="Deletable" Bool="true"/>
    <Annotation Term="OData.Description"
      String="Manager accounts are removed with a Delete operation."/>
  </Record>
</Annotation>

```

Example resource URI patterns annotation:

```

<Annotation Term="Redfish.Uris">
  <Collection>
    <String>/redfish/v1/AccountService/Accounts/{ManagerAccountId}</String>
  </Collection>
</Annotation>

```

Example owning entity annotation:

```

<Annotation Term="Redfish.OwningEntity" String="DMTF"/>

```

Example deprecated annotation:

```

<Annotation Term="Redfish.Revisions">
  <Collection>
    <Record>
      <PropertyValue Property="Kind" EnumMember="Redfish.RevisionKind/Deprecated"/>
      <PropertyValue Property="Version" String="v1_3_0"/>
      <PropertyValue Property="Description"
        String="This property has been deprecated in favor of ModuleManufacturerID."/>
    </Record>
  </Collection>
</Annotation>

```

```
</Collection>
</Annotation>
```

## 13.2 JSON Schema

### 13.2.1 JSON Schema overview

The [JSON Schema Specification](#) defines a JSON format for describing JSON payloads. The following clause describes how Redfish uses JSON Schema to describe resources and resource collections.

### 13.2.2 File naming conventions for JSON Schema

Each Redfish JSON Schema file represents a single resource type.

Versioned Redfish JSON Schema files shall use the [resource type](#) to name the file, in this format:

```
<ResourceType>.v<MajorVersion>_<MinorVersion>_<Errata>.json
```

For example, version 1.3.0 of the Chassis schema is `Chassis.v1_3_0.json`.

Unversioned Redfish JSON Schema files shall use the [resource type](#) to name the file, in this format:

```
<ResourceType>.json
```

For example, the unversioned definition of the Chassis schema is `Chassis.json`.

### 13.2.3 Core JSON Schema files

[Table 28](#) describes the core JSON Schema files:

File	Description
<code>odata-v4.json</code>	Definitions for common OData properties.
<code>redfish-error.v1_0_0.json</code> and its subsequent versions	Payload definition of the <a href="#">Redfish error response</a> .
<code>redfish-schema-v1.json</code>	Extensions to the JSON Schema that define Redfish JSON Schema files.
<code>Resource.json</code> and its subsequent versions	All base definitions for resources, resource collections, and common properties, such as <code>Status</code> .

: Table 28 — Core JSON Schema files

### 13.2.4 JSON Schema format

Each JSON Schema file contains a JSON object to describe [resources](#), [resource collections](#), and other definitions for the data model.

Table 29 describes the JSON object, which contains the following terms:

Term	Description
<code>\$id</code>	Reference to the URI where the schema file is published.
<code>\$ref</code>	For a schema file that describes a resource or resource collection, the reference to the structural definition of the resource or resource collection.
<code>\$schema</code>	URI to the Redfish schema extensions for JSON Schema. The value should be <code>http://redfish.dmtf.org/schemas/v1/redfish-schema-v1.json</code> .
<code>copyright</code>	Copyright statement for the organization producing the JSON Schema.
<code>definitions</code>	Structures, enumerations, and other definitions defined by the schema.
<code>title</code>	For a schema file that describes a resource or resource collection, the matching <a href="#">type identifier</a> for the resource or resource collection.

: Table 29 — JSON Schema format

### 13.2.5 JSON Schema definitions body

This clause describes the types of definitions found in the `definitions` term of a Redfish JSON Schema file.

#### 13.2.5.1 Resource definitions in JSON Schema

To satisfy [versioning](#) requirements, the JSON Schema representation of each [resource](#) has one unversioned schema file, and a set of versioned schema files.

The unversioned definition of a resource contains an `anyOf` statement. This statement consists of an array of `$ref` terms, which point to the following definitions:

- The JSON Schema definition for a [reference property](#).
- The versioned definitions of the resource.

The unversioned definition of a resource also uses the `uris` term to express the [allowable URIs for the resource](#), and the `deletable`, `insertable`, and `updatable` terms to express the [capabilities of the resource](#).

## ISO/IEC 30115-1:2022(E)

The following example shows an unversioned resource definition in JSON Schema:

```
{
  "ComputerSystem": {
    "anyOf": [{
      "$ref": "http://redfish.dmtf.org/schemas/v1/odata.v4_0_3.json#/definitions/idRef"
    }, {
      "$ref": "http://redfish.dmtf.org/schemas/v1/ComputerSystem.v1_0_0.json#/definitions/ComputerSystem"
    }, {
      "$ref": "http://redfish.dmtf.org/schemas/v1/ComputerSystem.v1_0_1.json#/definitions/ComputerSystem"
    }, {
      "$ref": "http://redfish.dmtf.org/schemas/v1/ComputerSystem.v1_6_0.json#/definitions/ComputerSystem"
    }
  ],
  "deletable": true,
  "description": "The ComputerSystem schema represents a general purpose machine or system.",
  "insertable": false,
  "longDescription": "This resource shall represent resources that represent a computing system.",
  "updatable": true,
  "uris": ["/redfish/v1/Systems/{ComputerSystemId}"]
},
...
}
```

The versioned definition of a resource contains the property definitions for the given version of the resource.

### 13.2.5.2 Enumerations in JSON Schema

Table 30 describes the terms that constitute definitions for enumerations:

Term	Description
enum	String array that contains the possible enumeration values.
enumDescriptions	Object that contains the <a href="#">descriptions</a> for each of the enumerations as name-value pairs.
enumLongDescriptions	Object that contains the <a href="#">long descriptions</a> for each of the enumerations as name-value pairs.
enumDeprecated	Object that contains the <a href="#">deprecation guidance</a> for each of the enumerations as name-value pairs.
enumVersionDeprecated	Object that contains the <a href="#">deprecation version information</a> for each of the enumerations as name-value pairs.
type	Because all enumerations in Redfish are strings, the <code>type</code> term always has the <code>string</code> value.

: Table 30 — JSON Schema enumerations

The following example shows an enumeration definition in JSON Schema:

```

{
  "IndicatorLED": {
    "enum": ["Lit", "Blinking", "Off"],
    "enumDescriptions": {
      "Blinking": "The Indicator LED is blinking.",
      "Lit": "The Indicator LED is lit.",
      "Off": "The Indicator LED is off."
    },
    "enumLongDescriptions": {
      "Blinking": "This value shall represent the Indicator LED is in a blinking state where the LED is being turned on and",
      "Lit": "This value shall represent the Indicator LED is in a solid on state.",
      "Off": "This value shall represent the Indicator LED is in a solid off state."
    },
    "type": "string"
  },
  ...
}

```

### 13.2.5.3 Actions in JSON Schema

Versioned definitions of [resources](#) contain a definition called `Actions`. This definition is a container with a set of terms that point to the different [actions](#) supported by the resource. The names of standard actions shall be in the form:

```
#<ResourceType>.<ActionName>
```

Example `Actions` definition:

```

{
  "Actions": {
    "additionalProperties": false,
    "description": "The available actions for this resource.",
    "longDescription": "This type shall contain the available actions for this resource.",
    "properties": {
      "#ComputerSystem.Reset": {
        "$ref": "#/definitions/Reset"
      }
    },
    "type": "object"
  }
}

```

Another definition within the same schema file describes the action itself. This definition contains a term called

## ISO/IEC 30115-1:2022(E)

`parameters` to describe the client request body. It also contains property definitions for the `target` and `title` properties shown in response payloads for the resource.

The following example shows a definition of an action:

```
{
  "Reset": {
    "additionalProperties": false,
    "description": "This action resets the system.",
    "longDescription": "This action shall perform a reset of the ComputerSystem.",
    "parameters": {
      "ResetType": {
        "$ref": "http://redfish.dmtf.org/schemas/v1/Resource.json#/definitions/ResetType",
        "description": "The type of reset to be performed.",
        "longDescription": "This parameter shall define the type of reset to be performed."
      }
    },
    "properties": {
      "target": {
        "description": "Link to invoke action",
        "format": "uri",
        "type": "string"
      },
      "title": {
        "description": "Friendly action name",
        "type": "string"
      }
    }
  },
  "type": "object"
},
...
}
```

Some action parameters may specify a type that is a resource definition. In these cases, the parameter in the request is a [reference object](#) to a resource within the service.

### 13.2.5.4 OEM actions in JSON Schema

OEM-specific actions shall be defined by using an action definition in an appropriately named JSON Schema file. For example, the following definition defines the OEM `#ContosoNetworkDevice.Ping` action, assuming it's found in the versioned `ContosoNetworkDevice` JSON Schema file, such as `ContosoNetworkDevice.v1_0_0.json`.

```
{
  "Ping": {
    "additionalProperties": false,
    "parameters": {},
  }
}
```

```

    "properties": {
      "target": {
        "description": "Link to invoke action",
        "format": "uri",
        "type": "string"
      },
      "title": {
        "description": "Friendly action name",
        "type": "string"
      }
    },
    "type": "object"
  },
  ...
}

```

### 13.2.5.5 Action with a response body

A response body for an action shall be defined using the `actionResponse` term within the action definition. For example, the following definition defines the `GenerateCSR` action with a response that contains the definition specified by `#/definitions/GenerateCSRResponse`.

```

{
  "GenerateCSR": {
    "actionResponse": {
      "$ref": "#/definitions/GenerateCSRResponse"
    },
    "parameters": {}
  },
  "GenerateCSRResponse": {
    "additionalProperties": false,
    "description": "The response body for the GenerateCSR action.",
    "properties": {
      "CSRString": {
        "description": "The string for the certificate signing request.",
        "readOnly": true,
        "type": "string"
      },
      "CertificateCollection": {
        "$ref": "http://redfish.dmtf.org/schemas/v1/CertificateCollection.json#/definitions/CertificateCollection",
        "description": "The link to the certificate resource collection where the certificate is installed.",
        "readOnly": true
      }
    },
    "required": ["CertificateCollection", "CSRString"],
    "type": "object"
  }
}

```

```
}

```

In the previous example, the following payload is an example response for the `GenerateCSR` action.

```
{
  "CSRString": "-----BEGIN CERTIFICATE REQUEST-----...-----END CERTIFICATE REQUEST-----",
  "CertificateCollection": {
    "@odata.id": "/redfish/v1/Managers/BMC/NetworkProtocol/HTTPS/Certificates"
  }
}
```

### 13.2.6 JSON Schema terms

Table 31 describes the JSON Schema terms that Redfish uses to provide [schema annotations](#) for Redfish JSON Schema:

JSON Schema term	Related Redfish schema annotation
description enumDescriptions	Description
longDescription enumLongDescriptions	Long description
additionalProperties	Additional properties
readonly	Permissions
required	Required
requiredOnCreate	Required on create
units	Units of measure
autoExpand	Expanded resource
deletable insertable updatable	Resource capabilities
uris	Resource URI patterns
owningEntity	Owning entity

JSON Schema term	Related Redfish schema annotation
deprecated versionDeprecated	Deprecated

: Table 31 — JSON Schema terms

## 13.3 OpenAPI

### 13.3.1 OpenAPI overview

The [OpenAPI Specification](#) defines a format for describing JSON payloads and the set of URIs a client can access on a service. The following clause describes how Redfish uses OpenAPI to describe resources and resource collections.

### 13.3.2 File naming conventions for OpenAPI schema

Each Redfish OpenAPI file represents a single resource type.

Versioned Redfish OpenAPI files shall be named using the [resource type](#) name for the schema, following the format:

```
<ResourceType>.<MajorVersion>_<MinorVersion>_<Errata>.yaml
```

For example, version 1.3.0 of the Chassis schema is `Chassis.v1_3_0.yaml`.

Unversioned Redfish OpenAPI files shall use the [resource type](#) name to name the file, in this format:

```
<ResourceType>.yaml
```

For example, the unversioned definition of the Chassis schema is `Chassis.yaml`.

### 13.3.3 Core OpenAPI schema files

[Table 32](#) describes the core OpenAPI schema files:

File	Description
<code>odata-v4.yaml</code>	Definitions for common OData properties.
<code>openapi.yaml</code>	URI paths and their respective payload structures.
<code>Resource.yaml</code> and its subsequent versions	All base definitions for resources, resource collections, and common properties, such as <code>Status</code> .

: Table 32 — Core OpenAPI schema files

### 13.3.4 openapi.yaml

The `openapi.yaml` file is the starting point for clients to understand the construct of the service.

Table 33 describes the terms that the `openapi.yaml` file contains:

Term	Description
components	Global definitions. For Redfish, contains the format of the <a href="#">Redfish error response</a> .
info	Structure consisting of information about what the <code>openapi.yaml</code> is describing, such as the author of the file and any contact information.
openapi	Version of OpenAPI the document follows.
paths	URIs supported by the document, with possible methods, response bodies, and request bodies.

: Table 33 — openapi.yaml terms

The service shall return the `openapi.yaml` file, if present in the Redfish service, as a YAML document by using either the `application/yaml` or `application/vnd.oai.openapi` MIME types. The service may append `;charset=utf-8` to the MIME type. Note that while the `application/yaml` type is in common use today, the `application/vnd.oai.openapi` type was recently defined and approved specifically to support OpenAPI. Implementations should use caution when selecting the MIME type as this specification may change in the future to reflect adoption of the OpenAPI-defined MIME type.

The `paths` term contains an array of the [possible URIs](#). For each URI, it also lists the [possible methods](#). For each method, it lists the possible response bodies and request bodies.

Example `paths` entry for a resource:

```

/redfish/v1/Systems/{ComputerSystemId}:
  get:
    parameters:
      - description: The value of the Id property of the ComputerSystem resource
        in: path
        name: ComputerSystemId
        required: true
        schema:
          type: string
    responses:
      '200':
        content:
          application/json:

```

```

    schema:
      $ref: http://redfish.dmtf.org/schemas/v1/ComputerSystem.v1_6_0.yaml#/components/schemas/ComputerSystem
  description: The response contains a representation of the ComputerSystem
  resource
  default:
  content:
    application/json:
      schema:
        $ref: '#/components/schemas/RedfishError'
      description: Error condition

```

Example `paths` entry for an action:

```

/redfish/v1/Systems/{ComputerSystemId}/Actions/ComputerSystem.Reset:
  post:
    parameters:
      - description: The value of the Id property of the ComputerSystem resource
        in: path
        name: ComputerSystemId
        required: true
        type: string
    requestBody:
      content:
        application/json:
          schema:
            $ref: http://redfish.dmtf.org/schemas/v1/ComputerSystem.v1_6_0.yaml#/components/schemas/ResetRequestBody
          required: true
    responses:
      '200':
        content:
          application/json:
            schema:
              $ref: '#/components/schemas/RedfishError'
            description: The response contains the results of the Reset action
      '202':
        content:
          application/json:
            schema:
              $ref: http://redfish.dmtf.org/schemas/v1/Task.v1_4_0.yaml#/components/schemas/Task
            description: Accepted; a task has been generated
      '204':
        description: Success, but no response data
    default:
      content:
        application/json:
          schema:
            $ref: '#/components/schemas/RedfishError'
          description: Error condition

```

### 13.3.5 OpenAPI file format

With the exception of `openapi.yaml`, each OpenAPI file contains a YAML object to describe [resources](#), [resource collections](#), or other definitions for the data model. [Table 34](#) describes the terms that the YAML object contains:

Term	Description
<code>components</code>	Structures, enumerations, and other definitions defined by the schema.
<code>x-copyright</code>	Copyright statement for the organization producing the OpenAPI file.
<code>title</code>	For a schema file that describes a resource or resource collection, the matching <a href="#">type identifier</a> for the resource or resource collection.

: Table 34 — YAML object terms

### 13.3.6 OpenAPI components body

This clause describes the types of definitions that can be found in the `components` term of a Redfish OpenAPI file.

#### 13.3.6.1 Resource definitions in OpenAPI

To satisfy [versioning](#) requirements, the OpenAPI representation of each [resource](#) has one unversioned schema file, and a set of versioned schema files.

The unversioned definition of a resource contains an `anyOf` statement. This statement consists of an array of `$ref` terms, which point to the following definitions:

- The OpenAPI definition for a [reference property](#).
- The versioned definitions of the resource.

Example unversioned resource definition in OpenAPI:

```
ComputerSystem:
  anyOf:
    - $ref: http://redfish.dmtf.org/schemas/v1/odata.v4_0_3.yaml#/components/schemas/idRef
    - $ref: http://redfish.dmtf.org/schemas/v1/ComputerSystem.v1_0_0.yaml#/components/schemas/ComputerSystem
    - $ref: http://redfish.dmtf.org/schemas/v1/ComputerSystem.v1_0_1.yaml#/components/schemas/ComputerSystem
    - $ref: http://redfish.dmtf.org/schemas/v1/ComputerSystem.v1_6_0.yaml#/components/schemas/ComputerSystem
  description: The ComputerSystem schema represents a general purpose machine
    or system.
  x-longDescription: This resource shall be used to represent resources that represent
```

a computing system.

The versioned definition of a resource contains the property definitions for the given version of the resource.

### 13.3.6.2 Enumerations in OpenAPI

Table 35 describes the terms in OpenAPI enumerations:

Term	Description
enum	String array that contains the possible enumeration values.
type	Because all enumerations in Redfish are strings, the <code>type</code> term always has the value <code>string</code> .
x-enumDescriptions	Object that contains the <a href="#">descriptions</a> for each of the enumerations as name-value pairs.
x-enumLongDescriptions	Object that contains the <a href="#">long descriptions</a> for each enumeration as a name-value pair.
x-enumDeprecated	Object that contains the <a href="#">deprecation guidance</a> for each of the enumerations as name-value pairs.
x-enumVersionDeprecated	Object that contains the <a href="#">deprecation version information</a> for each of the enumerations as name-value pairs.

: Table 35 — OpenAPI enumerations

Example enumeration definition in OpenAPI:

```
IndicatorLED:
  enum:
    - Lit
    - Blinking
    - 'Off'
  type: string
  x-enumDescriptions:
    Blinking: The Indicator LED is blinking.
    Lit: The Indicator LED is lit.
    'Off': The Indicator LED is off.
  x-enumLongDescriptions:
    Blinking: This value shall represent the Indicator LED is in a blinking state
      where the LED is being turned on and off in repetition.
    Lit: This value shall represent the Indicator LED is in a solid on state.
    'Off': This value shall represent the Indicator LED is in a solid off state.
```

### 13.3.6.3 Actions in OpenAPI

Versioned definitions of [resources](#) contain a definition called `Actions`. This definition is a container with a set of

## ISO/IEC 30115-1:2022(E)

terms that point to the different [actions](#) supported by the resource. The names of standard actions shall be in the form:

```
#<ResourceType>.<ActionName>
```

Example `Actions` definition:

```
Actions:
  additionalProperties: false
  description: The available actions for this resource.
  properties:
    '#ComputerSystem.Reset':
      $ref: '#/components/schemas/Reset'
  type: object
  x-longDescription: This type shall contain the available actions for this resource.
```

Another definition within the same schema file describes the action itself. This definition contains property definitions for the `target` and `title` properties shown in response payloads for the resource.

The following example shows a definition of an action:

```
Reset:
  additionalProperties: false
  description: This action resets the system.
  properties:
    target:
      description: Link to invoke action
      format: uri
      type: string
    title:
      description: Friendly action name
      type: string
  type: object
  x-longDescription: This action shall reset the ComputerSystem.
```

The parameters for the action are shown in another definition with `RequestBody` appended to the name of the action. This gets mapped from the `openapi.yaml` file for expressing the `POST` method for the URI of the action.

The following example shows a definition of parameters of an action:

```
ResetRequestBody:
  additionalProperties: false
  description: This action resets the system.
  properties:
```

```

ResetType:
  $ref: http://redfish.dmtf.org/schemas/v1/Resource.yaml#/components/schemas/ResetType
  description: The reset type.
  x-longDescription: This parameter shall define the type of reset to perform.
type: object
x-longDescription: This action shall reset the ComputerSystem.
    
```

### 13.3.6.4 OEM actions in OpenAPI

OEM-specific actions shall be defined by using an action definition in an appropriately named OpenAPI file. For example, the following definition defines the OEM `#ContosoNetworkDevice.Ping` action, assuming it's found in the versioned ContosoNetworkDevice OpenAPI file with a name, such as `ContosoNetworkDevice.v1_0_0.yaml`.

```

Ping:
  additionalProperties: false
  properties:
    target:
      description: Link to invoke action
      format: uri
      type: string
    title:
      description: Friendly action name
      type: string
  type: object
PingRequestBody:
  additionalProperties: false
  properties: {}
  type: object
    
```

### 13.3.7 OpenAPI terms used by Redfish

Table 36 describes the OpenAPI terms that Redfish uses to provide [schema annotations](#) for Redfish OpenAPI files:

OpenAPI term	Related Redfish schema annotation
description x-enumDescriptions	Description
x-longDescription x-enumLongDescriptions	Long description
additionalProperties	Additional properties
readOnly	Permissions

OpenAPI term	Related Redfish schema annotation
required	Required
x-requiredOnCreate	Required on create
x-units	Units of measure
x-autoExpand	Expanded resource
x-owningEntity	Owning entity
deprecated x-deprecatedReason x-versionDeprecated	Deprecated

: Table 36 — OpenAPI terms used by Redfish

### 13.4 Schema modification rules

Schema referenced from the implementation may vary from the canonical definitions of those schema defined by the Redfish schema or other entities, provided they adhere to the following rules. Clients should take this into consideration when attempting operations on the resources defined by schema.

- Modified schema may constrain a [read/write property to be read only](#).
- Modified schema may constrain a property by adding length annotations to properties that do not have those annotations.
- Modified schema may constrain a property by adding a pattern annotation to properties that do not have that annotation.
- Modified schema may constrain the [capabilities of a resource or resource collection](#) to remove support for HTTP operations.
  - Modified schema may change the update capabilities to indicate a client can perform a `PATCH` or `PUT` request on the resource to support writable OEM properties.
- Modified schema may remove [properties](#) that are not [required](#).
- Modified schema may remove [actions](#).
- Modified schema may remove action parameters that are not required.
- Modified schema may change [description annotations](#).
- Modified schema may change any external references to point to Redfish schema that adheres to the modification rules.
- Modified schema may change the [owning entity annotation](#) to specify who made the modifications.
- Modified schema may remove URIs from the [resource URI patterns annotation](#).
- Modified schema may add URIs to the [resource URI patterns annotation](#) to define OEM URIs for standard resources and shall follow the OEM URI rules specified by the [OEM URIs](#) clause.

- Other modifications to the schema shall not be allowed.

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 30115-1:2022

## 14 Service details

---

### 14.1 Eventing

---

#### 14.1.1 Eventing overview

This clause describes how to use the REST-based mechanism to subscribe to and receive event messages.

**Note:** For security implications of eventing, see the [Security details](#) clause.

The Redfish service requires a client or administrator to create [subscriptions](#) to receive events.

To create a subscription, use one of these methods:

- Directly HTTP `POST` to the [subscription collection](#).
- Indirectly [open a server-sent events \(SSE\) connection](#) for the event service.

#### 14.1.2 POST to subscription collection

To locate the event service, the client traverses the Redfish service interface. The event service is located in the service root, as described in the `ServiceRoot` schema.

After the client discovers the service, they perform an HTTP `POST` on the resource collection URI for `Subscriptions` in the event service to subscribe to events. For the [subscription](#) body syntax, see the Redfish `EventDestination` schema. This request includes:

- The URI where an event-receiver client expects events to be sent. When an event is triggered within the Redfish service, the service sends an event to that URI.
- The type of events to send.

If the subscription request succeeds, the service shall return:

- An HTTP `201 Created` status code.
- The `Location` header that contains a URI of the newly created subscription resource.

If the subscription request succeeds, the service should return:

- A response body containing a representation of the subscription resource that conforms to the `EventDestination` schema.

After a subscription is registered with the service, clients begin receiving events. Clients do not receive events retroactively. The service does not retain historical events.

Services shall:

- Support *push* style eventing for all resources that can send events.
- Respond to a request to create a subscription with an error if the body of the request is conflicting. For instance, if parameters in the request are not supported, the service shall return the HTTP `400 Bad Request` status code.
- Respond to a request to create a subscription with an error if the body of the request contains both `RegistryPrefixes` and `MessageIds`, and shall return the HTTP `400 Bad Request` status code. These properties are considered mutually exclusive.
- Retain subscriptions as persistent across service restarts.

Services shall not:

- *Push* events by using HTTP `POST` unless an event subscription has been created. To terminate the event stream at any time, either the client or the service can delete the subscription.
- Send a *push* event payload larger than 1 Mebibyte (MiB). If more than 1 MiB of data is to be sent, the service shall divide the payload on the nearest `Event` entry such that the total payload transmitted to the client is less than 1 MiB. This restriction shall not apply to metric reports.

Services may:

- Terminate a subscription by sending a `SubscriptionTerminated` message from the Base Message Registry as the last event.
- Terminate a subscription if the number of delivery errors exceeds preconfigured thresholds.

To unsubscribe from the events associated with this subscription, the client or administrator shall perform an HTTP `DELETE` request to the subscription's resource URI.

Subsequent requests to subscription resources that have been terminated respond with the HTTP `404 Not Found` status code.

Some configurable properties define the behavior for all event subscriptions. For details, see the Redfish `EventService` schema.

### 14.1.3 Open an SSE connection

A service may support the `ServerSentEventUri` property in the `EventService` resource. If a client performs a `GET` request on the URI that the `ServerSentEventUri` contains, an SSE connection opens for the client. For details about this method, see the server-sent events [Event service](#) clause.

### 14.1.4 EventType-based eventing

**DEPRECATED:** EventType-based eventing is deprecated in the Redfish schema in favor of using RegistryPrefix and ResourceType.

**DEPRECATED**

Table 37 describes the types of events that Redfish generates:

Event	Occurs when	Description
Life cycle	Resources are created, modified, or destroyed.  Usually indicates that the resource and, optionally, its properties have changed.	Not every modification of a resource results in an event. This behavior is similar to when ETags are changed and implementations might not send an event for every resource change.  For example, if an event is sent for every Ethernet packet that is received or each time that a sensor changes one degree, more events than fit in a scalable interface are generated.
Alert	An event of some significance happens.  Depending on the resource, may be generated directly or indirectly.	Usually adopts a message registry approach similar to extended error handling in that a MessageId is included.  An example of an alert event is, a chassis is opened, a button is pushed, a cable is unplugged, or a threshold exceeded.  These events usually do not correspond well to life cycle-type events. Therefore, alerts have their own category.
Metric report	The telemetry service generates or updates a metric report.	Generated as specified by the MetricReportDefinition resources found subordinate to the telemetry service. Can occur periodically, on demand, or when changes are detected in the metric properties.  For details, see the Redfish MetricReportDefinition schema.

: Table 37 — EventType-based eventing

**END DEPRECATED**

### 14.1.5 Subscribing to events

Table 38 describes the properties that a subscriber provides to subscribe to events and filter received messages:

Property	Description
RegistryPrefixes	<p>An array of standard or OEM message registries.</p> <p>An event is sent to the subscriber if one of the message registries that <code>RegistryPrefixes</code> lists defines the event message.</p> <p>To receive messages from all registries, pass an empty array. The contents of the array does not include the registry version.</p> <p>For example, if the registry is <code>Base.1.5.0</code>, the property value is <code>Base</code>.</p>
ResourceTypes	<p>An array of standard or OEM resource types.</p> <p>An event is sent to the subscriber if the <code>OriginOfCondition</code> resource type matches one of the <code>ResourceTypes</code> values.</p> <p>The contents of the array does not include the schema version. For example, if the resource type is <code>Task.v1_2_0.Task</code>, the property value is <code>Task</code>.</p> <p>To receive messages from any resource, pass an empty array.</p>
OriginResources	<p>An array of URLs to resources.</p> <p>An event is sent to the subscriber if the <code>OriginOfCondition</code> property matches one of the URLs listed in <code>OriginResources</code>.</p> <p>To receive messages from any resource, pass an empty array.</p> <p>To include subordinate resources regardless of depth, set the <code>SubordinateResources</code> property to <code>true</code>.</p>
EventFormatType	<p>The format that can be sent by using the <code>EventFormatTypes</code> property in the event service.</p> <p>Represents the format of the payload sent to the event destination.</p> <p>If the subscriber omits this value, the payload corresponds to the <code>Event</code> schema.</p>

: Table 38 — Subscription properties

### 14.1.6 Event formats

Table 39 describes the event formats:

Event format	Description
Metric report message objects	Used when the telemetry service generates a new or updates an existing metric report. Metric report message objects sent to the specified client endpoint shall contain the properties, as described in the Redfish <code>MetricReport</code> schema.

Event format	Description
Event message objects	<p>Used for all other types of events. Event message objects <code>POST</code> ed to the specified client endpoint shall contain the properties as described in the Redfish <code>Event</code> schema. Supports a message registry. In a message registry approach, a message registry lists the <code>MessageIds</code> in a well-known format. These <code>MessageIds</code> are terse in nature and thus they are much smaller than actual messages, making them suitable for embedded environments.</p> <p>The registry also contains a message. The message itself can have arguments and default values for severity and recommended actions. The <code>MessageId</code> property follows the format defined in the <a href="#">MessageId format clause</a></p> <p>Event messages may also have an <code>EventGroupId</code> property, which lets clients know that different messages may be from the same event. For instance, if a LAN cable is disconnected, they may get a specific message from one registry about the LAN cable being disconnected, another message from a general registry about the resource changing, perhaps a message about resource state change, and maybe more. For the client to determine whether these have the same root cause, these messages have the same value for the <code>EventGroupId</code> property.</p>

: Table 39 — Event formats

### 14.1.7 OEM extensions

OEMs can extend both messages and message registries. Any individual message, per the `MessageRegistry` schema definition, define OEM sections. Thus, if OEMs wish to provide additional information or properties, use the OEM section.

OEMs shall not supply additional message arguments beyond those in a standard message registry. OEMs may substitute their own message registry for the standard registry to provide the OEM section within the registry but shall not change the standard values, such as messages, in such registries.

## 14.2 Asynchronous operations

Services that support asynchronous operations implement the `TaskService` and `Task` resources.

The task service describes the service that handles `task`. It contains a resource collection of zero or more `Task` resources. The `Task` resource describes a long-running operation that is spawned when a request takes longer than a few seconds, such as when a service is instantiated.

The `Task` schema defines task structure, including the start time, end time, task state, task status, and zero or more task-associated messages.

Each task has a number of possible states. The `Task` schema defines the exact states and their semantics.

When a client issues a request for a long-running operation, the service returns the HTTP `202 Accepted` status code

and a `Location` header that contains the URI of the `task monitor` and, optionally, the `Retry-After` header that defines the amount of time that the client should wait before querying the status of the operation.

The task monitor is an opaque service-generated URI that the client who initiates the request can use. To query the status of an operation and determine when the operation has been completed and whether it succeeded, the client performs a `GET` request on the task monitor. The client should not include the `application/http` MIME type in the `Accept` header.

The `202 Accepted` response body should contain an instance of the `Task` resource that describes the state of the task.

As long as the operation is in process, the service shall continue to return the HTTP `202 Accepted` status code when the client queries the task monitor URI.

If a service supports cancellation of a task, the `Allow` header shall contain `DELETE` for the task monitor. To cancel the operation, the client may perform a `DELETE` request on the task monitor URI. The service determines when to delete the associated `Task` resource.

To cancel the operation, the client may also perform a `DELETE` request to the `Task` resource. Deleting the `Task` resource may invalidate the associated task monitor. A subsequent `GET` request on the task monitor URI returns either the HTTP `410 Gone` or `404 Not Found` status code.

In the unlikely event that a `DELETE` of the task monitor or `Task` resource returns the HTTP `202 Accepted` status code, an additional task shall not be started and instead the client may monitor the existing `Task` resource for the status of the cancellation request. When the task finally completes cancellation, operations to the task monitor and `Task` resources shall return the HTTP `404 Not Found` status code.

After the operation has been completed, the service shall update the `TaskState` with the appropriate value. The `Task` schema defines the task completed values.

After the operation has been completed, the task monitor shall return:

- The appropriate HTTP status code, such as but not limited to `200 OK` for most operations or `201 Created` for `POST` to create a resource.
- The headers and response body of the initial operation, as if it had completed synchronously.

If the initial operation fails, the response body shall contain an [error response](#).

If the operation has been completed and the service has already deleted the task, the service may return the HTTP `410 Gone` or `404 Not Found` status code. This situation can occur if the client waits too long to read the task monitor.

To continue to get status information, the client can use the [resource identifier](#) from the `202 Accepted` response to directly query the `Task` resource.

- Services that support asynchronous operations shall implement the `Task` resource.
- The response to an asynchronous operation shall return the HTTP `202 Accepted` status code and set the `Location` response header to the URI of a task monitor associated with the task. The response may also include the `Retry-After` header that defines the amount of time that the client should wait before polling for status. The response body should contain a representation of the `Task` resource.
- `GET` requests to either the task monitor or `Task` resource shall return the current status of the operation without blocking.
- HTTP `GET`, `PUT`, and `PATCH` operations should always be synchronous.
- Clients shall be prepared to handle both synchronous and asynchronous responses for HTTP `GET`, `PUT`, `PATCH`, `POST`, and `DELETE` requests.
- Services shall persist pending tasks produced by client requests containing `@Redfish.OperationApplyTime` across service restarts, until the task begins execution.
- Tasks that are pending execution should include the `@Redfish.OperationApplyTime` property to indicate when the task will start. If the `@Redfish.OperationApplyTime` value is `AtMaintenanceWindowStart` or `InMaintenanceWindowOnReset`, the task should also include the `@Redfish.MaintenanceWindow` property.

### 14.3 Resource tree stability

---

The *resource tree*, which is defined as the set of URIs and array elements within the implementation, should be consistent on a single service across device resets or power cycles, and should withstand a reasonable amount of configuration change, such as adding an adapter to a server.

The resource tree on one service might not be consistent across instances of devices. The client should traverse the data model and discover resources to interact with them.

Some resources might remain very stable from system to system, such as manager network settings. However, the architecture does not guarantee this stability.

- A resource tree should remain stable across service restarts and minor device configuration changes. Thus, the set of URIs and array element indexes should remain constant.
- A client shall not expect the resource tree to be consistent between instances of services.

### 14.4 Discovery

---

#### 14.4.1 Discovery overview

Automatic discovery of managed devices supporting Redfish may be accomplished by using the Simple Service Discovery Protocol (SSDP). This protocol enables network-efficient discovery without resorting to ping-sweeps, router table searches, or restrictive DNS naming schemes. Use of SSDP is optional, and if implemented, shall enable the user to disable the protocol through the `ManagerNetworkProtocol1` resource.

The objective of discovery is for client software to locate managed devices that conform to the *Redfish Specification*. Therefore, the primary SSDP functionality is incorporated in the M-SEARCH query. Redfish also follows the SSDP extensions and naming that UPnP uses, where applicable, so that systems that conform to the *Redfish Specification* can also implement UPnP without conflict.

#### 14.4.2 UPnP compatibility

For compatibility with general-purpose SSDP client software, primarily UPnP, the service should use UDP port 1900 for all SSDP traffic. In addition, the Time-to-Live (TTL) hop count setting for SSDP multicast messages should default to 2.

#### 14.4.3 USN format

The UUID in the USN field of the service shall equal the UUID property in the service root. If multiple or redundant managers exist, the UUID of the service shall remain static regardless of redundancy failover. The unique ID shall be in the canonical UUID format, followed by `::dmtf-org`.

#### 14.4.4 M-SEARCH response

The Redfish service Search Target (ST) is defined as:

```
urn:dmtf-org:service:redfish-rest:1
```

The managed device shall respond to M-SEARCH queries for Search Target (ST) of the Redfish service, as well as `ssdp:all`. For UPnP compatibility, the managed device should respond to M-SEARCH queries for Search Target (ST) of `upnp:rootdevice`.

The URN provided in the `ST` header in the reply shall use the `redfish-rest:` service name followed by the major version of the *Redfish Specification*. If the minor version of the *Redfish Specification* to which the service conforms is a non-zero value, that minor version shall be appended with and preceded by a colon (`:`).

For example, a service that conforms to a *Redfish Specification v1.4* would reply with a `redfish-rest:1:4` service.

The managed device shall provide clients with the `AL` header that points to the Redfish service root URL.

For UPnP compatibility, the managed device should provide clients with the `Location` header that points to the UPnP XML descriptor.

The response to an M-SEARCH multicast or unicast query shall use the following format:

```
HTTP/1.1 200 OK
CACHE-CONTROL:max-age=<seconds, at least 1800>
ST:urn:dmtf-org:service:redfish-rest:1
USN:uuid:<UUID of the service>::urn:dmtf-org:service:redfish-rest:1
AL:<URL of Redfish service root>
EXT:
```

A service may provide additional headers for UPnP compatibility. Fields in brackets are placeholders for device-specific values.

### 14.4.5 Notify, alive, and shutdown messages

Redfish devices may implement the additional UPnP-defined SSDP messages to announce their availability to software. If implemented, services shall allow the end user to disable the traffic separately from the M-SEARCH response functionality. This capability enables users to use the discovery functionality with minimal amounts of generated network traffic.

## 14.5 Server-sent events

### 14.5.1 General

Server-sent events (SSE), defined by the Web Hypertext Application Technology Working Group (WHATWG), enables a client to open a connection with a web service. The web service can continuously push data to the client, as needed.

Successful resource responses for SSE shall:

- Return the HTTP `200 OK` status code.
- Have a `Content-Type` header set as `text/event-stream` or `text/event-stream; charset=utf-8`.

Unsuccessful resource responses for SSE shall:

- Return an HTTP `400` or greater status code.
- Have a `Content-Type` header set as `application/json` or `application/json; charset=utf-8`.
- Contain a JSON object in the response body, as described in [Error responses](#), which details the error or errors.

A service may occasionally send a comment within a stream to keep the connection alive. Services shall separate events with blank lines. Blank lines should be sent as part of the end of an event, otherwise dispatch may be delayed in conforming consumers.

The following clauses describe how Redfish uses SSE in different Redfish data model contexts. For details about SSE, see the [HTML5 Specification](#).

### 14.5.2 Event service

A service's implementation of the `EventService` resource may contain the `ServerSentEventUri` property. If a client performs a `GET` request on the URI specified by the `ServerSentEventUri` property, the service shall keep the connection open and conform to the [HTML5 Specification](#) until the client closes the socket. Service-generated events shall be sent to the client by using the open connection.

When a client opens an SSE stream for the event service, the service shall create an `EventDestination` resource in the `Subscriptions` collection for the event service to represent the connection. The `context` property in the `EventDestination` resource shall be a service-generated opaque string.

The service shall delete the corresponding `EventDestination` resource when the connection is closed. The service shall close the connection if the corresponding `EventDestination` resource is deleted.

The service shall use the `id` field in the SSE stream to uniquely identify a payload in the SSE stream. The value of the `id` field is determined by the service. A service should accept the `Last-Event-ID` header from the client to allow a client to restart the event stream in case the connection is interrupted.

The service shall use the `data` field in the SSE stream based on the payload format. The SSE streams have these formats:

- [Metric report SSE stream](#). Services shall use this format when the telemetry service generates or updates a metric report.
- [Event message SSE stream](#). Services shall use this format for all other types of events.

To reduce the amount of data returned to the client, the service should support the `$filter` query parameter in the URI for the SSE stream.

**Note:** The `$filter` syntax shall follow the format in the [\\$filter query parameter](#) clause.

The service should support these properties as filter criteria:

- `EventFormatType`

The service sends events of the matching `EventFormatType`.

Example:

```
https://sseuri?$filter=EventFormatType eq 'Event'
```

Valid values are the `EventFormatType` enumerated string values that the Redfish `EventService` schema defines.

## ISO/IEC 30115-1:2022(E)

- **EventType**

The service sends events of the matching **EventType** .

Example:

```
https://sseuri?$filter=EventType eq 'StatusChange'
```

Valid values are the **EventType** enumerated string values that the Redfish **Event** schema defines.

- **MessageId**

The service sends events with the matching **MessageId** .

Example:

```
https://sseuri?$filter=MessageId eq 'Contoso.1.0.TempAssert'
```

- **MetricReportDefinition**

The service sends metric reports generated from the **MetricReportDefinition** .

Example:

```
https://sseuri?$filter=MetricReportDefinition eq '/redfish/v1/TelemetryService/MetricReportDefinitions/PowerMetrics'
```

- **OriginResource**

The service sends events for the resource.

Example:

```
https://sseuri?$filter=OriginResource eq '/redfish/v1/Chassis/1/Thermal'
```

- **RegistryPrefix**

The service sends events with messages that are part of the **RegistryPrefix** .

Example:

```
https://sseuri?$filter=(RegistryPrefix eq 'Resource') or (RegistryPrefix eq 'Task')
```

- **ResourceType**

The service sends events for resources that match the `ResourceType`.

Example:

```
https://sseuri?$filter=(ResourceType eq 'Power') or (ResourceType eq 'Thermal')
```

- **SubordinateResources**

When `SubordinateResources` is `true` and `OriginResource` is specified, the service sends events for the resource and its subordinate resources.

Example:

```
https://sseuri?$filter=(OriginResource eq '/redfish/v1/Systems/1') and (SubordinateResources eq true)
```

#### 14.5.2.1 Event message SSE stream

The service shall use the `data` field in the SSE stream to include the JSON representation of the `Event` object.

The following example payload shows a stream that contains a single event with the `id` field set to `1`, and a `data` field that contains a single `Event` object.

```
id: 1
data: {
  data: "@odata.type": "#Event.v1_6_0.Event",
  data: "Id": "1",
  data: "Name": "Event Array",
  data: "Context": "ABCDEFGH",
  data: "Events": [
    data: {
      data: "MemberId": "1",
      data: "EventType": "Alert",
      data: "EventId": "1",
```

```

data:      "Severity": "Warning",
data:      "MessageSeverity": "Warning",
data:      "EventTimestamp": "2017-11-23T17:17:42-0600",
data:      "Message": "The LAN has been disconnected",
data:      "MessageId": "Alert.1.0.LanDisconnect",
data:      "MessageArgs": [
data:          "EthernetInterface 1",
data:          "/redfish/v1/Systems/1"
data:      ],
data:      "OriginOfCondition": {
data:          "@odata.id": "/redfish/v1/Systems/1/EthernetInterfaces/1"
data:      },
data:      "Context": "ABCDEFGH"
data:  }
data: ]
data:}

```

#### 14.5.2.2 Metric report SSE stream

The service shall use the `data` field in the SSE stream to include the JSON representation of the `MetricReport` object.

The following example payload shows a stream that contains a metric report with the `id` field set to `127`, and the `data` field containing the metric report object.

```

id: 127
data:{
data:  "@odata.id": "/redfish/v1/TelemetryService/MetricReports/AvgPlatformPowerUsage",
data:  "@odata.type": "#MetricReport.v1_3_0.MetricReport",
data:  "Id": "AvgPlatformPowerUsage",
data:  "Name": "Average Platform Power Usage metric report",
data:  "MetricReportDefinition": {
data:      "@odata.id": "/redfish/v1/TelemetryService/MetricReportDefinitions/AvgPlatformPowerUsage"
data:  },
data:  "MetricValues": [
data:      {
data:          "MetricId": "AverageConsumedWatts",
data:          "MetricValue": "100",
data:          "Timestamp": "2016-11-08T12:25:00-05:00",
data:          "MetricProperty": "/redfish/v1/Chassis/Tray_1/Power#/0/PowerConsumedWatts"
data:      },
data:      {
data:          "MetricId": "AverageConsumedWatts",
data:          "MetricValue": "94",
data:          "Timestamp": "2016-11-08T13:25:00-05:00",
data:          "MetricProperty": "/redfish/v1/Chassis/Tray_1/Power#/0/PowerConsumedWatts"
data:      },
data:  ],
data:}

```

```

data:      {
data:      "MetricId": "AverageConsumedWatts",
data:      "MetricValue": "100",
data:      "Timestamp": "2016-11-08T14:25:00-05:00",
data:      "MetricProperty": "/redfish/v1/Chassis/Tray_1/Power#/0/PowerConsumedWatts"
data:      }
data:    ]
data:  }

```

## 14.6 Update service

### 14.6.1 Overview

This clause covers the mechanism for software updates by using the update service.

### 14.6.2 Software update types

Clients can use these methods to update software through the update service:

- **Simple updates:** The service *pulls* the update from a client-indicated network location.
- **Multipart HTTP push updates:** The client uses HTTP or HTTPS with a multipart-formatted request body to *push* a software image to the service.

#### 14.6.2.1 Simple updates

A service can support the `SimpleUpdate` action within the `UpdateService` resource. A client can perform a `POST` request on the action target URI to initiate a pull-based update, as defined by the `UpdateService` schema. After a successful `POST`, the service should return the HTTP `202 Accepted` status code with the `Location` header set to the URI of a *task monitor*. Clients can use this *task* to monitor the progress and results of the update, which includes the progress of image transfer to the service.

#### 14.6.2.2 Multipart HTTP push updates

A service may support the `MultipartHttpPushUri` property within the `UpdateService` resource. A client can perform an HTTP or HTTPS `POST` request on the URI specified by this property to initiate a push-based update.

- Access to this URI shall require the same privilege as access to the update service.
- A client `POST` to this URI shall contain the `Content-Type` HTTP header with the value `multipart/form-data`, with the body formatted as defined by this specification. For more information about `multipart/form-data` HTTP requests, see [RFC7578](#).
- The client `POST` request shall contain the binary image as one of the parts in a `multipart/form-data` request

body, as defined by Table 40. In addition, the request shall include parameters for the update in a JSON formatted part in the same multipart/form-data request body, as defined by Table 40. If the request has no parameters, an empty JSON object shall be used.

- A service may require the Content-Length HTTP header for POST requests to this URI. In this case, if a client does not include the required Content-Length header in the POST request, the service shall return the HTTP 411 Length Required status code.
- A service should return the HTTP 412 Precondition Failed status code if the size of the binary image is larger than the maximum image size that the service supports, as advertised in MaxImageSizeBytes property in the UpdateService resource.
- After a successful POST to this URI, the service shall return the HTTP 202 Accepted status code with a Location header set to the URI of a task monitor. Clients can use this task to monitor the progress and results of the update.

Table 40 describes the requirements of a multipart/form-data request body for an HTTP push software update:

Request body part	HTTP headers	Header value and parameters	Required	Description
Update parameters JSON part	Content-Disposition	form-data; name="UpdateParameters"	Yes	JSON-formatted part for passing the update parameters. The value of the name field shall be "UpdateParameters". The format of the JSON shall follow the definition of the UpdateParameters object in the UpdateService schema.
	Content-Type	application/json;charset=utf-8 or application/json	Yes	Media type format and character set of this request part.
Update file binary part	Content-Disposition	form-data; name="UpdateFile"; filename=string	Yes	Binary file to use for this software update. The value of the name field shall be "UpdateFile". The value of the filename field should reflect the name of the file as loaded by the client.
	Content-Type	application/octet-stream	Yes	Media type format of the binary update file.
OEM specific parts	Content-Disposition	form-data; name="OemXXXX"	No	Optional OEM part. The value of the name field shall start with "Oem". Content-Type is optional, and depends on the OEM part type.

: Table 40 — Multipart HTTP push updates

This example shows a multipart/form-data request to push an update image:

```
POST /redfish/v1/UpdateService/upload HTTP/1.1
Host: <host-path>
Content-Type: multipart/form-data; boundary=-----d74496d66958873e
```

```
Content-Length: <computed-length>
Connection: keep-alive
X-Auth-Token: <session-auth-token>

-----d74496d66958873e
Content-Disposition: form-data; name="UpdateParameters"
Content-Type: application/json

{
  "Targets": ["/redfish/v1/Managers/1"],
  "@Redfish.OperationApplyTime": "OnReset",
  "Oem": {}
}

-----d74496d66958873e
Content-Disposition: form-data; name="UpdateFile"; filename="flash.bin"
Content-Type: application/octet-stream

<software image binary>
```

## 15 Security details

---

### 15.1 Transport Layer Security (TLS) protocol

---

#### 15.1.1 Transport Layer Security (TLS) protocol overview

Implementations shall support the Transport Layer Security (TLS) protocol v1.2 with [RFC7525](#) recommendations or later. Implementations may remove support for older versions for TLS in favor of newer versions.

**DEPRECATED:** Previous versions of this specification allowed for TLS v1.1.

Implementations should support:

- The [Storage Networking Industry Association \(SNIA\) TLS Specification for Storage Systems](#).
- The latest version of the TLS v1.x specification.

#### 15.1.2 Cipher suites

Implementations shall only support cipher suites listed as "Recommended" in the **TLS Cipher Suites** table defined by the [IANA TLS Parameters registry](#).

Cipher suites that are listed as mandatory in various RFCs, but are not "Recommended" in the **TLS Cipher Suites** table defined by the [IANA TLS Parameters registry](#), shall not be supported.

Implementations should consider the support of pre-shared key ciphers suites listed as "Recommended" in the **TLS Cipher Suites** table defined by the [IANA TLS Parameters registry](#), which enable authentication and identification without trusted certificates.

---

#### DEPRECATED

Implementations should support AES-256-based ciphers from the TLS suites.

Redfish implementations should consider the support of ciphers, such as the following ciphers, which enable authentication and identification without trusted certificates:

```
TLS_PSK_WITH_AES_256_GCM_SHA384  
TLS_DHE_PSK_WITH_AES_256_GCM_SHA384  
TLS_RSA_PSK_WITH_AES_256_GCM_SHA384
```