
**Smart city concept model — Guidance
for establishing a model for data
interoperability**

*Modèle de concept de ville intelligente — Lignes directrices pour
établir un modèle d'interopérabilité des données*

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 30182:2017



STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 30182:2017



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2017, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of document should be noted. International Standards are drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of Standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

ISO/IEC 30182 was prepared by the British Standards Institution (BSI) (as BSI PAS 182:2014) and was adopted, under a special "fast-track procedure", by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, in parallel with its approval by the national bodies of ISO and IEC.

Contents

0	Introduction	<i>vi</i>
1	Scope	1
2	Terms and definitions	1
3	Using the SCCM	3
4	Concept, relationship and the SCCM	5
5	Mapping a dataset to the SCCM	8
6	Views illustrating how concepts are typically related	11
7	Definition of each concept and relationship in the SCCM	21

Annexes

Annex A (informative)	Examples of use of the SCCM	48
Annex B (informative)	Relationships in the SCCM	51

Bibliography 54

List of figures

Figure 1	– Smart city levels of insight	<i>vii</i>
Figure 2	– Example of a directed graph	6
Figure 3	– Example of a directed graph for a concept	6
Figure 4	– Example of sub-concepts	7
Figure 5	– Example of a group concept	7
Figure 6	– Example of a dataset listing reported faults to lamp posts	8
Figure 7	– Items view	12
Figure 8	– Collections view	13
Figure 9	– Events view	14
Figure 10	– Objectives view	15
Figure 11	– Observing and responding view	16
Figure 12	– Services view	17
Figure 13	– Cases view	19
Figure 14	– Plans view	20
Figure 15	– Resources and decisions view	21
Figure 16	– ABSTRACT relationships	22
Figure 17	– ACCOUNT relationships	23
Figure 18	– AGENT relationships	24
Figure 19	– AGREEMENT relationships	25
Figure 20	– ASSUMPTION relationships	26
Figure 21	– BUILDING relationships	27
Figure 22	– CASE relationships	28
Figure 23	– COLLECTION relationships	29
Figure 24	– COMMUNITY relationships	30
Figure 25	– DECISION relationships	31
Figure 26	– EVENT relationships	32
Figure 27	– FUNCTION relationships	33
Figure 28	– ITEM relationships	34
Figure 29	– METHOD relationships	35
Figure 30	– METRIC relationships	36
Figure 31	– OBJECT relationships	37
Figure 32	– OBJECTIVE relationships	38
Figure 33	– OBSERVATION relationships	39

Figure 34 – ORGANIZATION relationships	40
Figure 35 – PERSON relationships	40
Figure 36 – PLACE relationships	41
Figure 37 – PLAN relationships	42
Figure 38 – RESOURCE relationships	43
Figure 39 – RULE relationships	44
Figure 40 – SERVICE relationships	45
Figure 41 – STATE relationships	46
Figure 42 – TARGET relationships	47
Figure A.1 – UK rail stations data mapped to the SCCM	48
Figure A.2 – Planning application data mapped to the SCCM	49

List of tables

Table 1 – Relevance of BSI PAS 181 guidance notes to this International Standard	4
Table 2 – Other barriers to interoperability	5
Table 3 – Alphabetical list of prime concepts	10
Table 4 – Alphabetical list of group concepts	11
Table A.1 – Mapping the health informatics concept model to the SCCM	50
Table B.1 – List of relationships in the SCCM	51

0-Introduction

0.1 General

A defining feature of smart cities is the ability of the component systems to interoperate. This International Standard defines a concept model, and gives guidance to decision-makers on applying it to promote interoperability for data created, used, and maintained by a city across all sectors, on behalf of, and in collaboration with, its citizens.

Data is a resource that can transform the capability of a city, enabling the development of systems and services, and supporting informed decisions. However, decision-makers and citizens are unlikely to have the necessary expertise and are likely to rely on data specialists to deliver benefits from data to meet the objectives for their city.

Data is often labelled using language and terms from the sector that initially collected it for the provision of a service. For example, the health sector might refer to a patient and a care plan, social services might refer to a client, the education sector might refer to a pupil and a curriculum, and the transport sector might refer to a passenger and a travel plan.

Each sector has its own models and terminologies that enable data to be discovered and understood within that sector, but form a barrier to interoperability with other sectors.

The smart city concept model (SCCM) outlined in this International Standard addresses this lack of interoperability by defining an overarching framework of concepts and relationships that can be used to describe data from any sector. See Annex A for an example where terms from the health informatics concept model have been mapped to the SCCM. Mapping terms from many sectors to the SCCM provides a basis for discovering and sharing data about the same thing, from many sources.

Sharing data across a city requires more than the interoperability covered by the SCCM. For example, ensuring compliance, privacy, security, integrity, availability, and quality of data also needs to be considered by decision-makers. For example, data protection legislation and its provisions for usage of personal data is likely to impact some of the structural relationships between data from different systems that such sharing would introduce.

Although these concerns are beyond the scope of this International Standard, which focuses on the semantics of data, the bibliography provides a list of good practice materials that address these wider considerations. BSI PAS 181 provides guidance on the governance of a smart city programme and the management of data assets within it, and this International Standard is a tool to help with the implementation of this.

It is critical that decision-makers are involved in the development of a data ecosystem to support the development of the city. In the current landscape datasets are typically created by an organization for one particular purpose, and the potential for secondary use is not unlocked.

This International Standard is intended to facilitate discussions between decision-makers from each sector and the specialists who build and design the systems and services that enable the city to function. The components of the SCCM could form the basis of these discussions, by aligning ontologies to discover where data from different sectors is about the same thing or is related in a useful way. Use of the SCCM over time could increase the data literacy of non-specialists, allowing further value in city data to be unlocked, and reused, either in its original form, or as derived insight.

Each city is likely to take its own approach to organizing its data, reflecting the priorities and needs of the city, and the agencies and people participating. A citywide data ecosystem based on the SCCM, combining data from many sources, for the benefit of both the city and the citizen could

support the reuse of data to improve services and gain insight into the quality of life of the city's citizens.

0.2 Relevance

This International Standard aims to look beyond the current use of data to facilitate city services, and encourage decision-makers to explore the reuse of data as a resource to innovate the future direction of systems and services. This approach could help organizations to develop a future landscape based on the interoperability of data, an approach that is relevant not just in cities, but also wherever many organizations provide many services to many communities within a place.

The SCCM assumes that structured, semi-structured and unstructured data is present in a city, and can be modelled using the concepts presented.

Four key types of insight have been assumed to be required when sharing data in a city:


- **Operational insight** – which examines characteristics of things such as buildings, communities and organizations, using data to evidence and improve their value for the city;
- **Critical insight** – the real-time monitoring of incidents and current cases, involving all relevant organizations from across sectors, who work together to achieve the desired outcome or response;
- **Analytical insight** – the exploration of the data ecosystem to determine patterns, correlations and predictions. This allows the development or innovation of systems or services, impact assessment of proposed changes to systems or services, or the evidencing of challenges and opportunities for the city; and
- **Strategic insight** – an overarching approach that examines outcomes related to strategic objectives, decisions and plans.

The SCCM is relevant to both open data, shared under an open licence, and closed data, where the security and privacy of the content is protected. When the same concept model is applied to all, it becomes possible to track where statistics, and analytics have been derived from operational data, and to observe the impact of strategic decisions.

Figure 1 illustrates the four levels of insight identified as present in a city. The diagram is not intended to represent insights as a hierarchy, rather it identifies that these insights will be present and might be stored and used in a variety of ways. The interlocking representation is designed to identify the fluid nature of the data within a city, constantly evolving and usable for all of the insights that might be gained from city data.

Also illustrated are a number of the SCCM concepts and how they are likely to be present to enable the insight to be gained, and subsequent action taken using the data.

Figure 1 – Smart city levels of insight



The SCCM is assumed to be used for a variety of unstructured and semi-structured data streams as well as the structured data which currently powers many cities and organizations. This document contains a variety of useful data such as:

- **METRIC:** The public transport system has to cope with around half a million trips per day within the city.
- **ASSUMPTION:**
 - There could be up to an additional 150,000 people in the city by 2031.
 - It is estimated that the total demand for travel on the public transport system could rise to 4 million trips per day by 2031.
- **OBJECTIVE:**
 - Fewer cars on the road than today, despite significant population growth.
 - A public transport system that enables people to easily and quickly access all areas of the city.
 - Safer roads for pedestrians and cyclists.

Making data available, using the SCCM, enables organizations in a city to collaborate, for instance by sharing ASSUMPTIONs or OBJECTIVEs to gain strategic insight.

The strategic insight gained could also use operational insight from sensors in a city, such as data related to the average speed of traffic at a location over a period of time, this data would be represented in the SCCM as:

An OBSERVATION of average speeds (STATES) of the traffic (ABSTRACT) at a location (PLACE).

In order to gain critical insight a Twitter stream might also be used which after processing might contain entries such as:

“@cityX stuck in traffic for an hour in the city centre” created_at Fri Jul 20 15:20:00 +0000 2014

“@cityX where is the bus #stranded” created_at Fri Jul 20 15:20:54 +0000 2014

“@cityX nowhere to park again!” created_at Fri Jul 20 15:21:03 +0000 2014

Cities might choose to use certain Twitter handles or hashtags to allow citizens to contribute to the critical insight of their city.

After sentiment analysis of the Twitter stream the critical insight would be represented in the SCCM as:

Number of commuters (COMMUNITY) who are dissatisfied (METRIC).

0.3 Data sharing

The sharing of data for the benefit of all stakeholders is at the heart of smart city aspirations. Data can be used in real time, from sensors and tracking devices, through to the use of data to develop longer term plans to improve the well-being of citizens and businesses.

Involvement of the private sector will often be necessary for a smart city initiative. It is important that private sector partners realise that their participation may make their data subject to public sector controls.(e.g. data protection legislation).

The traditional approach to data sharing has required organizations to create individual agreements for each initiative where data is shared. Where a single organization has needed to share data from many sources, this would have required a multitude of agreements, relationships, data formats, and vocabularies.

A smart city consists of organizations across all sectors, facilitated by the sharing of data, based on a common framework of its meaning, and consistent use of identifiers and classifications. Cities organized in this way could experience the following benefits:

- reduced cost as the need to recollect and verify data is removed;
- integrated city systems and services driven by data;
- a common understanding of the needs of communities;
- shared objectives, collaboratively developed and evidenced using data;
- engaged and enabled citizens and communities;
- transparency in decision-making;
- development of partnership models;
- businesses and communities co-creating innovation; and
- consequently, improved quality of life for citizens.

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 30182:2017

Smart city concept model — Guidance for establishing a model for data interoperability

1 Scope

This International Standard describes, and gives guidance on, a smart city concept model (SCCM) that can provide the basis of interoperability between component systems of a smart city, by aligning the ontologies in use across different sectors. It includes:

- concepts (e.g. ORGANIZATION, PLACE, COMMUNITY, ITEM, METRIC, SERVICE, RESOURCE); and
- relationships between concepts (e.g. ORGANIZATION has RESOURCE, EVENT at a PLACE).

The SCCM does not replace existing models where they exist, but, by mapping from a local model to a parent model, questions can be asked about data in a new and joined-up way.

This International Standard is aimed at organizations that provide services to communities in cities, and manage the resulting data, as well as decision-makers and policy developers in cities.¹⁾

The SCCM is relevant wherever many organizations provide services to many communities within a place.

It does not cover the data standards that are relevant to each concept in the SCCM and does not attempt to list or recommend the sources of identifiers and categorizations that cities map to the SCCM.

The SCCM has been devised to communicate the meaning of data. It does not attempt to provide concepts to describe the metadata of a dataset, for example, validity and provenance of data.

It covers semantic interoperability, that is, defining the meaning of data, particularly from many sources. It does not cover other barriers to interoperability, some of which are described at **3.2**.

2 Terms and definitions

For the purpose of this document, the terms and definitions given in ISO 37100 and the following apply.

2.1 category

code for a definition of one or more common characteristics that can be used to classify things

2.2 class

specialization of a concept with common properties that can be the template for a specific data structure

2.3 concept

unit of knowledge created by a unique combination of characteristics

[SOURCE: ISO 11179-2:2005, **3.10**]

¹⁾ Decision-makers and policy developers are further described in BSI PAS 181.

2.4 concept model

set of defined concepts and the relationships between them, chosen to be independent of design or implementation concerns, that can be used to describe a domain

2.55 data interoperability

interoperability concerning the creation, meaning, computation, use, transfer, and exchange of data

[SOURCE ISO/IEC 20944-1:2013, **3.21.12.4**]

2.6 dataset

identifiable collection of dataEXAMPLE Integer, Real, Boolean, String, Date, and GM_Point.

Note 1 to entry: A data type is identified by a term, e.g. Integer.

[SOURCE: ISO 19115-1:2014, **4.2**, modified]

2.7 directed graph

diagram in which concepts are represented as nodes, and relationships as edges between nodes, where the direction of the edges corresponds to the label for the relationship

2.8 entity

thing with distinct and independent existence for which a concept can be assigned

2.9 identifier

linguistically independent sequence of characters capable of uniquely and permanently identifying that with which it is associated

[SOURCE: ISO 19135-1:2015, **4.1.5**]

2.10 interoperability

ability of systems to provide services to and accept services from other systems and to use the services so exchanged to enable them to operate effectively together

[SOURCE: ISO 37100:2016, **3.6.3**]

2.11 ontology

formal representation of phenomena of a universe of discourse (2.15) with an underlying vocabulary including definitions and axioms that make the intended meaning explicit and describe phenomena and their interrelationships

[SOURCE: ISO 19101-1:2014, **4.1.26**]

2.12 relationship

way in which two concepts can be connected

2.13 sector

classification for organizations that provide complementary functions

2.14 smart city

effective integration of physical, digital and human systems in the built environment to deliver a sustainable, prosperous and inclusive future for its citizens

[SOURCE: BSI PAS 180:2014, **3.1.62**]

2.15 universe of discourse

view of the real or hypothetical world that includes everything of interest

[SOURCE: ISO 19101-1:2014, **4.1.38**]

3 Using the SCCM

3.1 General

The SCCM can be used to:

- catalogue data holdings from different organizations, leading to improved discovery and reuse;
- promote definitive and authoritative identifiers and categorizations as reference information for each concept against which city data can be harmonized, and joined up;
- agree data standards for specialisms within a concept that are of particular interest to a city;
- understand datasets from other sectors;
- construct a local data ecosystem where data can be contributed and consumed by different organizations and people in a city.

BSI PAS 181 provides guidance on the development, agreement and delivery of smart city strategies. It presents this as a set of guidance notes, all of which need to be considered throughout the enactment of a smart city programme.

Those that have particular applicability to data interoperability and sharing are listed in Table 1. All guidance notes should be reviewed within any smart city data-sharing project.

Table 1 – Relevance of BSI PAS 181 guidance notes to this International Standard

BSI PAS 181 guidance notes	Relevance to this International Standard ²⁾
[B1] City vision	Data sharing activities need to be able to be related to the city vision.
[B2] Transforming the city’s operational model	Deliverables need to contribute to the new integrated operating model and its information architecture.
[B3] Leadership and governance	Overarching leadership and governance need to be applied to data-sharing activities.
[B4] Stakeholder collaboration	Stakeholder engagement needs to include data owners and planned users.
[B5] Procurement and supplier management	Contractual arrangements need to address the maintenance and availability of data for as long as it is required.
[B6] Mapping the city’s interoperability needs	Policy products that identify barriers to interoperability and address the mapping of city concepts.
[B7] Common terminology & reference model	Provides a common vocabulary for concepts across the city and their relationships.
[B9] Empowering stakeholder and service transformation	Where legally possible, shared data needs to be made open by incorporating it into an open data platform for downstream exploitation by citizens and businesses.
[B10] Delivering city-led service transformation	There needs to be an integrated business and information architecture within which data-sharing initiatives sit to guard against the building of new silos.
[B11] Identity and privacy management	Trust by citizens and businesses needs to not be threatened by data-sharing activities.
[B13] Resources mapping and management	Key assets need to be mapped and governance processes established to allow them to be managed separately from their original intended use. Effective data asset management is essential.
[B14] Open, service-oriented, city-wide IT architecture	Key principles underpinning the architecture need to address the means of holding data securely and, where appropriate, making it open for reuse.

3.2 Other barriers to interoperability

This International Standard focuses on semantic interoperability, that is, defining the meaning of data from many sectors. However, there are many other barriers to interoperability across a city. A city should also consider a framework for interoperability for each of the topics listed in Table 2.

²⁾ This column only provides a high-level indication of the relevance of BSI PAS 181 guidance notes and is not intended to be exhaustive. That document and those generated by the smart city programme as a result of its use need to be referred to for the full details. (BSI PAS 181 provided the starting material for ISO 37106, currently under development.)

Table 2 – Other barriers to interoperability

Barrier	Description
Privacy	Conforming to human rights and data protection requirements when handling data that refers to people.
Security	Protecting data from accidental or malicious destruction, or unauthorized access.
Integrity	Avoiding data corruption as data is handled, copied, processed, and transported.
Availability	The degree to which data needs to be consistently available to meet a purpose. Particularly relevant to real-time systems, which rely on the availability of data to perform. Availability can include normal operating services, and the time necessary to recover from a disaster.
Quality	Characteristics of data such as completeness, validity, consistency, timeliness, accuracy, precision, and tolerance. It is important to understand the quality of data when considering if it can be reused for a new purpose.
Provenance	The traceability of data, from collection, through each transformation, analyses and interpretation.

4 Concept, relationship and the SCCM

4.1 Concept

A concept defines a generalization of a type of thing. The definition of a concept in the SCCM is unlikely to be sufficient to describe a piece of data, but can be the foundation for data sharing between organizations that otherwise don't share a common business language.

Each concept has been selected for relevance in describing data that is valuable to share across a city, and for applicability across different sectors.

Each concept is defined by:

- a name;
- a definition that is sufficient to consider if an entity fits a concept;
- where relevant, notes that explain how the concept is used;
- examples of classes that would fit the concept.

When considering definitions for each concept in the SCCM, the *Oxford English Dictionary* [1] definition for each concept was taken into account.

4.2 Relationship


A relationship describes how two concepts are connected when describing data for a city.

Concepts and relationships in the SCCM are simple truisms that apply to all sectors and uses of data across a city.

The relationships defined in the SCCM are not exhaustive; that is, any concept can be related to any other concept. The relationships defined in the SCCM have been selected to illustrate common patterns that occur across many sectors.


The SCCM shows concepts and relationships as directed graphs (Figure 2).

Figure 2 – Example of a directed graph




A directed graph is shown for each concept in the SCCM, defining each of the relationships for that concept (Figure 3).

Figure 3 – Example of a directed graph for a concept




Some concepts are defined as sub-concepts of other concepts. These are defined where specializing a concept is particularly relevant to a city, such as BUILDING. Relationships that are defined for a concept are also valid for its sub-concepts (Figure 4). Sub-concept relationships are shown using dashed lines.

Figure 4 – Example of sub-concepts



Some concepts in the SCCM have been created to represent a group or choice of concepts. These are designed to reduce the number of relationships that would otherwise have been created. For example, the AGENT concept combines the concepts of PERSON and ORGANIZATION, which then enables a single relationship to be valid for both (Figure 5).

Figure 5 – Example of a group concept



When the SCCM is viewed in its entirety, the number of concepts and relationships can be overwhelming and it becomes hard to see how data would be mapped to it. The SCCM contains a series of views in which a small number of concepts and relationships have been selected to illustrate a data-sharing scenario across a city.

Further views can be created by selecting concepts and relationships from the SCCM.

5 Mapping a dataset to the SCCM

5.1 Dataset

A dataset is a container of information, where that information has some repeating structure.

Where a dataset can be mapped to the SCCM, it can be linked to other related data and shared with organizations and people from beyond the originating sector.

The first step to mapping a dataset to the SCCM is to identify the separate entities that the data describes. An entity is a thing with distinct and independent existence, particularly when other data, from other sources, might also refer to the same thing. Figure 6 gives an example of a dataset in a city.

Figure 6 – Example of a dataset listing reported faults to lamp posts

Case Number	Lamppost Reference	Location	Reported Date	Reported By	Fault
1234	ab123	Outside number 10 Hugh Street.	04/03/2014	Bert Smith	Light flickering

In this example, there are entities for:

- the case;
- the lamp post;
- the location of the lamp post;
- the reporting of the fault;
- the person reporting the fault; and
- the condition of the lamp post.

Mapping these entities to the SCCM would give:

Entity	Concept
Case	CASE
Lamp post	OBJECT
Location	PLACE
Report	EVENT
Reporter	PERSON
Condition	STATE

5.2 Class

Concepts from the SCCM are unlikely to be sufficient to adequately define the meaning of data. The meaning and structure of entities in datasets are likely to be fully defined in a data model, as a class. Where these classes can be mapped to the SCCM, it becomes possible to read the same, or related, data across datasets.

5.3 Identifier and category

For entities of the same class, an organization can use a set of codes to uniquely identify an individual instance (e.g. the lamp post reference in 5.1). By using a consistent code in many datasets, an organization can join up its data where it refers to the same entity.

An organization can create its own codes, or it can reuse codes from another organization, particularly where that organization is a definitive source of information for that class of entity. For example, Companies House provides a registration number for each company in England and could be considered the definitive source for that information.

These codes are identifiers when they can be used to name an individual instance of an entity.

Where a city can agree a common identifier set for a type of entity, different organizations can share information about it. For example, using common identifiers for lamp posts could join up data about:

- energy use;
- accidents; and
- faults.

Categories provide a set of terms that can be used to group things for a type of entity (e.g. a type of health condition). By using consistent categories for a type of entity, organizations can discover groups of data, statistics and insight.

The SCCM proposes a set of concepts that can be used to organize and promote consistent use of identifiers and categories across a city. Organizations might then also publish the types of entity that their data describes as a class.

5.4 Prime concept

A prime concept is one that can be used to map city data.

A list of prime concepts is provided at Table 3. Each concept is described in detail in Clause 7.

Table 3 – Alphabetical list of prime concepts

Name	Definition	Sub-concept of
ACCOUNT	A container of information, held by an AGENT, in which to record data arising from EVENTS that relate to an ITEM in a role.	ABSTRACT
AGREEMENT	A negotiated arrangement between AGENTs as to a course of action.	ABSTRACT
ASSUMPTION	A predicted or presumed STATE.	STATE
BUILDING	A man-made structure, with a fixed or temporary PLACE, intended for sheltering PERSONs or other OBJECTs..	OBJECT
CASE	A container for information recording the history of EVENTS initiated by a SERVICE demand.	ABSTRACT
COMMUNITY	A group of PERSONs and/or ORGANIZATIONs that share common characteristics such as PLACE, circumstance, etc.	ITEM
DECISION	A conclusion or resolution reached after consideration [1].	ABSTRACT
EVENT	An occurrence that has happened or might happen.	
FUNCTION	A COLLECTION of SERVICEs.	COLLECTION
METHOD	A pre-determined procedure, or series of steps, designed to accomplish an OBJECTIVE.	ABSTRACT
METRIC	A measure of demography, characteristics, activity or performance.	STATE
OBJECT	A physical ITEM.	ITEM
OBJECTIVE	An achievement desired by an AGENT.	ABSTRACT
OBSERVATION	An EVENT in which a STATE is recorded.	EVENT
ORGANIZATION	A group of PERSONs with a collective goal.	AGENT
PERSON	An individual human being [1].	AGENT
PLACE	A geographic or virtual part of space.	
PLAN	A list of steps with times and RESOURCEs, used to achieve an OBJECTIVE.	ABSTRACT
RULE	An explicit or understood regulation or principle governing conduct or procedure within a particular area of activity.	ABSTRACT
SERVICE	The capacity to carry out one or more METHODs.	ABSTRACT
STATE	A circumstance or condition of an ITEM at a time.	
TARGET	A desired STATE.	STATE

5.5 Group concept

A group concept is defined to represent a group or choice of concepts. It is designed to reduce the number of relationships that would otherwise have been created. It is preferable to use a prime concept when mapping a dataset to the SCCM; however, there might be occasions where the data could refer to more than one concept, in which case a group concept is used. For example, a dataset about a payment EVENT may refer to the payee, which might be a PERSON or an ORGANIZATION, in which case, the AGENT group concept is used.

Table 4 provides a list of group concepts. Each concept is described in detail in Clause 7.

Table 4 – Alphabetical list of group concepts

Name	Definition	Sub-concept of
ABSTRACT	Existing in thought or as an idea but not having a physical existence.	ITEM
AGENT	An ITEM, but most often a PERSON, or ORGANIZATION, providing a SERVICE or taking a role in an EVENT.	ITEM
COLLECTION	A grouping of ITEMS, as defined by an AGENT, that needs to be managed, or operated upon together.	ABSTRACT
ITEM	An individual article or unit, especially one that is part of a list, collection, or set [1].	
RESOURCE	An ITEM that can be drawn on by an AGENT to produce a benefit.	

5.6 Concepts that are not included in the SCCM

5.6.1 Time

Time is not a concept in the SCCM, but does apply to every statement that can be made using the model.

Dates, times, durations and intervals appear in data for many concepts, and also describe relationships, for example:

- a PERSON may have a date of birth; and
- a PERSON may be at a PLACE, for a period of time.

5.6.2 Role

Role is not a concept in the SCCM, but instead is represented as a relationship, which enables ITEMS to be related to EVENTS, CASES and ACCOUNTS.

6 Views illustrating how concepts are typically related

6.1 General


The SCCM contains a series of views in which a small number of concepts and relationships have been selected to illustrate a data-sharing scenario across a city.

A full list of relationships in the model is provided at Annex B.

6.2 ITEMS view

Figure 7 shows the ITEMS view.

Figure 7 – ITEMS view



A city contains ITEMS, which might be referred to in data from many organizations. Where a city can agree a common identifier for an ITEM, different organizations can provide information about it.

Most obviously, an ITEM might be an OBJECT such as a lamp post, a BUILDING, or a road, but an ITEM might also be:

- an ORGANIZATION, such as a local council or an energy supplier;
- a PERSON, such as a resident or user of a service; or
- a COMMUNITY, such as commuters or low-income families.

The SCCM contains sub-concepts of ITEM for these. The relationships that are defined for ITEM are therefore also true for these sub-concepts.

A city also needs to refer to non-physical things, such as a service, a contract, a decision, or a case. These non-physical things are also ITEMS, and the SCCM uses the sub-concept ABSTRACT to

group them together. A number of further sub-concepts within ABSTRACT are defined in the SCCM.

An ITEM might be associated with a PLACE, most obviously, to describe where an ITEM is. Although ABSTRACT ITEMS don't have a physical existence, they can still be related to a PLACE (e.g. to describe their coverage).

PLACE is used to describe a geographic position or area. Some PLACES are described precisely with coordinates, and boundaries, while others are less precise, perhaps just with a locality name.

Both ITEMS and PLACES can have a series of STATES over time. Typically, a STATE describes the condition of an ITEM or PLACE.


A STATE might be described subjectively, from the point of view of an observer (e.g. the building condition is poor). A STATE might also be described quantitatively (e.g. the temperature of a room), or perhaps as a statistic (e.g. a community's deprivation index).

A smart city should base its decisions on a shared understanding of the STATE of ITEMS, either in real-time, or by implementing PLANS to bring about changes to STATES.

6.3 COLLECTIONS view

Figure 8 shows the COLLECTIONS view.

Figure 8 – COLLECTIONS view



ITEMS are often grouped together in a COLLECTION so that they can be managed, or operated upon together. For example:

- housing stock;
- vehicle fleets;
- manholes;

- roads; and
- contracts registers.

COLLECTIONs are defined by AGENTs so that the actual contents are either explicitly listed, or defined by a scoping statement.

COLLECTIONs enable lists of ITEMs to be defined, created and shared across a city.


Although the contents of a COLLECTION can be physical ITEMs, a COLLECTION is an ABSTRACT ITEM.

As a COLLECTION is itself a sub-concept of ITEM, its STATE can be described and tracked over time.

6.4 EVENTS view

Figure 9 shows the EVENTS view.

Figure 9 – EVENTS view



For a city, EVENTS might include:

- an incident;
- a measurement;
- a change of a setting;
- a transaction; and
- a use of a service.

An EVENT can refer to a number of ITEMs that take roles in the EVENT.

So, for example, a PERSON might take the role of applicant, in one EVENT, and the same person might take the role of patient, in another EVENT.

All types of ITEMs can take roles in an EVENT, so, for example:

- a candlestick as an OBJECT could be the murder weapon in a crime EVENT; or
- a tender as an ABSTRACT could be the subject of a contract signing EVENT.


EVENTs occur over a period of time, and might cause a change in the STATE of a number of ITEMs.

For example, a driver being convicted of speeding might cause a change to the number of points on a driving licence, or to the eligibility to drive.

6.5 OBJECTIVEs view

Figure 10 shows the OBJECTIVEs view.

Figure 10 – OBJECTIVEs view



ORGANIZATIONs and individual PERSONs have a series of OBJECTIVEs setting their reasoning and ambitions for the changes that they desire. Some of these might be long-term, for example:

- providing suitable housing;
- reducing carbon emissions; and
- reducing unemployment.

Others might be more immediate or real-time such as:

- optimum real-time energy use; and
- maintaining safe water levels.

The SCCM combines the concepts of PERSON and ORGANIZATION into the concept of AGENT. This simplifies the relationships that would often otherwise need to refer to either.

Where an OBJECTIVE can be quantified, it can be linked to a series of TARGETs that are the observable STATEs of the impacted ITEMs.

OBJECTIVEs can be set that have an impact on all manner of ITEMs. This view particularly illustrates where an ITEM might be a COMMUNITY, and therefore the OBJECTIVE is about the well-being of that COMMUNITY.

OBJECTIVES can be set on the basis of a series of ASSUMPTIONs, which capture a predicted future STATE of one or more ITEMS. The gap between an ASSUMPTION and a TARGET can be used to define the change that is sought by the OBJECTIVE.

For example:


- COLLECTION: houses for rent under £400 per week;
- TARGET: 10 000 by 2016;
- OBJECTIVE: provide adequate affordable housing; and
- ASSUMPTION: 10 000 households will require affordable housing by 2016.

METRICS are regularly published that track the actual STATE of an ITEM, and can be used to consider if TARGETs have been achieved.

6.6 Observing and responding view

Figure 11 shows the observing and responding view.

Figure 11 – Observing and responding view



A city might have a series of automated SERVICES that respond in real-time to observed STATES, to adjust settings to re-establish an optimum STATE.

For example, sensors and actuators can be used to:

- manage traffic flows;
- control temperatures; and
- reduce energy consumption.

The SCCM represents a sensor as an OBJECT, which can be related to a PLACE that describes where it is.

This view depicts three stages:

- determining OBJECTIVES, and optimum STATES of a system;
- readings being taken by a sensor; and
- a service responding to inputs by changing settings.

For the first stage, the system is represented as an ITEM, for which one or more TARGET STATES can be defined.

For the second stage, a sensor takes a reading of the system, which is represented as an OBSERVATION capturing the STATE of an ITEM.

For the third stage, a further device or actuator might then be configured to automatically react to an observed STATE by changing settings.

The actuator is also an OBJECT, which has a role in an EVENT that changes a STATE. The change of settings is a SERVICE, implementing a METHOD, provided by an AGENT. A log of the OBSERVATIONS, and settings is recorded in a CASE.


So for example:

- Stage 1: an optimum temperature (TARGET) of a room (OBJECT) can be set to reduce energy consumption (OBJECTIVE).
- Stage 2: a temperature sensor (OBJECT) takes a reading (OBSERVATION) of the temperature (STATE) of the room.
- Stage 3: a service (SERVICE) instructs (EVENT) the actuator (OBJECT) to change the valve setting (STATE) of a radiator (OBJECT). The impact of the change is then monitored via further OBSERVATIONS recorded within the CASE.

6.7 SERVICES view

Figure 12 shows the SERVICES view.

Figure 12 – SERVICES view



For a city, SERVICES might include:

- energy provision;
- waste collection;
- licensing;
- car parking; and
- removing abandoned vehicles.

A SERVICE is the responsibility of an ORGANIZATION or an individual PERSON. The concepts of ORGANIZATION and PERSON are combined into the concept AGENT.

The AGENT providing a SERVICE is not necessarily the same as the AGENT responsible for it.

A SERVICE can be used by a COMMUNITY, which might be, for example:

- the residents of a city;
- the long-term unemployed;
- commuters; and
- families.

As both COMMUNITY and SERVICE are sub-concepts of ITEM, their STATES can be recorded over time. For SERVICE, this enables actual and TARGET values to be recorded for throughput and performance, for example:

- the number of abandoned vehicles reported over a period; or
- the average time taken to remove a vehicle.

SERVICES are often constrained by RULEs such as:

- legislation;
- eligibility; and
- terms and conditions.

A SERVICE implements one or more METHODS, which might be reused in other SERVICES.


SERVICES from many AGENTS can be grouped together into FUNCTIONS. FUNCTION is a sub-concept of COLLECTION.

A FUNCTION can list the SERVICES that serve a particular COMMUNITY, for example, waste management (FUNCTION) might contain SERVICES for refuse collection, recycling and waste disposal, and those SERVICES might be provided by different ORGANIZATIONS in the city.

6.8 CASEs view

Figure 13 shows the CASEs view.

Figure 13 – CASEs view



A CASE is raised when a SERVICE is used.

For a city, a CASE might be:

- a crime investigation;
- a planning application; or
- rectifying a fault on a network.

A CASE contains the EVENTS that are relevant to an individual use of a SERVICE, until the CASE is closed.

For some CASEs, a PLAN might be devised giving estimated times and RESOURCES for future EVENTS.


An AGENT might maintain a series of ACCOUNTs that contain a history of EVENTS which apply to one or more ITEMS, for example:

- a medical history;
- a customer history;
- a criminal record; or
- a building maintenance record.

6.9 PLANS view

Figure 14 shows the PLANS view.

Figure 14 – PLANS view



A PLAN records the steps and decision points that are applied to achieve a TARGET STATE of an ITEM or PLACE, as a part of addressing an OBJECTIVE.

A PLAN might be derived from existing METHODS that have been devised to achieve the desired outcome.


As a PLAN is enacted, EVENTS occur that record the actual outcomes as compared to those planned.

A city might wish to discover and track the PLANS from many AGENTS that apply to OBJECTIVES for ITEMS or PLACES.

6.10 RESOURCES and DECISIONS view

Figure 15 shows the RESOURCES and DECISIONS view.

Figure 15 – RESOURCES and DECISIONS view



A RESOURCE is an ITEM that can be put to use, for a benefit.

A RESOURCE can be allocated to a SERVICE or a PLAN.

AGENTS take DECISIONS about ITEMS, which are influenced by OBJECTIVES. A DECISION can be made about the application of a RESOURCE.


A city might engage stakeholders about DECISIONS, and particularly about how RESOURCES are allocated over SERVICES and PLANS to achieve OBJECTIVES.

7 Definition of each concept and relationship in the SCCM

7.1 ABSTRACT

Definition	Existing in thought or as an idea but not having a physical existence.
Examples	<ul style="list-style-type: none"> • Fear of crime • Knowledge
Relationships	See Figure 16

Figure 16 – ABSTRACT relationships



Sub-concept of

ITEM

Sub-concepts

ACCOUNT

AGREEMENT

CASE

COLLECTION

DECISION

METHOD

OBJECTIVE

PLAN

RULE


SERVICE

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 30182:2017

7.2 ACCOUNT

Definition	A container of information, held by an AGENT, in which to record data arising from EVENTS that relate to an ITEM in a role.
Notes	<p>One of the <i>Oxford English Dictionary's</i> definitions of ACCOUNT is "a report or description of an event or experience" [1].</p> <p>An ACCOUNT then is a set of information that relates to one or more EVENTS. Those EVENTS have an ITEM in common in a role and thus the ACCOUNT becomes a history of information about that role.</p>
Examples	<ul style="list-style-type: none"> • A customer account at a business • The history of a building • Regular welfare payments to a claimant • A medical history of a patient • Transactions that have been posted to a budget
Relationships	See Figure 17

Figure 17 – ACCOUNT relationships




Sub-concept of

ABSTRACT

7.3 AGENT

Definition	An ITEM, but most often a PERSON, or ORGANIZATION, providing a SERVICE or taking a role in an EVENT.
Notes	One of the <i>Oxford English Dictionary's</i> definitions of AGENT is “a person or thing that takes an active role or produces a specified effect” [1]. An AGENT is used to make relationships where the type of ITEM could be either a PERSON or an ORGANIZATION.
Examples	Supplier
Relationships	See Figure 18

Figure 18 – AGENT relationships



Sub-concept of

ITEM

Sub-concepts


ORGANIZATION

PERSON

7.4 AGREEMENT

Definition	A negotiated arrangement between AGENTs as to a course of action.
Examples	<ul style="list-style-type: none"> • Contract • Memorandum of understanding • Code of connection
Relationships	See Figure 19

Figure 19 – AGREEMENT relationships




Sub-concept of

ABSTRACT

7.5 ASSUMPTION

Definition	A predicted or presumed STATE.
Notes	ASSUMPTIONs can support DECISIONs. Sharing ASSUMPTIONs across a city can enable ORGANIZATIONs and citizens to challenge or adopt them, in moving towards shared DECISION making.
Examples	<ul style="list-style-type: none"> • Prediction • Forecast • Extrapolation • Expectation • Estimate
Relationships	See Figure 20

Figure 20 – ASSUMPTION relationships




Sub-concept of

STATE

7.6 BUILDING

Definition	A man-made structure, with a fixed or temporary PLACE, intended for sheltering PERSONS or other OBJECTs.
Examples	<ul style="list-style-type: none"> • A house • A factory • A station • An office
Relationships	See Figure 21

Figure 21 – BUILDING relationships




Sub-concept of

OBJECT

7.7 CASE

Definition	A container for information recording the history of EVENTS initiated by a SERVICE demand.
Notes	When a SERVICE is used, it typically raises a CASE where information is contained through to the resolution of the CASE.
Examples	<ul style="list-style-type: none"> • A planning application • An incident of fraud
Relationships	See Figure 22

Figure 22 – CASE relationships




Sub-concept of

ABSTRACT

7.8 COLLECTION

Definition	A grouping of ITEMS, as defined by an AGENT, that need to be managed, or operated upon, together.
Notes	A COLLECTION is defined by an AGENT. The contents of a COLLECTION might be explicitly itemized (e.g. a jewellery collection) or be defined by a scoping statement (e.g. the properties available for rent).
Examples	<ul style="list-style-type: none"> • Stock • Lamp posts
Relationships	See Figure 23

Figure 23 – COLLECTION relationships



Sub-concept of

ABSTRACT

Sub-concept


FUNCTION

7.9 COMMUNITY

Definition	A group of PERSONS and/or ORGANIZATIONS that share common characteristics such as PLACE, circumstance, etc.
Notes	<p>A COMMUNITY is defined by an AGENT, in terms of the common characteristics of the PERSONS and/or ORGANIZATIONS that are contained in it.</p> <p>The STATE of a COMMUNITY can be tracked without having to know the identity of each PERSON and ORGANIZATION.</p> <p>A COMMUNITY might be composed of more than one COMMUNITY. For example:</p> <ul style="list-style-type: none"> • the business sector might be composed of the industrial sector, the tourism sector, the financial services sector, etc.; or • the youth of a town are contained in the residents of a town. <p>The actual PERSONS or ORGANIZATIONS might change without changing the identity of a COMMUNITY, for example the long-term unemployed in a city remains the same COMMUNITY even though some people have left it, and others have joined it.</p>

	<p>Members of a COMMUNITY do not need to be aware of each other, and are not acting with a collective goal. If they are, then they are an ORGANIZATION. For example, the long-term unemployed is a COMMUNITY, whereas the jobseekers' club is an ORGANIZATION.</p>
<p>Examples</p>	<ul style="list-style-type: none"> • Residents of a city or town • Commuters • Carers • The long-term unemployed • Low income families • The tourism industry • The retail sector
<p>Relationships</p>	<p>See Figure 24</p>

Figure 24 – COMMUNITY relationships




Sub-concept of

ITEM

7.10 DECISION

Definition	A conclusion or resolution reached after consideration [1].
Notes	A DECISION is the outcome of an EVENT, and not the EVENT itself. A DECISION, taken by an AGENT, has an effect on a number of ITEMS, and is influenced by OBJECTIVES.
Examples	<ul style="list-style-type: none"> To provide RESOURCES To agree a PLAN
Relationships	See Figure 25

Figure 25 – DECISION relationships




Sub-concept of

ABSTRACT

7.11 EVENT

Definition	An occurrence that has happened or might happen.
Notes	<p>An EVENT might occur over a short period of time (e.g. a lightning flash), or a long period of time (e.g. formation of the continents).</p> <p>An EVENT can refer to a number of ITEMS that take roles in the EVENT, for example, a PERSON may take the role of applicant, in one EVENT, and the same person may take the role of patient, in another EVENT.</p> <p>All types of ITEMS can take roles in an EVENT, for example:</p> <ul style="list-style-type: none"> • a candlestick as an OBJECT could be the murder weapon in a crime EVENT; or • a tender as an ABSTRACT could be the subject of a contract-signing EVENT.
Examples	<ul style="list-style-type: none"> • An accident • A birth • An application for a service
Relationships	See Figure 26

Figure 26 – EVENT relationships




Sub-concept

OBSERVATION

7.12 FUNCTION

Definition	A COLLECTION of SERVICES.
Notes	<p>A FUNCTION might be made up of SERVICES from many ORGANIZATIONS.</p> <p>A SERVICE might appear in many FUNCTIONS.</p> <p>A FUNCTION might be defined to:</p> <ul style="list-style-type: none"> • bring together the SERVICES that are relevant to a COMMUNITY, and/or a PLACE; or • combine SERVICES for accounting purposes.
Examples	<ul style="list-style-type: none"> • Education • Waste management • Translation services <p>The United Nations provides a category list of the functions of government at: http://unstats.un.org/unsd/cr/registry/regcst.asp?Cl=4 [2].</p>
Relationships	See Figure 27

Figure 27 – FUNCTION relationships




Sub-concept of
COLLECTION

7.13 ITEM

Definition	An individual article or unit, especially one that is part of a list, collection, or set [1].
Notes	<p>Most ITEMS, except those that are ABSTRACT, can be associated with a PLACE.</p> <p>An ITEM has a STATE (conditions or circumstances), which can change over time.</p> <p>Usually, data refers directly to a sub-concept of ITEM:</p> <ul style="list-style-type: none"> • OBJECT; • PERSON; • ORGANIZATION; • COMMUNITY; and • ABSTRACT.
Examples	See sub-concepts for examples.
Relationships	See Figure 28

Figure 28 – ITEM relationships



Sub-concepts

ABSTRACT

AGENT


COMMUNITY

OBJECT

7.14 METHOD

Definition	A predetermined procedure, or series of steps, designed to accomplish an OBJECTIVE.
Notes	A number of METHODS might be associated with a SERVICE as options for achieving an OBJECTIVE.
Examples	<ul style="list-style-type: none"> • Payment method • Customer contact method • Debt recovery method • Medical procedure • MOT procedure
Relationships	See Figure 29

Figure 29 – METHOD relationships




Sub-concept of
ABSTRACT

7.15 METRIC

Definition	A measure of demography, characteristics, activity or performance.
Notes	METRICs are often collected as statistics that describe the STATE of a SERVICE, COMMUNITY, or PLACE.
Examples	<ul style="list-style-type: none"> • Performance indicator • Deprivation index • Traffic count
Relationships	See Figure 30

Figure 30 – METRIC relationships




Sub-concept of

STATE

7.16 OBJECT

Definition	A physical ITEM
Notes	In a city there will be physical OBJECTs that make up the technical infrastructure.
Examples	<ul style="list-style-type: none"> • Building • Road • Car • Lamp post • Pipe • Cable • Duct
Relationships	See Figure 31

Figure 31 – OBJECT relationships



Sub-concept of

ITEM


Sub-concept

BUILDING

7.17 OBJECTIVE

Definition	An achievement desired by an AGENT.
Notes	An OBJECTIVE refers to a desired change of condition or circumstances of something (an ITEM). Where the change can be quantified, the OBJECTIVE might be linked to one or more TARGETS. Where OBJECTIVES are set for a COMMUNITY, the desire might be to change the size of the community, or the well-being of the PERSONS or ORGANIZATIONS in it.
Examples	<ul style="list-style-type: none"> • Create new jobs in the energy sector • Reduce carbon emissions in a city by 25% within five years
Relationships	See Figure 32

Figure 32 – OBJECTIVE relationships




Sub-concept of

ABSTRACT

7.18 OBSERVATION

Definition	An EVENT in which a STATE is recorded.
Notes	The Open Geospatial Consortium [3] defines an observation as “an act at a discrete instant or period, through which a number or term is assigned to a phenomenon using a procedure, such as a sensor, instrument, or algorithm”.
Examples	<ul style="list-style-type: none"> • Sensor reading • Medical assessment
Relationships	See Figure 33

Figure 33 – OBSERVATION relationships




Sub-concept of

EVENT

7.19 ORGANIZATION

Definition	A group of PERSONs with a collective goal.
Examples	<ul style="list-style-type: none"> • A business • A public sector body • A charity • A household
Relationships	See Figure 34

Figure 34 – ORGANIZATION relationships




Sub-concept of

AGENT

7.20 PERSON

Definition	An individual human being [1].
Relationships	See Figure 35

Figure 35 – PERSON relationships




Sub-concept of

AGENT

7.21 PLACE

Definition	A geographic or virtual part of space.
Notes	A PLACE might have definite or indefinite boundaries. Geographic spaces can be a position, line, area, or volume.
Examples	<p>Examples of geographic places may be:</p> <ul style="list-style-type: none"> • a point defined by coordinates, e.g. the location of an incident; • a line, e.g. the route of a road or a pipe; • an area defined by a set of coordinates, e.g. a school catchment area; • a place referred to only by a name without attempting to define the area exactly, e.g. a town; <p>Virtual places might include:</p> <ul style="list-style-type: none"> • a forum.
Relationships	See Figure 36


Figure 36 – PLACE relationships



7.22 PLAN

Definition	A list of steps with times and RESOURCES, used to achieve an OBJECTIVE.
Examples	<ul style="list-style-type: none"> • Corporate plan • Community plan • Marketing plan • Project plan • Strategy
Relationships	See Figure 37

Figure 37 – PLAN relationships



Sub-concept of

ABSTRACT