
**Information technology —
ASN.1 encoding rules: XML Encoding
Rules (XER) —**

AMENDMENT 3: PER encoding instructions

*Technologies de l'information — Règles de codage ASN.1: Règles de
codage XML (XER) —*

AMENDEMENT 3: Instructions de codage PER

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 8825-4:2002/Amd3:2008

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2008

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

CONTENTS

	<i>Page</i>
1) Introduction.....	1
2) Subclause 3.2.3 <i>bis</i>	1
3) Subclause 8.3.3 <i>bis</i>	1
4) Subclause 8.3.4 <i>bis</i>	1
5) Subclauses 10.2.6, 10.2.7 and 10.2.8	1
6) Subclause 10.2.10.....	2
7) Subclause 11.4.....	2
8) Subclause 13.5.....	2
9) Subclause 13.7.....	2
10) Clause 14.....	2
11) Subclauses 14.1.2, 14.1.3, 14.1.4 and 14.1.5	2
12) Subclause 14.2.1.2.....	3
13) Subclause 14.2.1.17	3
14) Subclause 14.2.3.1.....	3
15) Subclause 15.1.3	4
16) Subclause 15.4.3	4
17) Subclause 16.4.....	4
18) Subclause 18.1.1	4
19) Subclause 18.2.12.....	4
20) Subclause 19.1.1	4
21) Subclause 19.1.4	4
22) Subclause 19.1.6	5
23) Subclause 19.2.1	5
24) Subclauses 19.2.7-19.2.9.....	5
25) Subclause 19.2.10.....	5
26) Subclauses 19.3.1-19.3.4.....	5
27) Subclause 20.1.1	6
28) Subclause 21.1.1	6
29) Subclause 22.1.1	6
30) Subclause 22.2.3	6
31) Subclause 23.1.1	6
32) Subclause 23.2.7	7
33) Subclause 24.1.1	7
34) Subclause 25.1.1	7
35) Subclause 25.2.1	7
36) Subclause 25.2.7	7
37) Subclause 26.1.1	7
38) Subclauses 26.2.1 and 26.2.2	7
39) Subclause 27.1.1	8
40) Subclause 28.1.1	8
41) Subclause 29.1.1	8
42) Subclause 29.2.1	8
43) Subclause 29.2.2	9

	<i>Page</i>
44) Subclause 30.1.1	9
45) Subclause 31.1.1	9
46) Subclause 31.1.4	9
47) Subclause 31.2.3 <i>bis</i>	9
48) Subclause 31.2.5	9
49) Subclause 32.1.1	10
50) Subclause 32.2.1	10
51) Subclause 32.2.5	10
52) Subclause 32.3.4	10
53) Subclause 33.1.1	10
54) Subclause 33.2.6	10
55) Subclause 34.1.1	10
56) Subclause 34.3.4	10
57) Subclause 35.1.1	11
58) Subclause 35.2.1	11
59) Subclauses 35.2.2.1 and 35.2.2.2	11
60) Subclause 35.2.5	11
61) Subclause 35.2.7	11
62) Subclause 36.1.1	12
63) Subclause 36.2.3	12
64) Subclause 37.1.1	12
65) Subclause 37.2.4	12
66) Subclause 38.1.1	12
67) Subclause 38.2.7	12
68) Subclause 39.1.1	12
69) Subclause 39.2.1	13
70) Subclause 39.2.2 <i>bis</i>	13
71) Subclauses 39.3.1 and 39.3.2	13
72) Subclauses C.1.6 and C.1.7	13
73) Subclause C.2.2	13

STANDARDSISO.COM · Click to view the full PDF of ISO/IEC 8825-4:2002/AMD3:2008

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of the joint technical committee is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

Amendment 3 to ISO/IEC 8825-4:2002 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 6, *Telecommunications and information exchange between systems* in collaboration with ITU-T. The identical text is published as ITU-T Rec. X.693 (2001)/Amd.3 (05/2007).

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 8825-4:2002/AMD3:2008

INTERNATIONAL STANDARD
ITU-T RECOMMENDATION

Information technology – ASN.1 encoding rules: XML encoding rules

Amendment 3: PER encoding instructions

Conventions used in this amendment: Original, unchanged, text is in normal font. Deleted text is struck through, thus: ~~deleted text~~. Inserted text is underlined, thus: inserted text.

1) Introduction

In the Introduction, insert "XER" in bullet a) as follows:

Clauses 18 to 39 specify:

- a) the syntax of each XER encoding instruction used in a type prefix or an XER encoding control section;
- b) restrictions on the XER encoding instructions that can be associated with a particular ASN.1 type (resulting from inheritance and multiple assignments);
- c) modifications to the XER encoding rules that are required in an EXTENDED-XER encoding when an XER encoding instruction is applied.

2) Subclause 3.2.3 bis

Replace subclause 3.2.3 bis with the following:

3.2.3 bis XER encoding instructions: Notation used to change the EXTENDED-XER encoding of a type (or of a component of a type).

~~NOTE – XER encoding instructions are included in either that are associated with an ASN.1 type (or with a component of an ASN.1 type) by assignment to that type (or component) in an XER type prefix (see ITU-T Rec. X.680 | ISO/IEC 8824-1, 30.3) or an XER encoding control section (see ITU-T Rec. X.680 | ISO/IEC 8824-1, clause 50).~~

3) Subclause 8.3.3 bis

Replace subclause 8.3.3 bis with the following:

8.3.3 bis The "XMLBooleanValue" specified in ITU-T Rec. X.680 | ISO/IEC 8824-1, 17.3, shall only be "EmptyElementBoolean" and the "XMLSequenceOfValue" and "XMLSetOfValue" with a component that is a boolean type shall be "XMLValueList".

4) Subclause 8.3.4 bis

Replace subclause 8.3.4 bis with the following:

8.3.4 bis The "XMLEnumeratedValue" specified in ITU-T Rec. X.680 | ISO/IEC 8824-1, 19.8, shall only be "EmptyElementEnumerated" and the "XMLSequenceOfValue" and "XMLSetOfValue" with a component that is an enumerated type shall be "XMLValueList".

5) Subclauses 10.2.6, 10.2.7 and 10.2.8

In subclauses 10.2.6, 10.2.7 and 10.2.8 change "Encoding Control Section" to "encoding control section".

6) Subclause 10.2.10

Replace subclause 10.2.10 with the following:

10.2.10 Conforming decoders and validators shall accept, but may ignore, the presence of an-type identification attribute ~~from the control namespace~~ in any XML element of an encoding unless its presence and use is as specified in clauses 37 and 38. Encoders shall not generate such attributes except as specified in clauses 37 and 38.

NOTE – Other XML tools may insert such attributes. In general, an EXTENDED-XER decoder cannot easily determine the permitted value and meaning of some-type identification attributes ~~from the control namespace~~. Their presence and value may be of use to an application if (for example) unexpected XML child elements are present that are (as a decoder's option) passed to the application – rather than being ignored or producing a fatal decoding error.

7) Subclause 11.4

In subclause 11.4, insert:

" [" (see ITU-T Rec. X.680 | ISO/IEC 8824-1, 11.26)
 "]" (see ITU-T Rec. X.680 | ISO/IEC 8824-1, 11.26)

after

":" (see ITU-T Rec. X.680 | ISO/IEC 8824-1, 11.26)

8) Subclause 13.5

Replace subclause 13.5 with the following:

13.5 Each use of a "PositiveInstruction" in an XER type prefix or in an XER encoding control section assigns that XER encoding instruction to the corresponding "Type". Each of the alternatives of "PositiveInstruction" (for example, "AnyAttributesInstruction") has two alternatives. Only the first alternative of these shall be used in a type prefix.

9) Subclause 13.7

Replace subclause 13.7 with the following:

13.7 An encoding instruction in a type prefix or in an XER encoding control section can be a positive instruction, used to add or to replace an encoding instruction (use of "PositiveInstruction"), or a negating instruction used to cancel (use of "NegatingInstruction") one or more associated encoding instructions.

10) Clause 14

In the heading for clause 14, insert "XER" before "encoding control section".

11) Subclauses 14.1.2, 14.1.3, 14.1.4 and 14.1.5

Replace subclauses 14.1.2, 14.1.3, 14.1.4 and 14.1.5 with the following:

14.1.2 The XER "EncodingInstructionAssignmentList" production is:

EncodingInstructionAssignmentList ::=
EncodingInstruction
EncodingInstructionAssignmentList ?
| "[" **EncodingInstruction**
EncodingInstructionAssignmentList ?

14.1.3 The "EncodingInstruction" production is defined in 13.3. Each alternative of "PositiveInstruction" (for example "AnyAttributesInstruction") has two alternatives. An XER encoding control section shall contain only one of the alternatives for "EncodingInstructionAssignmentList". If the first alternative is used, then the first alternative for each of the alternatives of "PositiveInstruction" shall be used. If the second alternative is used, then the second alternative for each of the alternatives of "PositiveInstruction" shall be used.

NOTE – Each alternative of "PositiveInstruction" provides two alternative forms. The first is provided for historical reasons. The second alternative form provides the matching "]" and moves the "TargetList" (if any) to the end of the production. It is provided for similarity with the syntax used in the "EncodingInstructionAssignmentList" of other ASN.1 encoding rule standards, and for

readability. The use of the second alternative of the "EncodingInstructionAssignmentList" (and hence the second alternative of all the alternatives of "PositiveInstruction" within it) is recommended for new specifications.

14.1.4 Each use of an "EncodingInstruction" in an XER encoding control section assigns that XER encoding instruction to the occurrences of "Type" that are identified in the "TargetList" of the encoding instruction, or to the type references in an imports list. The "TargetList" production and the targets it identifies are specified in 14.2.

14.1.5 Subclauses 13.4 to 13.14 also apply to encoding instructions in an XER encoding control section. The clauses defining the detailed syntax for each encoding instruction category are listed in Table 1. Categories of XER encoding instructions are also listed in Table 1.

12) Subclause 14.2.1.2

In subclause 14.2.1.2, NOTE 2, insert "XER" before "encoding control section".

13) Subclause 14.2.1.17

In subclause 14.2.1.17, insert "XER" before "encoding control section".

14) Subclause 14.2.3.1

Replace subclause 14.2.3.1 with the following:

14.2.3.1 The "BuiltInTypeIdentification" production is:

```
BuiltInTypeIdentification ::=
  BuiltInTypeName
  BuiltInTypeQualifyingInformationPart ?
```

```
BuiltInTypeName ::=
  BIT STRING
  | BOOLEAN
  | CHARACTER STRING
  | CHOICE
  | DATE
  | DATE-TIME
  | DURATION
  | EMBEDDED PDV
  | ENUMERATED
  | EXTERNAL
  | GeneralizedTime
  | INSTANCE OF
  | INTEGER
  | NULL
  | ObjectDescriptor
  | OBJECT IDENTIFIER
  | OCTET STRING
  | REAL
  | RELATIVE-OID
  | SEQUENCE
  | SEQUENCE OF
  | SET
  | SET OF
  | TIME
  | TIME-OF-DAY
  | UTCTime
  | RestrictedCharacterStringType
```

```
BuiltInTypeQualifyingInformationPart ::=
  ":"
  BuiltInTypeQualifyingInformation
```

**BuiltInTypeQualifyingInformation
identifier**
| ALL

15) Subclause 15.1.3

In subclause 15.1.3 and its NOTE, insert "XER" before all 4 occurrences of "encoding control section".

16) Subclause 15.4.3

In subclause 15.4.3, insert "XER" before both occurrences of "encoding control section" in the NOTE.

17) Subclause 16.4

In subclause 16.4, insert "XER" before "encoding control section" in the NOTE.

18) Subclause 18.1.1

Replace subclause 18.1.1 with the following:

18.1.1 The "AnyAttributesInstruction" is:

AnyAttributesInstruction ::=

**ANY-ATTRIBUTES TargetList NamespaceRestriction ?
| ANY-ATTRIBUTES NamespaceRestriction ? "]" TargetList**

NamespaceRestriction ::=

**FROM URIList
| EXCEPT URIList**

URIList ::=

**QuotedURIorAbsent
| URIList QuotedURIorAbsent**

QuotedURIorAbsent ::=

**QuotedURI
| ABSENT**

19) Subclause 18.2.12

In subclause 18.2.12, insert "XER" before "encoding control section".

20) Subclause 19.1.1

Replace subclause 19.1.1 with the following:

19.1.1 The "AnyElementInstruction" is:

AnyElementInstruction ::=

**ANY-ELEMENT TargetList NamespaceRestriction ?
| ANY-ELEMENT NamespaceRestriction ? "]" TargetList**

21) Subclause 19.1.4

Replace subclause 19.1.4 with the following:

19.1.4 This encoding instruction enables an ASN.1 type that is an octetstring or a **UTF8String** to provide the specification of a single XML element.

NOTE – The content and attributes of the XML element are unrestricted. It may have attributes or child elements, and names of child elements and attributes may be qualified or unqualified, and are not affected by any "NamespaceRestriction".

22) Subclause 19.1.6

Replace subclause 19.1.6 with the following:

19.1.6 The type UTF8String with this final encoding instruction may be the root type of the encoding, or may be a component of a choice, sequence, set, sequence-of or set-of type. If it is a top-level type, the type reference name is ignored. If it is a component, the identifier-component name is ignored.

23) Subclause 19.2.1

Replace subclause 19.2.1 with the following:

19.2.1 An ASN.1 type shall not have this final encoding instruction unless it is an octetstring type or a UTF8String type restricted as follows:-

- a) if the type is an octetstring type, it is required to have a restriction applied to it so that each abstract value is a fast infoset document in conformance with ITU-T Rec. X.891 | ISO/IEC 24824-1.

NOTE 1 – It is recommended that the constraint on the octetstring be expressed as:

(CONSTRAINED BY

{/* Shall be a fast infoset document in conformance with
ITU-T Rec. X.891 | ISO/IEC 24824-1. */}

- b) if the type is a UTF8String, it The component is required to have a restriction applied to it that imposes the format and content specified in 19.2.4 to 19.2.9 by reference to this clause 19 or otherwise.

NOTE 2 – It is recommended that the constraint on the UTF8String be expressed as:

(CONSTRAINED BY

{/* Shall conform to the "AnyElementFormat" specified in
ITU-T Rec. X.693 | ISO/IEC 8825-4, clause 19. */}

24) Subclauses 19.2.7-19.2.9

Replace subclauses 19.2.7-19.2.9 with the following:

19.2.7 The value of the octetstring or of the UTF8String shall not cause 10.2.11 to be violated.

19.2.8 If there is a "NamespaceRestriction" of **FROM**, then the root element of the fast infoset document (case (a) of 19.2.1) or the (outermost) element name in "AnyElementFormat" (case (b) of 19.2.1) shall be the "URI" in a "QuotedURI" in the "URIList", and may be absent only if the keyword **ABSENT** occurs in the "URIList".

19.2.9 If there is a "NamespaceRestriction" of **EXCEPT**, then the root element of the fast infoset document (case (a) of 19.2.1) or the (outermost) element name in "AnyElementFormat" shall not be the "URI" in a "QuotedURI" in the "URIList", and shall not be absent if the keyword **ABSENT** occurs in the "URIList".

25) Subclause 19.2.10

In subclause 19.2.10, insert "XER" before "encoding control section".

26) Subclauses 19.3.1-19.3.4

Replace subclauses 19.3.1-19.3.4 with the following:

19.3.1 When this encoding instruction is applied to an octetstring, an EXTENDED-XER encoder shall convert the fast infoset document in the octetstring to an XML document, and shall include the root element of that XML document in the encoding in place of an XML element that would otherwise be generated for this component (ignoring the identifier of the component), or for the root type.

19.3.1 bis When this encoding instruction is applied to a UTF8String, Aan EXTENDED-XER encoder shall include the abstract value of the UTF8String in the encoding as an XML element in place of an XML element that would otherwise be generated for this component (ignoring the identifier of the component), or for the root type. The element included shall be identical to the abstract value of the UTF8String_T, except as specified in 19.3.2.

19.3.2 Any namespace declarations that are present in the ~~first start tag (or empty element tag)~~ of the element and are identical to namespace declarations that are in-scope at the point of insertion may (but need not) be removed, as an encoder's option.

NOTE – Changing, moving, or deleting other namespace declarations in the **UTF8String** has not been allowed, as such actions may affect the namespace and qualification of XML QNames present in element content or attribute values, and it is generally not possible for an encoder to determine whether such content or attribute values are QNames or not.

19.3.2 bis When this encoding instruction is applied to an octetstring, an EXTENDED-XER decoder shall convert the next XML element in the encoding to an XML document that has that element as its root element, and shall convert that XML document to a fast infoset document.

19.3.3 When this encoding instruction is applied to a UTF8String, an EXTENDED-XER decoder shall generate the format of 19.2.4 from the incoming XML document next XML element in the encoding, as the abstract value of the UTF8String.

19.3.4 The decoder shall include, in the root element of the fast infoset document or in the topmost element in the UTF8String first start tag (or empty element tag) in the abstract value of the UTF8String, namespace declaration attributes for all namespace declarations that are in scope for the element being decoded but that are not present in the start tag of that element.

27) Subclause 20.1.1

Replace subclause 20.1.1 with the following:

20.1.1 The "AttributeInstruction" is:

AttributeInstruction ::=
ATTRIBUTE TargetList
| ATTRIBUTE "]" TargetList

28) Subclause 21.1.1

Replace subclause 21.1.1 with the following:

21.1.1 The "Base64Instruction" is:

Base64Instruction ::=
BASE64 TargetList
| BASE64 "]" TargetList

29) Subclause 22.1.1

Replace subclause 22.1.1 with the following:

22.1.1 The "DecimalInstruction" is:

DecimalInstruction ::=
DECIMAL TargetList
| DECIMAL "]" TargetList

30) Subclause 22.2.3

In subclause 22.2.3, insert "XER" before "encoding control section".

31) Subclause 23.1.1

Replace subclause 23.1.1 with the following:

23.1.1 The "DefaultForEmptyInstruction" is:

DefaultForEmptyInstruction ::=
DEFAULT-FOR-EMPTY TargetList AS Value
| DEFAULT-FOR-EMPTY AS Value "]" TargetList

32) Subclause 23.2.7

In subclause 23.2.7, insert "XER" before "encoding control section".

33) Subclause 24.1.1

Replace subclause 24.1.1 with the following:

24.1.1 The "ElementInstruction" is:

```
ElementInstruction ::=
    ELEMENT TargetList
    | ELEMENT "]" TargetList
```

34) Subclause 25.1.1

Replace subclause 25.1.1 with the following:

25.1.1 The "EmbedValuesInstruction" is:

```
EmbedValuesInstruction ::=
    EMBED-VALUES TargetList
    | EMBED-VALUES "]" TargetList
```

35) Subclause 25.2.1

Replace subclause 25.2.1 with the following:

25.2.1 An ASN.1 type shall not have this final encoding instruction unless it is a sequence type. The first component of the sequence shall not be marked **OPTIONAL** or **DEFAULT**, and shall be a sequence-of type whose component is a UTF8String with a constraint that forbids control characters, ~~SEQUENCE-OF UTF8String and shall not be marked OPTIONAL or DEFAULT.~~

36) Subclause 25.2.7

In subclause 25.2.7, insert "XER" before "encoding control section".

37) Subclause 26.1.1

Replace subclause 26.1.1 with the following:

26.1.1 The "GlobalDefaultsInstruction" is:

```
GlobalDefaultsInstruction ::=
    GLOBAL-DEFAULTS TargetList DefaultSetting
    | GLOBAL-DEFAULTS DefaultSetting "]" TargetList
```

```
DefaultSetting ::=
    ControlNamespace
    | MODIFIED-ENCODINGS
```

```
ControlNamespace ::=
    CONTROL-NAMESPACE
    QuotedURI
    Prefix ?
```

38) Subclauses 26.2.1 and 26.2.2

In subclauses 26.2.1 and 26.2.2, insert "XER" before "encoding control section".

39) Subclause 27.1.1

Replace subclause 27.1.1 with the following:

27.1.1 The "ListInstruction" is:

```
ListInstruction ::=
  LIST TargetList
  | LIST "]" TargetList
```

40) Subclause 28.1.1

Replace subclause 28.1.1 with the following:

28.1.1 The "NameInstruction" is:

```
NameInstruction ::=
  NAME TargetList AS NewNameOrKeyword
  | NAME AS NewNameOrKeyword "]" TargetList
```

```
NewNameOrKeyword ::=
  NewName
  | Keyword
```

```
NewName ::=
  RestrictedCharacterStringValue
```

```
Keyword ::=
  CAPITALIZED
  | UNCAPITALIZED
  | UPPERCASED
  | LOWERCASED
```

41) Subclause 29.1.1

Replace subclause 29.1.1 with the following:

29.1.1 The "NamespaceInstruction" is:

```
NamespaceInstruction ::=
  NAMESPACE TargetList NamespaceSpecification ?
  | NAMESPACE NamespaceSpecification ? "]" TargetList
```

```
NamespaceSpecification ::=
  AS
  QuotedURI
  Prefix ?
```

```
Prefix ::=
  PREFIX
  QuotedNCName
```

```
QuotedURI ::=
  "\"" & URI & "\""
```

```
QuotedNCName ::=
  "\"" & NCName & "\""
```

42) Subclause 29.2.1

In subclause 29.2.1, insert "XER" before "encoding control section".

43) Subclause 29.2.2

Add a new subclause 29.2.2 as follows:

29.2.2 An ASN.1 type shall not have both a final **ATTRIBUTE** encoding instruction and a final **NAMESPACE** encoding instruction specifying the control namespace.

44) Subclause 30.1.1

Replace subclause 30.1.1 with the following:

30.1.1 The "PIOrCommentInstruction" is:

PiOrCommentInstruction ::=

PI-OR-COMMENT TargetList AS RestrictedCharacterStringValue Position
| PI-OR-COMMENT AS RestrictedCharacterStringValue Position "]" TargetList

Position ::=

BEFORE-TAG
| BEFORE-VALUE
| AFTER-VALUE
| AFTER-TAG

45) Subclause 31.1.1

Replace subclause 31.1.1 with the following:

31.1.1 The "TextInstruction" is:

TextInstruction ::=

TEXT TargetList TextToBeUsed ?
| TEXT TextToBeUsed ? "]" TargetList

TextToBeUsed ::=

AS NewNameOrKeyword

46) Subclause 31.1.4

Replace subclause 31.1.4 with the following:

31.1.4 The "NewNameOrKeyword" is defined in clause 28. ~~The "NewName" in "NewNameOrKeyword" shall contain at least one character.~~

47) Subclause 31.2.3 bis

Add a new subclause 31.2.3 bis as follows:

31.2.3 bis The "RestrictedCharacterStringValue" in "NewName" when used in the **TEXT** encoding instruction shall not contain any control characters.

48) Subclause 31.2.5

Replace subclause 31.2.5 with the following:

31.2.5 If the **TEXT** encoding instruction is applied to a bitstring type with named bits and "NewName" is used, the "NewName" shall contain at least one character, shall not contain "white-space with escapes" (see 8.1.5), and shall not commence with a "0" (DIGIT ZERO) or a "1" (DIGIT ONE).

49) Subclause 32.1.1

Replace subclause 32.1.1 with the following:

32.1.1 The "UntaggedInstruction" is:

UntaggedInstruction ::=
UNTAGGED TargetList
| UNTAGGED "]" TargetList

50) Subclause 32.2.1

Replace subclause 32.2.1 with the following:

32.2.1 In all instances of use, the enclosing type shall be a sequence, set, choice, sequence-of, or set-of type. When the enclosing type is a sequence, set, or choice type, it shall not contain an extension marker.

51) Subclause 32.2.5

In subclause 32.2.5, insert "XER" before "encoding control section".

52) Subclause 32.3.4

In subclause 32.3.4, insert "XER" before "encoding control section" in NOTE 1.

53) Subclause 33.1.1

Replace subclause 33.1.1 with the following:

33.1.1 The "UseNilInstruction" is:

UseNilInstruction ::=
USE-NIL TargetList
| USE-NIL "]" TargetList

54) Subclause 33.2.6

In subclause 33.2.6, insert "XER" before "encoding control section".

55) Subclause 34.1.1

Replace subclause 34.1.1 with the following:

34.1.1 The "UseNumberInstruction" is:

UseNumberInstruction ::=
USE-NUMBER TargetList
| USE-NUMBER "]" TargetList

56) Subclause 34.3.4

In subclause 34.3.4, change both occurrences of "Encoding Control Section" to "encoding control section" in the NOTE.