INTERNATIONAL STANDARD ISO/IEC 9075-11:2003
TECHNICAL CORRIGENDUM 2

Published 2007-04-15

Information technology — Database languages — SQL —

Part 11:
Information and Definition Schemas (SQL/Schemata)

TECHNICAL CORRIGENDUM 2

Technologies de l'information — Langages de base de données — SQL —

Partie 11: Schémas des informations et des définitions (SQL/Schemata)

RECTIFICATIF TECHNIQUE 2

Technical Corrigendum 2 to ISO/IEC 9075-11:2003 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 32, *Data management and interchange*. Corrigendum 2 cancels and replaces ISO/IEC 9075-11:2003/Cor.1:2005.

Statement of purpose for rationale

A statement indicating the rationale for each change to ISO/IEC 9075-11:2003 is included. This is to inform the users of ISO/IEC 9075-11:2003 why it was judged necessary to change the original wording. In many cases, the reason is editorial or to clarify the wording; in some cases, it is to correct an error or an omission in the original wording.

Notes on numbering

Where this Technical Corrigendum introduces new Syntax, Access, General and Conformance Rules, the new rules have been numbered as follows:

Rules inserted between, for example, Rules 7) and 8) are numbered 7.1), 7.2), etc. [or 7)a.1), 7)a.2), etc.]. Those inserted before Rule 1) are numbered 0.1), 0.2), etc.

Where this Technical Corrigendum introduces new subclauses, the new subclauses have been numbered as follows:

Subclauses inserted between, for example, 4.3.2 and 4.3.3 are numbered 4.3.2a, 4.3.2b, etc. Those inserted before, for example, 4.3.1 are numbered 4.3.0, 4.3.0a, etc.

ICS 35.060   **Ref. No. ISO/IEC 9075-11:2003/Cor.2:2007(E)**

Contents

Tables

Table   **Page**

Information technology — Database languages — SQL —

Part 11:
Information and Definition Schemas (SQL/Schemata)

TECHNICAL CORRIGENDUM 2

Foreword

1. *Rationale: Correct intent of this second edition.*

   Insert the following paragraph after the 5[th] paragraph:

   This first edition of ISO/IEC 9075-11, together with ISO/IEC 9075-2:2003, cancels and replaces ISO/IEC 9075-2:1999 and ISO/IEC 9075-5:1999, which have been technically revised. It also incorporates the relevant parts of Amendment ISO/IEC 9075-2:1999/Amd.1:2001 and of the Technical Corrigenda ISO/IEC 9075-2:1999/Cor.1:2000 and ISO/IEC 9075-2:1999/Cor.2:2003.

2. *Rationale: Remove incorrect reference to obsolete part.*

   In the 6[th] paragraph, delete the 5[th] bullet.

5   Information Schema

5.14   COLLATIONS view

1. *Rationale: Replace Feature F691 with Feature F690.*

   Replace Conformance Rule 1) with:

   1)   Without Feature F690, "Collation support", conforming SQL language shall not reference INFORMATION_SCHEMA.COLLATIONS.

5.17   COLUMN_DOMAIN_USAGE view

1. *Rationale: Add missing Conformance Rule.*

   Insert the following Conformance Rule:

   0.1)   Without Feature F251, "Domain support", conforming SQL language shall not reference INFORMATION_SCHEMA.COLUMN_DOMAIN_USAGE.

5.28   ELEMENT_TYPES view

1.   *Rationale: Replace incorrect reference to DTD_IDENTIFIER.*

Replace the Definition with:

```
CREATE VIEW ELEMENT_TYPES AS
    SELECT DISTINCT
         OBJECT_CATALOG, OBJECT_SCHEMA, OBJECT_NAME,
         OBJECT_TYPE, COLLECTION_TYPE_IDENTIFIER, DATA_TYPE,
         CHARACTER_MAXIMUM_LENGTH, CHARACTER_OCTET_LENGTH,
         CHARACTER_SET_CATALOG, CHARACTER_SET_SCHEMA, CHARACTER_SET_NAME,
         COLLATION_CATALOG, COLLATION_SCHEMA, COLLATION_NAME,
         NUMERIC_PRECISION, NUMERIC_PRECISION_RADIX, NUMERIC_SCALE,
         DATETIME_PRECISION, INTERVAL_TYPE, INTERVAL_PRECISION,
         USER_DEFINED_TYPE_CATALOG AS UDT_CATALOG,
         USER_DEFINED_TYPE_SCHEMA AS UDT_SCHEMA,
         USER_DEFINED_TYPE_NAME AS UDT_NAME,
         SCOPE_CATALOG, SCOPE_SCHEMA, SCOPE_NAME,
         MAXIMUM_CARDINALITY, DTD_IDENTIFIER
    FROM DEFINITION_SCHEMA.ELEMENT_TYPES AS E
      JOIN
          DEFINITION_SCHEMA.DATA_TYPE_DESCRIPTOR AS D
      USING ( OBJECT_CATALOG, OBJECT_SCHEMA, OBJECT_NAME,
               OBJECT_TYPE, DTD_IDENTIFIER )
    WHERE ( OBJECT_CATALOG, OBJECT_SCHEMA, OBJECT_NAME,
             OBJECT_TYPE, ROOT_DTD_IDENTIFIER ) IN
           ( SELECT OBJECT_CATALOG, OBJECT_SCHEMA, OBJECT_NAME,
                    OBJECT_TYPE, DTD_IDENTIFIER
             FROM INFORMATION_SCHEMA.DATA_TYPE_PRIVILEGES );

GRANT SELECT ON TABLE ELEMENT_TYPES
    TO PUBLIC WITH GRANT OPTION;
```

5.31   KEY_COLUMN_USAGE view

1.   *Rationale: Fix the invalid brackets in the KEY_COLUMN_USAGE view.*

In the Definition, replace the view definition with:

```
CREATE VIEW KEY_COLUMN_USAGE AS
   SELECT CONSTRAINT_CATALOG, CONSTRAINT_SCHEMA, CONSTRAINT_NAME,
          KCU1.TABLE_CATALOG, KCU1.TABLE_SCHEMA, KCU1.TABLE_NAME,
          KCU1.COLUMN_NAME, KCU1.ORDINAL_POSITION, KCU1.POSITION_IN_UNIQUE_CONSTRAINT
   FROM DEFINITION_SCHEMA.KEY_COLUMN_USAGE AS KCU1
        JOIN INFORMATION_SCHEMA.TABLE_CONSTRAINTS AS TC
          USING ( CONSTRAINT_CATALOG, CONSTRAINT_SCHEMA, CONSTRAINT_NAME )
   WHERE ( ( SELECT MAX ( KCU3.ORDINAL_POSITION )
             FROM DEFINITION_SCHEMA.KEY_COLUMN_USAGE AS KCU3
```

```
                   WHERE KCU3.CONSTRAINT_CATALOG = CONSTRAINT_CATALOG
                        AND
                        KCU3.CONSTRAINT_SCHEMA = CONSTRAINT_SCHEMA
                        AND
                        KCU3.CONSTRAINT_NAME = CONSTRAINT_NAME
            ) = ( SELECT COUNT (*)
                    FROM DEFINITION_SCHEMA.KEY_COLUMN_USAGE AS KCU2
                    WHERE ( KCU2.TABLE_CATALOG, KCU2.TABLE_SCHEMA,
                            KCU2.TABLE_NAME, KCU2.COLUMN_NAME )
                          IN ( SELECT CP2.TABLE_CATALOG, CP2.TABLE_SCHEMA,
                                      CP2.TABLE_NAME, CP2.COLUMN_NAME
                               FROM DEFINITION_SCHEMA.COLUMN_PRIVILEGES AS CP2
                               WHERE ( CP2.GRANTEE IN ( 'PUBLIC',
                                                        CURRENT_USER )
                                       OR
                                       CP2.GRANTEE IN ( SELECT ROLE_NAME
                                                        FROM ENABLED_ROLES )
                                     )
                             )
                          AND
                          KCU2.CONSTRAINT_CATALOG = CONSTRAINT_CATALOG
                          AND
                          KCU2.CONSTRAINT_SCHEMA = CONSTRAINT_SCHEMA
                          AND
                          KCU2.CONSTRAINT_NAME = CONSTRAINT_NAME
              )
          )
          AND
          CONSTRAINT_CATALOG = ( SELECT CATALOG_NAME
                                 FROM INFORMATION_SCHEMA_CATALOG_NAME );
```

5.54   SQL_PACKAGES view

1.   *Rationale: Correct miss-application of change proposal WG3:DRS-074R1.*

Replace the Definition with:

```
CREATE VIEW SQL_PACKAGES AS
     SELECT ID, NAME
            IS_SUPPORTED, IS_VERIFIED_BY, COMMENTS
     FROM DEFINITION_SCHEMA.SQL_CONFORMANCE
     WHERE TYPE = 'PACKAGE';

GRANT SELECT ON TABLE SQL_PACKAGES
     TO PUBLIC WITH GRANT OPTION;
```

5.55 SQL_PARTS view

1. *Rationale: Correct miss-application of change proposal WG3:DRS-074R1.*

    Replace the Definition with:

```
CREATE VIEW SQL_PARTS AS
    SELECT ID AS PART, NAME,
           IS_SUPPORTED, IS_VERIFIED_BY, COMMENTS
    FROM DEFINITION_SCHEMA.SQL_CONFORMANCE
    WHERE TYPE = 'PART';

GRANT SELECT ON TABLE SQL_PARTS
    TO PUBLIC WITH GRANT OPTION;
```

5.63 TRANSLATIONS view

1. *Rationale: Replace Feature F691 with Feature F695.*

    Replace Conformance Rule 2) with:

    2)   Without Feature F695, "Translation support", conforming SQL language shall not reference INFORMATION_SCHEMA.TRANSLATIONS.

5.77 Short name views

1. *Rationale: Add missing Conformance Rule.*

    Insert the following Conformance Rule:

    1.1)   Without Feature F251, "Domain support", conforming SQL language shall not reference INFORMA-TION_SCHEMA.COL_DOMAIN_USAGE.

2. *Rationale: Delete a Conformance Rule which references an incorrect table*

    Delete Conformance Rule 16).

3. *Rationale: Add missing Conformance Rules.*

    Insert the following Conformance Rules:

    16.1) Without Feature F341, "Usage tables", conforming SQL language shall not reference the INFOR-MATION_SCHEMA.TRIG_SEQ_USAGE_S view.

16.2) Without Feature F341, "Usage tables", conforming SQL language shall not reference the INFOR-MATION_SCHEMA.COL_COL_USAGE view.

4. *Rationale: Replace Feature F691 with Features F690 and F695.*

   Replace Conformance Rules 19) and 20) with:

   19) Without Feature F690, "Collation support", conforming SQL language shall not reference INFOR-MATION_SCHEMA.COLLATIONS.

   20) Without Feature F695, "Translation support", conforming SQL language shall not reference INFORMATION_SCHEMA.TRANSLATIONS.

5. *Rationale: Reference the correct table.*

   Replace Conformance Rule 21) with:

   21) Without Feature F696, "Additional translation documentation", conforming SQL language shall not reference TRANSLATIONS_S.TRANS_SRC_CATALOG, TRANSLA-TIONS_S.TRANS_SRC_SCHEMA, or TRANSLATIONS_S.TRANS_SRC_NAME.

6. *Rationale: Add missing Conformance Rules.*

   Insert the following Conformance Rules:

   25.1) Without Feature S024, "Enhanced structured types", conforming SQL language shall not reference INFORMATION_SCHEMA.ROL_TAB_METH_GRNTS.

   25.2) Without Feature S041, "Basic reference types", conforming SQL language shall not reference INFORMATION_SCHEMA.REFERENCED_TYPES_S.

   25.3) Without Feature S091, "Basic array support", or Feature S271, "Basic multiset support", conforming SQL language shall not reference INFORMATION_SCHEMA.ELEMENT_TYPES_S.

7. *Rationale: Reference the correct table.*

   Replace Conformance Rule 30) with:

   30) Without Feature T011, "Timestamp in Information Schema", conforming SQL language shall not reference INFORMATION_SCHEMA.TRIGGERS_S.CREATED.

8. *Rationale: Add missing Conformance Rules.*

   Insert the following Conformance Rules:

   30.1) Without Feature T051, "Row types", conforming SQL language shall not reference INFORMA-TION_SCHEMA.FIELDS_S.

   30.2) Without Feature T175, "Generated columns", conforming SQL language shall not reference INFORMATION_SCHEMA.COLUMNS_S.IS_GENERATED.

9. *Rationale: Add missing Conformance Rule.*

   Insert the following Conformance Rule:

   34.1) Without Feature T176, "Sequence generator support", conforming SQL language shall not reference INFORMATION_SCHEMA.TRIGGER_SEQ_USAGE_S.

10. *Rationale: Delete a redundant Conformance Rule.*

    Delete Conformance Rule 39).

11. *Rationale: Add missing Conformance Rules.*

    Insert the following Conformance Rules:

    41.1) Without Feature T272, "Enhanced savepoint management", conforming SQL language shall not reference INFORMATION_SCHEMA.ROUTINES_S.NEW_SAVEPOINT_LEVEL.

    41.2) Without Feature T331, "Basic roles", conforming SQL language shall not reference INFORMA-TION_SCHEMA.ROL_TAB_METH_GRNTS.

6   Definition Schema

6.6   ATTRIBUTES base table

1. *Rationale: Nullability is not specied for attributes of structured types.*

   Replace Description 6) with:

   6)   The value of IS_NULLABLE is YES.

2. *Rationale: The description for the column IS_DERIVED_REFERENCE_ATTRIBUTE is missing.*

   Insert the following description item:

   6.1) The values of IS_DERIVED_REFERENCE_ATTRIBUTE have the following meanings:

YES	The attribute is used in the definition of a derived representation for the reference type corresponding to the structured type the attribute belongs to.
NO	The attribute is not used in the definition of a derived representation for the reference type corresponding to the structured type the attribute belongs to.

6.7   AUTHORIZATIONS base table

1. *Rationale: Use correct BNF term.*

Replace the text of the Function with:

Function

The AUTHORIZATIONS table has one row for each <role name> and one row for each <user identifier> referenced in the Information Schema. These are the <role name>s and <user identifier>s that may grant privileges as well as those that may create a schema, or currently own a schema created through a <schema definition>.

6.27   FIELDS base table

1. *Rationale: Nullability is not specified for fields of row types.*

Replace Description 6) with:

6)   The value of IS_NULLABLE is YES.

6.34   ROLE_AUTHORIZATION_DESCRIPTORS base table

1. *Rationale: The primary key is incomplete.*

Replace the declaration of the constraint ROLE_AUTHORIZATION_DESCRIPTORS_PRIMARY_KEY with:

```
CONSTRAINT ROLE_AUTHORIZATION_DESCRIPTORS_PRIMARY_KEY
  PRIMARY KEY ( ROLE_NAME, GRANTEE, GRANTOR ),
```

6.42   SEQUENCES base table

1. *Rationale: Fix the invalid constraint SEQUENCES_FOREIGN_KEY_SCHEMATA.*

In the Definition replace the constraint definition for constraint
SEQUENCES_FOREIGN_KEY_SCHEMATA with: