
**Information technology — Database
languages SQL —**

**Part 4:
Persistent stored modules (SQL/PSM)**

*Technologies de l'information — Langages de base de données SQL —
Partie 4: Modules stockés persistants (SQL/PSM)*

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 9075-4:2023



STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 9075-4:2023



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2023

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

Page

Foreword..... viii

Introduction..... x

1 Scope..... 1

2 Normative references..... 2

3 Terms and definitions..... 3

4 Concepts..... 4

4.1 Notations and conventions..... 4

4.1.1 Notations..... 4

4.1.2 Use of terms..... 4

4.2 SQL-server modules..... 4

4.3 Tables..... 5

4.3.1 Base tables..... 5

4.3.1.1 Temporary tables..... 5

4.3.2 Unique identification of tables..... 5

4.4 SQL-schemas..... 5

4.5 SQL-invoked routines..... 6

4.5.1 Overview of SQL-invoked routines..... 6

4.5.2 Execution of conventional SQL-invoked routines..... 6

4.5.3 Routine descriptors..... 6

4.6 SQL-paths..... 6

4.7 Host parameters..... 6

4.7.1 Status parameters..... 6

4.8 Diagnostics area..... 6

4.9 Condition handling..... 7

4.10 Cursors..... 8

4.10.1 General description of cursors..... 8

4.11 SQL-statements..... 9

4.11.1 Classes of SQL-statements..... 9

4.11.2 SQL-statements classified by function..... 9

4.11.2.1 SQL-schema statements..... 9

4.11.2.2 SQL-control statements..... 9

4.11.2.3 SQL-control declarations..... 9

4.11.2.4 SQL-diagnostics statements..... 10

4.11.3 SQL-statements and transaction states..... 10

4.11.4 SQL-statement atomicity and statement execution contexts..... 10

4.11.5 Embeddable SQL-statements..... 10

4.11.6 Preparable and immediately executable SQL-statements..... 11

4.11.7 Directly executable SQL-statements..... 11

4.11.8	Iterated SQL-statements.	11
4.11.9	Compound statements.	12
4.12	Basic security model.	12
4.12.1	Privileges.	12
4.13	SQL-sessions.	12
4.13.1	General description of SQL-sessions.	12
5	Lexical elements.	13
5.1	<token> and <separator>.	13
5.2	Names and identifiers.	15
6	Scalar expressions.	17
6.1	<value specification> and <target specification>.	17
6.2	<identifier chain>.	19
6.3	<next value expression>.	21
6.4	<SQL variable reference>.	22
7	Query expressions.	23
7.1	<table reference>.	23
7.2	<query specification>.	24
8	Additional common rules.	25
8.1	Potential sources of non-determinism.	25
8.2	Executing an <SQL procedure statement>.	26
8.3	Executing a <compound statement>.	27
8.4	Invoking an SQL-invoked routine.	29
8.5	Transformation of query specifications.	30
8.6	Handler execution.	31
9	Additional common elements.	34
9.1	<sqlstate value>.	34
10	Schema definition and manipulation.	36
10.1	<schema definition>.	36
10.2	<drop schema statement>.	37
10.3	<table definition>.	38
10.4	<column definition>.	39
10.5	<default clause>.	40
10.6	<check constraint definition>.	41
10.7	<drop column scope clause>.	42
10.8	<drop column definition>.	43
10.9	<drop table constraint definition>.	44
10.10	<drop table statement>.	45
10.11	<view definition>.	46
10.12	<drop view statement>.	47
10.13	<drop domain statement>.	48
10.14	<drop character set statement>.	49
10.15	<drop collation statement>.	50
10.16	<drop transliteration statement>.	51
10.17	<assertion definition>.	52
10.18	<drop assertion statement>.	53

10.19	<trigger definition>.....	54
10.20	<drop user-defined ordering statement>.....	55
10.21	<SQL-server module definition>.....	56
10.22	<drop module statement>.....	59
10.23	<drop data type statement>.....	60
10.24	<SQL-invoked routine>.....	61
10.25	<drop routine statement>.....	63
10.26	<drop user-defined cast statement>.....	64
11	Access control.....	65
11.1	<grant statement>.....	65
11.2	<privileges>.....	66
11.3	<revoke statement>.....	67
12	SQL-client modules.....	71
12.1	<externally-invoked procedure>.....	71
12.2	<SQL procedure statement>.....	73
13	Data manipulation.....	74
13.1	<declare cursor>.....	74
13.2	<open statement>.....	75
13.3	<fetch statement>.....	76
13.4	<close statement>.....	77
13.5	<select statement: single row>.....	78
13.6	<delete statement: positioned>.....	79
13.7	<update statement: positioned>.....	80
13.8	<temporary table declaration>.....	81
14	Additional data manipulation rules.....	82
14.1	Effect of opening a cursor.....	82
15	Control statements.....	83
15.1	<compound statement>.....	83
15.2	<handler declaration>.....	86
15.3	<condition declaration>.....	88
15.4	<SQL variable declaration>.....	89
15.5	<assignment statement>.....	90
15.6	<case statement>.....	94
15.7	<if statement>.....	97
15.8	<iterate statement>.....	99
15.9	<leave statement>.....	100
15.10	<loop statement>.....	101
15.11	<while statement>.....	102
15.12	<repeat statement>.....	104
15.13	<for statement>.....	105
16	Dynamic SQL.....	108
16.1	<prepare statement>.....	108
16.2	<input using clause>.....	110
16.3	<output using clause>.....	111
17	Embedded SQL.....	112

17.1	<embedded SQL host program>.....	112
18	Direct invocation of SQL	114
18.1	<direct SQL statement>.....	114
19	Diagnostics management	115
19.1	<get diagnostics statement>.....	115
19.2	<signal statement>.....	117
19.3	<resignal statement>.....	119
20	Information Schema	121
20.1	Information Schema digital artifact.....	121
20.2	MODULE_COLUMN_USAGE view.....	121
20.3	MODULE_PRIVILEGES view.....	123
20.4	MODULE_TABLE_USAGE view.....	124
20.5	MODULES view.....	125
20.6	PARAMETERS view.....	126
20.7	ROLE_MODULE_GRANTS view.....	127
20.8	ROUTINES view.....	128
20.9	Short name views.....	129
21	Definition Schema	130
21.1	Definition Schema digital artifact.....	130
21.2	MODULE_COLUMN_USAGE base table.....	130
21.3	MODULE_PRIVILEGES base table.....	132
21.4	MODULE_TABLE_USAGE base table.....	134
21.5	MODULES base table.....	135
21.6	ROUTINES base table.....	137
22	Status codes	138
22.1	SQLSTATE.....	138
23	Conformance	139
23.1	Claims of conformance to SQL/PSM.....	139
23.2	Additional conformance requirements for SQL/PSM.....	139
23.3	Implied feature relationships of SQL/PSM.....	139
Annex A	(informative) SQL conformance summary	141
Annex B	(informative) Implementation-defined elements	146
Annex C	(informative) Implementation-dependent elements	148
Annex D	(informative) SQL optional feature taxonomy	150
Annex E	(informative) Deprecated features	152
Annex F	(informative) Incompatibilities with ISO/IEC 9075:2016	153
Annex G	(informative) Defect Reports not addressed in this edition of this document	154
Index	155

Tables

Table	Page
1 Data types of <condition information item name>s.	115
2 SQL-statement codes.	116
3 SQLSTATE class and subclass codes.	138
4 Implied feature relationships of SQL/PSM.	139
A.1 Feature definitions outside of Conformance Rules.	141
D.1 Feature taxonomy for optional features.	150

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 9075-4:2023

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives or www.iec.ch/members_experts/refdocs).

ISO and IEC draw attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO and IEC take no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO and IEC have not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at www.iso.org/patents and <https://patents.iec.ch>. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html. In the IEC, see www.iec.ch/understanding-standards.

This document was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 32, *Data management and interchange*.

This seventh edition cancels and replaces the sixth edition (ISO/IEC 9075-4:2016), which has been technically revised. It also incorporates the Technical Corrigenda ISO/IEC 9075-4:2016/Cor.1:2019 and ISO/IEC 9075-4:2016/Cor.2:2022.

The main changes are as follows:

- improve the presentation and accuracy of the summaries of implementation-defined and implementation-dependent aspects of this document;
- introduction of several digital artifacts;
- alignment with updated ISO house style and other guidelines for creating standards.

This seventh edition of ISO/IEC 9075-4 is designed to be used in conjunction with the following editions of other parts of the ISO/IEC 9075 series, all published 2023:

- ISO/IEC 9075-1, sixth edition;
- ISO/IEC 9075-2, sixth edition;
- ISO/IEC 9075-3, sixth edition;
- ISO/IEC 9075-9, fifth edition;
- ISO/IEC 9075-10, fifth edition;
- ISO/IEC 9075-11, fifth edition;
- ISO/IEC 9075-13, fifth edition;
- ISO/IEC 9075-14, sixth edition;
- ISO/IEC 9075-15, second edition;
- ISO/IEC 9075-16, first edition.

A list of all parts in the ISO/IEC 9075 series can be found on the ISO and IEC websites.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html and www.iec.ch/national-committees.

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 9075-4:2023

Introduction

The organization of this document is as follows:

- 1) **Clause 1, "Scope"**, specifies the scope of this document.
- 2) **Clause 2, "Normative references"**, identifies additional standards that, through reference in this document, constitute provisions of this document.
- 3) **Clause 3, "Terms and definitions"**, defines the terms and definitions used in this document.
- 4) **Clause 4, "Concepts"**, presents concepts used in the definition of persistent stored modules.
- 5) **Clause 5, "Lexical elements"**, defines a number of lexical elements used in the definition of persistent stored modules.
- 6) **Clause 6, "Scalar expressions"**, defines a number of scalar expressions used in the definition of persistent stored modules.
- 7) **Clause 7, "Query expressions"**, defines the elements of the language that produce rows and tables of data as used in persistent stored modules.
- 8) **Clause 8, "Additional common rules"**, specifies the rules for assignments that retrieve data from or store data into SQL-data, and formation rules for set operations.
- 9) **Clause 9, "Additional common elements"**, defines additional common elements used in the definition of persistent stored modules.
- 10) **Clause 10, "Schema definition and manipulation"**, defines the schema definition and manipulation statements associated with the definition of persistent stored modules.
- 11) **Clause 11, "Access control"**, defines facilities for controlling access to SQL-data.
- 12) **Clause 12, "SQL-client modules"**, defines the facilities for using persistent stored modules.
- 13) **Clause 13, "Data manipulation"**, defines data manipulation operations associated with persistent stored modules.
- 14) **Clause 14, "Additional data manipulation rules"**, defines additional rules for data manipulation.
- 15) **Clause 15, "Control statements"**, defines the control statements used with persistent stored modules.
- 16) **Clause 16, "Dynamic SQL"**, defines the facilities for executing SQL-statements dynamically in the context of persistent stored modules.
- 17) **Clause 17, "Embedded SQL"**, defines the host language embeddings.
- 18) **Clause 18, "Direct invocation of SQL"**, defines direct invocation of SQL language.
- 19) **Clause 19, "Diagnostics management"**, defines enhancements to the facilities used with persistent stored modules.
- 20) **Clause 20, "Information Schema"**, defines the Information and Definition Schema objects associated with persistent stored modules.
- 21) **Clause 21, "Definition Schema"**, defines base tables on which the viewed tables containing schema information depend.
- 22) **Clause 22, "Status codes"**, defines SQLSTATE values related to persistent stored modules.
- 23) **Clause 23, "Conformance"**, defines the criteria for conformance to this document.

- 24) **Annex A, “SQL conformance summary”**, is an informative Annex. It summarizes the conformance requirements of the SQL language.
- 25) **Annex B, “Implementation-defined elements”**, is an informative Annex. It lists those features for which the body of this document states that the syntax, the meaning, the returned results, the effect on SQL-data and/or schemas, or other aspect is partly or wholly implementation-defined.
- 26) **Annex C, “Implementation-dependent elements”**, is an informative Annex. It lists those features for which the body of this document states that the syntax, the meaning, the returned results, the effect on SQL-data and/or schemas, or other aspect is partly or wholly implementation-dependent.
- 27) **Annex D, “SQL optional feature taxonomy”**, is an informative Annex. It identifies the optional features of the SQL language specified in this document by an identifier and a short descriptive name. This taxonomy is used to specify conformance.
- 28) **Annex E, “Deprecated features”**, is an informative Annex. It lists features that the responsible Technical Committee intends not to include in a future edition of this document.
- 29) **Annex F, “Incompatibilities with ISO/IEC 9075:2016”**, is an informative Annex. It lists incompatibilities with the previous edition of this document.
- 30) **Annex G, “Defect Reports not addressed in this edition of this document”**, is an informative Annex. It describes the Defect Reports that were known at the time of publication of this document. Each of these problems is a problem carried forward from the previous edition of the ISO/IEC 9075 series. No new problems have been created in the drafting of this edition of this document.

In the text of this document, in **Clause 5, “Lexical elements”**, through **Clause 23, “Conformance”**, Subclauses begin new pages. Any resulting blank space is not significant.

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 9075-4:2023

Information technology — Database language SQL —

Part 4:

Persistent Stored Modules (SQL/PSM)

1 Scope

This document specifies the syntax and semantics of a database language for declaring and maintaining persistent database language routines in SQL-server modules.

The database language for <externally-invoked procedure>s and <SQL-invoked routine>s includes the following capabilities.

- The specification of statements to direct the flow of control.
- The assignment of the result of expressions to variables and parameters.
- The specification of condition handlers that allow SQL-invoked routines to deal with various conditions that arise during their execution.
- The specification of statements to signal and resignal conditions.
- The declaration of standing SQL-server cursors.
- The declaration of local variables.

It also includes the definition of the Information Schema tables that contain schema information pertaining to SQL-server modules and SQL-invoked routines.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC 9075-1, *Information technology — Database languages — SQL — Part 1: Framework (SQL/Framework)*

ISO/IEC 9075-2, *Information technology — Database languages — SQL — Part 2: Foundation (SQL/Foundation)*

ISO/IEC 9075-11, *Information technology — Database languages — SQL — Part 11: Information and Definition Schemas (SQL/Schemata)*

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 9075-4:2023

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO/IEC 9075-1 and ISO/IEC 9075-2 apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <https://www.electropedia.org/>

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 9075-4:2023

4 Concepts

This Clause modifies Clause 4, “Concepts”, in ISO/IEC 9075-2.

4.1 Notations and conventions

This Subclause modifies Subclause 4.1, “Notations and conventions”, in ISO/IEC 9075-2.

4.1.1 Notations

This Subclause modifies Subclause 4.1.1, “Notations”, in ISO/IEC 9075-2.

The notations used in this document are defined in ISO/IEC 9075-1.

The syntax defined in this document is available from the ISO website as a “digital artifact”. See <https://standards.iso.org/iso-iec/9075/-4/ed-7/en/> to download digital artifacts for this document. To download the syntax defined in a plain-text format, select the file named `ISO_IEC_9075-4(E)_PSM.bnf.txt`. To download the syntax defined in an XML format, select the file named `ISO_IEC_9075-4(E)_PSM.bnf.xml`.

4.1.2 Use of terms

This Subclause modifies Subclause 4.1.2, “Use of terms”, in ISO/IEC 9075-2.

Insert after the 2nd paragraph: An SQL-statement *S1* is said to be executed as a *direct result of executing* an <SQL control statement> *S2* if *S2* contains *S1*.

Insert after the 2nd paragraph: The phrase “The scope of a <handler declaration> contained in a *Y* is that *Y*, excluding every <SQL schema statement> contained in that *Y*” means that the scope of the <handler declaration> does not extend to SQL-statements contained in such an <SQL schema statement>; it does, however, extend to the <SQL schema statement> itself.

4.2 SQL-server modules

An *SQL-server module* is a persistent object defined in a schema and identified by an <SQL-server module name>. SQL-server modules are created with <SQL-server module definition>s and destroyed with <drop module statement>s and by <drop schema statement>s that destroy the schemas that contain them.

An <SQL-server module definition> contains an <SQL-server module name>, an optional <SQL-server module character set specification>, an optional <SQL-server module schema clause>, an optional <SQL-server module path specification>, zero or more SQL-server module declared local temporary tables specified by <temporary table declaration>s, and one or more <SQL-invoked routine>s.

The <SQL-server module name> of an SQL-server module is a <schema qualified name>. The character set specified by the <SQL-server module character set specification> identifies the character repertoire used for expressing the names of schema objects used in the <SQL-server module definition>. The <default schema name> specified by the <SQL-server module schema clause> identifies the schema name used for implicit qualification of unqualified names appearing in the <SQL-server module definition>. The SQL-invoked routines of an SQL-server module are invoked only from SQL-statements.

An SQL-server module has an *SQL-server module authorization identifier*, which is set to the authorization identifier of the owner of the schema that contains the SQL-server module at the time the SQL-server module is created. The SQL-server module authorization identifier acts as the current authorization identifier for privilege determination for the SQL objects, if any, contained in the SQL-server module.

An SQL-server module is described by an SQL-server module descriptor. An SQL-server module descriptor includes the following components.

- The SQL-server module name of the SQL-server module.
- The descriptor of the character set in which the SQL-server module is represented.
- The default schema name used for implicit qualification of unqualified names in the SQL-server module.
- The SQL-server module authorization identifier of the SQL-server module.
- The list of schema names contained in the <SQL-server module path specification>.
- The table descriptor of every local temporary table declared in the SQL-server module.
- The descriptor of every SQL-invoked routine contained in the SQL-server module.
- The text of the <SQL-server module definition>.
- The creation timestamp, of an implementation-defined (IV115) timestamp type.

4.3 Tables

This Subclause modifies Subclause 4.17, “Tables”, in ISO/IEC 9075-2.

4.3.1 Base tables

This Subclause modifies Subclause 4.17.2, “Base tables”, in ISO/IEC 9075-2.

4.3.1.1 Temporary tables

This Subclause modifies Subclause 4.17.2.4, “Temporary tables”, in ISO/IEC 9075-2.

Insert after the 8th paragraph: An SQL-server module declared local temporary table is a declared local temporary table defined in an <SQL-server module definition>. An SQL-server module declared local temporary table is effectively materialized the first time any <module routine> in the <SQL-server module definition> that contains the <temporary table declaration> is executed, and it persists for that SQL-session. Every SQL-server module in every SQL-session that references an SQL-server module declared local temporary table causes a distinct instance of that declared local temporary table (i.e., a multiset of rows that is visible only to that SQL-server module during that SQL-session) to be materialized. That is, the multiset of rows that is referenced by the <table name> of an SQL-server module declared local temporary table cannot be shared between SQL-sessions, nor between SQL-server modules that execute during an SQL-session.

4.3.2 Unique identification of tables

This Subclause modifies Subclause 4.17.5, “Unique identification of tables”, in ISO/IEC 9075-2.

Insert into the 1st paragraph, after the 4th list item:

- The <table name> of an SQL-server module declared local temporary table, together with an SQL-session identifier and an SQL-server module name, uniquely identifies a multiset of rows.

4.4 SQL-schemas

This Subclause modifies Subclause 4.28, “SQL-schemas”, in ISO/IEC 9075-2.

Insert into the 2nd paragraph, after the last list item:

- An SQL-server module descriptor.

4.5 SQL-invoked routines

This Subclause modifies Subclause 4.35, “SQL-invoked routines”, in ISO/IEC 9075-2.

4.5.1 Overview of SQL-invoked routines

This Subclause modifies Subclause 4.35.1, “Overview of SQL-invoked routines”, in ISO/IEC 9075-2.

Insert after the 3rd paragraph: An SQL-invoked routine that is defined in an <SQL-server module definition> is called an *SQL-module-level routine*.

4.5.2 Execution of conventional SQL-invoked routines

This Subclause modifies Subclause 4.35.3, “Execution of conventional SQL-invoked routines”, in ISO/IEC 9075-2.

Augment the 2nd paragraph by adding “SQL-server module” to the list of the containing objects.

4.5.3 Routine descriptors

This Subclause modifies Subclause 4.35.5, “Routine descriptors”, in ISO/IEC 9075-2.

Insert into the 1st paragraph, after the 18th list item:

- If the SQL-invoked routine is not a schema-level routine, then the <SQL-server module name> of the SQL-server module that includes the SQL-invoked routine and the <schema name> of the schema that includes the SQL-server module.

4.6 SQL-paths

This Subclause modifies Subclause 4.36, “SQL-paths”, in ISO/IEC 9075-2.

Insert after the 3rd paragraph: The definition of SQL-server modules specify an SQL-path that is used to search for the subject routine of a <routine invocation> whose <routine name>s do not contain a <schema name> when the <routine invocation> is contained in the <SQL-server module definition>.

4.7 Host parameters

This Subclause modifies Subclause 4.37, “Host parameters”, in ISO/IEC 9075-2.

4.7.1 Status parameters

This Subclause modifies Subclause 4.37.2, “Status parameters”, in ISO/IEC 9075-2.

Insert after the 6th paragraph: If the <SQL procedure statement> is a <compound statement>, then the active condition may result from the action of some exception handler specified in the <compound statement>.

4.8 Diagnostics area

This Subclause modifies Subclause 4.38, “Diagnostics area”, in ISO/IEC 9075-2.

Insert after the 5th paragraph: Information about a completion or exception condition is placed into one or more condition areas of the first diagnostics area before any handler is activated. The diagnostics area stack is then pushed so that the handler can access that information even while its own execution is causing the first diagnostics area to be modified.

Insert after the 5th paragraph: The first diagnostics area is emptied during the execution of a <signal statement>. Information is added to the first diagnostics area during the execution of a <resignal statement>.

4.9 Condition handling

Condition handling is the method of handling exception and completion conditions in SQL/PSM. Condition handling provides a <handler declaration> to define a handler, specifying its type, the exception and completion conditions it can resolve, and the action it takes to do so. Condition handling also provides the ability to explicitly signal exception and completion conditions.

<handler declaration>s specify the handling of exception and completion conditions. <handler declaration>s are optionally specified in <compound statement>s. The scope of a <handler declaration> specified in <compound statement> *CS* is *CS*, excluding every <SQL schema statement> contained in *CS*.

A <handler declaration> associates one or more conditions with a handler action. The handler action is an <SQL procedure statement>.

A *general* <handler declaration> is one that is associated with the <condition value>s `SQL EXCEPTION`, `SQL WARNING`, or `NOT FOUND`. All other <handler declaration>s are *specific* <handler declaration>s.

A condition represents an error or informational state caused by execution of an <SQL procedure statement>. Conditions are raised to provide information in a diagnostics area about the execution of an <SQL procedure statement>.

A <condition declaration> is used to declare a <condition name>, and to optionally associate it with an `SQLSTATE` value. If a <condition declaration> does not specify an `SQLSTATE` value, it declares a *user-defined exception condition*. <condition name>s can be used in <handler declaration>s, <signal statement>s, and <resignal statement>s.

When the <compound statement> containing a <handler declaration> is executed, a handler is created for the conditions associated with that <handler declaration>. A created handler is *activated* when it is the most appropriate handler for an exception or completion condition that has been raised by an SQL-statement. Such a handler is an *active* handler.

The *most appropriate* handler is determined during execution of an implicit or explicit <resignal statement> or a handler execution. A handler cannot be the most appropriate handler for an exception condition that occurs during the execution of that handler. An implicit <resignal statement> is executed when a <compound statement> or <handler action> completes with a condition other than *successful completion* (`00000`).

If there is no most appropriate handler and the condition is an exception condition, then the SQL-statement raising the exception condition is terminated with that exception condition. This type of exception condition is called an *unhandled exception condition*. Unhandled exception conditions are examined at the next visible scope for handling. If an exception condition remains unhandled at the outermost <externally-invoked procedure> or <direct SQL statement>, it is seen by the SQL-client. Even if the SQL-client resolves the exception condition, execution is not resumed in the SQL-server where the exception condition was raised.

If there is no most appropriate handler and the condition is a completion condition, then execution is resumed as specified in Subclause 6.3.3.7, “Exceptions”, in ISO/IEC 9075-1. This type of completion condition is called an *unhandled completion condition*.

A handler type specifies `CONTINUE`, `EXIT`, or `UNDO`.

If a handler type specifies `CONTINUE`, then, when the handler is activated, it will perform the following actions.

- Push the diagnostics area stack.

4.9 Condition handling

- Execute the handler action.
- Pop the diagnostics area stack.
- Cause the SQL-session to continue as it would have done if execution of the innermost executing statement that raised the condition had completed.

If a handler type specifies EXIT, then, when the handler is activated, it will perform the following actions.

- Push the diagnostics area stack.
- Execute the handler action.
- Pop the diagnostics area stack.
- Implicitly LEAVE the <compound statement> for which the handler was created, with no active exception condition.

If a handler type specifies UNDO, then, when the handler is activated, it will perform the following actions.

- Push the diagnostics area stack.
- Roll back all of the changes to SQL-data or to schemas by the execution of every SQL-statement contained in the SQL-statement list of the <compound statement> at the scope of the handler and cancel all <SQL procedure statement>s triggered by the execution of such statements.
- Execute the handler action.
- Pop the diagnostics area stack.
- Cause the SQL-session to continue as it would have done if execution of the <compound statement> for which the handler was created had completed.

If a <handler action> completes with a completion condition: *successful completion (00000)*, then it was able to resolve the condition, and execution resumes as specified in Subclause 15.2, “<handler declaration>”.

If a <handler action> completes with an exception or completion condition other than *successful completion (00000)*, then an implicit <resignal statement> is executed. The <resignal statement> determines whether there is another <handler declaration> that can resolve the condition.

4.10 Cursors

This Subclause modifies Subclause 4.40, “Cursors”, in ISO/IEC 9075-2.

4.10.1 General description of cursors

This Subclause modifies Subclause 4.40.1, “General description of cursors”, in ISO/IEC 9075-2.

Insert after the 2nd paragraph: A cursor specified by a <declare cursor> contained in an <SQL-client module definition> without an intervening <SQL schema statement> is a *standing SQL-client cursor*. A cursor specified by a <declare cursor> contained in a <compound statement> is a *standing SQL-server cursor*.

Augment the 3rd paragraph by adding “contained in the <local cursor declaration list> of a <compound statement>.” as another option for the containment of the cursor.

Augment the 5th paragraph, the 2nd list item, the 1st list item by adding “or an indication of a <compound statement>.” immediately after “then an indication of an SQL-client module”.

Insert after the 10th paragraph: For every <declare cursor> in a <compound statement>, a standing SQL-server cursor is effectively created each time the <compound statement> is executed and destroyed when that execution completes.

NOTE 1 — Destroying an open with-return cursor does not simultaneously destroy that cursor's result set.

4.11 SQL-statements

This Subclause modifies Subclause 4.41, "SQL-statements", in ISO/IEC 9075-2.

4.11.1 Classes of SQL-statements

This Subclause modifies Subclause 4.41.1, "Classes of SQL-statements", in ISO/IEC 9075-2.

Insert into the 5th paragraph, after the last list item:

- SQL-control declarations

4.11.2 SQL-statements classified by function

This Subclause modifies Subclause 4.41.2, "SQL-statements classified by function", in ISO/IEC 9075-2.

4.11.2.1 SQL-schema statements

This Subclause modifies Subclause 4.41.2.1, "SQL-schema statements", in ISO/IEC 9075-2.

Insert into the 1st paragraph, after the last list item:

- <SQL-server module definition>
- <drop module statement>

4.11.2.2 SQL-control statements

This Subclause modifies Subclause 4.41.2.6, "SQL-control statements", in ISO/IEC 9075-2.

Insert into the 1st paragraph, after the last list item:

- <compound statement>
- <case statement>
- <if statement>
- <iterate statement>
- <leave statement>
- <loop statement>
- <while statement>
- <repeat statement>
- <for statement>
- <assignment statement>

4.11.2.3 SQL-control declarations

The following are the SQL-control declarations:

- <condition declaration>

4.11 SQL-statements

- <handler declaration>
- <SQL variable declaration>

4.11.2.4 SQL-diagnostics statements

This Subclause modifies Subclause 4.41.2.8, "SQL-diagnostics statements", in ISO/IEC 9075-2.

Insert into the [1st paragraph](#), after the last list item:

- <signal statement>
- <resignal statement>

4.11.3 SQL-statements and transaction states

This Subclause modifies Subclause 4.41.4, "SQL-statements and transaction states", in ISO/IEC 9075-2.

Insert into the [1st paragraph](#), after the last list item:

- <for statement>

Insert into the [4th paragraph](#), after the last list item:

- <iterate statement>
- <leave statement>

Insert into the [5th paragraph](#), after the last list item:

- SQL-control statements other than:
 - <for statement>
 - <iterate statement>
 - <leave statement>

4.11.4 SQL-statement atomicity and statement execution contexts

This Subclause modifies Subclause 4.41.5, "SQL-statement atomicity and statement execution contexts", in ISO/IEC 9075-2.

Insert into the [2nd paragraph](#), after the last list item:

- <assignment statement>.
- <case statement>.
- <compound statement>, unless BEGIN ATOMIC is specified.
- <for statement>.
- <if statement>.
- <loop statement>.
- <repeat statement>.
- <while statement>.

4.11.5 Embeddable SQL-statements

This Subclause modifies Subclause 4.41.6, "Embeddable SQL-statements", in ISO/IEC 9075-2.

Insert into the 1st paragraph, in the 8th list item, after the last list item:

- All other SQL-control statements

NOTE 2 — SQL-control declarations contained in (for example) <compound statement>s are permitted, even when the containing SQL-statement is embedded in an <embedded SQL host program>.

4.11.6 Preparable and immediately executable SQL-statements

This Subclause modifies Subclause 4.41.7, “Preparable and immediately executable SQL-statements”, in ISO/IEC 9075-2.

Insert into the 2nd paragraph, in the 6th list item, after the last list item:

- <compound statement>
- <case statement>
- <if statement>
- <iterate statement>
- <leave statement>
- <loop statement>
- <while statement>
- <repeat statement>
- <for statement>
- <assignment statement>

Insert into the 2nd paragraph, after the last list item: Consequently, the following SQL-control declarations are not preparable:

- <condition declaration>
- <handler declaration>
- <SQL variable declaration>

4.11.7 Directly executable SQL-statements

This Subclause modifies Subclause 4.41.8, “Directly executable SQL-statements”, in ISO/IEC 9075-2.

Insert into the 1st paragraph, in the 6th list item, after the last list item:

- All other SQL-control statements

4.11.8 Iterated SQL-statements

The following are the iterated SQL-statements:

- <loop statement>
- <while statement>
- <repeat statement>
- <for statement>

4.11 SQL-statements

4.11.9 Compound statements

A compound statement allows a sequence of SQL-statements to be considered as a single SQL-statement. A compound statement also defines a local scope in which SQL-variables, condition handlers, and standing SQL-server cursors can be declared. See Subclause 15.1, “<compound statement>”.

4.12 Basic security model

This Subclause modifies Subclause 4.42, “Basic security model”, in ISO/IEC 9075-2.

4.12.1 Privileges

This Subclause modifies Subclause 4.42.2, “Privileges”, in ISO/IEC 9075-2.

Insert into the 1st paragraph, after the last list item:

— SQL-server module

Insert after the 17th paragraph: An execute privilege descriptor may also identify the existence of a privilege on the SQL-server module identified by the privilege descriptor.

Insert after the 17th paragraph: The object identification included in an execute privilege descriptor may also identify the SQL-server module described by the descriptor.

Insert after the 17th paragraph: If the object identified by an execute privilege descriptor is an SQL-invoked routine *R*, then *R* shall be a schema-level routine.

NOTE 3 — “schema-level routine” is defined in Subclause 11.60, “<SQL-invoked routine>”, in ISO/IEC 9075-2.

4.13 SQL-sessions

This Subclause modifies Subclause 4.45, “SQL-sessions”, in ISO/IEC 9075-2.

4.13.1 General description of SQL-sessions

This Subclause modifies Subclause 4.45.1, “General description of SQL-sessions”, in ISO/IEC 9075-2.

Insert after the 4th paragraph: Certain operations during an SQL-session *SS* are possible only when *SS* is in *condition handling mode*. This mode becomes in effect when execution of an SQL-statement has completed to the extent that all diagnostics information pertaining to that execution is recorded in the first diagnostics area. Condition handling mode ceases to be in effect when execution of the next SQL-statement begins.

5 Lexical elements

This Clause modifies Clause 5, “Lexical elements”, in ISO/IEC 9075-2.

5.1 <token> and <separator>

This Subclause modifies Subclause 5.2, “<token> and <separator>”, in ISO/IEC 9075-2.

Function

Specify lexical units (tokens and separators) that participate in SQL language.

Format

```

<reserved word> ::=
    !! All alternatives from ISO/IEC 9075-2

    | DO

    | ELSEIF

    | HANDLER

    | IF | ITERATE

    | LEAVE | LOOP

    | REPEAT | RESIGNAL

    | SIGNAL

    | UNTIL

    | WHILE

<non-reserved word> ::=
    !! All alternatives from ISO/IEC 9075-2

    | CONDITION_IDENTIFIER

    | EXIT

    | STACKED

    | UNDO

```

Syntax Rules

No additional Syntax Rules.

Access Rules

No additional Access Rules.

General Rules

No additional General Rules.

Conformance Rules

No additional Conformance Rules.

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 9075-4:2023

5.2 Names and identifiers

This Subclause modifies Subclause 5.4, “Names and identifiers”, in ISO/IEC 9075-2.

Function

Specify names.

Format

```
<SQL-server module name> ::=
  <schema qualified name>
```

```
<SQL variable name> ::=
  <identifier>
```

```
<condition name> ::=
  <identifier>
```

Syntax Rules

- 1) **Augment SR 4)a)** by adding “<SQL-server module definition>” as an additional not allowed intervening definition.
- 2) **Insert before SR 4)b):** If the <local or schema qualified name> is contained in an <SQL-server module definition> without an intervening <schema definition>, then the <default schema name> that is specified or implicit in the <SQL-server module definition> is implicit.
- 3) **Augment SR 5)a)** by adding “Alternatively *TN* shall be contained in an <SQL-server module definition> that contains a <temporary table declaration> *TT* whose <table name> has a <qualified identifier> equivalent to *QI*.” at the end of the Rule.
- 4) **Augment SR 7)** by adding “Alternatively, *CN* shall be contained, without an intervening <SQL schema statement>, in a <compound statement> whose <local cursor declaration list> contains a <declare cursor> whose <cursor name> is *CN*.” at the end of the Rule.
- 5) **Augment SR 8)a)ii)1)A)** by adding “<SQL-server module definition>” as an additional not allowed intervening definition for *UDTN*..
- 6) **Insert after SR 8)a)ii)1)A):** If *UDTN* is contained in an <SQL-server module definition> without an intervening <schema definition>, then the implicit <schema name> of *UDTN* is the <schema name> that is specified or implicit in <SQL-server module definition>.
- 7) **Augment SR 8)a)ii)1)B)** by adding “is not contained in an <SQL-client module definition>” as an additional predicate for *UDTN*.
- 8) **Augment SR 8)b)i)** by adding “<SQL-server module definition>” as an additional not allowed intervening definition for *UDTN*..
- 9) **Insert after SR 8)b)i):** If *UDTN* is contained in an <SQL-server module definition> without an intervening <schema definition>, then the implicit <schema name> of *UDTN* is the <schema name> that is specified or implicit in <SQL-server module definition>.
- 10) **Augment SR 8)b)ii)** by adding “is not contained in an <SQL-client module definition>” as an additional predicate for *UDTN*.
- 11) **Augment SR 13)d)i)** by adding “<SQL-server module definition>” as an additional not allowed intervening definition for *SQN*.

5.2 Names and identifiers

- 12) **Insert before SR 13)d)ii):** If *SQLN* is contained in an <SQL-server module definition> without an intervening <schema definition>, then the <default schema name> that is specified or implicit in the <SQL-server module definition> is implicit.
- 13) **Insert after SR 28):** If a <descriptor name> contains an <SQL variable reference> and does not specify a <scope option>, then that <SQL variable reference> is used to supply the value for the <descriptor name>.

NOTE 4 — The previous rule disambiguates between an <SQL variable reference> and a <non-extended descriptor name> that is an <identifier> and gives precedence to the <SQL variable reference>.

Access Rules

No additional Access Rules.

General Rules

- 1) **Insert after the last GR:** An <SQL-server module name> identifies an SQL-server module.
- 2) **Insert after the last GR:** An <SQL variable name> identifies an SQL variable.
- 3) **Insert after the last GR:** A <condition name> identifies an exception condition or a completion condition and optionally a corresponding SQLSTATE value.

Conformance Rules

No additional Conformance Rules.

6 Scalar expressions

This Clause modifies Clause 6, “Scalar expressions”, in ISO/IEC 9075-2.

6.1 <value specification> and <target specification>

This Subclause modifies Subclause 6.4, “<value specification> and <target specification>”, in ISO/IEC 9075-2.

Function

Specify one or more values, host parameters, SQL parameters, dynamic parameters, host variables, or SQL variables.

Format

```
<general value specification> ::=
    !! All alternatives from ISO/IEC 9075-2
    | <SQL variable reference>

<simple value specification> ::=
    !! All alternatives from ISO/IEC 9075-2
    | <SQL variable reference>

<target specification> ::=
    !! All alternatives from ISO/IEC 9075-2
    | <SQL variable reference>

<simple target specification> ::=
    !! All alternatives from ISO/IEC 9075-2
    | <SQL variable reference>

<target array reference> ::=
    !! All alternatives from ISO/IEC 9075-2
    | <SQL variable reference>
```

Syntax Rules

No additional Syntax Rules.

Access Rules

No additional Access Rules.

General Rules

- 1) [Augment GR 3](#)] by adding “SQL variable” to the list of targets.
- 2) [Augment GR 3](#)] by adding “<SQL variable reference>” to the list of <target specification>s.
- 3) [Augment GR 15](#)] by adding “SQL variable” to the list of targets.

6.1 <value specification> and <target specification>

- 4) Augment GR 15 by adding “<SQL variable reference>” to the list of <simple target specification>s.

Conformance Rules

No additional Conformance Rules.

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 9075-4:2023

6.2 <identifier chain>

This Subclause modifies Subclause 6.6, “<identifier chain>”, in ISO/IEC 9075-2.

Function

Disambiguate a period-separated chain of identifiers.

Format

No additional Format items.

Syntax Rules

- 1) **Insert after SR 7):** An SQL variable V is said to be *refinable* if the declared type of V is a row type, a JSON type, or a structured type.
- 2) **Augment SR 8)** by adding “an SQL variable SV ” to the list of possible referents of a basis.
- 3) **Insert after SR 9)a)ii)1)C):** The scope of one or more <beginning label>s whose associated <local declaration list> includes an SQL variable whose <SQL variable name> is equivalent to I_1 .
- 4) **Insert after SR 9)a)ii)2)B):** If $IPST$ is a <beginning label>, then let SV be the SQL variable whose <SQL variable name> is equivalent to I_1 . PIC_1 is the basis of IC , the basis length is 1 (one), the basis scope is the scope of SV , and the basis referent is SV .
- 5) **Insert after SR 9)b)iii):** If IC is contained in the scope of a <beginning label> whose associated <local declaration list> includes an SQL variable SV whose <SQL variable name> is equivalent to I_1 , then PIC_1 is a candidate basis of IC , the scope of PIC_1 is the scope of SV , and the referent of PIC_1 is SV .
- 6) **Insert after SR 9)b)iii):** If $N = 2$ and PIC_1 is equivalent to a <beginning label> BL whose scope contains IC and whose associated <local declaration list> includes an SQL variable SV whose <SQL variable name> is equivalent to I_2 , then PIC_2 is a candidate basis of IC , the scope of PIC_2 is the scope of SV , and the referent of PIC_2 is SV .
- 7) **Insert after SR 9)b)iii):** If $N > 2$ and PIC_1 is equivalent to a <beginning label> BL whose scope contains IC and whose associated <local declaration list> includes a refinable SQL variable SV whose <SQL variable name> is equivalent to I_2 , then PIC_2 is a candidate basis of IC , the scope of PIC_2 is the scope of SV , and the referent of PIC_2 is SV .
- 8) **Augment NOTE 163** by adding “an <SQL variable reference> ” as an alternative for an <SQL parameter reference>.
- 9) **Augment NOTE 163** by adding “Alternatively, on the left-hand side of an <assignment statement>, (PIC_{BL}) is interpreted as “<left paren> <target specification> <right paren>”, and the identifiers I_{BL+1}, \dots, I_N are parsed using the Format and Syntax Rules of <modified field reference> and <mutator reference> in Subclause 15.5, “<assignment statement>”. ” at the end of the note.
- 10) **Insert after SR 16):** A <basic identifier chain> whose basis referent is an SQL variable is an *SQL variable reference*.

Access Rules

No additional Access Rules.

General Rules

- 1) Insert after GR 4): If *BIC* is an SQL variable reference, then *BIC* references the SQL variable *SV* of a given execution of the <compound statement> whose <local declaration list> contains the <SQL variable declaration> that declares *SV*.

Conformance Rules

- 1) Insert after the last CR: Without Feature P005, “Qualified SQL variable references”, conforming SQL language shall not contain an SQL variable reference whose first <identifier> is the <beginning label> of a <compound statement>.

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 9075-4:2023

6.3 <next value expression>

This Subclause modifies Subclause 6.14, “<next value expression>”, in ISO/IEC 9075-2.

Function

Return the next value of a sequence generator.

Format

No additional Format items.

Syntax Rules

- 1) Insert after SR 1)e): An <assignment statement>.
- 2) Insert after the last SR: <next value expression> shall not be contained without an intervening <SQL statement list> in a <case statement>, an <if statement>, a <loop statement>, a <while statement>, or a <repeat statement>.

Access Rules

No additional Access Rules.

General Rules

No additional General Rules.

Conformance Rules

No additional Conformance Rules.

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 9075-4:2023

6.4 <SQL variable reference>

Function

Reference an SQL variable.

Format

<SQL variable reference> ::=
<basic identifier chain>

Syntax Rules

- 1) An <SQL variable reference> shall be a <basic identifier chain> that is an SQL variable reference.

Access Rules

None.

General Rules

None.

Conformance Rules

None.

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 9075-4:2023

7 Query expressions

This Clause modifies Clause 7, “Query expressions”, in ISO/IEC 9075-2.

7.1 <table reference>

This Subclause modifies Subclause 7.6, “<table reference>”, in ISO/IEC 9075-2.

Function

Reference a table.

Format

No additional Format items.

Syntax Rules

- 1) Augment SR 9)d)iii) by adding “<SQL variable reference>” to the list of BNF non-terminals.

Access Rules

No additional Access Rules.

General Rules

No additional General Rules.

Conformance Rules

No additional Conformance Rules.

7.2 <query specification>

This Subclause modifies Subclause 7.16, “<query specification>”, in ISO/IEC 9075-2.

Function

Specify a table derived from the result of a <table expression>.

Format

No additional Format items.

Syntax Rules

- 1) **Insert after SR 10)f)i):** If IC is contained in the scope of a <beginning label> whose associated <local declaration list> includes an SQL variable SV whose <SQL variable name> is equivalent to I_1 , then PIC_1 is a candidate basis of IC and the scope of PIC_1 is the scope of SV .
- 2) **Insert after SR 10)f)i):** If $N = 2$ and PIC_1 is equivalent to a <beginning label> BL whose scope contains IC and whose associated <local declaration list> includes an SQL variable SV whose <SQL variable name> is equivalent to I_2 , then PIC_2 is a candidate basis of IC , the scope of PIC_2 is the scope of SV , and the referent of PIC_2 is SV .
- 3) **Insert after SR 10)f)i):** If $N > 2$ and PIC_1 is equivalent to a <beginning label> BL whose scope contains IC and whose associated <local declaration list> includes a refinable SQL variable SV whose <SQL variable name> is equivalent to I_2 , then PIC_2 is a candidate basis of IC , the scope of PIC_2 is the scope of SV , and the referent of PIC_2 is SV .
- 4) **Insert after SR 17)c):** If the i -th <derived column> in the <select list> does not specify an <as clause> and the <value expression> of that <derived column> is a single SQL variable reference, then the <column name> of the i -th column of the result is the <SQL variable name> of the SQL variable designated by the SQL variable reference.
- 5) **Insert after SR 19)b)iv):** An SQL variable.

Access Rules

No additional Access Rules.

General Rules

No additional General Rules.

Conformance Rules

- 1) **Insert after the last CR:** Without Feature P005, “Qualified SQL variable references”, conforming SQL language shall not contain an <asterisked identifier chain> whose first <identifier> is the <beginning label> of a <compound statement>.

8 Additional common rules

This Clause modifies Clause 9, "Additional common rules", in ISO/IEC 9075-2.

8.1 Potential sources of non-determinism

This Subclause modifies Subclause 9.16, "Potential sources of non-determinism", in ISO/IEC 9075-2.

Function

Define the potential sources of non-determinism.

Syntax Rules

- 1) Insert after SR 1)as): A <compound statement> that contains an <SQL variable declaration> that specifies a <default option> that contains CURRENT_USER, CURRENT_ROLE, SESSION_USER, SYSTEM_USER, CURRENT_CATALOG, CURRENT_SCHEMA, or CURRENT_PATH.
- 2) Insert after SR 1)as): A <compound statement> that contains an <SQL variable declaration> that specifies a <domain name> and the domain descriptor identified by the <domain name> has a default value that contains a <datetime value function>, CURRENT_USER, CURRENT_ROLE, SESSION_USER, SYSTEM_USER, CURRENT_CATALOG, CURRENT_SCHEMA, or CURRENT_PATH.

Access Rules

None.

General Rules

None.

Conformance Rules

None.

8.2 Executing an <SQL procedure statement>

This Subclause modifies Subclause 9.17, “Executing an <SQL procedure statement>”, in ISO/IEC 9075-2.

Function

Execute an <SQL procedure statement>.

Syntax Rules

No additional Syntax Rules.

Access Rules

No additional Access Rules.

General Rules

NOTE 5 — The General Rules of this Subclause as defined in GR 2) of Subclause 9.17, “Executing an <SQL procedure statement>”, in ISO/IEC 9075-2 are not always terminated when an exception condition is raised.

- 1) **Augment GR 7)** by adding “<compound statement>” as an additional restriction for what *S* should not be.
- 2) **Insert before GR 23):** Condition handling mode becomes in effect in the SQL-session.
- 3) **Insert before GR 23):** If *S* did not execute successfully, then:
 - a) Let *SST* be the value of the SQLSTATE associated with the unsuccessful execution of *S*.
 - b) If a handler *MAH* is the most appropriate handler for *SST*, then the General Rules of Subclause 8.6, “Handler execution”, are applied with *MAH* as *MOST APPROPRIATE HANDLER*.
 - c) If no handler is activated and *SST* identifies an SQLSTATE value associated with an exception condition *EC*, then this is an *unhandled exception condition* and the <SQL procedure statement> that resulted in execution of *S* is terminated with the exception condition *EC*.

NOTE 6 — The General Rules of Subclause 15.2, “<handler declaration>”, determine which handler will be invoked for the current condition.

- 4) **Insert after GR 25):** Condition handling mode ceases to be in effect in the SQL-session.

Conformance Rules

No additional Conformance Rules.

8.3 Executing a <compound statement>

Function

Specify the rules for executing a statement that groups other statements together.

Subclause Signature

"Executing a <compound statement>" [General Rules] (
Parameter: "COMPOUND STATEMENT"
)

COMPOUND STATEMENT — a <compound statement> to be executed.

Syntax Rules

None.

Access Rules

None.

General Rules

- 1) Let *CS* be the *COMPOUND STATEMENT* in an application of the General Rules of this Subclause.
- 2) Except where explicitly specified, the General Rules of this Subclause are not terminated if an exception condition is raised.
- 3) If *CS* specifies *ATOMIC*, then a new savepoint level is established.
- 4) The SQL variables, standing SQL-server cursors, and handlers specified in the <local declaration list>, <local cursor declaration list>, and the <local handler declaration list> of *CS* are created in an implementation-dependent (US009) order.
- 5) Let *N* be the number of <SQL procedure statement>s contained in the <SQL statement list> that is immediately contained in *CS* without an intervening <SQL control statement>. For *i* ranging from 1 (one) to *N*:
 - a) Let S_i be the *i*-th such <SQL procedure statement>.
 - b) The General Rules of Subclause 9.17, "Executing an <SQL procedure statement>", in ISO/IEC 9075-2, are applied with S_i as *EXECUTING STATEMENT*.
 - c) If the execution of S_i terminates with exception conditions or completion conditions other than *successful completion (00000)*, then:
 - i) The following <resignal statement> is effectively executed:

RESIGNAL
 - ii) If there are unhandled exception conditions at the completion of the execution of a handler (if any), then the execution of GR 5) is terminated immediately and evaluation continues with GR 6).

8.3 Executing a <compound statement>

- 6) For every open cursor *CR* that is declared in the <local cursor declaration list> of *CS*, the General Rules of Subclause 15.4, “Effect of closing a cursor”, in ISO/IEC 9075-2, are applied with *CR* as *CURSOR* and SAVE as *DISPOSITION*.
- 7) The SQL variables, standing SQL-server cursors, and handlers specified in <local declaration list>, the <local cursor declaration list>, and the <local handler declaration list> of *CS* are destroyed.
- 8) If *CS* specifies ATOMIC, then the current savepoint level is destroyed.
NOTE 7 — Destroying a savepoint level destroys all existing savepoints that are established at that level.
- 9) The <condition name> of every <condition declaration> contained in <local declaration list> ceases to be considered to be defined.
- 10) Evaluation of the General Rules is terminated and control is returned to the invoking Subclause.

Conformance

None.

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 9075-4:2023

8.4 Invoking an SQL-invoked routine

This Subclause modifies Subclause 9.18, “Invoking an SQL-invoked routine”, in ISO/IEC 9075-2.

Function

Execute the invocation of an SQL-invoked routine.

Syntax Rules

- 1) Convert SR 6) to be: Case:
 - a) If *RI* is contained in an <SQL-server module definition> *M*,
Case:
 - a) If *RI* is contained in an <SQL schema statement>, then the applicable privileges for the <authorization identifier> that owns the containing schema include EXECUTE on *M*.
 - b) Otherwise, the current privileges include EXECUTE on *M*.
 - b) Otherwise, the original SR 6)
- 2) Convert SR 7)c) to be: Case:
 - a) If *RI* is contained in an <SQL-server module definition>, then let *DP* be the SQL-path of that <SQL-server module definition>.
 - b) Otherwise, the original SR 7)c)
- 3) Augment SR 9)h)iii)5) by adding “<SQL variable reference>” to the list of BNF non-terminals.

Access Rules

No additional Access Rules.

General Rules

NOTE 8 — The General Rules of this Subclause as defined in GR 2) of Subclause 9.18, “Invoking an SQL-invoked routine”, in ISO/IEC 9075-2 are not always terminated when an exception condition is raised.

- 1) Insert after GR 6)f)i)4): The identities of declared local temporary tables that are defined in <SQL-server module definition>*s*.
- 2) Insert after GR 9)a): If *R* is included in an SQL-server module *S*, then the method and time of binding of *P* to *S* is implementation-defined (IW001).
- 3) Augment GR 10)b)ii) by adding “<SQL variable reference>” to the list of BNF non-terminals.

Conformance Rules

No additional Conformance Rules.

8.5 Transformation of query specifications

This Subclause modifies Subclause 9.20, “Transformation of query specifications”, in ISO/IEC 9075-2.

Function

Transform <query specification>s to a normalized form before further processing.

Syntax Rules

- 1) Insert after SR 16)b): If $DCOL_k$ is a single SQL variable reference, then $COLN_k$ is the <SQL variable name> of the SQL variable designated by the SQL variable reference.

Access Rules

No additional Access Rules.

General Rules

No additional General Rules.

Conformance Rules

No additional Conformance Rules.

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 9075-4:2023

8.6 Handler execution

Function

Execute the most appropriate handler for an exception condition.

Subclause Signature

```
"Handler execution" [General Rules] (  
  Parameter: "MOST APPROPRIATE HANDLER"  
)
```

MOST APPROPRIATE HANDLER — a condition handler that is the most appropriate handler for a particular condition.

Syntax Rules

None.

Access Rules

None.

General Rules

- 1) Let *MAH* be the *MOST APPROPRIATE HANDLER* in an application of the General Rules of this Subclause.
- 2) Except where explicitly specified, the General Rules of this Subclause are not terminated if an exception condition is raised.
- 3) Let *HD* be the <handler declaration> that effectively created *MAH*.
- 4) Let *CS* be the <compound statement> simply containing *HD*.
- 5) Let *HT* be the <handler type> specified in *MAH*.
- 6) Let *HA* be the <handler action> simply contained in *MAH*. If *HA* is not a <compound statement>, then *HA* is effectively replaced by:

```
BEGIN HA ; END
```
- 7) *MAH* is effectively removed from the list of potential most appropriate handlers.

NOTE 9 — This prevents the handler currently being executed from being chosen as the most appropriate handler for an exception that is raised during the execution of this handler.
- 8) If *MAH* is activated in an atomic execution context and the condition raised is a *transaction rollback (40000)* with any subcondition, then the following <resignal statement> is effectively executed:

```
RESIGNAL
```

NOTE 10 — If a condition results in an implicit rollback (See Subclause 4.43.5, "Implicit rollbacks", in ISO/IEC 9075-2) in an atomic execution context, the transaction has been effectively rolled back by the time the Handler body is executed. If a transaction initiating statement is executed following this, it would require a transaction to be initiated in an atomic execution context, which is not valid. Therefore, the condition is effectively signaled to an outer non-atomic execution context.

8.6 Handler execution

- 9) If *HT* specifies CONTINUE, then:
- a) The General Rules of Subclause 23.2, “Pushing and popping the diagnostics area stack”, in ISO/IEC 9075-2, are applied with PUSH as *OPERATION* and the diagnostics area stack as *STACK*.
 - b) The General Rules of Subclause 8.3, “Executing a <compound statement>”, are applied with *HA* as *COMPOUND STATEMENT*.
 - c) Case:
 - i) If there is an unhandled condition other than *successful completion (00000)* at the completion of *HA*, then:
 - 1) The General Rules of Subclause 23.2, “Pushing and popping the diagnostics area stack”, in ISO/IEC 9075-2, are applied with PUSH as *OPERATION* and the diagnostics area stack as *STACK*.
 - 2) The following <resignal statement> is effectively executed:
RESIGNAL
 - ii) Otherwise:
 - 1) The General Rules of Subclause 23.2, “Pushing and popping the diagnostics area stack”, in ISO/IEC 9075-2, are applied with POP as *OPERATION* and the diagnostics area stack as *STACK*.
 - 2) *MAH* is effectively added back to the list of potential most appropriate handlers.
 - 3) *HA* completes with completion condition *successful completion (00000)* and the SQL-session continues as it would have done if execution of the innermost executing statement that raised the condition had completed.
- 10) If *HT* specifies EXIT, then:
- a) The General Rules of Subclause 23.2, “Pushing and popping the diagnostics area stack”, in ISO/IEC 9075-2, are applied with PUSH as *OPERATION* and the diagnostics area stack as *STACK*.
 - b) The General Rules of Subclause 8.3, “Executing a <compound statement>”, are applied with *HA* as *COMPOUND STATEMENT*.
 - c) For every open standing SQL-server cursor *CR* declared in the <local cursor declaration list> of *CS*, the General Rules of Subclause 15.4, “Effect of closing a cursor”, in ISO/IEC 9075-2, are applied with *CR* as *CURSOR* and SAVE as *DISPOSITION*.
 - d) Case:
 - i) If there is an unhandled condition other than *successful completion (00000)* at the completion of *HA*, then:
 - 1) The General Rules of Subclause 23.2, “Pushing and popping the diagnostics area stack”, in ISO/IEC 9075-2, are applied with PUSH as *OPERATION* and the diagnostics area stack as *STACK*.
 - 2) The following <resignal statement> is effectively executed:
RESIGNAL
 - ii) Otherwise:

- 1) The General Rules of Subclause 23.2, "Pushing and popping the diagnostics area stack", in ISO/IEC 9075-2, are applied with POP as *OPERATION* and the diagnostics area stack as *STACK*.
 - 2) *MAH* is effectively added back to the list of potential most appropriate handlers.
 - 3) *HA* completes with completion condition *successful completion (00000)* and the SQL-session continues as it would have done if execution of *CS* had completed.
- 11) If *HT* specifies UNDO, then:
- a) The General Rules of Subclause 23.2, "Pushing and popping the diagnostics area stack", in ISO/IEC 9075-2, are applied with PUSH as *OPERATION* and the diagnostics area stack as *STACK*.
 - b) All changes made to SQL-data or schemas by the execution of SQL-statements contained in the <SQL statement list> of *CS* and all <SQL procedure statement>s triggered by the execution of such statements are canceled.
 - c) For every open standing SQL-server cursor *CR* declared in the <local cursor declaration list> of *CS*, the General Rules of Subclause 15.4, "Effect of closing a cursor", in ISO/IEC 9075-2, are applied with *CR* as *CURSOR* and SAVE as *DISPOSITION*.
 - d) The General Rules of Subclause 8.3, "Executing a <compound statement>", are applied with *HA* as *COMPOUND STATEMENT*.
 - e) Case:
 - i) If there is an unhandled condition other than *successful completion (00000)* at the completion of *HA*, then:
 - 1) The General Rules of Subclause 23.2, "Pushing and popping the diagnostics area stack", in ISO/IEC 9075-2, are applied with PUSH as *OPERATION* and the diagnostics area stack as *STACK*.
 - 2) The following <resignal statement> is effectively executed:

```
RESIGNAL
```
 - ii) Otherwise:
 - 1) The General Rules of Subclause 23.2, "Pushing and popping the diagnostics area stack", in ISO/IEC 9075-2, are applied with POP as *OPERATION* and the diagnostics area stack as *STACK*.
 - 2) *MAH* is effectively added back to the list of potential most appropriate handlers.
 - 3) *HA* completes with completion condition *successful completion (00000)* and the SQL-session continues as it would have done if execution of *CS* had completed.
- 12) Evaluation of the General Rules is terminated and control is returned to the invoking Subclause.

Conformance Rules

None.

9 Additional common elements

This Clause modifies Clause 10, "Additional common elements", in ISO/IEC 9075-2.

9.1 <sqlstate value>

Function

Specify an SQLSTATE value.

Format

```
<sqlstate value> ::=
  SQLSTATE [ VALUE ] <character string literal>
```

Syntax Rules

- 1) Let *L* be the <character string literal> contained in <sqlstate value>.
- 2) The implicit or explicit character set of *L* shall be the implementation-defined (IC019) character set in which SQLSTATE parameter values are returned.
- 3) Let *V* be the character string that is the value of


```
TRIM ( BOTH ' ' FROM L )
```
- 4) *V* shall comprise either:
 - a) Five characters of which the first two have the form of a standard-defined class code and the last three have the form of a standard-defined subclass code.
 - b) Five characters of which the first two have the form of a standard-defined class code and the last three have the form of an implementation-defined (IC017) subclass code.
 - c) Five characters of which the first two have the form of an implementation-defined (IC016) class code and the last three have the form of either a standard-defined subclass code or an implementation-defined (IC017) subclass code.
- 5) *V* shall not be the SQLSTATE value for the condition *successful completion* (00000).
- 6) The SQLSTATE value defined by the <sqlstate value> is *V*.

Access Rules

None.

General Rules

None.

Conformance Rules

None.

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 9075-4:2023

10 Schema definition and manipulation

This Clause modifies Clause 11, "Schema definition and manipulation", in ISO/IEC 9075-2.

10.1 <schema definition>

This Subclause modifies Subclause 11.1, "<schema definition>", in ISO/IEC 9075-2.

Function

Define a schema.

Format

```
<schema element> ::=  
    !! All alternatives from ISO/IEC 9075-2  
    | <SQL-server module definition>
```

Syntax Rules

No additional Syntax Rules.

Access Rules

No additional Access Rules.

General Rules

No additional General Rules.

Conformance Rules

No additional Conformance Rules.

10.2 <drop schema statement>

This Subclause modifies Subclause 11.2, “<drop schema statement>”, in ISO/IEC 9075-2.

Function

Destroy a schema.

Format

No additional Format items.

Syntax Rules

- 1) Insert after the last SR: If RESTRICT is specified, then *S* shall not include any SQL-server modules.

Access Rules

No additional Access Rules.

General Rules

- 1) Insert before GR 8): For every SQL-server module *M* contained in *S*:
 - a) Let *MN* be the <SQL-server module name> of *M*.
 - b) For every *M*, the following <drop module statement> is effectively executed:

```
DROP MODULE MN CASCADE
```
- 2) Convert GR 11)a) to be: Case:
 - a) If *R* is included in an SQL-server module *M*, then let *MN* be the <SQL-server module name> of *M*. The following <drop module statement> is effectively executed without further Access Rule checking:

```
DROP MODULE MN CASCADE
```
 - b) Otherwise, the original GR 11)a)
- 3) Insert after GR 11)a): For each SQL-server module *SSM* whose module descriptor includes the <schema name> of *S*:
 - a) Let *MN* be the <SQL-server module name> of *SSM*.
 - b) The following <drop module statement> is effectively executed without further Access Rule checking:

```
DROP MODULE MN CASCADE
```

Conformance Rules

No additional Conformance Rules.

10.3 <table definition>

This Subclause modifies Subclause 11.3, “<table definition>”, in ISO/IEC 9075-2.

Function

Define a persistent base table, a created local temporary table, or a global temporary table.

Format

No additional Format items.

Syntax Rules

- 1) Augment SR 4) by adding “<SQL variable reference>” to the list of BNF non-terminals.

Access Rules

No additional Access Rules.

General Rules

No additional General Rules.

Conformance Rules

No additional Conformance Rules.

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 9075-4:2023

10.4 <column definition>

This Subclause modifies Subclause 11.4, “<column definition>”, in ISO/IEC 9075-2.

Function

Define a column of a base table.

Format

No additional Format items.

Syntax Rules

- 1) Augment SR 1) by adding “<SQL variable reference>” to the list of BNF non-terminals.

Access Rules

No additional Access Rules.

General Rules

No additional General Rules.

Conformance Rules

No additional Conformance Rules.

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 9075-4:2023

10.5 <default clause>

This Subclause modifies Subclause 11.5, “<default clause>”, in ISO/IEC 9075-2.

Function

Specify the default for a column, domain, attribute, or SQL variable.

Format

No additional Format items.

Syntax Rules

- 1) [Augment SR 1](#)) by adding “that defined by the <data type> specified in the containing <SQL variable declaration>” as an additional datatype in the list of datatypes.

Access Rules

No additional Access Rules.

General Rules

No additional General Rules.

Conformance Rules

No additional Conformance Rules.

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 9075-4:2023

10.6 <check constraint definition>

This Subclause modifies Subclause 11.9, “<check constraint definition>”, in ISO/IEC 9075-2.

Function

Specify a condition for the SQL-data.

Format

No additional Format items.

Syntax Rules

- 1) Augment SR 1) by adding “<SQL variable reference>” to the list of BNF non-terminals.

Access Rules

No additional Access Rules.

General Rules

No additional General Rules.

Conformance Rules

No additional Conformance Rules.

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 9075-4:2023

10.7 <drop column scope clause>

This Subclause modifies Subclause 11.18, “<drop column scope clause>”, in ISO/IEC 9075-2.

Function

Drop the scope from an existing column of data type REF in a base table.

Format

No additional Format items.

Syntax Rules

- 1) Insert after SR 5)d): The module descriptor of an SQL-server module.

Access Rules

No additional Access Rules.

General Rules

- 1) Augment GR 1) by adding “*R* is not included in an SQL-server module” as an additional predicate of the Rule.
- 2) Insert after GR 1): For every SQL-invoked routine *R* whose routine descriptor includes an <SQL routine body> that contains an impacted dereference operation and *R* is included in an SQL-server module *M*, let *MN* be the <SQL-server module name> of *M*. The following <drop module statement> is effectively executed without further Access Rule checking:

```
DROP MODULE MN CASCADE
```

- 3) Insert after GR 4): Let *SSM* be, in turn, every SQL-server module whose module descriptor includes an impacted dereference operation, and let *MN* be the <SQL-server module name> of *SSM*. The following <drop module statement> is effectively executed without further Access Rule checking:

```
DROP MODULE MN CASCADE
```

Conformance Rules

No additional Conformance Rules.

10.8 <drop column definition>

This Subclause modifies Subclause 11.23, “<drop column definition>”, in ISO/IEC 9075-2.

Function

Destroy a column of a base table.

Format

No additional Format items.

Syntax Rules

- 1) Insert after SR 7)e): The module descriptor of any SQL-server module.

Access Rules

No additional Access Rules.

General Rules

No additional General Rules.

Conformance Rules

No additional Conformance Rules.

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 9075-4:2023

10.9 <drop table constraint definition>

This Subclause modifies Subclause 11.26, “<drop table constraint definition>”, in ISO/IEC 9075-2.

Function

Destroy a constraint on a table.

Format

No additional Format items.

Syntax Rules

No additional Syntax Rules.

Access Rules

No additional Access Rules.

General Rules

- 1) Convert GR 2)a) to be: Case:
 - a) If R is included in an SQL-server module M , then let MN be the <SQL-server module name> of M . The following <drop module statement> is effectively executed without further Access Rule checking:

```
DROP MODULE MN CASCADE
```
 - b) Otherwise, the original GR 2)a)

Conformance Rules

No additional Conformance Rules.

10.10 <drop table statement>

This Subclause modifies Subclause 11.31, “<drop table statement>”, in ISO/IEC 9075-2.

Function

Destroy a table.

Format

No additional Format items.

Syntax Rules

- 1) Insert after SR 7): If RESTRICT is specified, then *T* shall not be referenced in the module descriptor of any SQL-server module.

Access Rules

No additional Access Rules.

General Rules

No additional General Rules.

Conformance Rules

No additional Conformance Rules.

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 9075-4:2023

10.11 <view definition>

This Subclause modifies Subclause 11.32, “<view definition>”, in ISO/IEC 9075-2.

Function

Define a viewed table.

Format

No additional Format items.

Syntax Rules

- 1) **Augment SR 2)** by adding “<SQL variable reference>” to the list of BNF non-terminals.
- 2) **Insert after SR 23)ix)5):** The module descriptor of any SQL-server module.

Access Rules

No additional Access Rules.

General Rules

No additional General Rules.

Conformance Rules

No additional Conformance Rules.

STANDARDSISO.COM . Click to view the full PDF of ISO/IEC 9075-4:2023

10.12 <drop view statement>

This Subclause modifies Subclause 11.33, “<drop view statement>”, in ISO/IEC 9075-2.

Function

Destroy a view.

Format

No additional Format items.

Syntax Rules

- 1) Insert after SR 5): If RESTRICT is specified, then *V* shall not be referenced in the module descriptor of any SQL-server module.

Access Rules

No additional Access Rules.

General Rules

No additional General Rules.

Conformance Rules

No additional Conformance Rules.

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 9075-4:2023

10.13 <drop domain statement>

This Subclause modifies Subclause 11.40, “<drop domain statement>”, in ISO/IEC 9075-2.

Function

Destroy a domain.

Format

No additional Format items.

Syntax Rules

- 1) Insert after SR 2): If RESTRICT is specified, then *D* shall not be referenced in the module descriptor of any SQL-server module.

Access Rules

No additional Access Rules.

General Rules

No additional General Rules.

Conformance Rules

No additional Conformance Rules.

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 9075-4:2023

10.14 <drop character set statement>

This Subclause modifies Subclause 11.42, “<drop character set statement>”, in ISO/IEC 9075-2.

Function

Destroy a character set.

Format

No additional Format items.

Syntax Rules

- 1) Insert after SR 4): C shall not be referenced in the module descriptor of any SQL-server module.

Access Rules

No additional Access Rules.

General Rules

No additional General Rules.

Conformance Rules

No additional Conformance Rules.

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 9075-4:2023

10.15 <drop collation statement>

This Subclause modifies Subclause 11.44, “<drop collation statement>”, in ISO/IEC 9075-2.

Function

Destroy a collation.

Format

No additional Format items.

Syntax Rules

- 1) Insert after SR 4): If RESTRICT is specified, then *C* shall not be referenced in the module descriptor of any SQL-server module.

Access Rules

No additional Access Rules.

General Rules

No additional General Rules.

Conformance Rules

No additional Conformance Rules.

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 9075-4:2023

10.16 <drop transliteration statement>

This Subclause modifies Subclause 11.46, “<drop transliteration statement>”, in ISO/IEC 9075-2.

Function

Destroy a character transliteration.

Format

No additional Format items.

Syntax Rules

- 1) Insert after SR 3): If RESTRICT is specified, then *T* shall not be referenced in the module descriptor of any SQL-server module.

Access Rules

No additional Access Rules.

General Rules

No additional General Rules.

Conformance Rules

No additional Conformance Rules.

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 9075-4:2023

10.17 <assertion definition>

This Subclause modifies Subclause 11.47, “<assertion definition>”, in ISO/IEC 9075-2.

Function

Specify an integrity constraint.

Format

No additional Format items.

Syntax Rules

1) **Augment SR 5)** by adding “<SQL variable name>” to the list of BNF non-terminals.

2) **Insert after SR 5):**

NOTE 11 — <SQL variable name> is also excluded because of the scoping rules for <SQL variable name>.

Access Rules

No additional Access Rules.

General Rules

No additional General Rules.

Conformance Rules

No additional Conformance Rules.

10.18 <drop assertion statement>

This Subclause modifies Subclause 11.48, “<drop assertion statement>”, in ISO/IEC 9075-2.

Function

Destroy an assertion.

Format

No additional Format items.

Syntax Rules

No additional Syntax Rules.

Access Rules

No additional Access Rules.

General Rules

- 1) Convert SR 2)b) to be: Case:
 - a) If R is included in an SQL-server module M , then let MN be the <SQL-server module name> of M . The following <drop module statement> is effectively executed without further Access Rule checking:

```
DROP MODULE MN CASCADE
```
 - b) Otherwise, the original SR 2)b)

Conformance Rules

No additional Conformance Rules.

10.19 <trigger definition>

This Subclause modifies Subclause 11.49, “<trigger definition>”, in ISO/IEC 9075-2.

Function

Defined triggered SQL-statements.

Format

No additional Format items.

Syntax Rules

- 1) **Insert after the last SR:** <triggered SQL statement> shall not immediately contain a <compound triggered SQL statement>.
NOTE 12 — The <compound triggered SQL statement> is redundant as it will now be parsed as a <compound statement>.
- 2) **Insert after the last SR:** If <SQL procedure statement> simply contains a <compound statement> CS, then CS shall specify ATOMIC.

Access Rules

- 1) **Augment AR 3)** by adding “that NTVN is not an <assignment target> of an <assignment statement>” as a restriction for NTVN.
- 2) **Insert after AR 3):** If the <triggered action> TA of a <trigger definition> contains a <new transition variable name> NTVN as an <assignment target> of an <assignment statement>, then the applicable privileges for A shall include UPDATE on T.

General Rules

No additional General Rules.

Conformance Rules

No additional Conformance Rules.

10.20 <drop user-defined ordering statement>

This Subclause modifies Subclause 11.66, “<drop user-defined ordering statement>”, in ISO/IEC 9075-2.

Function

Destroy a user-defined ordering method.

Format

No additional Format items.

Syntax Rules

- 1) Insert after SR 4)d): The module descriptor of any SQL-server module

Access Rules

No additional Access Rules.

General Rules

- 1) Convert GR 1)a) to be: Case:
- a) If R is included in an SQL-server module M with no intervening <schema definition>, then let MN be the <SQL-server module name> of M . The following <drop module statement> is effectively executed without further Access Rule checking:

```
DROP MODULE MN CASCADE
```

- b) Otherwise, the original GR 1)a)

- 2) Insert after GR 6): Let SSM be, in turn, each SQL-server module whose module descriptor contains an operand of an equality operation, a grouping operation, or an ordering operation whose declared type is some user-defined type $T1$ whose comparison type is UDT and let MN be the <SQL-server module name> of SSM . The following <drop module statement> is effectively executed without further Access Rule checking:

```
DROP MODULE MN CASCADE
```

Conformance Rules

No additional Conformance Rules.

10.21 <SQL-server module definition>

Function

Define an SQL-server module.

Format

```
<SQL-server module definition> ::=
  CREATE MODULE <SQL-server module name>
    [ <SQL-server module character set specification> ]
    [ <SQL-server module schema clause> ]
    [ <SQL-server module path specification> ]
    [ <temporary table declaration>... ]
    <SQL-server module contents>...
  END MODULE
```

```
<SQL-server module character set specification> ::=
  NAMES ARE <character set specification>
```

```
<SQL-server module schema clause> ::=
  SCHEMA <default schema name>
```

```
<default schema name> ::=
  <schema name>
```

```
<SQL-server module path specification> ::=
  <path specification>
```

```
<SQL-server module contents> ::=
  <SQL-invoked routine> <semicolon>
```

Syntax Rules

- 1) If an <SQL-server module definition> is contained in a <schema definition> *SD* and the <SQL-server module name> of the <SQL-server module definition> contains a <schema name>, then that <schema name> shall be equivalent to the specified or implicit <schema name> of *SD*.
- 2) The schema identified by the explicit or implicit <schema name> of the <SQL-server module name> shall not include a module descriptor whose <SQL-server module name> is equivalent to the <SQL-server module name> of the containing <SQL-server module definition>.
- 3) The SQL-invoked routine specified by <SQL-invoked routine> shall not be a schema-level routine.
NOTE 13 — “Schema-level routine” is defined in Subclause 11.60, “<SQL-invoked routine>”, in ISO/IEC 9075-2.
- 4) If <SQL-server module path specification> is not specified, then an <SQL-server module path specification> containing an implementation-defined (ID005) <schema name list> that includes the explicit or implicit <schema name> of the <SQL-server module name> is implicit.
- 5) The explicit or implicit <catalog name> of each <schema name> contained in the <schema name list> of the <SQL-server module path specification> shall be equivalent to the <catalog name> of the explicit or implicit <schema name> of the <SQL-server module name>.
- 6) The <schema name list> of the explicit or implicit <SQL-server module path specification> is used as the SQL-path of the SQL-server module. The SQL-path is used to effectively qualify unqualified <routine name>s that are immediately contained in <routine invocation>s that are contained in the <SQL-server module definition>.

- 7) If <SQL-server module schema clause> is not specified, then an <SQL-server module schema clause> containing the <default schema name> that is equivalent to the explicit or implicit <schema name> of the <SQL-server module name> is implicit.
- 8) If <SQL-server module character set specification> is not specified, then an <SQL-server module character set specification> containing the <character set specification> that is equivalent to the <schema character set specification> of the schema identified by the explicit or implicit <schema name> of the <SQL-server module name> is implicit.
- 9) The explicit or implicit <SQL-server module character set specification> is the character set in which the SQL-server module is represented. If the SQL-server module is actually represented in a different character set, then the effects are implementation-dependent (UA030).

Access Rules

- 1) If an <SQL-server module definition> is contained in an <SQL-client module definition> with no intervening <schema definition>, then the enabled authorization identifiers shall include the <authorization identifier> that owns the schema identified by the implicit or explicit <schema name> of the <SQL-server module name>.

General Rules

- 1) An <SQL-server module definition> defines an SQL-server module.
- 2) A privilege descriptor is created that defines the EXECUTE privilege on the SQL-server module to the <authorization identifier> that owns the schema identified by the explicit or implicit <schema name> of the <SQL-server module name>. The grantor for the privilege descriptor is set to the special grantor value "_SYSTEM". This privilege is grantable if and only if all of the privileges necessary for the <authorization identifier> to successfully execute the <SQL procedure statement> contained in the <routine body> of every <SQL-invoked routine> contained in the <SQL-server module definition> are grantable.

NOTE 14 — The necessary privileges include the EXECUTE privilege on every subject routine of every <routine invocation> contained in the <SQL procedure statement>.

- 3) An SQL-server module descriptor is created that describes the SQL-server module being defined. The SQL-server module descriptor includes:
 - a) The SQL-server module name specified by the <SQL-server module name>.
 - b) The descriptor of the character set specified by the <SQL-server module character set specification>.
 - c) The default schema name specified by the <SQL-server module schema clause>.
 - d) The SQL-server module authorization identifier that corresponds to the authorization identifier that owns the schema identified by the explicit or implicit <schema name> of the <SQL-server module name>.
 - e) The list of schema names contained in the <SQL-server module path specification>.
 - f) The descriptor of every local temporary table declared in the SQL-server module.
 - g) The descriptor of every SQL-invoked routine contained in the SQL-server module.
 - h) The text of the <SQL-server module definition>.
 - i) The CURRENT_TIMESTAMP as the value of the creation timestamp.

Conformance Rules

- 1) Without Feature P001, “Stored modules”, conforming SQL language shall not contain an <SQL-server module definition>.

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 9075-4:2023

10.22 <drop module statement>

Function

Destroy an SQL-server module.

Format

```
<drop module statement> ::=  
  DROP MODULE <SQL-server module name> <drop behavior>
```

Syntax Rules

- 1) Let *MN* be the <SQL-server module name> and let *M* be the SQL-server module identified by *MN*.
- 2) *M* shall be an SQL-server module.
- 3) If RESTRICT is specified, then the descriptor of *M* shall not include the descriptor of an SQL-invoked routine that is included in the subject routines of a <routine invocation> that is contained in any of the following:
 - a) The <SQL routine body> of a routine descriptor not included in the module descriptor of *M*.
 - b) The <parameter default> of an SQL parameter of a routine descriptor not included in the module descriptor of *M*.
 - c) The <query expression> of a view descriptor.
 - d) The <search condition> of a constraint descriptor.
 - e) Any trigger descriptor.
 - f) The module descriptor of an SQL-server module other than *M*.

Access Rules

- 1) The enabled authorization identifiers shall include the <authorization identifier> that owns the schema identified by the <schema name> of *M*.

General Rules

- 1) Let *A* be the current authorization identifier. The following <revoke statement> is effectively executed with a current authorization identifier of "_SYSTEM" and without further Access Rule checking:

```
REVOKE EXECUTE ON MODULE MN FROM A  
CASCADE
```

- 2) The descriptor of *M* is destroyed.

Conformance Rules

- 1) Without Feature P001, "Stored modules", conforming SQL language shall not contain a <drop module statement>.

10.23 <drop data type statement>

This Subclause modifies Subclause 11.59, “<drop data type statement>”, in ISO/IEC 9075-2.

Function

Destroy a user-defined type.

Format

No additional Format items.

Syntax Rules

- 1) Insert after SR 4)f)v): The module descriptor of any SQL-server module.
- 2) Insert after SR 4)h)i)4): The module descriptor of any SQL-server module.

Access Rules

No additional Access Rules.

General Rules

No additional General Rules.

Conformance Rules

No additional Conformance Rules.

STANDARDSISO.COM . Click to view the full PDF of ISO/IEC 9075-4:2023

10.24 <SQL-invoked routine>

This Subclause modifies Subclause 11.60, “<SQL-invoked routine>”, in ISO/IEC 9075-2.

Function

Define an SQL-invoked routine.

Format

```
<SQL-invoked routine> ::=
    !! All alternatives from ISO/IEC 9075-2
    | <module routine>

<module routine> ::=
    <module procedure>
    | <module function>

<module procedure> ::=
    [ DECLARE ] <SQL-invoked procedure>

<module function> ::=
    [ DECLARE ] <SQL-invoked function>
```

Syntax Rules

- 1) Convert SR 9)h to be: Case:
 - a) If an <SQL-invoked routine> is contained in an <SQL-server module definition>, and <language clause> is not specified, then a <language clause> that is equivalent to the <language clause> of the <SQL-server module definition> is implicit.
 - b) Otherwise, the original SR 9)h
- 2) Convert SR 9)q to be: Case:
 - a) If <SQL-invoked routine> is contained in an <SQL-server module definition> and if *RN* contains a <schema name> *SN*, then *SN* shall be equivalent to the specified or implicit <schema name> of the containing <SQL-server module definition>. Let *S* be the SQL-schema identified by *SN*.
 - b) Otherwise, the original SR 9)q
- 3) Insert after SR 23)h: An <SQL routine body> contained in a schema-level routine shall not immediately contain an <SQL procedure statement> that simply contains a <table reference> that identifies an SQL-server module declared local temporary table.

Access Rules

No additional Access Rules.

General Rules

- 1) Insert after GR 3)w: If the SQL-invoked routine is a schema-level routine, then the schema name of the schema that includes the SQL-invoked routine; otherwise, the SQL-server module name of

the SQL-server module that includes the SQL-invoked routine and the schema name of the schema that includes that SQL-server module.

Conformance Rules

No additional Conformance Rules.

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 9075-4:2023

10.25 <drop routine statement>

This Subclause modifies Subclause 11.62, “<drop routine statement>”, in ISO/IEC 9075-2.

Function

Destroy an SQL-invoked routine.

Format

No additional Format items.

Syntax Rules

- 1) Insert after SR 4)c)v): The module descriptor of any SQL-server module.

Access Rules

No additional Access Rules.

General Rules

No additional General Rules.

Conformance Rules

No additional Conformance Rules.

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 9075-4:2023

10.26 <drop user-defined cast statement>

This Subclause modifies Subclause 11.64, “<drop user-defined cast statement>”, in ISO/IEC 9075-2.

Function

Destroy a user-defined cast.

Format

No additional Format items.

Syntax Rules

- 1) Insert after SR 7)d): The module descriptor of any SQL-server module

Access Rules

No additional Access Rules.

General Rules

No additional General Rules.

Conformance Rules

No additional Conformance Rules.

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 9075-4:2023

11 Access control

This Clause modifies Clause 12, "Access control", in ISO/IEC 9075-2.

11.1 <grant statement>

This Subclause modifies Subclause 12.1, "<grant statement>", in ISO/IEC 9075-2.

Function

Define privileges and role authorizations.

Format

No additional Format items.

Syntax Rules

No additional Syntax Rules.

Access Rules

No additional Access Rules.

General Rules

- 1) Insert after the last GR: For every involved grantee *G* and for every SQL-server module *M1* owned by *G*, if the applicable privileges for *G* contain all of the privileges necessary to successfully execute every <SQL procedure statement> contained in the <routine body> of every SQL-invoked routine contained in *M1*, and those privileges are grantable, then for every privilege descriptor with an <action> of EXECUTE, a <grantor> of "_SYSTEM", <object name> of *M1*, and <grantee> *G* that is not grantable, the following <grant statement> is effectively executed with a current user identifier of "_SYSTEM" and without further Access Rule checking:

```
GRANT EXECUTE ON M1 TO
G WITH GRANT OPTION.
```

NOTE 15 — The privileges necessary include the EXECUTE privilege on every subject routine of every <routine invocation> contained in those <SQL procedure statement>s.

Conformance Rules

No additional Conformance Rules.

11.2 <privileges>

This Subclause modifies Subclause 12.3, “<privileges>”, in ISO/IEC 9075-2.

Function

Specify privileges.

Format

```
<object name> ::=  
    !! All alternatives from ISO/IEC 9075-2  
    | MODULE <SQL-server module name>
```

Syntax Rules

- 1) Insert after SR 4)d): If the object identified by *ON* is an SQL-server module, then *AC* shall specify EXECUTE.

Access Rules

No additional Access Rules.

General Rules

No additional General Rules.

Conformance Rules

- 1) Insert after the last CR: Without Feature P001, “Stored modules”, conforming SQL language shall not contain an <object name> that contains MODULE.

11.3 <revoke statement>

This Subclause modifies Subclause 12.7, “<revoke statement>”, in ISO/IEC 9075-2.

Function

Destroy privileges and role authorizations.

Format

No additional Format items.

Syntax Rules

No additional Syntax Rules.

Access Rules

No additional Access Rules.

General Rules

- 1) **Insert after GR 11)d):** EXECUTE privilege on every SQL-server module that includes one or more SQL-invoked routines that are among the subject routines of a <routine invocation>, <method invocation>, <static method invocation>, or <method reference> that is contained in *REPO*.
- 2) **Insert after GR 12)e)i)23):** EXECUTE privilege on every SQL-server module that includes one or more SQL-invoked routines that are among the subject routines of a <routine invocation>, <method invocation>, <static method invocation>, or <method reference> that is contained in the <triggered SQL statement> of *TR*.
- 3) **Insert after GR 12)o)i)1):** EXECUTE privilege on every SQL-server module that includes one or more SQL-invoked routines that are among the subject routines of a <routine invocation>, <method invocation>, <static method invocation>, or <method reference> that is contained in the <SQL routine body> of *RD* or in the <parameter default> of an SQL parameter of *RD*.
- 4) **Insert after GR 12)r):** Let *SSM* be, in turn, each SQL-server module descriptor of an SQL-server module included in *S1*. *SSM* is said to be *abandoned* if the revoke destruction action would result in *A1* no longer having in its applicable privileges any of the following:
 - a) EXECUTE privilege on every schema-level routine that is among the subject routines of a <routine invocation>, <method invocation>, <static method invocation>, or <method reference> that is contained in the <SQL routine body> of an SQL-invoked routine included in *SSM*.
 - b) EXECUTE privilege on every SQL-server module that includes one or more SQL-invoked routines that are among the subject routines of a <routine invocation>, <method invocation>, <static method invocation>, or <method reference> that is contained in the <SQL routine body> of any SQL-invoked routine included in *SSM*.
 - c) SELECT privilege on at least one column of each table identified by a <table reference> contained in a <query expression> simply contained in a <cursor specification>, an <insert statement>, or a <merge statement> contained in the <SQL routine body> of an SQL-invoked routine with an SQL security characteristic of *DEFINER* included in *SSM*.

- d) SELECT privilege on at least one column of each table identified by a <table reference> contained in a <table expression> or <select list> immediately contained in a <select statement: single row> contained in the <SQL routine body> of an SQL-invoked routine with an SQL security characteristic of DEFINER included in *SSM*.
- e) SELECT privilege on at least one column of each table identified by a <table reference> contained in a <search condition> contained in a <delete statement: searched>, an <update statement: searched>, or a <merge statement> contained in the <SQL routine body> of an SQL-invoked routine with an SQL security characteristic of DEFINER included in *SSM*.
- f) SELECT privilege on at least one column of each table identified by a <table reference> contained in a <value expression> simply contained in an <update source> or an <assigned row> contained in the <SQL routine body> of an SQL-invoked routine with an SQL security characteristic of DEFINER included in *SSM*.
- g) SELECT privilege on at least one column identified by a <column reference> contained in a <search condition> contained in a <delete statement: searched>, an <update statement: searched>, or a <merge statement> contained in the <SQL routine body> of an SQL-invoked routine with an SQL security characteristic of DEFINER included in *SSM*.
- h) SELECT privilege on at least one column identified by a <column reference> contained in a <value expression> simply contained in an <update source> or an <assigned row> contained in the <SQL routine body> of an SQL-invoked routine with an SQL security characteristic of DEFINER included in *SSM*.
- i) SELECT privilege on at least one column identified by a <column reference> contained in a <value expression> simply contained in an <SQL control statement> contained in the <SQL routine body> of any SQL-invoked routine with an SQL security characteristic of DEFINER included in *SSM*.
- j) INSERT privilege on every column
Case:
 - i) Identified by a <column name> contained in the <insert column list> of an <insert statement> or a <merge statement> contained in the <SQL routine body> of an SQL-invoked routine with an SQL security characteristic of DEFINER included in *SSM*.
 - ii) Of the table identified by the <table name> immediately contained in an <insert statement> that does not contain an <insert column list> and that is contained in the <SQL routine body> of an SQL-invoked routine with an SQL security characteristic of DEFINER included in *SSM*.
 - iii) Of the table identified by the <target table> immediately contained in a <merge statement> that contains a <merge insert specification> and that does not contain an <insert column list> and that is contained in the <SQL routine body> of an SQL-invoked routine with an SQL security characteristic of DEFINER included in *SSM*.
- k) UPDATE privilege on every column whose name is contained in an <object column> contained in either an <update statement: positioned>, an <update statement: searched>, or a <merge statement> contained in the <SQL routine body> of an SQL-invoked routine with an SQL security characteristic of DEFINER included in *SSM*.
- l) DELETE privilege on every table whose name is contained in a <table name> immediately contained in either a <delete statement: positioned> or a <delete statement: searched> contained in the <SQL routine body> of an SQL-invoked routine with an SQL security characteristic of DEFINER included in *SSM*.

- m) DELETE privilege on the table identified by the <target table> contained in a <merge statement> that contains a <merge delete specification> and that is contained in the <SQL routine body> of an SQL-invoked routine with an SQL security characteristic of DEFINER included in *SSM*.
- n) USAGE privilege on every domain, every collation, every character set, every transliteration, and every sequence generator whose name is contained in the <SQL routine body> of an SQL-invoked routine with an SQL security characteristic of DEFINER included in *SSM*.
- o) USAGE privilege on each user-defined type *UDT* such that a declared type of an SQL parameter, returns data type, or result cast included in an SQL-invoked routine with an SQL security characteristic of DEFINER included in *SSM* that is usage-dependent on *UDT*.
- p) USAGE privilege on every user-defined type *UDT* such that there is a <data type> contained in the <SQL routine body> of an SQL-invoked routine with an SQL security characteristic of DEFINER included in *SSM* that is usage-dependent on *UDT*.
- q) The table/method privilege on every table *T1* and every method *M* such that there is a <method reference> *MR* contained in the <SQL routine body> of an SQL-invoked routine with an SQL security characteristic of DEFINER included in *SSM* such that *T1* is in the scope of the <value expression primary> of *MR* and *M* is the subject routine of *MR*.
- r) SELECT privilege on a column identified by a <column reference> contained in a <scalar subquery> that is equivalent to a <dereference operation> contained in any of the following:
 - i) A <query expression> simply contained in a <cursor specification>, an <insert statement>, or a <merge statement> contained in the <SQL routine body> of an SQL-invoked routine with an SQL security characteristic of DEFINER included in *SSM*.
 - ii) A <table expression> or <select list> immediately contained in a <select statement: single row> contained in the <SQL routine body> of an SQL-invoked routine with an SQL security characteristic of DEFINER included in *SSM*.
 - iii) A <search condition> contained in a <delete statement: searched>, an <update statement: searched>, or a <merge statement> contained in the <SQL routine body> of an SQL-invoked routine with an SQL security characteristic of DEFINER included in *SSM*.
 - iv) A <value expression> contained in an <update source> or an <assigned row> contained in the <SQL routine body> of an SQL-invoked routine with an SQL security characteristic of DEFINER included in *SSM*.
- s) SELECT privilege WITH HIERARCHY OPTION on at least one supertable of the scoped table of a <reference resolution> that is contained in a <query expression> simply contained in a <cursor specification>, an <insert statement>, or a <merge statement> contained in the <SQL routine body> of an SQL-invoked routine with an SQL security characteristic of DEFINER included in *SSM*.
- t) SELECT privilege WITH HIERARCHY OPTION on at least one supertable of the scoped table of a <reference resolution> that is contained in a <table expression> or <select list> immediately contained in a <select statement: single row> contained in the <SQL routine body> of an SQL-invoked routine with an SQL security characteristic of DEFINER included in *SSM*.
- u) SELECT privilege WITH HIERARCHY OPTION on at least one supertable of the scoped table of a <reference resolution> that is contained in a <search condition> contained in a <delete statement: searched>, an <update statement: searched>, or a <merge statement> contained in the <SQL routine body> of an SQL-invoked routine with an SQL security characteristic of DEFINER included in *SSM*.
- v) SELECT privilege WITH HIERARCHY OPTION on at least one supertable of the scoped table of a <reference resolution> that is contained in a <value expression> simply contained in an

<update source> or an <assigned row> contained in the <SQL routine body> of an SQL-invoked routine with an SQL security characteristic of DEFINER included in *SSM*.

- w) SELECT privilege on the scoped table of a <reference resolution> that is contained in any of the following:
- i) A <query expression> simply contained in a <cursor specification>, an <insert statement>, or a <merge statement> contained in the <SQL routine body> of an SQL-invoked routine with an SQL security characteristic of DEFINER included in *SSM*.
 - ii) A <table expression> or <select list> immediately contained in a <select statement: single row> contained in the <SQL routine body> of an SQL-invoked routine with an SQL security characteristic of DEFINER included in *SSM*.
 - iii) A <search condition> contained in a <delete statement: searched>, an <update statement: searched>, or a <merge statement> contained in the <SQL routine body> of an SQL-invoked routine with an SQL security characteristic of DEFINER included in *SSM*.
 - iv) A <value expression> contained in an <update source> or an <assigned row> contained in the <SQL routine body> of an SQL-invoked routine with an SQL security characteristic of DEFINER included in *SSM*.
- x) SELECT privilege WITH HIERARCHY OPTION on at least one supertable of every typed table identified by a <table reference> that simply contains an <only spec> and that is contained in the <SQL routine body> of an SQL-invoked routine with an SQL security characteristic of DEFINER included in *SSM*.
- 5) Insert after GR 12)ah): For every abandoned SQL-server module descriptor *MD*, let *M* be the SQL-server module whose descriptor is *MD*. Let *MN* be the <SQL-server module name> of *M*. The following <drop module statement> is effectively executed without further Access Rule checking:

```
DROP MODULE MN CASCADE
```

Conformance Rules

No additional Conformance Rules.

12 SQL-client modules

This Clause modifies Clause 13, "SQL-client modules", in ISO/IEC 9075-2.

12.1 <externally-invoked procedure>

This Subclause modifies Subclause 13.3, "<externally-invoked procedure>", in ISO/IEC 9075-2.

Function

Define an externally-invoked procedure.

Format

No additional Format items.

Syntax Rules

- 1) Insert into SR 10)e after

package SQLSTATE_CODES **is**
the code:

```
RESIGNAL_WHEN_HANDLER_NOT_ACTIVE_NO_SUBCLASS:
  constant SQLSTATE_TYPE := "0K000";
DIAGNOSTICS_EXCEPTION_NO_SUBCLASS:
  constant SQLSTATE_TYPE := "0Z000";
DIAGNOSTICS_EXCEPTION_STACKED_DIAGNOSTICS_ACCESSED_WITHOUT_ACTIVE_HANDLER:
  constant SQLSTATE_TYPE := "0Z002";
CASE_NOT_FOUND_FOR_CASE_STATEMENT_NO_SUBCLASS:
  constant SQLSTATE_TYPE := "20000";
DATA_EXCEPTION_NO_SUBCLASS:
  constant SQLSTATE_TYPE := "22000";
DATA_EXCEPTION_NULL_VALUE_IN_FIELD_REFERENCE:
  constant SQLSTATE_TYPE := "2202A";
UNHANDLED_USER_DEFINED_EXCEPTION_NO_SUBCLASS:
  constant SQLSTATE_TYPE := "45000";
```

The text of the Ada library unit package Interfaces.SQL is also available from the ISO website as a "digital artifact". See <https://standards.iso.org/iso-iec/9075/-4/ed-7/en/> to download digital artifacts for this document. To download the library unit package, select the file named ISO_IEC_9075-4(E)_PSM-Interfaces.SQL.ada.

Access Rules

No additional Access Rules.

General Rules

No additional General Rules.

Conformance Rules

- 1) Insert after [the last CR:](#) Without Feature P216, “All SQL control statements in externally-invoked procedure”, conforming SQL language shall not contain an <externally-invoked procedure> that contains an <SQL control statement> that is not a <call statement> or a <return statement>.

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 9075-4:2023

12.2 <SQL procedure statement>

This Subclause modifies Subclause 13.4, “<SQL procedure statement>”, in ISO/IEC 9075-2.

Function

Define all of the SQL-statements that are <SQL procedure statement>s.

Format

```
<SQL schema definition statement> ::=  
    !! All alternatives from ISO/IEC 9075-2  
    | <SQL-server module definition>  
  
<SQL schema manipulation statement> ::=  
    !! All alternatives from ISO/IEC 9075-2  
    | <drop module statement>  
  
<SQL control statement> ::=  
    !! All alternatives from ISO/IEC 9075-2  
    | <assignment statement>  
    | <compound statement>  
    | <case statement>  
    | <if statement>  
    | <iterate statement>  
    | <leave statement>  
    | <loop statement>  
    | <while statement>  
    | <repeat statement>  
    | <for statement>  
  
<SQL diagnostics statement> ::=  
    !! All alternatives from ISO/IEC 9075-2  
    | <signal statement>  
    | <resignal statement>
```

Syntax Rules

- 1) Insert after the last SR: An <SQL connection statement> shall not be contained in an <SQL control statement> or an <SQL-server module definition>.

Access Rules

No additional Access Rules.

General Rules

No additional General Rules.

Conformance Rules

No additional Conformance Rules.

13 Data manipulation

This Clause modifies Clause 14, "Data manipulation", in ISO/IEC 9075-2.

13.1 <declare cursor>

This Subclause modifies Subclause 14.1, "<declare cursor>", in ISO/IEC 9075-2.

Function

Declare a standing cursor.

Format

No additional Format items.

Syntax Rules

- 1) **Augment SR 1)** by adding "without an intervening <SQL schema statement> " to the predicate in the lead text of the Rule.
- 2) **Insert after the last SR:** If a <declare cursor> *DC* is contained in the <local cursor declaration list> *LCDL* of a <compound statement> *CS*, then:
 - a) The <cursor name> shall not be equivalent to the <cursor name> of another <declare cursor>, <dynamic declare cursor>, or <allocate received cursor statement> contained in *LCDL*.
 - b) The scope of the <cursor name> is *CS*.

Access Rules

No additional Access Rules.

General Rules

- 1) **Convert GR 1)b)** to be: Case:
 - a) If the <declare cursor> is contained in a <compound statement>, the provenance of the cursor is the innermost <compound statement> that contains *DC*.
 - b) Otherwise, **the original GR 1)b)**

Conformance Rules

No additional Conformance Rules.

13.2 <open statement>

This Subclause modifies Subclause 14.4, “<open statement>”, in ISO/IEC 9075-2.

Function

Open a standing cursor.

Format

No additional Format items.

Syntax Rules

- 1) Augment SR 1) by adding “If there is more than one such <cursor name>, then the one with the innermost scope is specified.” at the end of the Rule.

Access Rules

No additional Access Rules.

General Rules

No additional General Rules.

Conformance Rules

No additional Conformance Rules.

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 9075-4:2023

13.3 <fetch statement>

This Subclause modifies Subclause 14.5, “<fetch statement>”, in ISO/IEC 9075-2.

Function

Position a standing cursor on a specified row of the standing cursor’s result set and retrieve values from that row.

Format

No additional Format items.

Syntax Rules

- 1) **Augment SR 3)** by adding “If there is more than one such <cursor name>, then the one with the innermost scope is specified.” at the end of the Rule.
- 2) **Augment SR 9)a)i)** by adding “an <SQL parameter reference>” as an alternative for *TS*.
- 3) **Augment SR 9)b)iii)** by adding “an <SQL variable reference>” to the list of BNF non-terminals.

Access Rules

No additional Access Rules.

General Rules

- 1) **Augment GR 5)a)i)** by adding “an <SQL parameter reference>” as an alternative for *TS*.
- 2) **Augment GR 5)b)i)** by adding “an <SQL variable reference>” to the list of BNF non-terminals.

Conformance Rules

No additional Conformance Rules.

13.4 <close statement>

This Subclause modifies Subclause 14.6, “<close statement>”, in ISO/IEC 9075-2.

Function

Close a standing cursor.

Format

No additional Format items.

Syntax Rules

- 1) Augment SR 1) by adding “If there is more than one such <cursor name>, then the one with the innermost scope is specified.” at the end of the Rule.

Access Rules

No additional Access Rules.

General Rules

No additional General Rules.

Conformance Rules

No additional Conformance Rules.

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 9075-4:2023

13.5 <select statement: single row>

This Subclause modifies Subclause 14.7, “<select statement: single row>”, in ISO/IEC 9075-2.

Function

Retrieve values from a specified row of a table.

Format

No additional Format items.

Syntax Rules

- 1) [Augment SR 3\)b\)ii\)](#) by adding “<SQL variable reference>” to the list of BNF non-terminals.

Access Rules

No additional Access Rules.

General Rules

- 1) [Augment GR 4\)b\)ii\)](#) by adding “<SQL variable reference>” to the list of non-terminals.

Conformance Rules

No additional Conformance Rules.

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 9075-4:2023

13.6 <delete statement: positioned>

This Subclause modifies Subclause 14.8, “<delete statement: positioned>”, in ISO/IEC 9075-2.

Function

Delete a row of a table.

Format

No additional Format items.

Syntax Rules

- 1) Augment SR 1) by adding “If there is more than one such <cursor name>, then the one with the innermost scope is specified.” at the end of the Rule.

Access Rules

No additional Access Rules.

General Rules

No additional General Rules.

Conformance Rules

No additional Conformance Rules.

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 9075-4:2023

13.7 <update statement: positioned>

This Subclause modifies Subclause 14.13, “<update statement: positioned>”, in ISO/IEC 9075-2.

Function

Update a row of a table.

Format

No additional Format items.

Syntax Rules

- 1) Augment SR 1) by adding “If there is more than one such <cursor name>, then the one with the innermost scope is specified.” at the end of the Rule.

Access Rules

No additional Access Rules.

General Rules

No additional General Rules.

Conformance Rules

No additional Conformance Rules.

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 9075-4:2023

13.8 <temporary table declaration>

This Subclause modifies Subclause 14.16, “<temporary table declaration>”, in ISO/IEC 9075-2.

Function

Declare a declared local temporary table.

Format

No additional Format items.

Syntax Rules

- 1) [Augment SR 2\)](#) by adding “<SQL-server module definition>” to the list of BNF non-terminals.
- 2) [Augment SR 4\)](#) by adding “without an intervening <SQL-server module definition>” as an additional predicate and to the containment in *M*.
- 3) [Insert after SR 4\)](#): If a <temporary table declaration> is contained in an <SQL-server module definition>, then the <qualified identifier> of *TN* shall not be equivalent to the <qualified identifier> of the <table name> of another <temporary table declaration> contained in the containing <SQL-server module definition>.

Access Rules

No additional Access Rules.

General Rules

- 1) [Convert GR 3\)](#) to be: Case:
 - a) If <temporary table declaration> is contained in an <SQL-client module definition> without an intervening <SQL-server module definition>, then the definition of *T* within the <SQL-client module definition> is effectively equivalent to the definition of a persistent base table *U.T*. Within the SQL-client module, each reference to *MODULE.T* that is not contained in an <SQL schema statement> is equivalent to a reference to *U.T*.
 - b) Otherwise, [the original GR 3\)](#)

Conformance Rules

No additional Conformance Rules.

14 Additional data manipulation rules

This Clause modifies Clause 15, “Additional data manipulation rules”, in ISO/IEC 9075-2.

14.1 Effect of opening a cursor

This Subclause modifies Subclause 15.1, “Effect of opening a cursor”, in ISO/IEC 9075-2.

Function

Specify the effect of opening a cursor that is not a received cursor.

Syntax Rules

No additional Syntax Rules.

Access Rules

No additional Access Rules.

General Rules

- 1) Augment GR 5)a)i) by adding “<SQL variable reference>” to the list of BNF non-terminal symbols that are replaced by <literal>s.

Conformance Rules

No additional Conformance Rules.

15 Control statements

This Clause is modified by Clause 9, "Control statements", in ISO/IEC 9075-10.

This Clause is modified by Clause 15, "Control statements", in ISO/IEC 9075-14.

This Clause modifies Clause 16, "Control statements", in ISO/IEC 9075-2.

15.1 <compound statement>

This Subclause is modified by Subclause 9.2, "<compound statement>", in ISO/IEC 9075-10.

This Subclause is modified by Subclause 15.1, "<compound statement>", in ISO/IEC 9075-14.

Function

Specify a statement that groups other statements together.

Format

```

<compound statement> ::=
  [ <beginning label> <colon> ] BEGIN [ [ NOT ] ATOMIC ]
    [ <local declaration list> ] [ <local cursor declaration list> ]
    [ <local handler declaration list> ]
    [ <SQL statement list> ]
    END [ <ending label> ]

<beginning label> ::=
  <statement label>

<ending label> ::=
  <statement label>

<statement label> ::=
  <identifier>

<local declaration list> ::=
  <terminated local declaration>...

<terminated local declaration> ::=
  <local declaration> <semicolon>

<local declaration> ::=
  <SQL variable declaration>
  | <condition declaration>

<local cursor declaration list> ::=
  <terminated local cursor declaration>...

<terminated local cursor declaration> ::=
  <declare cursor> <semicolon>

<local handler declaration list> ::=
  <terminated local handler declaration>...

<terminated local handler declaration> ::=
  <handler declaration> <semicolon>

```

15.1 <compound statement>

<SQL statement list> ::=
 <terminated SQL statement>...

<terminated SQL statement> ::=
 <SQL procedure statement> <semicolon>

Syntax Rules

- 1) 10 Let *CS* be the <compound statement>.
- 2) If *CS* does not specify a <beginning label>, then an implementation-dependent (UD001) <beginning label> that is not equivalent to any other <statement label> contained in the outermost containing <SQL control statement> is implicit.
- 3) If an <ending label> is specified, then *CS* shall specify a <beginning label> that is equivalent to that <ending label>.
- 4) The scope of the <beginning label> is *CS* excluding every <SQL schema statement> contained in *CS* and excluding every <local handler declaration list> contained in *CS*. <beginning label> shall not be equivalent to another <beginning label>s within that scope.
- 5) If *CS* specifies neither ATOMIC nor NOT ATOMIC, then NOT ATOMIC is implicit.
- 6) If *CS* specifies ATOMIC, then the <SQL statement list> shall not contain either a <commit statement> or a <rollback statement> that does not specify a <savepoint clause>.
- 7) Let *VN* be an <SQL variable name> contained in a <local declaration list>. The *declared local name* of the variable identified by *VN* is *VN*.
- 8) Let *CON* be the <condition name> immediately contained in a <condition declaration> contained in a <local declaration list>. The *declared local name* of the <condition declaration> is *CON*.
- 9) Let *CN* be the <cursor name> immediately contained in a <declare cursor> *DC* contained in a <local cursor declaration list>. The *declared local name* of the standing SQL-server cursor declared by *DC* is *CN*.
- 10) No two variables declared in a <local declaration list> shall have equivalent declared local names.
- 11) No two <condition declaration>s contained in a <local declaration list> shall have equivalent declared local names.
- 12) No two standing SQL-servers cursors declared in a <local cursor declaration list> shall have equivalent declared local names.
- 13) The scope of an <SQL variable name> of an <SQL variable declaration> simply contained in a <local declaration> simply contained in *CS* is the <local cursor declaration list> of *CS*, the <local handler declaration list> *LHDL* of *CS* excluding every <SQL schema statement> contained in *LHDL*, and the <SQL statement list> *SSL* of *CS* excluding every <SQL schema statement> contained in *SSL*.
- 14) The scope of the <condition name> in a <condition declaration> simply contained in a <local declaration> simply contained in *CS* is the <local handler declaration list> *LHDL* of *CS* excluding every <SQL schema statement> contained in *LHDL* and the <SQL statement list> *SSL* of *CS* excluding every <SQL schema statement> contained in *SSL*.
- 15) The scope of the <cursor name> in a <declare cursor> simply contained in a <terminated local cursor declaration> simply contained in *CS* is the <local handler declaration list> *LHDL* of *CS* excluding every <SQL schema statement> contained in *LHDL* and the <SQL statement list> *SSL* of *CS* excluding every <SQL schema statement> contained in *SSL*.

- 16) The scope of a <handler declaration> simply contained in a <local handler declaration list> simply contained in *CS* is the <SQL statement list> *SSL* of *CS* excluding every <SQL schema statement> contained in *SSL*.
- 17) If the <compound statement> simply contains a <handler declaration> that specifies UNDO, then ATOMIC shall be specified.

Access Rules

None.

General Rules

- 1) Let *CS* be the <compound statement>. The General Rules of Subclause 8.3, “Executing a <compound statement>”, are applied with *CS* as *COMPOUND STATEMENT*.

Conformance Rules

- 1)  Without Feature P201, “Compound statement”, conforming SQL language shall not contain a <compound statement>.

STANDARDISO.COM : Click to view the full PDF of ISO/IEC 9075-4:2023

15.2 <handler declaration>

Function

Associate a handler with exception or completion conditions to be handled in a module or compound statement.

Format

```
<handler declaration> ::=  
  DECLARE <handler type> HANDLER FOR <condition value list> <handler action>  
  
<handler type> ::=  
  CONTINUE  
  | EXIT  
  | UNDO  
  
<handler action> ::=  
  <SQL procedure statement>  
  
<condition value list> ::=  
  <condition value> [ { <comma> <condition value> }... ]  
  
<condition value> ::=  
  <sqlstate value>  
  | <condition name>  
  | SQLEXCEPTION  
  | SQLWARNING  
  | NOT FOUND
```

Syntax Rules

- 1) Let *HD* be the <handler declaration>.
- 2) A <condition name> *CN* specified in a <condition value> of *HD* shall be defined by some <condition declaration> with a scope that contains *HD*. Let *C* be the condition specified by the innermost such <condition declaration>.
- 3) If a <condition value> specifies SQLEXCEPTION, SQLWARNING, or NOT FOUND, then neither <sqlstate value> nor <condition name> shall be specified.
- 4) No other <handler declaration> with the same scope as *HD* shall contain in its <condition value list> a <condition value> that represents the same condition as a <condition value> contained in the <condition value list> of *HD*.
- 5) The <condition value list> shall not contain the same <condition value> or <sqlstate value> more than once, nor shall it contain both the <condition name> of a condition *C* and an <sqlstate value> that represents the SQLSTATE value associated with *C*.
- 6) SQLEXCEPTION, SQLWARNING, and NOT FOUND correspond to SQLSTATE class codes corresponding to categories X, W, and N, respectively, in [Subclause 24.1, "SQLSTATE", in ISO/IEC 9075-2](#).
- 7) If a <condition value> specifies SQLEXCEPTION, SQLWARNING, or NOT FOUND, then the <handler declaration> is a *general <handler declaration>*; otherwise, the <handler declaration> is a *specific <handler declaration>*.

- 8) If there is a general <handler declaration> and a specific <handler declaration> for the same <condition value> in the same scope, then only the specific <handler declaration> is associated with that <condition value>.
- 9) Let *HA* be the <handler action>.
- 10) *HA* is associated with every <condition name> specified in the <condition value list> of *HD* and with every SQLSTATE value specified in every <sqlstate value> specified in the <condition value list> of *HD*.
- 11) If *HA* is associated with a <condition name> and that <condition name> was defined for an SQLSTATE value, then *HA* is also associated with that SQLSTATE value.
- 12) If *HA* is associated with an SQLSTATE class, then it is associated with each SQLSTATE value of that class.

Access Rules

None.

General Rules

- 1) When the handler *H* associated with the conditions specified by *HD* is created, it is the *most appropriate handler* for every condition *CN* raised during execution of SQL-statements that are in the scope of *HD* that has an SQLSTATE value or condition name that is the same as an SQLSTATE value or condition name associated with this handler, until *H* is destroyed. *CN* has a more appropriate handler if, during the existence of *H*, another handler *AH* is created with a scope containing *CN*, and if *AH* is associated with an SQLSTATE value or condition name that is the same as the SQLSTATE value or condition name of *CN*. *AH* replaces *H* as the most appropriate handler for *CN* until *AH* is destroyed. When *AH* is destroyed, *H* is reinstated as the most appropriate handler for *CN*.

Conformance Rules

- 1) Without Feature P202, "Handler declaration", conforming SQL language shall not contain a <handler declaration>.

15.3 <condition declaration>

Function

Declare a condition name and an optional corresponding SQLSTATE value.

Format

```
<condition declaration> ::=  
  DECLARE <condition name> CONDITION [ FOR <sqlstate value> ]
```

Syntax Rules

- 1) Let *CD* be the <condition declaration>.
- 2) Let *CN* be the <condition name>. At most one <condition declaration> shall specify a <condition name> that is equivalent to *CN* and has the same scope as *CN*.
- 3) <condition name> is *considered to be defined*, within its scope, for the SQLSTATE value specified by <sqlstate value>.

Access Rules

None.

General Rules

None.

Conformance Rules

- 1) Without Feature P203, "Condition declaration", conforming SQL language shall not contain a <condition declaration>.

15.4 <SQL variable declaration>

Function

Declare one or more variables.

Format

```
<SQL variable declaration> ::=  
  DECLARE <SQL variable name list> <data type> [ <default clause> ]  
  
<SQL variable name list> ::=  
  <SQL variable name> [ { <comma> <SQL variable name> }... ]
```

Syntax Rules

- 1) The specified <data type> is the declared type of each variable declared by the <SQL variable declaration>.

Access Rules

None.

General Rules

- 1) If <SQL variable declaration> contains <default clause> *DC*, then let *DV* be the <default option> contained in *DC*. Otherwise let *DV* be <null specification>. Let *SV* be the variable defined by the <SQL variable declaration>. The following SQL-statement is effectively executed:

```
SET SV = DV
```

Conformance Rules

- 1) Without Feature P204, “SQL variable declaration”, conforming SQL language shall not contain an <SQL variable declaration>.

15.5 <assignment statement>

*This Subclause is modified by Subclause 9.3, “<assignment statement>”, in ISO/IEC 9075-10.
This Subclause is modified by Subclause 15.2, “<assignment statement>”, in ISO/IEC 9075-14.*

Function

Assign a value to an SQL variable, SQL parameter, host parameter, or host variable.

Format

```
<assignment statement> ::=
  <singleton variable assignment>
  | <multiple variable assignment>

<multiple variable assignment> ::=
  SET <assignment target list> <equals operator> <assigned row>

<assignment target list> ::=
  <left paren> <assignment target> [ { <comma> <assignment target> }... ] <right paren>

<singleton variable assignment> ::=
  SET <assignment target> <equals operator> <assignment source>

<assignment target> ::=
  <target specification>
  | <modified field reference>
  | <mutator reference>

<assignment source> ::=
  <value expression>
  | <contextually typed source>

<contextually typed source> ::=
  <implicitly typed value specification>
  | <contextually typed row value expression>

<modified field reference> ::=
  <modified field target> <period> <field name>

<modified field target> ::=
  <target specification>
  | <left paren> <target specification> <right paren>
  | <modified field reference>

<mutator reference> ::=
  <mutated target specification> <period> <method name>

<mutated target specification> ::=
  <target specification>
  | <left paren> <target specification> <right paren>
  | <mutator reference>
```

Syntax Rules

- 1) An <assignment statement> *A* that contains a <multiple variable assignment> is effectively replaced by a <compound statement> *CS* as follows:

- a) Let *ATL* be the <assignment target list> contained in *A*, let *ATN* be the number of <assignment target>s contained in *ATL*, and let *AR* be the <assigned row> contained in *A*.
- b) *ATN* shall be equal to the degree of *AR*.
- c) Let *X* be an arbitrary <SQL variable name> that is not equivalent to a <target specification> contained in *A*.
- d) Let *XT* be the declared type of *AR*.
- e) Let *AT_i*, $1 \text{ (one)} \leq i \leq ATN$, be the *i*-th <assignment target> contained in *ATL* and let *FN_i* be the <field name> of the *i*-th field of *AR*.
- f) *CS* is:

```
BEGIN
  DECLARE X XT ;
  SET X = AR ;
  SET AT1 = X.FN1 ;
  ...
  SET ATATN = X.FNATN ;
END
```

- 2) A <target specification> immediately contained in a <modified field target> or a <mutated target specification> that is a <column reference> shall be a new transition variable column reference.
NOTE 16 — “New transition variable column reference” is defined in Subclause 6.6, “<identifier chain>”, in ISO/IEC 9075-2.
- 3) If the <assignment statement> is contained in a <triggered SQL statement> of an AFTER trigger, then the <modified field target> or a <mutated target specification> contained in the <assignment target> shall not immediately contain a <column reference>.
- 4) The declared type of the <target specification> simply contained in a <mutator reference> *MR* shall be a user-defined type.
- 5) If <assignment target> immediately contains a <mutator reference>, then let *TS* be the <mutated target specification>, let *FN* be the <method name>, and let *AS* be the <assignment source>. The <assignment statement> is equivalent to:

```
SET TS = TS.FN ( AS )
```

NOTE 17 — The preceding rule is applied recursively until the <assignment target> no longer contains a <mutator reference>.

- 6) If <assignment target> is a <modified field reference> *FR*, then:
 - a) Let *F* be the field identified by <field name> simply contained in <assignment target> and not simply contained in <modified field target>.
 - b) Let *AS* be the <assignment source>.
 - c) The Syntax Rules of Subclause 9.2, “Store assignment”, in ISO/IEC 9075-2, are applied with *F* as *TARGET* and *AS* as *VALUE*.
- 7) If the <assignment target> simply contains an <embedded variable name> or a <host parameter specification>, then <assignment source> shall not simply contain an <embedded variable name> or a <host parameter specification>.
- 8) If the <assignment target> simply contains a <column reference>, an <SQL variable reference>, or an <SQL parameter reference> and the <assignment source> is a <value expression>, then the Syntax Rules of Subclause 9.2, “Store assignment”, in ISO/IEC 9075-2, are applied with <assignment target> as *TARGET* and <assignment source> as *VALUE*.

15.5 <assignment statement>

- 9) 10 If the <assignment target> simply contains an <embedded variable name> or a <host parameter specification> and the <assignment source> is a <value expression>, then the Syntax Rules of Subclause 9.1, “Retrieval assignment”, in ISO/IEC 9075-2, are applied with <assignment target> as *TARGET* and <assignment source> as *VALUE*.
- 10) If <target array element specification> is specified, then:
 - a) <target array reference> contained in an <assignment target> shall not be <column reference>.
 - b) The Syntax Rules of Subclause 9.2, “Store assignment”, in ISO/IEC 9075-2, are applied with an arbitrary site whose declared type is the declared type of the <target specification> as *TARGET* and <assignment source> as *VALUE*.
- 11) A <contextually typed row value expression> that is specified as a <contextually typed source> shall not contain a <default specification>.

Access Rules

None.

General Rules

- 1) If <assignment target> is a <target specification> that is a <column reference> *T*, an <SQL variable reference> to an SQL variable *T*, or an <SQL parameter reference> to an SQL parameter *T* of an SQL-invoked routine, then:
 - a) Let *PTEMP* be the null value.
 - b) 14 The General Rules of Subclause 9.2, “Store assignment”, in ISO/IEC 9075-2, are applied with *T* as *TARGET* and <assignment source> as *VALUE*.
- 2) 10 If <assignment target> is a <target specification> that is the <embedded variable name> of a host variable *T* or the <host parameter specification> of a host parameter *T*, then the General Rules of Subclause 9.1, “Retrieval assignment”, in ISO/IEC 9075-2, are applied with *T* as *TARGET* and <assignment source> as *VALUE*.
- 3) If <assignment target> is a <target specification> that is a new transition variable column reference, then let *C* be the column identified by the <column reference> and let *R* be the row that is to be replaced by that transition variable. For each transition variable *TV* that is a replacement for a subrow of *R* or for a superrow of *R* in a table in which *C* is a column, the General Rules of Subclause 9.2, “Store assignment”, in ISO/IEC 9075-2, are applied with *TV.C* as *TARGET* and <assignment source> as *VALUE*.
- 4) If <assignment target> is a <modified field reference> *FR*, then let *T* be the <target specification> simply contained in *FR*. Let *F_i* be a field identified by each <field name> simply contained in *FR*. Let *FT* be the field identified by the <field name> that is simply contained in <assignment target> and that is not simply contained in <modified field target>.

Case:

 - a) If the value of *T* or of any *F_i* is the null value, then an exception condition is raised: *data exception — null value in field reference (2202A)*.
 - b) Otherwise:
 - i) Let *PTEMP* be the null value.

- ii) ¹⁴The General Rules of Subclause 9.2, “Store assignment”, in ISO/IEC 9075-2, are applied with *FT* as *TARGET* and <assignment source> as *VALUE*.
- 5) If <target array element specification> is specified, then
- Case:
- a) If the value of <target array reference> *TAR*, is null, then an exception condition is raised: *data exception — null value in array target (2200E)*.
- b) Otherwise:
- i) Let *N* be the maximum cardinality of *TAR*.
- ii) Let *M* be the cardinality of the value of *TAR*.
- iii) Let *I* be the value of the <simple value specification> immediately contained in *TAR*.
- iv) Let *EDT* be the element type of *TAR*.
- v) Case:
- 1) If *I* is greater than zero and less than or equal to *M*, then the value of *TAR* is replaced by an array *A* with element type *EDT* and cardinality *M* derived as follows:
- A) For *j* varying from 1 (one) to *I*–1 and from *I*+1 to *M*, the *j*-th element in *A* is the value of the *j*-th element in *TAR*.
- B) ¹⁴The General Rules of Subclause 9.2, “Store assignment”, in ISO/IEC 9075-2, are applied with *I*-th element of *A* as *TARGET* and <assignment source> as *VALUE*.
- 2) If *I* is greater than *M* and less than or equal to *N*, then the value of *TAR* is replaced by an array *A* with element type *EDT* and cardinality *I* derived as follows:
- A) For *j* varying from 1 (one) to *M*, the *j*-th element in *A* is the value of the *j*-th element in *TAR*.
- B) For *j* varying from *M*+1 to *I*, the *j*-th element in *A* is the null value.
- C) ¹⁴The General Rules of Subclause 9.2, “Store assignment”, in ISO/IEC 9075-2, are applied with *I*-th element of *A* as *TARGET* and <assignment source> as *VALUE*.
- 3) Otherwise, an exception condition is raised: *data exception — array element error (2202E)*.

Conformance Rules

- 1) Without Feature P205, “Assignment statement”, conforming SQL language shall not contain an <assignment statement>.
- 2) Without Feature P006, “Multiple assignment”, conforming SQL language shall not contain a <multiple variable assignment>.
- 3) Without Feature T051, “Row types”, conforming SQL language shall not contain a <modified field reference>.

15.6 <case statement>

Function

Provide conditional execution based on the truth value of <search condition>s or on equality of operands.

Format

```
<case statement> ::=
  <simple case statement>
  | <searched case statement>

<simple case statement> ::=
  CASE <case operand>
    <simple case statement when clause>...
    [ <case statement else clause> ]
  END CASE

<searched case statement> ::=
  CASE <searched case statement when clause>...
    [ <case statement else clause> ]
  END CASE

<simple case statement when clause> ::=
  WHEN <when operand list>
  THEN <SQL statement list>

<searched case statement when clause> ::=
  WHEN <search condition>
  THEN <SQL statement list>

<case statement else clause> ::=
  ELSE <SQL statement list>
```

Syntax Rules

- 1) If a <case statement> specifies a <simple case statement>, then let $SCO1$ be the <case operand>:
 - a) $SCO1$ shall not generally contain a <routine invocation> whose subject routines include an SQL-invoked routine that is possibly non-deterministic or that possibly modifies SQL-data.
 - b) If $SCO1$ is <overlaps predicate part 1>, then each <when operand> shall be <overlaps predicate part 2>. If $SCO1$ is <row value predicand>, then each <when operand> shall not be <overlaps predicate part 2>.
 - c) Let N be the number of <simple case statement when clause>s.
 - d) For each i between 1 (one) and N , let WOL_i be the <when operand list> of the i -th <simple case statement when clause>. Let $M(i)$ be the number of <when operand>s simply contained in WOL_i . For each j between 1 (one) and $M(i)$, let WO_{ij} be the j -th <when operand> simply contained in WOL_i .
 - e) For each i between 1 (one) and N , and for each j between 1 (one) and $M(i)$,
Case:
 - i) If WO_{ij} is a <row value predicand>, then let $SCO2_{ij}$ be

= $WO_{i,j}$

- ii) Otherwise, let $SCO2_{ij}$ be WO_{ij} .
- f) Let SSL_i be the <SQL statement list> of the i -th <simple case statement when clause>.
- g) If <case statement else clause> is specified, then let $CSEC$ be the <case statement else clause>; otherwise, let $CSEC$ be a character string of length 0 (zero).
- h) The <simple case statement> is equivalent to a <searched case statement> in which the i -th <searched case statement when clause> takes the form:

```
WHEN (  $SCO1$   $SCO2_{i,j}$  ) OR
... OR
(  $SCO1$   $SCO2_{i,M(i)}$  )
THEN  $SSL_i$ 
```

- i) The <case statement else clause> of the equivalent <searched case statement> takes the form:


```
 $CSEC$ 
```
- j) The Conformance Rules of the Subclauses of Clause 8, “Predicates”, in ISO/IEC 9075-2, are applied to the result of this syntactic transformation.

NOTE 18 — The specific Subclauses of Clause 8, “Predicates”, in ISO/IEC 9075-2, are determined by the predicates that are created as a result of the syntactic transformation.

Access Rules

None.

General Rules

- 1) Case:
 - a) If the <search condition> of some <searched case statement when clause> in a <case statement> is *True*, then let SL be the <SQL statement list> of the first (leftmost) <searched case statement when clause> whose <search condition> is *True*.
 - b) If the <case statement> simply contains a <case statement else clause>, then let SL be the <SQL statement list> of that <case statement else clause>.
 - c) Otherwise, an exception condition is raised: *case not found for case statement (20000)*, and the execution of the <case statement> is terminated immediately.
- 2) Let N be the number of <SQL procedure statement>s simply contained in SL without an intervening <SQL control statement>. For i ranging from 1 (one) to N :
 - a) Let S_i be the i -th such <SQL procedure statement>.
 - b) The General Rules of Subclause 9.17, “Executing an <SQL procedure statement>”, in ISO/IEC 9075-2, are applied with S_i as *EXECUTING STATEMENT*.
 - c) If the execution of S_i terminates with an unhandled exception condition, then the execution of the <case statement> is terminated with that condition.

Conformance Rules

- 1) Without Feature P206, “Case statement”, conforming SQL language shall not contain a <case statement>.
- 2) Without Feature P004, “Extended CASE statement”, in conforming SQL language, both <case operand> immediately contained in a <simple case statement> and a <when operand> immediately contained in a <when operand list> immediately contained in a <simple case statement when clause> shall be a <row value predicand> that is a <row value constructor predicand> that is a single <common value expression> or <boolean predicand>.
- 3) Without Feature P008, “Comma-separated predicates in simple CASE statement”, in conforming SQL language, <when operand list> immediately contained in a <simple case statement when clause> shall simply contain exactly one <when operand>.

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 9075-4:2023

15.7 <if statement>

Function

Provide conditional execution based on the truth value of a <search condition>.

Format

```
<if statement> ::=
  IF <search condition>
    <if statement then clause>
    [ <if statement elseif clause>... ]
    [ <if statement else clause> ]
  END IF

<if statement then clause> ::=
  THEN <SQL statement list>

<if statement elseif clause> ::=
  ELSEIF <search condition> THEN <SQL statement list>

<if statement else clause> ::=
  ELSE <SQL statement list>
```

Syntax Rules

- 1) If one or more <if statement elseif clause>s are specified, then the <if statement> is equivalent to an <if statement> that does not contain ELSEIF by performing the following transformation recursively:

```
IF <search condition>
  <if statement then clause>
  ISEC1
  [ <if statement elseif clause>... ]
  [ <if statement else clause> ]
END IF
```

is equivalent to

```
IF <search condition>
  <if statement then clause>
  ELSE
    IF SC1
      THEN SL1
    [ <if statement elseif clause>... ]
    [ <if statement else clause> ]
  END IF
END IF
```

where *SC1* is the <search condition> simply contained in <if statement elseif clause> *ISEC1* and *SL1* is the <SQL statement list> simply contained in *ISEC1*.

Access Rules

None.

General Rules

- 1) Case:
 - a) If the <search condition> immediately contained in the <if statement> evaluates to *True*, then let *SL* be the <SQL statement list> immediately contained in the <if statement then clause>.
 - b) Otherwise, if an <if statement else clause> is specified, then let *SL* be the <SQL statement list> immediately contained in the <if statement else clause>.
NOTE 19 — “Otherwise” means that the <search condition> immediately contained in the <if statement> evaluates to *False* or to *Unknown*.
- 2) Let *N* be the number of <SQL procedure statement>s simply contained in *SL* without an intervening <SQL control statement>. For *i* ranging from 1 (one) to *N*:
 - a) Let *S_i* be the *i*-th such <SQL procedure statement>.
 - b) The General Rules of Subclause 9.17, “Executing an <SQL procedure statement>”, in ISO/IEC 9075-2, are applied with *S_i* as *EXECUTING STATEMENT*.
 - c) If the execution of *S_i* terminates with an unhandled exception condition, then the execution of the <if statement> is terminated and the condition remains active.

Conformance Rules

- 1) Without Feature P207, “If statement”, conforming SQL language shall not contain an <if statement>.

15.8 <iterate statement>

Function

Terminate the execution of an iteration of an iterated SQL-statement.

Format

```
<iterate statement> ::=  
  ITERATE <statement label>
```

Syntax Rules

- 1) <statement label> shall be the <beginning label> of some iterated SQL-statement *IS* that contains <iterate statement> without an intervening <SQL schema statement>.
- 2) Let *SSL* be the <SQL statement list> simply contained in *IS*.

Access Rules

None.

General Rules

- 1) The execution of *SSL* is terminated.

NOTE 20 — If the iteration condition for *IS* is *True* or if *IS* does not have an iteration condition, then the next iteration of *SSL* commences immediately. If the iteration condition for *IS* is *False*, then there is no next iteration of *SSL*.

Conformance Rules

- 1) Without Feature P208, "Iterate statement", conforming SQL language shall not contain an <iterate statement>.

15.9 <leave statement>

Function

Continue execution by leaving a labeled statement.

Format

```
<leave statement> ::=  
  LEAVE <statement label>
```

Syntax Rules

- 1) <statement label> shall be the <beginning label> of some <SQL procedure statement> *S* that contains <leave statement> *L* without an intervening <SQL schema statement>.

Access Rules

None.

General Rules

- 1) For every <compound statement> *CS* that is contained in *S* and that contains the <leave statement>:
 - a) For every open standing SQL-server cursor *CR* that is declared in the <local cursor declaration list> of *CS*, the General Rules of Subclause 15.4, “Effect of closing a cursor”, in ISO/IEC 9075-2, are applied with *CR* as *CURSOR* and SAVE as *DISPOSITION*.
 - b) The variables, standing SQL-server cursors, and handlers specified in the <local declaration list>, the <local cursor declaration list>, and the <local handler declaration list> of *CS* are destroyed.
- 2) The execution of *S* is terminated.

Conformance Rules

- 1) Without Feature P209, “Leave statement”, conforming SQL language shall not contain a <leave statement>.

15.10 <loop statement>

Function

Repeat the execution of a statement.

Format

```
<loop statement> ::=  
  [ <beginning label> <colon> ]  
  LOOP  
  <SQL statement list>  
  END LOOP [ <ending label> ]
```

Syntax Rules

- 1) Let *LS* be the <loop statement>.
- 2) If *LS* does not specify a <beginning label>, then an implementation-dependent (UD002) <beginning label> that is not equivalent to any other <statement label> contained in the outermost containing <SQL control statement> is implicit.
- 3) If <ending label> is specified, then a <beginning label> shall be specified that is equivalent to <ending label>.
- 4) The scope of the <beginning label> is *LS* excluding every <SQL schema statement> contained in *LS*. <beginning label> shall not be equivalent to another <beginning label> contained in *LS* excluding every <SQL schema statement> contained in *LS*.

Access Rules

None.

General Rules

- 1) Let *SSL* be the <SQL statement list> and let *CCS* be the <compound statement>:

```
BEGIN NOT ATOMIC SSL END
```

The General Rules of Subclause 9.17, “Executing an <SQL procedure statement>”, in ISO/IEC 9075-2, are applied with *CCS* as *EXECUTING STATEMENT*, repeatedly.

NOTE 21 — The occurrence of an exception condition or the execution of a <leave statement> can also cause execution of *LS* to be terminated; see Subclause 6.3.3.7, “Exceptions”, in ISO/IEC 9075-1, and Subclause 15.9, “<leave statement>”, respectively. Some actions taken by a condition handler might also cause execution of *LS* to be terminated; see Subclause 15.2, “<handler declaration>”.

Conformance Rules

- 1) Without Feature P210, “Loop statement”, conforming SQL language shall not contain a <loop statement>.

15.11 <while statement>

Function

While a specified condition is *True*, repeat the execution of a statement.

Format

```
<while statement> ::=  
  [ <beginning label> <colon> ]  
    WHILE <search condition> DO  
    <SQL statement list>  
    END WHILE [ <ending label> ]
```

Syntax Rules

- 1) Let *WS* be the <while statement>.
- 2) If *WS* does not specify a <beginning label>, then an implementation-dependent (UD003) <beginning label> that is not equivalent to any other <statement label> contained in the outermost containing <SQL control statement> is implicit.
- 3) If <ending label> is specified, then a <beginning label> shall be specified that is equivalent to <ending label>.
- 4) The scope of the <beginning label> is *WS* excluding every <SQL schema statement> contained in *WS*. <beginning label> shall not be equivalent to another <beginning label> contained in *WS* excluding every <SQL schema statement> contained in *WS*.

Access Rules

None.

General Rules

- 1) The <search condition> is evaluated.
- 2) Case:
 - a) If the <search condition> evaluates to *False* or *Unknown*, then execution of *WS* is terminated.
 - b) Let *SSL* be the <SQL statement list> and let *CCS* be the <compound statement>

```
BEGIN NOT ATOMIC SSL END
```

If the <search condition> evaluates to *True*, then the General Rules of Subclause 9.17, “Executing an <SQL procedure statement>”, in ISO/IEC 9075-2, are applied with *CCS* as *EXECUTING STATEMENT* and the execution of *WS* is repeated.

NOTE 22 — The occurrence of an exception condition or the execution of a <leave statement> can also cause execution of *WS* to be terminated; see Subclause 6.3.3.7, “Exceptions”, in ISO/IEC 9075-1, and Subclause 15.9, “<leave statement>”, respectively. Some actions taken by a condition handler might also cause execution of *WS* to be terminated; see Subclause 15.2, “<handler declaration>”.

Conformance Rules

- 1) Without Feature P211, “While statement”, conforming SQL language shall not contain a <while statement>.

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 9075-4:2023

15.12 <repeat statement>

Function

Repeat the execution of a statement until a specified condition becomes *True*.

Format

```
<repeat statement> ::=  
  [ <beginning label> <colon> ]  
  REPEAT  
  <SQL statement list>  
  UNTIL <search condition>  
  END REPEAT [ <ending label> ]
```

Syntax Rules

- 1) Let *RS* be the <repeat statement>.
- 2) If *RS* does not specify a <beginning label>, then an implementation-dependent (UD004) <beginning label> that is not equivalent to any other <statement label> contained in the outermost containing <SQL control statement> is implicit.
- 3) If <ending label> is specified, then a <beginning label> shall be specified that is equivalent to <ending label>.
- 4) The scope of the <beginning label> is *RS* excluding every <SQL schema statement> contained in *RS*. <beginning label> shall not be equivalent to another <beginning label> contained in *RS* excluding every <SQL schema statement> contained in *RS*.

Access Rules

None.

General Rules

- 1) Let *SSL* be the <SQL statement list> and let *CCS* be the <compound statement>

```
BEGIN NOT ATOMIC SSL END
```

The General Rules of Subclause 9.17, "Executing an <SQL procedure statement>", in ISO/IEC 9075-2, are applied with *CCS* as *EXECUTING STATEMENT* and then <search condition> is evaluated.

NOTE 23 — The occurrence of an exception condition or the execution of a <leave statement> can also cause execution of *RS* to be terminated; see Subclause 6.3.3.7, "Exceptions", in ISO/IEC 9075-1, and Subclause 15.9, "<leave statement>", respectively. Some actions taken by a condition handler might also cause execution of *RS* to be terminated; see Subclause 15.2, "<handler declaration>".

- 2) If the <search condition> evaluates to *False* or *Unknown*, then the execution of *RS* is repeated; otherwise, execution of *RS* is terminated.

Conformance Rules

- 1) Without Feature P212, "Repeat statement", conforming SQL language shall not contain a <repeat statement>.

15.13 <for statement>

Function

Execute a statement for each row of a table.

Format

```
<for statement> ::=
  [ <beginning label> <colon> ]
  FOR [ <for loop variable name> AS ]
  [ <cursor name> [ <cursor sensitivity> ] CURSOR FOR ]
  <cursor specification>
  DO <SQL statement list>
  END FOR [ <ending label> ]
```

```
<for loop variable name> ::=
  <identifier>
```

Syntax Rules

- 1) Let *FCS* be the <cursor specification> of the <for statement> *FS*.
- 2) If *FS* does not specify a <beginning label>, then an implementation-dependent (UD005) <beginning label> that is not equivalent to any other <statement label> contained in the outermost containing <SQL control statement> is implicit.
- 3) If <ending label> is specified, then a <beginning label> shall be specified that is equivalent to <ending label>.
- 4) If <cursor name> is specified, then let *CN* be that <cursor name>. Otherwise, let *CN* be an implementation-dependent (UD006) <cursor name> that is not equivalent to another <cursor name> in the outermost containing <SQL-client module definition> or <SQL-invoked routine>.
- 5) Let *QE* be the <query expression> of *FCS*. Each column of the table specified by *QE* shall have a <column name> that is not equivalent to another <column name> in the table specified by *QE*. Let *V1*, *V2*, ..., *Vn* be those <column name>s. Let *DT1*, *DT2*, ..., *DTn* be the declared types of the respective columns.
- 6) Let *BL*, *FLVN*, and *SLL* be the <beginning label>, <for loop variable name>, and <SQL statement list> of *FS*, respectively.
 - a) Let *AT_END* be an implementation-dependent (UV010) <SQL variable name> that is not equivalent to another <SQL variable name> or an <SQL parameter name> contained in the outermost containing <SQL-server module definition>, <SQL-invoked routine>, or <compound statement>.
 - b) Let *NOT_FOUND* be an implementation-dependent (UD007) <condition name> that is not equivalent to another <condition name> contained in the outermost containing <SQL-server module definition>, <SQL-invoked routine>, or <compound statement>.
 - c) Let *CS* be the explicit or implicit <cursor sensitivity>.
- 7) Let *COMMON_CODE* be:

```
DECLARE V1 DT1;
DECLARE V2 DT2;
```

ISO/IEC 9075-4:2023(E)
15.13 <for statement>

```
.  
.
DECLARE Vn DTn;
DECLARE AT_END BOOLEAN DEFAULT FALSE;
DECLARE NOT_FOUND CONDITION FOR SQLSTATE '02000';
DECLARE OPEN_ERROR CONDITION;
DECLARE CN CS CURSOR FOR FCS
DECLARE EXIT HANDLER FOR OPEN_ERROR
    RESIGNAL;
BEGIN NOT ATOMIC
    DECLARE EXIT HANDLER FOR SQLEXCEPTION
        RESIGNAL OPEN_ERROR;
    OPEN CN;
END;
BL: LOOP
    BEGIN NOT ATOMIC
        DECLARE CONTINUE HANDLER FOR NOT_FOUND
            SET AT_END = TRUE;
        DECLARE CONTINUE HANDLER FOR SQLEXCEPTION
            BEGIN NOT ATOMIC
                SET AT_END = TRUE;
                RESIGNAL;
            END;
        FETCH CN INTO V1, V2, ..., Vn;
    END;
    IF AT_END THEN
        LEAVE BL;
    END IF;
    SLL
END LOOP BL;
CLOSE CN;
```

Case:

- a) If <for loop variable name> is specified, then *FS* is equivalent to:

```
FLVN: BEGIN NOT ATOMIC
COMMON_CODE
END FLVN;
```

- b) Otherwise, *FS* is equivalent to:

```
BEGIN NOT ATOMIC
COMMON_CODE
END
```

- 8) *SLL* shall not contain, without an intervening <SQL-invoked routine> or <SQL schema statement>, a <leave statement> that specifies *FLVN*.
- 9) *SLL* shall not contain either a <commit statement> or a <rollback statement>.
- 10) *SLL* shall not contain without an intervening <SQL-invoked routine> or <SQL schema statement> a <fetch statement>, an <open statement>, or a <close statement> that specifies *CN*.

Access Rules

None.

General Rules

None.

Conformance Rules

- 1) Without Feature P213, “For statement”, conforming SQL language shall not contain a <for statement>.

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 9075-4:2023

16 Dynamic SQL

This Clause modifies Clause 20, “Dynamic SQL”, in ISO/IEC 9075-2.

16.1 <prepare statement>

This Subclause modifies Subclause 20.7, “<prepare statement>”, in ISO/IEC 9075-2.

Function

Prepare a statement for execution.

Format

No additional Format items.

Syntax Rules

No additional Syntax Rules.

Access Rules

No additional Access Rules.

General Rules

- 1) **Augment GR 5]** by adding “The syntactic substitutions specified in Subclause 15.5, “<assignment statement>”, shall not be applied until the data types of <dynamic parameter specification>s are determined by this General Rule. ” at the end of the lead text of the Rule.
- 2) **Insert after GR 5)a)xxvii):** If *DP* is a <contextually typed row value expression> simply contained in a <multiple variable assignment> *MVA* of an <assignment statement> or if *DP* represents the value of a subfield *SF* of the declared type of such a <contextually typed row value expression>, then let *RT* be a row type in which the declared type of the *i*-th field is the declared type of the <target specification>, <modified field reference>, or <mutator reference> immediately contained in the *i*-th <assignment target> contained in the <assignment target list> of *MVA*.
Case:
 - a) If *DP* is a <contextually typed row value expression> simply contained in *MVA*, then *DT* is *RT*.
 - b) Otherwise, *DT* is the declared type of the subfield of *RT* that corresponds to *SF*.
- 3) **Insert after GR 5)a)xxx):** If *DP* is the <assignment target> simply contained in a <singleton variable assignment> *SVA* of an <assignment statement>, then
Case:
 - a) If the <assignment source> immediately contains a <null specification>, then *DT* is undefined.

- b) Otherwise, *DT* is the declared type of the <value expression> simply contained in the <assignment source> of *SVA*.
- 4) Insert after GR 5)a)xxx: If *DP* is the <value expression> simply contained in an <assignment source> in a <singleton variable assignment> *SVA* of an <assignment statement> or if *DP* represents the value of a subfield *SF* of the declared type of such a <value expression>, then let *RT* be the declared type of the <assignment target> simply contained in *SVA*.

Case:

- a) If *DP* is the <value expression> simply contained in the <assignment source>, then *DT* is *RT*.
- b) Otherwise, *DT* is the declared type of the subfield of *RT* that corresponds to *SF*.
- 5) Insert after GR 5)a)xxx: If *DP* is a <case operand> or <when operand> simply contained in a <simple case statement> *CS*, or if *DP* represents the value of a subfield *SF* of the declared type of such a <case operand> or <when operand>, then:

- a) Let *SDT* be the set union of the following sets of declared types:
- i) The set consisting of the declared type of the <case operand>.
 - ii) The set consisting of the declared type of a <when operand> of *CS* that is a <row value predicand>.
 - iii) The set consisting of the declared types of every <row value predicand> simply contained in every <comparison predicate part 2>, <between predicate part 2>, <character like predicate part 2>, <octet like predicate part 2>, <similar predicate part 2>, <regex like predicate part 2>, <overlaps predicate part 2>, <distinct predicate part 2>, or <member predicate part 2> that is simply contained in *CS*.
 - iv) The set consisting of the declared row type of a <table subquery> simply contained in an <in predicate part 2>, <match predicate part 2>, or <quantified comparison predicate part 2> simply contained in *CS*.
 - v) The set consisting of the declared types of the <row value expression>s simply contained in an <in value list> simply contained in an <in predicate part 2> simply contained in *CS*.

NOTE 24 — The following “part 2” predicates do not have any value expressions with declared type information: <null predicate part 2>, <normalized predicate part 2>, <set predicate part 2>, <type predicate part 2>.

- b) The Syntax Rules of [Subclause 9.5, “Result of data type combinations”](#), in ISO/IEC 9075-2, are applied with *SDT* as *DTSET*; let *RT* be the *RESTYPE* returned from the application of those Syntax Rules.
- c) Case:
- i) If *DP* is a <case operand> or <when operand> simply contained in *CS*, then *DT* is *RT*.
 - ii) Otherwise, *DT* is the declared type of the subfield of *RT* that corresponds to *SF*.

Conformance Rules

No additional Conformance Rules.

16.2 <input using clause>

This Subclause modifies Subclause 20.11, “<input using clause>”, in ISO/IEC 9075-2.

Function

Supply input values for an <SQL dynamic statement>.

Format

No additional Format items.

Syntax Rules

- 1) Augment SR 1) by adding “an <SQL variable reference> ” to the list of possible <general value specification>s.

Access Rules

No additional Access Rules.

General Rules

No additional General Rules.

Conformance Rules

No additional Conformance Rules.

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 9075-4:2023

16.3 <output using clause>

This Subclause modifies Subclause 20.12, “<output using clause>”, in ISO/IEC 9075-2.

Function

Supply output variables for an <SQL dynamic statement>.

Format

No additional Format items.

Syntax Rules

- 1) Augment SR 1) by adding “<SQL variable reference>” to the list of BNF non-terminals.

Access Rules

No additional Access Rules.

General Rules

No additional General Rules.

Conformance Rules

No additional Conformance Rules.

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 9075-4:2023

17 Embedded SQL

This Clause modifies Clause 21, "Embedded SQL", in ISO/IEC 9075-2.

17.1 <embedded SQL host program>

This Subclause modifies Subclause 21.1, "<embedded SQL host program>", in ISO/IEC 9075-2.

Function

Specify an <embedded SQL host program>.

Format

No additional Format items.

Syntax Rules

- 1) **Insert after the last SR:** Given an <identifier> *I* and a <host identifier> *HI*, it is implementation-defined (IA001) whether *I* and *HI* are equivalent.
- 2) **Insert after the last SR:** An <SQL variable name> contained in an <SQL variable declaration> that is contained in an <embedded SQL host program> shall not be equivalent to a <host identifier> that is contained in an <embedded SQL statement> in an <embedded SQL host program>.
- 3) **Insert after the last SR:** If a <handler declaration> is contained in an <embedded SQL host program> with no intervening <compound statement>, then no <condition value> contained in that <handler declaration> shall be equivalent to the <condition value> of another <handler declaration> immediately contained in that <embedded SQL host program>.
- 4) **Insert before SR 22)k):** *M* contains one <SQL variable declaration> for each <SQL variable declaration> contained in *H*. Each <SQL variable declaration> of *M* is a copy of the corresponding <SQL variable declaration> of *H*.
- 5) **Insert before SR 22)l):** *M* contains one <handler declaration> for each <handler declaration> contained in *H*. Each <handler declaration> of *M* is a copy of the corresponding <handler declaration> of *H*.
- 6) **Insert after SR 23)c):** Each <embedded SQL statement> that contains an <SQL variable declaration> has been deleted.

Access Rules

No additional Access Rules.

General Rules

No additional General Rules.

Conformance Rules

No additional Conformance Rules.

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 9075-4:2023

18 Direct invocation of SQL

This Clause modifies Clause 22, "Direct invocation of SQL", in ISO/IEC 9075-2.

18.1 <direct SQL statement>

This Subclause modifies Subclause 22.1, "<direct SQL statement>", in ISO/IEC 9075-2.

Function

Specify direct execution of SQL.

Format

No additional Format items.

Syntax Rules

- 1) Insert after SR 1): The <direct SQL data statement> shall not contain an <SQL variable reference>.

Access Rules

No additional Access Rules.

General Rules

No additional General Rules.

Conformance Rules

No additional Conformance Rules.

19 Diagnostics management

This Clause modifies Clause 23, “Diagnostics management”, in ISO/IEC 9075-2.

19.1 <get diagnostics statement>

This Subclause modifies Subclause 23.1, “<get diagnostics statement>”, in ISO/IEC 9075-2.

Function

Get exception or completion condition information from the diagnostics area.

Format

```
<get diagnostics statement> ::=
    !! All alternatives from ISO/IEC 9075-2
    | GET [ <which area> ] DIAGNOSTICS <SQL diagnostics information>

<which area> ::=
    CURRENT
    | STACKED

<condition information item name> ::=
    !! All alternatives from ISO/IEC 9075-2
    | CONDITION_IDENTIFIER
```

Syntax Rules

- 1) Insert after the last SR: If <which area> is not specified, then CURRENT is implicit.
- 2) Insert into Table 38, “Data types of <condition information item name>s” the rows of Table 1, “Data types of <condition information item name>s”.

Table 1 — Data types of <condition information item name>s

<identifier>	Declared Type
CONDITION_IDENTIFIER	variable-length character string with implementation-defined (IL001) maximum length

Access Rules

No additional Access Rules.

General Rules

- 1) Convert GR 1) to be: Case:
 - a) If <which area> specifies STACKED, then let *DA* be the second diagnostics area.

19.1 <get diagnostics statement>

- b) Otherwise, the original GR 1)
- 2) Insert after GR 1): If <which area> specifies STACKED and no condition handler is activated, then an exception condition is raised: *diagnostics exception — stacked diagnostics accessed without active handler (0Z002)*.
- 3) Insert into Table 39, “SQL-statement codes” the rows of Table 2, “SQL-statement codes”.

Table 2 — SQL-statement codes

SQL-statement	Identifier	Code
<assignment statement>	ASSIGNMENT	5
<case statement>	CASE	86
<compound statement>	BEGIN END	12
<drop module statement>	DROP MODULE	28
<for statement>	FOR	46
<if statement>	IF	88
<iterate statement>	ITERATE	102
<leave statement>	LEAVE	89
<loop statement>	LOOP	90
<resignal statement>	RESIGNAL	91
<repeat statement>	REPEAT	95
<signal statement>	SIGNAL	92
<SQL-server module definition>	CREATE MODULE	51
<while statement>	WHILE	97

- 4) Insert before GR 4)n): If the value of the RETURNED_SQLSTATE corresponds to *unhandled user-defined exception (45000)*, then the value of CONDITION_IDENTIFIER is the <condition name> of the user-defined exception.
- 5) Insert before GR 4)p): If COMMAND_FUNCTION or DYNAMIC_FUNCTION identifies a <signal statement> or <resignal statement>, then the values of CLASS_ORIGIN, SUBCLASS_ORIGIN, CONSTRAINT_CATALOG, CONSTRAINT_SCHEMA, CONSTRAINT_NAME, CATALOG_NAME, SCHEMA_NAME, TABLE_NAME, COLUMN_NAME, CURSOR_NAME, MESSAGE_TEXT, MESSAGE_LENGTH, and MESSAGE_OCTET_LENGTH are not set as specified in ISO/IEC 9075-2, but instead are set as specified in Subclause 19.2, “<signal statement>”, and Subclause 19.3, “<resignal statement>”, in this document.

Conformance Rules

- 1) Insert after the last CR: Without Feature P007, “Enhanced diagnostics management”, conforming SQL language shall not contain a <which area>.

19.2 <signal statement>

Function

Signal an exception condition.

Format

```
<signal statement> ::=  
    SIGNAL <signal value> [ <set signal information> ]  
  
<signal value> ::=  
    <condition name>  
    | <sqlstate value>  
  
<set signal information> ::=  
    SET <signal information item list>  
  
<signal information item list> ::=  
    <signal information item> [ { <comma> <signal information item> }... ]  
  
<signal information item> ::=  
    <condition information item name> <equals operator> <simple value specification>
```

Syntax Rules

- 1) Case:
 - a) If <signal value> immediately contains <condition name>, then:
 - i) Let *CN* be the <condition name> contained in the <signal statement>.
 - ii) The <signal statement> shall be contained in the scope of a <condition name> equivalent to *CN*. Let *CNS* be the innermost such scope.
 - b) Otherwise, let *C* be the SQLSTATE value defined by <sqlstate value> and let *CN* be a zero-length string.
- 2) <condition information item name> shall specify CLASS_ORIGIN, SUBCLASS_ORIGIN, CONSTRAINT_CATALOG, CONSTRAINT_SCHEMA, CONSTRAINT_NAME, CATALOG_NAME, SCHEMA_NAME, TABLE_NAME, COLUMN_NAME, CURSOR_NAME, or MESSAGE_TEXT. No alternative for <condition information item name> shall be specified more than once in <set signal information>.
- 3) The data type of a <condition information item name> contained in <signal information item> shall be the data type specified in Table 1, "Data types of <condition information item name>s".

Access Rules

None.

General Rules

- 1) The first diagnostics area is emptied and the following changes are made to statement information items in the first diagnostics area:
 - a) NUMBER is set to 1 (one).

ISO/IEC 9075-4:2023(E)
19.2 <signal statement>

- b) MORE is set to 'N'.
 - c) COMMAND_FUNCTION is set to 'SIGNAL'.
 - d) DYNAMIC_FUNCTION is set to a zero-length string.
- 2) Let *CA* be the first condition area in the first diagnostics area. The condition information item CONDITION_IDENTIFIER in *CA* is set to *CN*.

Case:

- a) If *CN* is considered to be defined for an SQLSTATE value, then the condition information item RETURNED_SQLSTATE in *CA* is set to the value for which *CN* is considered to be defined within *CNS*.
NOTE 25 — “considered to be defined for” is defined in Subclause 15.3, “<condition declaration>”.
 - b) If <sqlstate value> is specified, then the condition information item RETURNED_SQLSTATE in *CA* is set to <sqlstate value>.
 - c) Otherwise, the condition information item RETURNED_SQLSTATE in *CA* is set to a zero-length string.
- 3) The condition information items CLASS_ORIGIN, SUBCLASS_ORIGIN, CONSTRAINT_CATALOG, CONSTRAINT_SCHEMA, CONSTRAINT_NAME, CATALOG_NAME, SCHEMA_NAME, TABLE_NAME, COLUMN_NAME, CURSOR_NAME, and MESSAGE_TEXT in *CA* are set to a zero-length string. The condition information items MESSAGE_LENGTH and MESSAGE_OCTET_LENGTH in *CA* are set to 0 (zero).
- 4) The General Rules of Subclause 23.2, “Pushing and popping the diagnostics area stack”, in ISO/IEC 9075-2, are applied with PUSH as *OPERATION* and the diagnostics area stack as *STACK*.
- 5) Condition handling mode becomes in effect in the SQL-session.
- 6) If <set signal information> is specified, then let *SSI* be the <set signal information>. Otherwise, let *SSI* be a zero-length string. The following <resignal statement> is effectively executed without further Syntax Rule checking:

```
RESIGNAL SSI
```

Conformance Rules

- 1) Without Feature P214, “Signal statement”, conforming SQL language shall not contain a <signal statement>.

19.3 <resignal statement>

Function

Resignal an exception condition.

Format

```
<resignal statement> ::=  
  RESIGNAL [ <signal value> ] [ <set signal information> ]
```

Syntax Rules

- 1) Let *RS* be the <resignal statement>.
- 2) If <signal value> is specified, then
Case:
 - a) If <signal value> immediately contains <condition name>, then:
 - i) Let *CN* be the <condition name> contained in *RS*.
 - ii) The <resignal statement> shall be contained within the scope of a <condition name> equivalent to *CN*. Let *CNS* be the innermost such scope.
 - b) Otherwise, let *C* be the SQLSTATE value defined by <sqlstate value> and let *CN* be a zero-length string.

Access Rules

None.

General Rules

- 1) If condition handling mode is not in effect, then an exception condition is raised: *resignal when handler not active (OK000)*.
- 2) The General Rules of Subclause 23.2, "Pushing and popping the diagnostics area stack", in ISO/IEC 9075-2, are applied with PUSH as *OPERATION* and the diagnostics area stack as *STACK*.
- 3) Let *DA* be the first diagnostics area, let *SA* be the statement area in *DA*, and let *CA* be the first condition area in *DA*.
- 4) If <signal value> is specified, then:
 - a) The statement information item NUMBER in *SA* is incremented by 1 (one).
 - b) If the maximum number of condition areas for diagnostics areas has been reached, then the statement information item MORE in *SA* is set to 'Y' and the last condition area in *DA* is made vacant.
 - c) Let *n* be the maximum number of condition areas for diagnostics areas. For *i* ranging from *n*-1 to 1 (one), copy the contents of the *i*-th condition area into the *i*+1-th condition area.

NOTE 26 — After evaluation of the preceding General Rule, the first and second condition areas in *DA* have identical contents; *CA* still identifies the first condition area.

19.3 <resignal statement>

- d) The statement information item `COMMAND_FUNCTION` in *SA* is set to 'RESIGNAL'. The statement information item `DYNAMIC_FUNCTION` in *SA* is set to a zero-length string. The condition information item `CONDITION_IDENTIFIER` in *CA* is set to *CN*.

Case:

- i) If *CN* is considered to be defined for an `SQLSTATE` value, then the condition information item `RETURNED_SQLSTATE` in *CA* is set to the `SQLSTATE` value for which *CN* is considered to be defined within *CNS*.

NOTE 27 — “considered to be defined” is defined in Subclause 15.3, “<condition declaration>”.

- ii) If <sqlstate value> is specified, then the condition information item `RETURNED_SQLSTATE` in *CA* is set to <sqlstate value>.
- iii) Otherwise, the condition information item `RETURNED_SQLSTATE` in *CA* is set to a zero-length string.

- 5) If <set signal information> is specified, then for each <signal information item> in <set signal information>:

- a) The condition information item in *CA* identified by the <condition information item name> is set to the value of the <simple value specification>.
- b) If the <condition information item name> specifies `MESSAGE_TEXT`, then the condition information items `MESSAGE_LENGTH` and `MESSAGE_OCTET_LENGTH` in *CA* are set to contain the length in characters and the length in octets of the value of the <simple value specification>, respectively.

- 6) Case:

- a) If the condition information item `RETURNED_SQLSTATE` in *CA* is not the zero-length string, then:
- i) Let *S* be the value of the condition information item `RETURNED_SQLSTATE` in *CA*.
- ii) If a handler *H* is the most appropriate handler for *S*, then the General Rules of Subclause 8.6, “Handler execution”, are applied with *H* as *MOST APPROPRIATE HANDLER*.
- iii) If no handler is activated and *S* identifies an `SQLSTATE` value associated with an exception condition *EC*, then this is an *unhandled exception condition* and the <SQL procedure statement> that resulted in execution of *RS* is terminated with the exception condition *EC*.

NOTE 28 — If *S* identifies an `SQLSTATE` value associated with a completion condition, then this is an *unhandled completion condition* and processing continues without altering the flow of control.

- b) Otherwise:

- i) Let *E* be the value of the `CONDITION_IDENTIFIER` item in *CA*.
- ii) If a handler *H* is the most appropriate handler for *E*, then the General Rules of Subclause 8.6, “Handler execution”, are applied with *H* as *MOST APPROPRIATE HANDLER*.
- iii) If there is no appropriate handler for *E*, then this is an *unhandled exception condition* and the <SQL procedure statement> that resulted in execution of *RS* is terminated with the exception condition *unhandled user-defined exception (45000)*.

Conformance Rules

- 1) Without Feature P215, “Resignal statement”, conforming SQL language shall not contain a <resignal statement>.

20 Information Schema

This Clause modifies Clause 6, “Information Schema”, in ISO/IEC 9075-11.

20.1 Information Schema digital artifact

This Subclause modifies Subclause 6.1, “Information Schema digital artifact”, in ISO/IEC 9075-11.

Insert after the 1st paragraph: These schema definition and manipulation statements are also available from the ISO website as a “digital artifact”. See <https://standards.iso.org/iso/iec/9075/-4/ed-7/en/> to download digital artifacts for this document. To download the schema definition and manipulation statements, select the file named `ISO_IEC_9075-4(E)_PSM-schema-definition.sql`.

20.2 MODULE_COLUMN_USAGE view

Function

Identify the columns owned by a given user on which SQL-server modules defined in this catalog are dependent.

Definition

```
CREATE VIEW MODULE_COLUMN_USAGE AS
  SELECT MCU.MODULE_CATALOG, MCU.MODULE_SCHEMA, MCU.MODULE_NAME,
         MCU.TABLE_CATALOG, MCU.TABLE_SCHEMA, MCU.TABLE_NAME, MCU.COLUMN_NAME
  FROM DEFINITION_SCHEMA.MODULE_COLUMN_USAGE AS MCU
  JOIN
    DEFINITION_SCHEMA.SCHEMATA AS S
  ON ( ( MCU.TABLE_CATALOG, MCU.TABLE_SCHEMA ) =
      ( S.CATALOG_NAME, S.SCHEMA_NAME ) )
  WHERE ( S.SCHEMA_OWNER = CURRENT_USER
        OR
          S.SCHEMA_OWNER IN
            ( SELECT ER.ROLE_NAME
              FROM ENABLED_ROLES AS ER ) )
  AND
    MCU.MODULE_CATALOG =
      ( SELECT ISCN.CATALOG_NAME
        FROM INFORMATION_SCHEMA_CATALOG_NAME AS ISCN );

GRANT SELECT ON TABLE MODULE_COLUMN_USAGE
  TO PUBLIC WITH GRANT OPTION;
```

Conformance Rules

- 1) Without Feature F341, “Usage tables”, conforming SQL language shall not reference the view `INFORMATION_SCHEMA.MODULE_COLUMN_USAGE`.
- 2) Without Feature F391, “Long identifiers”, conforming SQL language shall not reference the view `INFORMATION_SCHEMA.MODULE_COLUMN_USAGE`.

- 3) Without Feature P003, “Information Schema views”, conforming SQL language shall not reference the view INFORMATION_SCHEMA.MODULE_COLUMN_USAGE.

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 9075-4:2023

20.3 MODULE_PRIVILEGES view

Function

Identify the privileges on SQL-server modules defined in this catalog that are available to or granted by a given user.

Definition

```
CREATE VIEW MODULE_PRIVILEGES AS
SELECT
    GRANTOR, GRANTEE, MODULE_CATALOG, MODULE_SCHEMA, MODULE_NAME,
    PRIVILEGE_TYPE, IS_GRANTABLE
FROM DEFINITION_SCHEMA.MODULE_PRIVILEGES
WHERE ( GRANTEE IN
        ( 'PUBLIC', CURRENT_USER )
      OR
        GRANTEE IN
        ( SELECT ROLE_NAME
          FROM ENABLED_ROLES )
      OR
        GRANTOR = CURRENT_USER
      OR
        GRANTOR IN
        ( SELECT ROLE_NAME
          FROM ENABLED_ROLES ) )
AND
    MODULE_CATALOG =
    ( SELECT CATALOG_NAME
      FROM INFORMATION_SCHEMA_CATALOG_NAME );
GRANT SELECT ON TABLE MODULE_PRIVILEGES
TO PUBLIC WITH GRANT OPTION;
```

Conformance Rules

- 1) Without Feature F231, "Privilege tables", conforming SQL language shall not reference the view INFORMATION_SCHEMA.MODULE_PRIVILEGES.
- 2) Without Feature P003, "Information Schema views", conforming SQL language shall not reference the view INFORMATION_SCHEMA.MODULE_PRIVILEGES.

20.4 MODULE_TABLE_USAGE view

Function

Identify the tables owned by a given user on which SQL-server modules defined in this catalog are dependent.

Definition

```
CREATE VIEW MODULE_TABLE_USAGE AS
  SELECT MTU.MODULE_CATALOG, MTU.MODULE_SCHEMA, MTU.MODULE_NAME,
         MTU.TABLE_CATALOG, MTU.TABLE_SCHEMA, MTU.TABLE_NAME
  FROM DEFINITION_SCHEMA.MODULE_TABLE_USAGE AS MTU
  JOIN
    DEFINITION_SCHEMA.SCHEMATA AS S
  ON ( ( MTU.TABLE_CATALOG, MTU.TABLE_SCHEMA ) =
       ( S.CATALOG_NAME, S.SCHEMA_NAME ) )
  WHERE ( S.SCHEMA_OWNER = CURRENT_USER
         OR
         S.SCHEMA_OWNER IN
           ( SELECT ER.ROLE_NAME
             FROM ENABLED_ROLES AS ER ) )
  AND
    MTU.MODULE_CATALOG =
      ( SELECT ISCN.CATALOG_NAME
        FROM INFORMATION_SCHEMA_CATALOG_NAME AS ISCN );
GRANT SELECT ON TABLE MODULE_TABLE_USAGE
  TO PUBLIC WITH GRANT OPTION;
```

Conformance Rules

- 1) Without Feature F341, "Usage tables", conforming SQL language shall not reference the view INFORMATION_SCHEMA.MODULE_TABLE_USAGE.
- 2) Without Feature P003, "Information Schema views", conforming SQL language shall not reference the view INFORMATION_SCHEMA.MODULE_TABLE_USAGE.

20.5 MODULES view

Function

Identify the SQL-server modules in this catalog that are accessible to a given user.

Definition

```
CREATE VIEW MODULES AS
  SELECT MODULE_CATALOG, MODULE_SCHEMA, MODULE_NAME,
         DEFAULT_CHARACTER_SET_CATALOG, DEFAULT_CHARACTER_SET_SCHEMA,
         DEFAULT_CHARACTER_SET_NAME,
         DEFAULT_SCHEMA_CATALOG, DEFAULT_SCHEMA_NAME,
         CASE
           WHEN EXISTS (
             SELECT *
             FROM DEFINITION_SCHEMA.SCHEMATA AS S
             WHERE ( MODULE_CATALOG, MODULE_SCHEMA ) =
                   ( S.CATALOG_NAME, S.SCHEMA_NAME )
             AND
                   ( S.SCHEMA_OWNER = CURRENT_USER
                   OR
                     S.SCHEMA_OWNER IN
                       ( SELECT ROLE_NAME
                         FROM ENABLED_ROLES ) ) )
             THEN MODULE_DEFINITION
           ELSE NULL
           END AS MODULE_DEFINITION,
         MODULE_AUTHORIZATION, SQL_PATH, CREATED
  FROM DEFINITION_SCHEMA.MODULES
  WHERE ( MODULE_CATALOG, MODULE_SCHEMA, MODULE_NAME ) IN
         ( SELECT MP.MODULE_CATALOG, MP.MODULE_SCHEMA, MP.MODULE_NAME
           FROM DEFINITION_SCHEMA.MODULE_PRIVILEGES AS MP
           WHERE ( MP.GRANTEE IN
                  ( 'PUBLIC', CURRENT_USER )
                OR
                  MP.GRANTEE IN
                    ( SELECT ROLE_NAME
                      FROM ENABLED_ROLES ) ) )
         AND
         MODULE_CATALOG =
         ( SELECT CATALOG_NAME
           FROM INFORMATION_SCHEMA.CATALOG_NAME );

GRANT SELECT ON TABLE MODULES
  TO PUBLIC WITH GRANT OPTION;
```

Conformance Rules

- 1) Without Feature F391, “Long identifiers”, conforming SQL language shall not reference the view INFORMATION_SCHEMA.MODULES.
- 2) Without Feature P003, “Information Schema views”, conforming SQL language shall not reference the view INFORMATION_SCHEMA.MODULES.
- 3) Without Feature T011, “Timestamp in Information Schema”, conforming SQL language shall not reference the following columns in the view INFORMATION_SCHEMA.MODULES:
 - a) CREATED.