



**INTERNATIONAL STANDARD ISO/IEC 9594-3:2005**  
**TECHNICAL CORRIGENDUM 3**

Published 2011-11-15

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION • МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ • ORGANISATION INTERNATIONALE DE NORMALISATION  
INTERNATIONAL ELECTROTECHNICAL COMMISSION • МЕЖДУНАРОДНАЯ ЭЛЕКТРОТЕХНИЧЕСКАЯ КОМИССИЯ • COMMISSION ÉLECTROTECHNIQUE INTERNATIONALE

**Information technology — Open Systems Interconnection —  
The Directory: Abstract service definition**

**TECHNICAL CORRIGENDUM 3**

*Technologies de l'information — Interconnexion de systèmes ouverts (OSI) — L'annuaire: Définition du service abstrait*

*RECTIFICATIF TECHNIQUE 3*

Technical Corrigendum 3 to ISO/IEC 9594-3:2005 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 6, *Telecommunications and information exchange between systems*, in collaboration with ITU-T. The identical text is published as Rec. ITU T X.511 (2005)/Cor.3 (02/2011).

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 9594-3:2005/COR3:2011

## INTERNATIONAL STANDARD

## RECOMMENDATION ITU-T

**Information technology – Open Systems Interconnection –  
The Directory: Abstract service definition**

**Technical Corrigendum 3**

(covering resolution to defect reports 336, 338, 340, 341 and 345)

**1) Correction of the defects reported in defect report 336**

Add new items vii) to ix) to item 2) in 11.3.5:

- vii) Add permission for the attribute type and for each of the values in the **replaceValues** if the operation attempts to add the attribute type. If these permissions are not granted, the operation fails in accordance with 11.3.5.1, item g).
- viii) Remove permission for the attribute type in the **replaceValues** parameter if the operation attempts to remove the attribute. If this permission is not granted, the operation fails in accordance with 11.3.5.1, item b).
- ix) Remove permission for all the values currently in the attribute and Add permission for all values in the **replaceValues** if the operation attempts to replace the values.
  - If all the *Remove* permissions are not granted, the operation fails in accordance with 11.3.5.1, item d).
  - If all the *Remove* permissions are granted, but all the *Add* permissions are not granted, the operation fails in accordance with 11.3.5.1, item g).

Change items b) and d) in 11.3.5.1 as follows:

- b) If the operation fails as defined in 11.3.5 item 2), subitem ii) or subitem viii), the valid error returns are one of: if *DiscloseOnError* permission is granted to the attribute being removed and the attribute exists, a **securityError** with problem **insufficientAccessRights** or **noInformation** shall be returned; otherwise, an **attributeError** with problem **noSuchAttributeOrValue** shall be returned.
- d) If the operation fails as defined in 11.3.5 item 2), subitem iv) or subitem ix), first bullet, the valid error returns are one of: if *DiscloseOnError* permission is granted to any of the attribute values being removed, a **securityError** with problem **insufficientAccessRights** or **noInformation** shall be returned; otherwise, an **attributeError** with problem **noSuchAttributeOrValue** shall be returned.

Add a new item to the list:

- g) If the operation fails as defined in 11.3.5 item 2), subitem vii) or subitem ix), second bullet, a **securityError** with problem **insufficientAccessRights** or **noInformation** shall be returned.

**2) Correction of the defects reported in defect report 338**

Delete 3.7.12.

In 10.1 and in Annex A, change in the **PartialOutcomeQualifier**:

from:

```
streamedResult          [10]  BOOLEAN DEFAULT FALSE }
```

to:

```
--                      [10]  Not to be used -- }
```