



INTERNATIONAL STANDARD ISO/IEC 9594-3:2005
TECHNICAL CORRIGENDUM 3

Published 2011-11-15

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION • МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ • ORGANISATION INTERNATIONALE DE NORMALISATION
INTERNATIONAL ELECTROTECHNICAL COMMISSION • МЕЖДУНАРОДНАЯ ЭЛЕКТРОТЕХНИЧЕСКАЯ КОМИССИЯ • COMMISSION ÉLECTROTECHNIQUE INTERNATIONALE

**Information technology — Open Systems Interconnection —
The Directory: Abstract service definition**

TECHNICAL CORRIGENDUM 3

Technologies de l'information — Interconnexion de systèmes ouverts (OSI) — L'annuaire: Définition du service abstrait

RECTIFICATIF TECHNIQUE 3

Technical Corrigendum 3 to ISO/IEC 9594-3:2005 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 6, *Telecommunications and information exchange between systems*, in collaboration with ITU-T. The identical text is published as Rec. ITU T X.511 (2005)/Cor.3 (02/2011).

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 9594-3:2005/Cor 3:2011

INTERNATIONAL STANDARD

RECOMMENDATION ITU-T

**Information technology – Open Systems Interconnection –
The Directory: Abstract service definition**

Technical Corrigendum 3

(covering resolution to defect reports 336, 338, 340, 341 and 345)

1) Correction of the defects reported in defect report 336

Add new items vii) to ix) to item 2) in 11.3.5:

- vii) Add permission for the attribute type and for each of the values in the **replaceValues** if the operation attempts to add the attribute type. If these permissions are not granted, the operation fails in accordance with 11.3.5.1, item g).
- viii) Remove permission for the attribute type in the **replaceValues** parameter if the operation attempts to remove the attribute. If this permission is not granted, the operation fails in accordance with 11.3.5.1, item b).
- ix) Remove permission for all the values currently in the attribute and Add permission for all values in the **replaceValues** if the operation attempts to replace the values.
 - If all the *Remove* permissions are not granted, the operation fails in accordance with 11.3.5.1, item d).
 - If all the *Remove* permissions are granted, but all the *Add* permissions are not granted, the operation fails in accordance with 11.3.5.1, item g).

Change items b) and d) in 11.3.5.1 as follows:

- b) If the operation fails as defined in 11.3.5 item 2), subitem ii) or subitem viii), the valid error returns are one of: if *DiscloseOnError* permission is granted to the attribute being removed and the attribute exists, a **securityError** with problem **insufficientAccessRights** or **noInformation** shall be returned; otherwise, an **attributeError** with problem **noSuchAttributeOrValue** shall be returned.
- d) If the operation fails as defined in 11.3.5 item 2), subitem iv) or subitem ix), first bullet, the valid error returns are one of: if *DiscloseOnError* permission is granted to any of the attribute values being removed, a **securityError** with problem **insufficientAccessRights** or **noInformation** shall be returned; otherwise, an **attributeError** with problem **noSuchAttributeOrValue** shall be returned.

Add a new item to the list:

- g) If the operation fails as defined in 11.3.5 item 2), subitem vii) or subitem ix), second bullet, a **securityError** with problem **insufficientAccessRights** or **noInformation** shall be returned.

2) Correction of the defects reported in defect report 338

Delete 3.7.12.

In 10.1 and in Annex A, change in the **PartialOutcomeQualifier**:

from:

```
streamedResult          [10]  BOOLEAN DEFAULT FALSE }
```

to:

```
--                      [10]  Not to be used -- }
```