



**INTERNATIONAL STANDARD ISO/IEC 9594-3:2005**  
**TECHNICAL CORRIGENDUM 4**

Published 2012-09-15

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION • МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ • ORGANISATION INTERNATIONALE DE NORMALISATION  
INTERNATIONAL ELECTROTECHNICAL COMMISSION • МЕЖДУНАРОДНАЯ ЭЛЕКТРОТЕХНИЧЕСКАЯ КОМИССИЯ • COMMISSION ÉLECTROTECHNIQUE INTERNATIONALE

**Information technology — Open Systems Interconnection —  
The Directory: Abstract service definition**

TECHNICAL CORRIGENDUM 4

*Technologies de l'information — Interconnexion de systèmes ouverts (OSI) — L'annuaire: Définition du service abstrait*

RECTIFICATIF TECHNIQUE 4

Technical Corrigendum 4 to ISO/IEC 9594-3:2005 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 6, *Telecommunications and information exchange between systems*, in collaboration with ITU-T. The identical text is published as Rec. ITU-T X.511 (2005)/Cor.4 (04/2012).

---

ICS 35.100.70

Ref. No. ISO/IEC 9594-3:2005/Cor.4:2012(E)

© ISO/IEC 2012 – All rights reserved

Published in Switzerland

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 9594-3:2005/Cor 4:2012

## INTERNATIONAL STANDARD

## RECOMMENDATION ITU-T

**Information technology – Open Systems Interconnection – The Directory:  
Abstract service definition**

**Technical Corrigendum 4**

(covering resolution to defect reports 363, 364 and 367)

### 1) Correction of the defects reported in defect report 363

Update the second paragraph of clause 7.6.1 of X.511 as shown:

A **contextSelection** is said to govern ~~an~~ one or more attribute types if any of the following conditions occur:

- the **ContextSelection** specifies **allContexts** (in which case all attribute values of all attribute types are selected);
- the **ContextSelection** data type has a **selectedContexts** component which includes a set of TypeAndContextAssertion data types where the whose-type component specifies an attribute type including its subtypes that is governed by the contextAssertions component ~~the same as or a supertype of the attribute type~~; or
- the **ContextSelection** data type has a **selectedContexts** component which includes a TypeAndContextAssertion data types where the whose-type is component specifies the object identifiers id-oa-allAttributeTypes.

### 2) Correction of the defects reported in defect report 364

In clause 12.7 and Annex A update **securityError** as shown:

```
securityError ERROR ::= {
  PARAMETER      OPTIONALLY-PROTECTED { SET {
    problem      [0] SecurityProblem,
    spkmInfo     [1] SPKM-ERROR OPTIONAL,
    COMPONENTS OF CommonResults } }
  CODE           id-errcode-securityError }
```

### 3) Correction of the defects reported in defect report 367

In clause 7.10 and in Annex A, delete the **attributeCertificationPath** component of the security parameters and mark the tag as not reusable.

Also in clause 7.10, delete the text associated with the **attributeCertificationPath** component.

Delete the last two sentences of the first paragraph of clause 8.1.1.

In clause 8.1.1 and in Annex A, delete the **attributeCertificationPath** component and mark the tag as not reusable.

In clause 8.1.2, replace the fourth paragraph with:

For the **strong** alternative, the specification for the parameters of **StrongCredential** are:

- the **certificate-path** component, if present, shall hold a certification path as specified by the CertificationPath data type as defined in clause 7.6 of ITU-T Rec. X.509 | ISO/IEC 9594-8;
- the **bind-token** component shall be signed and shall have the subcomponents as specified below; and
- the **name** component shall hold the distinguished name of the requestor.