

INTERNATIONAL
STANDARD

ISO/IEC/
IEEE
8802-1Q

First edition
2016-03-15

AMENDMENT 5
2017-11

**Information technology —
Telecommunications and information
exchange between systems — Local
and metropolitan area networks —
Specific requirements —**

**Part 1Q:
Bridges and bridged networks**

**AMENDMENT 5: Enhancements to
bridging of IEEE 802.11 media**

*Technologies de l'information — Télécommunications et échange
d'information entre systèmes — Réseaux locaux et métropolitains —
Exigences spécifiques —*

Partie 1Q: Ponts et réseaux pontés

*AMENDEMENT 5: Améliorations en vue de ponter les supports
IEEE 802.11*



Reference number
ISO/IEC/IEEE 8802-1Q:2016/Amd.5:2017(E)

© IEEE 2016



COPYRIGHT PROTECTED DOCUMENT

© IEEE 2016

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO or IEEE at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Institute of Electrical and Electronics Engineers, Inc
3 Park Avenue, New York
NY 10016-5997, USA

stds.ipr@ieee.org
www.ieee.org

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

IEEE Standards documents are developed within the IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (IEEE-SA) Standards Board. The IEEE develops its standards through a consensus development process, approved by the American National Standards Institute, which brings together volunteers representing varied viewpoints and interests to achieve the final product. Volunteers are not necessarily members of the Institute and serve without compensation. While the IEEE administers the process and establishes rules to promote fairness in the consensus development process, the IEEE does not independently evaluate, test, or verify the accuracy of any of the information contained in its standards.

The main task of ISO/IEC JTC 1 is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Attention is called to the possibility that implementation of this standard may require the use of subject matter covered by patent rights. By publication of this standard, no position is taken with respect to the existence or validity of any patent rights in connection therewith. ISO/IEEE is not responsible for identifying essential patents or patent claims for which a license may be required, for conducting inquiries into the legal validity or scope of patents or patent claims or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance or a Patent Statement and Licensing Declaration Form, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility. Further information may be obtained from ISO or the IEEE Standards Association.

ISO/IEC/IEEE 8802-1Q:2016/Amd.5 was prepared by the LAN/MAN of the IEEE Computer Society (as IEEE STD 802.1Qbz-2014). It was adopted by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 6, *Telecommunications and information exchange between systems*, in parallel with its approval by the ISO/IEC national bodies, under the “fast-track procedure” defined in the Partner Standards Development Organization cooperation agreement between ISO and IEEE. IEEE is responsible for the maintenance of this document with participation and input from ISO/IEC national bodies.

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC/IEEE 8802-1Q:2016/Amd 5:2017

IEEE Std 802.1Qbz™-2016
(Amendment to
IEEE Std 802.1Q™-2014)

**IEEE Standard for
Local and metropolitan area networks—**

Bridges and Bridged Networks— Amendment 27: Enhancements to Bridging of IEEE 802.11 Media

Sponsor
**LAN/MAN Standards Committee
of the
IEEE Computer Society**

Approved 30 June 2016
IEEE-SA Standards Board

Abstract: Protocols, procedures, and managed objects to allow IEEE 802.11 media to provide internal connections within bridged networks, as well as access to bridged networks, are provided in this amendment.

Keywords: amendment, IEEE 802.1Q™, IEEE 802.11™, LANs, local area networks, MAC Bridges, transparent bridging, VLANs, Wi-Fi, wireless

The Institute of Electrical and Electronics Engineers, Inc.
3 Park Avenue, New York, NY 10016-5997, USA

Copyright © 2016 by the Institute of Electrical and Electronics Engineers, Inc.
All rights reserved. Published 30 September 2016. Printed in the United States of America.

IEEE and 802 are registered trademarks in the U.S. Patent & Trademark Office, owned by the Institute of Electrical and Electronics Engineers, Incorporated.

PDF: ISBN 978-1-5044-2260-4 STD21076
Print: ISBN 978-1-5044-2261-1 STDPD21076

IEEE prohibits discrimination, harassment, and bullying. For more information, visit <http://www.ieee.org/web/aboutus/whatis/policies/p9-26.html>.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Important Notices and Disclaimers Concerning IEEE Standards Documents

IEEE documents are made available for use subject to important notices and legal disclaimers. These notices and disclaimers, or a reference to this page, appear in all standards and may be found under the heading “Important Notice” or “Important Notices and Disclaimers Concerning IEEE Standards Documents.”

Notice and Disclaimer of Liability Concerning the Use of IEEE Standards Documents

IEEE Standards documents (standards, recommended practices, and guides), both full-use and trial-use, are developed within IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (“IEEE-SA”) Standards Board. IEEE (“the Institute”) develops its standards through a consensus development process, approved by the American National Standards Institute (“ANSI”), which brings together volunteers representing varied viewpoints and interests to achieve the final product. Volunteers are not necessarily members of the Institute and participate without compensation from IEEE. While IEEE administers the process and establishes rules to promote fairness in the consensus development process, IEEE does not independently evaluate, test, or verify the accuracy of any of the information or the soundness of any judgments contained in its standards.

IEEE does not warrant or represent the accuracy or content of the material contained in its standards, and expressly disclaims all warranties (express, implied and statutory) not included in this or any other document relating to the standard, including, but not limited to, the warranties of: merchantability; fitness for a particular purpose; non-infringement; and quality, accuracy, effectiveness, currency, or completeness of material. In addition, IEEE disclaims any and all conditions relating to: results; and workmanlike effort. IEEE standards documents are supplied “AS IS” and “WITH ALL FAULTS.”

Use of an IEEE standard is wholly voluntary. The existence of an IEEE standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEEE standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change brought about through developments in the state of the art and comments received from users of the standard.

In publishing and making its standards available, IEEE is not suggesting or rendering professional or other services for, or on behalf of, any person or entity nor is IEEE undertaking to perform any duty owed by any other person or entity to another. Any person utilizing any IEEE Standards document, should rely upon his or her own independent judgment in the exercise of reasonable care in any given circumstances or, as appropriate, seek the advice of a competent professional in determining the appropriateness of a given IEEE standard.

IN NO EVENT SHALL IEEE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO: PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE PUBLICATION, USE OF, OR RELIANCE UPON ANY STANDARD, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE AND REGARDLESS OF WHETHER SUCH DAMAGE WAS FORESEEABLE.

Translations

The IEEE consensus development process involves the review of documents in English only. In the event that an IEEE standard is translated, only the English version published by IEEE should be considered the approved IEEE standard.

Official statements

A statement, written or oral, that is not processed in accordance with the IEEE-SA Standards Board Operations Manual shall not be considered or inferred to be the official position of IEEE or any of its committees and shall not be considered to be, or be relied upon as, a formal position of IEEE. At lectures, symposia, seminars, or educational courses, an individual presenting information on IEEE standards shall make it clear that his or her views should be considered the personal views of that individual rather than the formal position of IEEE.

Comments on standards

Comments for revision of IEEE Standards documents are welcome from any interested party, regardless of membership affiliation with IEEE. However, IEEE does not provide consulting information or advice pertaining to IEEE Standards documents. Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments. Since IEEE standards represent a consensus of concerned interests, it is important that any responses to comments and questions also receive the concurrence of a balance of interests. For this reason, IEEE and the members of its societies and Standards Coordinating Committees are not able to provide an instant response to comments or questions except in those cases where the matter has previously been addressed. For the same reason, IEEE does not respond to interpretation requests. Any person who would like to participate in revisions to an IEEE standard is welcome to join the relevant IEEE working group.

Comments on standards should be submitted to the following address:

Secretary, IEEE-SA Standards Board
445 Hoes Lane
Piscataway, NJ 08854 USA

Laws and regulations

Users of IEEE Standards documents should consult all applicable laws and regulations. Compliance with the provisions of any IEEE Standards document does not imply compliance to any applicable regulatory requirements. Implementers of the standard are responsible for observing or referring to the applicable regulatory requirements. IEEE does not, by the publication of its standards, intend to urge action that is not in compliance with applicable laws, and these documents may not be construed as doing so.

Copyrights

IEEE draft and approved standards are copyrighted by IEEE under U.S. and international copyright laws. They are made available by IEEE and are adopted for a wide variety of both public and private uses. These include both use, by reference, in laws and regulations, and use in private self-regulation, standardization, and the promotion of engineering practices and methods. By making these documents available for use and adoption by public authorities and private users, IEEE does not waive any rights in copyright to the documents.

Photocopies

Subject to payment of the appropriate fee, IEEE will grant users a limited, non-exclusive license to photocopy portions of any individual standard for company or organizational internal use or individual, non-commercial use only. To arrange for payment of licensing fees, please contact Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; +1 978 750 8400. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.

Updating of IEEE Standards documents

Users of IEEE Standards documents should be aware that these documents may be superseded at any time by the issuance of new editions or may be amended from time to time through the issuance of amendments, corrigenda, or errata. An official IEEE document at any point in time consists of the current edition of the document together with any amendments, corrigenda, or errata then in effect.

Every IEEE standard is subjected to review at least every ten years. When a document is more than ten years old and has not undergone a revision process, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE standard.

In order to determine whether a given document is the current edition and whether it has been amended through the issuance of amendments, corrigenda, or errata, visit the IEEE-SA Website at <http://ieeexplore.ieee.org/browse/standards/collection/ieee> or contact IEEE at the address listed previously. For more information about the IEEE SA or IEEE's standards development process, visit the IEEE-SA Website at <http://standards.ieee.org>.

Errata

Errata, if any, for all IEEE standards can be accessed on the IEEE-SA Website at the following URL: <http://standards.ieee.org/findstds/errata/index.html>. Users are encouraged to check this URL for errata periodically.

Patents

Attention is called to the possibility that implementation of this standard may require use of subject matter covered by patent rights. By publication of this standard, no position is taken by the IEEE with respect to the existence or validity of any patent rights in connection therewith. If a patent holder or patent applicant has filed a statement of assurance via an Accepted Letter of Assurance, then the statement is listed on the IEEE-SA Website at <http://standards.ieee.org/about/sasb/patcom/patents.html>. Letters of Assurance may indicate whether the Submitter is willing or unwilling to grant licenses under patent rights without compensation or under reasonable rates, with reasonable terms and conditions that are demonstrably free of any unfair discrimination to applicants desiring to obtain such licenses.

Essential Patent Claims may exist for which a Letter of Assurance has not been received. The IEEE is not responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patents Claims, or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility. Further information may be obtained from the IEEE Standards Association.

Participants

At the time this standard was completed, the IEEE 802.1 working group had the following membership:

Glenn Parsons, Chair

John Messenger, Vice-Chair

Michael Johas Teener, Chair, Time Sensitive Networking Task Group

Norman Finn, Editor

Ting Ao
Christian Boiger
Paul Bottorff
David Chen
Feng Chen
Weiyang Cheng
Diego Crupnicoff
Rodney Cummings
Patrick Diamond
Aboubacar Kader Diarra
Janos Farkas
Geoffrey Garner
Anoop Ghanwani
Mark Gravel
Eric W. Gray
Craig Gunther
Stephen Haddock

Hitoshi Hayakawa
Jeremy Hitt
Rahil Hussain
Tony Jeffree
Peter Jones
Hal Keen
Marcel Kiessling
Yongbum Kim
Philippe Klein
Jouni Korhonen
Jeff Lynch
Ben Mack-Crane
Christophe Mangin
James McIntosh
Eric Multanen
Donald R. Pannell
Karen Randall
Maximilian Riegel

Dan Romascanu
Jessy Rouyer
Panagiotis Saltsidis
Behcet Sarikaya
Michael Seaman
Daniel Sexton
Johannes Specht
Kevin B. Stanton
Wilfried Steiner
Vahid Tabatabaee
Patricia Thaler
Jeremy Touve
Karl Weber
Yuehua Wei
Brian Weis
Jordon Woods
Juan Carlos Zuniga

The following members of the individual balloting committee voted on this standard. Balloters may have voted for approval, disapproval, or abstention.

Osama Aboulmagd
Thomas Alexander
Richard Alfvén
Butch Anton
Christian Boiger
Nancy Bravin
William Byrd
William Carney
Juan Carreon
Minho Cheong
Charles Cook
Rodney Cummings
Yezid Donoso
Sourav Dutta
Donald Eastlake, III
Richard Edgar
Liu Fangfang
Janos Farkas
Norman Finn
Michael Fischer
Yukihiro Fujimoto
Joel Goergen
Eric W. Gray
David Gregson
Randall Groves
Craig Gunther
Stephen Haddock
Mark Hamilton
Jerome Henry
Marco Hernandez
Guido Hiertz
Werner Hoelzl

David Hunter
Noriyuki Ikeuchi
Yasuhiko Inoue
Sergiu Iordanescu
Atsushi Ito
Raj Jain
Tony Jeffree
Michael Johas Teener
Peter Jones
Adri Jovin
Shinkyō Kaku
Piotr Karocki
Stuart Kerry
Yongbum Kim
Bruce Kraemer
James Lepp
Arthur H. Light
Elvis Maculuba
James Marin
Roger Marks
Jonathon McLendon
Richard Mellitz
John Messenger
Charles Moorwood
Jose Morales
Ronald Murias
Rick Murphy
Michael Newman
Nick S.A. Nikjoo
Paul Nikolic
Satoshi Obara
Glenn Parsons

Arumugam Paventhan
Venkatesha Prasad
Alon Regev
Maximilian Riegel
Robert Robinson
Benjamin Rolfe
Dan Romascanu
Jessy Rouyer
Bartien Sayogo
Sigurd Schelstraete
Michael Seaman
Ian Sherlock
Shusaku Shimada
Kapil Sood
Thomas Starai
Adrian Stephens
Eugene Stoudenmire
Walter Struppler
Patricia Thaler
Pedro Tonhozi de Oliveira
Payam Torab
Mark-Rene Uchida
Lorenzo Vangelista
Dmitri Varsanofiev
Prabodh Varshney
George Vlantis
Khurram Waheed
Stephen Webb
Karl Weber
Hung-Yu Wei
Oren Yuen

IEEE Std 802.1Qbz-2016
IEEE Standard for Local and Metropolitan Area Networks—Bridges and Bridged Networks—
Amendment 27: Enhancements to Bridging of IEEE 802.11 Media

When the IEEE-SA Standards Board approved this standard on 30 June 2016, it had the following membership:

Jean-Philippe Faure, *Chair*
Ted Burse, *Vice-Chair*
John D. Kulick, *Past Chair*
Konstantinos Karachalios, *Secretary*

Chuck Adams
Masayuki Ariyoshi
Stephen Dukes
Jianbin Fan
J. Travis Griffith
Gary Hoffman

Ronald W. Hotchkiss
Michael Janezic
Joseph L. Koepfinger*
Hung Ling
Kevin Lu
Annette D. Reilly
Gary Robinson

Mehmet Ulema
Yingli Wen
Howard Wolfman
Don Wright
Yu Yuan
Daidi Zhong

*Member Emeritus

Introduction

This introduction is not part of IEEE Std 802.1Qbz-2016, IEEE Standard for Local and metropolitan area networks—Media Access Control (MAC) Bridges and Virtual Bridged Local Area Networks—Amendment 27: Enhancements to Bridging of IEEE 802.11 Media.

This amendment to IEEE Std 802.1Q-2014 specifies protocols, procedures, and managed objects to allow IEEE 802.11 media to provide internal connections within bridged networks, as well as access to bridged networks.

MAC Bridges, as specified by this standard, allow the compatible interconnection of information technology equipment attached to separate individual LANs.

This standard contains state-of-the-art material. The area covered by this standard is undergoing evolution. Revisions are anticipated within the next few years to clarify existing material, to correct possible errors, and to incorporate new related material. Information on the current revision state of this and other IEEE 802 standards may be obtained from

Secretary, IEEE-SA Standards Board
445 Hoes Lane
Piscataway, NJ 08854
USA

Contents

3.	Definitions	12
4.	Abbreviations	13
6.	Support of the MAC Service in VLANs	14
6.22	PDU and protocol discrimination and media	14
7.	Principles of network operation	15
7.5	Locating end stations	15
9.	Tagged frame format	16
9.4	Tag Protocol Identifier (TPID) format	16
13.	Spanning Tree Protocols	17
13.18	Managing spanning tree topologies	17
21.	Encoding of CFM PDUs	18
21.2	CFM encapsulation	18
23.	MAC status propagation	19
23.13	MSPDU transmission, addressing, and protocol identification	19
23.13.4	EtherType use and encoding	19
33.	Encoding of congestion notification PDUs	20
33.2	Congestion Notification Tag format	20
33.3	Congestion Notification Message	20
Annex A (normative)	PICS proforma—Bridge implementations.....	21
A.6	Media access control methods	21
Annex C (informative)	DMN (Designated MRP Node) Implementations	22
C.3	Designated MSRP Nodes on IEEE 802.11 media	22
Annex G (informative)	MAC method-dependent aspects of VLAN support.....	23
G.3	Tag insertion and removal for LLC media	23
G.4	IEEE 802.11 and PMPN media	24

IEEE Standard for
Local and metropolitan area networks—

Bridges and Bridged Networks—

Amendment 27: Enhancements to Bridging of IEEE 802.11 Media

(This amendment is based on IEEE Std 802.1Q™-2014 as amended by IEEE Std 802.1Qbv-2015 and IEEE Std 802.1Qbu-2016.)

NOTE—The editing instructions contained in this amendment define how to merge the material contained here into the base document and its other amendments to form the new comprehensive standard.

Editing instructions are shown in ***bold italic***. Four editing instructions are used: change, delete, insert, and replace. ***Change*** is used to make corrections in existing text or tables. The editing instruction specifies the location of the change and describes what is being changed either by using ~~striketrough~~ (to remove old material) and underscore (to add new material). ***Delete*** removes existing material. ***Insert*** adds new material without disturbing the existing material. Insertions may require renumbering. If so, renumbering instructions are given in the editing instruction. ***Replace*** is used to make changes in figures or equations by removing the existing figure or equation and replacing it with a new one. Editing instructions, change markings, and this NOTE will not be carried over into future editions because the changes will be incorporated into the base standard.¹

IMPORTANT NOTICE: IEEE Standards documents are not intended to ensure safety, health, or environmental protection, or ensure against interference with or from other devices or networks. Implementers of IEEE Standards documents are responsible for determining and complying with all appropriate safety, security, environmental, health, and interference protection practices and all applicable laws and regulations.

This IEEE document is made available for use subject to important notices and legal disclaimers. These notices and disclaimers appear in all publications containing this document and may be found under the heading “Important Notice” or “Important Notices and Disclaimers Concerning IEEE Documents.” They can also be obtained on request from IEEE or viewed at <http://standards.ieee.org/IPR/disclaimers.html>.

¹Notes in text, tables, and figures are given for information only, and do not contain requirements needed to implement the standard.

1. Overview

1.3 Introduction

Insert the following at end of subclause 1.3, relettering the bullet points so that they follow in order from those in the existing text.

- by) Provide for the use of IEEE 802.11 media as links internal to, as well as links providing access to, a Bridged Network or Virtual Bridged Network.

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC/IEEE 8802-1Q:2016/Amd 5:2017

3. Definitions

Insert the following definitions in the appropriate collating sequence and renumber appropriately:

3.x1 EtherType Protocol Discrimination (EPD): A method for identifying the protocol contained in a frame in which the first two octets are an EtherType. See Clause 9 of IEEE Std 802-2014.

3.x2 LLC Protocol Discrimination (LPD): A method for identifying the protocol contained in a frame in which the first three or four octets are a destination LSAP, a source LSAP, and one or two Control octets. See Clause 9 of IEEE Std 802-2014.

4. Abbreviations

Insert the following definitions in the appropriate collating sequence and reorder appropriately:

EPD EtherType Protocol Discrimination

LPD Logical Link Control (LLC) Protocol Discrimination

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC/IEEE 8802-1Q:2016/Amd 5:2017

6. Support of the MAC Service in VLANs

Insert the following new subclause at the end of Clause 6:

6.22 PDU and protocol discrimination and media

As described more fully in Clause 9 of IEEE Std 802-2014, there are two methods that can be used to identify the format of the data parameter passed to or from a specific MAC procedure (see Figure 6-1 and 6.7), using the first few octets of the data parameter:

- a) LLC protocol discrimination (LPD) uses a three- or four-octet string consisting of destination and source Logical Service Access Point identifiers (LSAPs) and one or two Control octets (see ISO/IEC 8802-2).
- b) EtherType protocol discrimination (EPD) uses a two-octet EtherType.

LLC media (e.g., IEEE 802.11) employ LPD as the initial discriminant in a data parameter. The first three or four octets of the data parameter are the LSAP and Control octets. Specific values of those octets can be used to indicate the use of EPD, following the LSAP and Control octets, to identify the data format.

Length/Type media (e.g., IEEE 802.3) have a Length/Type field in the first two octets of the data parameter. Depending on the value of the Length/Type field (see IEEE Std 802.1AC), the Length/Type field is either an EtherType (i.e., EPD), or is a Length followed immediately by the LSAPs and Control octets (i.e., a Length and LPD).

The first two octets of an ISS `mac_service_data_unit` parameter are always a Length/Type, whether that instance of the ISS has a underlying physical medium or not, and whether that physical medium is an LLC medium or a Length/Type medium. If required by the underlying medium, a Media Access Method Dependent Convergence Function performs the necessary format translations. See Clause 13 of IEEE Std 802.1AC-2016.

NOTE—The encoding of tagged frames on LLC media, e.g., an IEEE Std 802.11 frame containing a VLAN Tag (Clause 9), has been clarified from previous revisions of IEEE Std 802.1Q. See G.3.

7. Principles of network operation

7.5 Locating end stations

Insert a new paragraph following NOTE 1:

As specified in 13.6.2 of IEEE Std 802.1AC-2016, a Bridge with a Point-to-Multipoint Network port (PMPN, G.4.2, G.4.3) can detect when an attached PMPN node establishes or breaks a connection to another PMPN node.

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC/IEEE 8802-1Q:2016/Amd 5:2017

9. Tagged frame format

Change 9.4 as follows:

9.4 Tag Protocol Identifier (TPID) format

The TPID includes an EtherType value that is used to identify the frame as a tagged frame and to select the correct tag decoding functions. Such an EtherType is known as the Tag EtherType. The TPID is EtherType encoded, i.e., is two octets in length and contains only the assigned EtherType value.

~~Where the ISS instance used to transmit and receive tagged frames is provided by a media access control method that can support EtherType encoding directly (e.g., is an IEEE 802.3 MAC) or is media access method independent (e.g., 6.8), the TPID is EtherType encoded, i.e., is two octets in length and comprises solely the assigned EtherType value.~~

~~Where the ISS instance is provided by a media access method that cannot directly support EtherType encoding (e.g., is an IEEE 802.11 MAC) the TPID is encoded according to the rule for a Subnetwork Access Protocol (Clause 10 of IEEE Std 802) that encapsulates Ethernet frames over LLC, and comprises the SNAP header (AA-AA-03) followed by the SNAP PID (00-00-00) followed by the two octets of the assigned EtherType value.~~

13. Spanning Tree Protocols

13.18 Managing spanning tree topologies

Add the following paragraph at the end of subclause 13.18:

There exist media for which it is difficult to define a Link Speed. This includes, for example, Ethernet-over-packet-network technologies, where the frames are carried over a layer 3 best-effort network. Another example is IEEE 802.11 wireless media, where the effective bandwidth is shared among stations operating at different speeds, all varying on short timescales. Individual media specifications provide values for Link Speed suitable for use with Table 13-1 to determine a Port Path Cost.

21. Encoding of CFM PDUs

Change subclause 21.2 as follows:

21.2 CFM encapsulation

The means for identifying CFM PDUs ~~depend on the medium. For media using a Length/Type field, e.g., IEEE 802.3 media, the identification~~ consists of two octets containing the EtherType value shown (in hexadecimal notation) in Table 21-1. ~~Media requiring an LLC encapsulation (e.g., IEEE 802.11) use the SNAP encoding shown (in hexadecimal notation) in Table 21-2.~~

Change the title of Table 21-1 as follows:

Table 21-1—CFM PDU Encapsulation: ~~Length/Type Media~~

Delete Table 21-2 and renumber remainder of tables in Clause 21 as necessary.

23. MAC status propagation

23.13 MSPDU transmission, addressing, and protocol identification

23.13.4 EtherType use and encoding

Change subclause 23.13.4 as follows (the table is unchanged):

All MSPDUs are identified by the EtherType specified in Table 23-3.

~~Where an individual LAN MAC supports direct encoding of EtherTypes (as does IEEE Std 802.3, for example) the LLC entity shall encode the MSP EtherType as the first two octets of the MPDU. Otherwise (for IEEE Std 802.11, for example) the MSP EtherType shall be encoded in the initial octets of the MPDU according to the procedures specified in IEEE Std 802 for Subnetwork Access Protocols (SNAP).~~

~~NOTE—The SNAP discriminator comprises the octets AA-AA-03-00-00-00 prepended to the MSP EtherType.~~

33. Encoding of congestion notification PDUs

33.2 Congestion Notification Tag format

Change subclause 33.2 as follows (footnote is unchanged):

The means for identifying Congestion Notification Tag PDUs ~~depend on the medium. For media using a Length/Type field, e.g., IEEE 802.3 media, the identification~~ consists of two octets containing the EtherType value shown (in hexadecimal notation) in ~~Table 33-3~~ [Table 33-1](#). ~~Media requiring an LLC encapsulation (e.g., IEEE 802.11) use the SNAP encoding shown (in hexadecimal notation) in Table 33-4.~~

In a VLAN-aware Bridge, the shim that supports the Enhanced Internal Sublayer Service (6.1, 6.8, also see Figure 22-4) is below the Queuing shim (8.6.6, 8.6.7, 8.6.8, 31.1.1). The CN-TAG is examined by the CP, which is part of the Queuing shim. Therefore, the CN-TAG will be further from the source_address and destination_address fields, and closer to the end of the frame, than a VLAN tag added by 6.8, if any. In order for a bridge to be able to recognize the CN-TAG in a data frame, an end station shall insert the CN-TAG and VLAN tag in the relative order required by a bridge: addresses, VLAN tag, CN-TAG, data.

Change the title of Table 33-1 as follows:

Table 33-1—Congestion Notification Tag Encapsulation: ~~Length/Type Media~~

Delete Table 33-2 and renumber remainder of tables in Clause 33 as necessary.

33.3 Congestion Notification Message

Change subclause 33.3 as follows:

The means for identifying Congestion Notification Message PDUs ~~depend on the medium. For media using a Length/Type field, e.g., IEEE 802.3 media, the identification~~ consists of two octets containing the EtherType value shown (in hexadecimal notation) in Table 33-3. ~~Media requiring an LLC encapsulation (e.g., IEEE 802.11) use the SNAP encoding shown (in hexadecimal notation) in Table 33-4.~~

Change the title of Table 33-3 (to be renumbered 33-2) as follows:

Table 33-2—Congestion Notification Message Encapsulation: ~~Length/Type Media~~

Delete Table 33-4 and renumber remainder of tables in Clause 33 as necessary.