

INTERNATIONAL
STANDARDIZED
PROFILE

ISO/IEC
ISP
12062-5

Second edition
1997-12-15

**Information technology — International
Standardized Profiles AMH2n — Message
Handling Systems — Interpersonal
Messaging —**

**Part 5:
AMH24 — IPM Requirements for Enhanced
MS Access (P7)**

*Technologies de l'information — Profils normalisés internationaux
AMH2n — Systèmes de messagerie — Messagerie entre personnes —
Partie 5: AMH24 — Prescriptions IPM pour accès accru à MS (P7)*



Reference number
ISO/IEC ISP 12062-5:1997(E)

Contents

	Page
Foreword.....	iii
Introduction	v
1 Scope.....	1
2 Normative references	2
3 Definitions	3
4 Abbreviations	4
5 Conformance	4

Annexes

A ISPICS Proforma for ISO/IEC ISP 12062-5 (AMH24)	7
B ISPICS Requirements List for ISO/IEC ISP 12062-5 (AMH24)	14
C Amendments and corrigenda	19
D Bibliography	20

© ISO/IEC 1997

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

ISO/IEC Copyright Office • Case Postale 56 • CH-1211 Genève 20 • Switzerland

Printed in Switzerland

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1. In addition to developing International Standards, ISO/IEC JTC 1 has created a Special Group on Functional Standardization for the elaboration of International Standardized Profiles.

An International Standardized Profile is an internationally agreed, harmonized document which identifies a standard or group of standards, together with options and parameters, necessary to accomplish a function or a set of functions.

Draft International Standardized Profiles are circulated to national bodies for voting. Publication as an International Standardized Profile requires approval by at least 75 % of the national bodies casting a vote.

International Standardized Profile ISO/IEC ISP 12062-5 was prepared with the collaboration of

- OSI Asia-Oceania Workshop (AOW);
- European Workshop for Open Systems (EWOS);
- Open Systems Environment Implementors' Workshop (OIW).

This second edition cancels and replaces the first edition (ISO/IEC ISP 12062-5:1995), which has been technically revised. It also incorporates Technical Corrigendum 1:1996.

ISO/IEC ISP 12062 consists of the following parts, under the general title *Information technology - International Standardized Profiles AMH2n - Message Handling Systems - Interpersonal Messaging*:

- *Part 1: IPM MHS Service Support*
- *Part 2: AMH21 - IPM Content*
- *Part 3: AMH22 - IPM Requirements for Message Transfer (P1)*
- *Part 4: AMH23 and AMH25 - IPM Requirements for MTS Access (P3) and MTS 94 Access (P3)*
- *Part 5: AMH24 - IPM Requirements for Enhanced MS Access (P7)*
- *Part 6: AMH26 - IPM Requirements for Enhanced MS 94 Access (P7)*

Annexes A, B and C form an integral part of this part of ISO/IEC ISP 12062. Annex D is for information only.

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC ISP 12062-5:1997

Introduction

This part of ISO/IEC ISP 12062 is defined within the context of Functional Standardization, in accordance with the principles specified by ISO/IEC TR 10000, "Framework and Taxonomy of International Standardized Profiles". The context of Functional Standardization is one part of the overall field of Information Technology (IT) standardization activities, covering base standards, profiles, and registration mechanisms. A profile defines a combination of base standards that collectively perform a specific well-defined IT function. Profiles standardize the use of options and other variations in the base standards, and provide a basis for the development of uniform, internationally recognized system tests.

One of the most important rôles for an ISP is to serve as the basis for the development (by organizations other than ISO and IEC) of internationally recognized tests. ISPs are produced not simply to 'legitimize' a particular choice of base standards and options, but to promote real system interoperability. The development and widespread acceptance of tests based on this and other ISPs is crucial to the successful realization of this goal.

The text for this part of ISO/IEC ISP 12062 was developed in close cooperation between the MHS Expert Groups of the three Regional Workshops: the North American OSE Implementors' Workshop (OIW), the European Workshop for Open Systems (EWOS) (jointly with the corresponding expert group of the European Telecommunications Standards Institute - ETSI) and the OSI Asia-Oceania Workshop (AOW). This part of ISO/IEC ISP 12062 is harmonized between these three Workshops and it has been ratified by the plenary assemblies of all three Workshops.

STANDARDSISO.COM :: Click to view the full PDF of ISO/IEC ISP 12062-5:1997

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC ISP 12062-5:1997

Information technology – International Standardized Profiles AMH2n – Message Handling Systems – Interpersonal Messaging –

Part 5:

AMH24 - IPM Requirements for Enhanced MS Access (P7)

1 Scope

1.1 General

This part of ISO/IEC ISP 12062 covers access to a message store (MS) in an Interpersonal Messaging (IPM) environment using the P7 MS Access Protocol (see also figure 1). These specifications form part of the Interpersonal Messaging application functions, as defined in the parts of ISO/IEC ISP 12062, and are based on the Common Messaging content type-independent specifications in ISO/IEC ISP 10611.

The type of MS access specified in this part of ISO/IEC ISP 12062 allows an IPM user agent (UA) to interact with an MS in a full and flexible manner without having to retrieve complete messages. Minimal attribute support for MS access in an IPM environment can be specified by claiming conformance to profile AMH13 with an additional claim of support of IPM MS attributes (see subclause A.3.1 of ISO/IEC ISP 10611-5). Annex A of this part of ISO/IEC ISP 12062 may be used in such a case.

1.2 Position within the taxonomy

This part of ISO/IEC ISP 12062 is the fifth part of a multipart ISP identified in ISO/IEC TR 10000-2 as “AMH2, Message Handling Systems - Interpersonal Messaging”.

This part of ISO/IEC ISP 12062 specifies the following profile:

AMH24 - IPM Requirements for Enhanced MS Access (P7)

The AMH24 profile may be combined with any T-Profiles (see ISO/IEC TR 10000) specifying the OSI connection-mode Transport service.

1.3 Scenario

The model used is one of access to a IPM message store (MS) by an IPM MS-user - specifically, the intercommunication between an IPM MS and an IPM MS-user (i.e. an IPM user agent) using the P7 protocol, as shown in figure 1.

The AMH24 profile covers all aspects of the MS Abstract Service, as defined in the 1990/1992 publication of ISO/IEC 10021-5, when realized using the P7 protocol in an IPM environment. (The AMH26 profile covers the MS 94 Abstract Service).




Figure 1 - AMH24 scenario

The OSI upper layer services and protocols to support the Message Handling Systems functions covered by the AMH24 profile are specified in subclause 1.3 of ISO/IEC ISP 10611-5.

2 Normative references

The following documents contain provisions which, through reference in this text, constitute provisions of this part of ISO/IEC ISP 12062. At the time of publication, the editions indicated were valid. All documents are subject to revision, and parties to agreements based on this part of ISO/IEC ISP 12062 are warned against automatically applying any more recent editions of the documents listed below, since the nature of references made by ISPs to such documents is that they may be specific to a particular edition. Members of IEC and ISO maintain registers of currently valid International Standards and ISPs, and the Telecommunications Standardization Bureau of the ITU maintains a list of currently valid ITU-T Recommendations.

Amendments and corrigenda to the base standards referenced are listed in annex C.

NOTES

1 - References in the body of this part of ISO/IEC ISP 12062 to specific clauses of ISO/IEC documents shall be considered to refer also to the corresponding clauses of the equivalent ITU-T Recommendations (as noted below) unless otherwise stated.

2 - Informative references are found in annex D.

ISO/IEC TR 10000-1:—¹), *Information technology - Framework and taxonomy of International Standardized Profiles - Part 1: General principles and documentation framework.*

ISO/IEC TR 10000-2:—¹), *Information technology - Framework and taxonomy of International Standardized Profiles - Part 2: Principles and Taxonomy for OSI profiles.*

ITU-T Recommendation F.400/X.400 (1996), *Message Handling Systems - System and service overview.*

ISO/IEC 10021-1:—²), *Information technology - Message Handling Systems (MHS): System and service overview [see also ITU-T Recommendation F.400/X.400].*

ITU-T Recommendation X.402 (1995) | ISO/IEC 10021-2: 1996, *Information technology - Message Handling Systems (MHS): Overall architecture.*

ITU-T Recommendation X.413 (1995) | ISO/IEC 10021-5: 1996, *Information technology - Message Handling Systems (MHS): Message store: Abstract service definition.*

ITU-T Recommendation X.419 (1995) | ISO/IEC 10021-6: 1996, *Information technology - Message Handling Systems (MHS): Protocol specifications.*

ITU-T Recommendation X.420 (1996) | ISO/IEC 10021-7: 1997, *Information technology - Message Handling Systems (MHS): Interpersonal messaging system.*

ISO/IEC ISP 10611-5: 1997, *Information technology - International Standardized Profiles AMH1n - Message Handling Systems - Common Messaging - Part 5: AMH13 - MS Access (P7).*

ISO/IEC ISP 12062-1: 1997, *Information technology - International Standardized Profiles AMH2n - Message Handling Systems - Interpersonal Messaging - Part 1: IPM MHS Service Support.*

ISO/IEC ISP 12062-2: 1997, *Information technology - International Standardized Profiles AMH2n - Message Handling Systems - Interpersonal Messaging - Part 2: AMH21 - IPM Content.*

1) To be published. (Revision of ISO/IEC TR 10000:1995)

2) To be published. (Revision of ISO/IEC 10021-1:1990)

3 Definitions

For the purposes of this part of ISO/IEC ISP 12062, the following definitions apply.

Terms used in this part of ISO/IEC ISP 12062 are defined in the referenced base standards; in addition, the following terms are defined.

3.1 General

3.1.1 Basic requirement: an Element of Service, protocol element, procedural element or other identifiable feature specified in the base standards which is required to be supported by all MHS implementations.

3.1.2 Functional group: a specification of one or more related Elements of Service, protocol elements, procedural elements or other identifiable features specified in the base standards which together support a significant optional area of MHS functionality.

NOTE - A functional group can cover any combination of MHS features specified in the base standards for which the effect of implementation can be determined at a standardized external interface - i.e. via a standard OSI communications protocol (other forms of exposed interface, such as a standardized programmatic interface, are outside the scope of this version of ISO/IEC ISP 12062).

3.2 Support classification

To specify the support level of operations, arguments, results, attributes and other protocol features for this part of ISO/IEC ISP 12062, the following terminology is defined.

The following classifications are used in this part of ISO/IEC ISP 12062 to specify static conformance requirements - i.e. capability.

In the case of arguments and results (protocol elements), the classification is relative to that of the containing element, if any. Where the constituent elements of a non-primitive element are not individually specified, then each shall be considered to have the classification of that element. Where the range of values to be supported for an element is not specified, then all values defined in the MHS base standards shall be supported.

3.2.1 mandatory support (m): the element or feature shall be fully supported. An implementation shall be able to generate the element, and/or receive the element and perform all associated procedures (i.e. implying the ability to handle both the syntax and the semantics of the element) as relevant, as specified in the MHS base standards. Where support for origination (generation) and reception are not distinguished, then both capabilities shall be assumed. Mandatory support of an MS attribute requires that it is supported in the context of all applicable supported operation arguments and results and also for use within a selector to the level of support claimed for the filter item. The way in which attribute values are stored by an MS implementation, or used by a UA implementation, is otherwise a local matter.

3.2.2 optional support (o): an implementation is not required to support the element or feature. If support is claimed, the element shall be treated as if it were specified as mandatory support. If support is not claimed, and the element is an argument, then an implementation shall generate an appropriate error indication if the element is received. If support is not claimed, and the element is a result, then an implementation may ignore the element if it is received.

4 Abbreviations

AMH	Application Message Handling
CV	Conversion
DIR	Use of Directory
FG	Functional group
IPM	Interpersonal Messaging
ISP	International Standardized Profile
LD	Latest Delivery
MHS	Message Handling Systems
MS	Message store
MT	Message transfer
MTA	Message transfer agent
MTS	Message Transfer System
OSI	Open Systems Interconnection
PD	Physical Delivery
RED	Redirection
RoC	Return of Content
SEC	Security
UA	User agent

Support level for protocol elements and features (see 3.2):

m	mandatory support
o	optional support

5 Conformance

This part of ISO/IEC ISP 12062 states requirements upon implementations to achieve interworking. A claim of conformance to this part of ISO/IEC ISP 12062 is a claim that all requirements in the relevant base standards are satisfied, and that all requirements in the following clauses and in annexes A and B of this part of ISO/IEC ISP 12062 are satisfied.

5.1 Conformance statement

For each implementation claiming conformance to profile AMH24 as specified in this part of ISO/IEC ISP 12062, a PICS shall be made available stating support or non-support of each option identified in this part of ISO/IEC ISP 12062.

The scope of conformance to profile AMH24 covers both MSs and MS-users (i.e. UAs). A claim of conformance to profile AMH24 shall confirm that the implementation supports profile AMH13 as specified in ISO/IEC ISP 10611-5 and shall state whether the implementation claims conformance as an MS or as an MS-user.

A claim of conformance to profile AMH24 as an MS-user shall confirm that the implementation supports profile AMH21 as specified in ISO/IEC ISP 12062-2.

5.2 MHS conformance

This part of ISO/IEC ISP 12062 specifies implementation options or selections such that conformant implementations will satisfy the conformance requirements of ISO/IEC 10021 and the ITU-T X.400 Recommendations.

Implementations conforming to profile AMH24 as specified in this part of ISO/IEC ISP 12062 shall conform to the basic requirements of profile AMH13, as specified in ISO/IEC ISP 10611-5.

Implementations conforming to profile AMH24 as specified in this part of ISO/IEC ISP 12062 shall additionally implement all the mandatory support (m) features identified as basic requirements in annexes A and B except those features that are components of an unimplemented optional feature. It shall be stated which optional support (o) features are implemented.

For implementations conforming to profile AMH24 as specified in this part of ISO/IEC ISP 12062, it shall be stated whether or not they support any of the optional functional groups as specified in ISO/IEC ISP 12062-1 which are applicable to the scope of this profile and to the role (i.e. MS or MS-user) for which conformance is claimed. For each functional group for which support is claimed, an implementation shall additionally implement all the mandatory support (m) features identified for that functional group in annex B except those features that are components of an unimplemented optional feature. It shall be stated which optional support (o) features are implemented.

Implementations shall support the procedures associated with supported protocol elements as specified in the base standards and as further specified in ISO/IEC ISP 12062-1. The MHS Elements of Service corresponding to such procedures are indicated in annex A of ISO/IEC ISP 12062-1.

5.3 Underlying layers conformance

Implementations conforming to profile AMH24 as specified in this part of ISO/IEC ISP 12062 shall also meet the requirements for support of underlying layers as specified in subclause 5.3 of ISO/IEC ISP 10611-5.

STANDARDSISO.COM :: Click to view the full PDF of ISO/IEC ISP 12062-5:1997

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC ISP 12062-5:1997

Annex A¹⁾

(normative)

ISPICS Proforma for ISO/IEC ISP 12062-5 (AMH24)

This annex modifies the P7 ISPICS proforma as contained in annex A of ISO/IEC ISP 10611-5 for the purposes of conformance to the AMH24 profile.

NOTE - The tables and other material in this annex replace the corresponding clauses of annex A of ISO/IEC ISP 10611-5 or should otherwise be inserted as appropriate.

In the event of a discrepancy becoming apparent in the body of this part of ISO/IEC ISP 12062 and the tables in this annex, this annex is to take precedence.

Clause A.1 specifies the basic requirements for conformance to profile AMH24. Clause A.2 specifies additional requirements to those specified in A.1 for each of the optional functional groups if conformance to such a functional group is claimed. Clause A.3 allows additional information to be provided for certain aspects of an implementation where no specific requirements are included in ISO/IEC ISP 12062 or in ISO/IEC ISP 10611. All three clauses shall be completed as appropriate.

In each table, the "Base" column reflects the level of support required for conformance to the base standard and the "Profile" column specifies the level of support required by this ISP (using the classification and notation defined in 3.2).

The "Ref" column is provided for cross-referencing purposes. The notation employed for references also indicates composite elements which contain sub-elements (a sub-element reference is prefixed by the reference of the composite element).

The "Support" column is provided for completion by the supplier of the implementation as follows:

- | | |
|------------|--|
| Y | the element or feature is fully supported (i.e. satisfying the requirements of the m profile support classification) |
| N | the element or feature is not supported, further qualified to indicate the action taken on receipt of such an element as follows:
ND - the element is discarded/ignored
NR - the PDU is rejected (with an appropriate error indication where applicable) |
| - or blank | the element or feature is not applicable (i.e. a major feature or composite protocol element which includes this element or feature is not supported) |

1) Copyright release for ISPICS proformas

Users of this part of ISO/IEC ISP 12062 may freely reproduce the ISPICS proforma in this annex so that it can be used for its intended purpose and may further publish the completed ISPICS.

A.0 Identification of the implementation**A.0.1 Identification of PICS**

Ref	Question	Response
1	Date of statement (YYYY-MM-DD)	
2	PICS serial number	
3	System conformance statement cross reference	

A.0.2 Identification of IUT

Ref	Question	Response
1	Implementation name	
2	Implementation version	
3	Hardware name	
4	Hardware version	
5	Operating system name	
6	Operating system version	
7	Special configuration	
8	Other information	

A.0.3 Identification of supplier

Ref	Question	Response
1	Organization name	
2	Contact name(s)	
3	Address	
4	Telephone number	
5	Telex number	
6	Fax number	
7	E-mail address	
8	Other information	

A.0.4 Identification of protocol

Ref	Question	Response
1	Title, reference number and date of publication of the protocol standard	
2	Protocol version(s)	not applicable
3	Addenda/amendments/corrigenda implemented	
4	Defect reports implemented	not applicable

A.0.5 Type of implementation

Ref	Implementation Type	Response
1	MS-user (UA)	
2	MS (co-located with MTA)	
3	MS (P3 interface to MTA)	

NOTE - A separate PICS shall be completed for each implementation type for which conformance is claimed.

A.0.6 Global statement of conformance

Ref	Question	Response
1	Are all mandatory base standards requirements implemented?	

A.0.7 Statement of profile conformance

Ref	Question	Response	Comments
1	Are all mandatory requirements of profile AMH13 implemented?		
2	Are all mandatory requirements of profile AMH24 implemented?		
3	Are all mandatory requirements of any of the following optional functional groups implemented?		
3.1	IPM Conversion (CV)		not applicable in the case of an MS
3.2	IPM Physical Delivery (PD)		not applicable in the case of an MS
3.3	IPM Redirection (RED)		not applicable in the case of an MS
3.4	IPM Latest Delivery (LD)		not applicable in the case of an MS

3.5	IPM Return of Content (RoC)		
3.6	IPM Security (SEC)		class(es):
3.7	IPM Use of Directory (DIR)		not applicable in the case of an MS

NOTE - The functional group IPM Simple Protected Password (SPP) is not applicable in the P7 context.

A.1.6 AutoForwardRegistration Parameter

The following elements are additional to those specified in annex A.1.6 of ISO/IEC ISP 10611-5.

Ref	Element	UA		MS		Support	Notes/References
		Base	Profile	Base	Profile		
4.1	auto-forwarding-comment	o	o	o	m		
4.2	cover-note	o	o	o	m		
4.3	this-ipm-prefix	o	o	o	m		

A.1.12 IPM-specific attributes

Ref	Attribute	UA		MS		Support	Notes/References
		Base	Profile	Base	Profile		
1	acknowledgment-mode	o	o	o	m		
2	authorizing-users	o	o	o	m		
3	auto-forward-comment	o	o	o	m		
4	auto-forwarded	o	o	o	m		
5	bilaterally-defined-body-parts	o	o	o	o		
6	blind-copy-recipients	o	o	o	m		
7	body	m	m	m	m		
8	conversion-eits	o	o	o	m		
9	copy-recipients	o	o	o	m		
10	discard-reason	o	o	o	m		
11	encrypted-body-parts	o	l	o	i		
12	encrypted-data	o	l	o	l		
13	encrypted-parameters	o	l	o	i		

14	expiry-time	o	o	o	m		
15	extended-body-part-types	o	o	o	m		
16	(extended-body-parts)						see A.1.12.1
17	g3-facsimile-body-parts	o	o	o	o		
18	g3-facsimile-data	o	o	o	o		
19	g3-facsimile-parameters	o	o	o	o		
20	g4-class1-body-parts	o	o	o	o		
21	heading	m	m	m	m		
22	ia5-text-body-parts	o	o	o	m		
23	ia5-text-data	o	o	o	o		
24	ia5-text-parameters	o	o	o	o		
25	importance	o	o	o	m		
26	incomplete-copy	o	o	o	o		
27	ipm-entry-type	m	m	m	m		
28	ipm-preferred-recipient	o	o	o	m		
29	ipm-synopsis	o	o	o	m		
30	ipn-originator	o	o	o	m		
31	languages	o	o	o	m		
32	message-body-parts	o	o	o	m		
33	message-data	o	o	o	o		
34	message-parameters	o	o	o	o		
35	mixed-mode-body-parts	o	o	o	o		
36	nationally-defined-body-parts	o	o	o	o		
37	non-receipt-reason	o	o	o	m		
38	nrn-requestors	o	o	o	o,1		
39	obsoleted-ipms	o	o	o	m		
40	originator	o	o	o	m		
41	primary-recipients	o	o	o	m		

42	receipt-time	o	o	o	m		
43	related-ipms	o	o	o	m		
44	replied-to-ipm	o	o	o	m		
45	reply-recipients	o	o	o	m		
46	reply-requestors	o	o	o	o,1		
47	reply-time	o	o	o	m		
48	returned-ipm	o	o	o	o		
49	rn-requestors	o	o	o	o,1		
50	sensitivity	o	o	o	m		
51	subject	o	o	o	m		
52	subject-ipm	m	m	m	m		
53	suppl-receipt-info	o	o	o	o		
54	teletex-body-parts	o	o	o	o		
55	teletex-data	o	o	o	o		
56	teletex-parameters	o	o	o	o		
57	this-ipm	m	m	m	m		
58	videotex-body-parts	o	o	o	o		
59	videotex-data	o	o	o	o		
60	videotex-parameters	o	o	o	o		

NOTE 1 - A new auto-correlation IPM attribute type is defined in the 1996 publication of the base standard, in replacement of this attribute type.

A.1.12.1 Extended body part attribute support

Ref	Extended Body Part Attribute	UA		MS		Support	Notes/References
		Base	Profile	Base	Profile		
1	ia5-text-body-parts	o	o	o	m		
2	message-body-parts	o	o	o	m		
3	general-text-body-parts	o	o	o	m		
4	other (specify)	o	o	o	o		

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC ISP 12062-5:1997

Annex B

(normative)

ISPICS Requirements List for ISO/IEC ISP 12062-5 (AMH24)

In the event of a discrepancy becoming apparent in the body of this part of ISO/IEC ISP 12062 and the tables in this annex, this annex is to take precedence.

This annex specifies the support constraints and characteristics of ISO/IEC ISP 12062-5 on what shall or may appear in the implementation columns of an ISPICS. Such requirements are additional to those specified in annex A of ISO/IEC ISP 10611-5 as modified by annex A of this part of ISO/IEC ISP 12062 (references are to the corresponding table entries in those annexes).

Clause B.1 specifies the basic requirements for conformance to profile AMH24. Clause B.2 specifies additional requirements to those specified in B.1 for each of the optional functional groups if conformance to such a functional group is claimed.

In each table, the "Profile" column specifies the level of support required by this ISP (using the classification and notation defined in 3.2). The supplier of an implementation for which conformance to profile AMH24 is claimed should complete the Support column of the tables in annex A of ISO/IEC ISP 10611-5 as modified by annex A of this part of ISO/IEC ISP 12062 in accordance with the requirements contained therein together with any additional requirements in this annex for the type of implementation (i.e. MS or MS-user) in question.

The "Ref" column is provided for cross-referencing purposes. The notation employed for references also indicates composite elements which contain sub-elements (a sub-element reference is prefixed by the reference of the composite element).

B.1 Basic requirements**B.1.1 Supported application contexts**

No additional requirements.

B.1.2 Supported operations**B.1.2.1 Message Retrieval Service Element (MRSE)**

Ref	Operation	Profile	
		UA	MS
A.1.2.3/1	Summarize	m	
A.1.2.3/2	List	m	

B.1.3 Operation arguments/results

No additional requirements.

B.1.4 MessageSubmissionEnvelope

No additional requirements.

B.1.5 ProbeSubmissionEnvelope

No additional requirements.

B.1.6 AutoForwardRegistrationParameter

Ref	Element	Profile	
		UA	MS
A.1.6/4	other-parameters		c1

c1 - if the MS supports autoforwarding then m else o

B.1.7 AutoAlertRegistrationParameter

No additional requirements.

B.1.8 Common data types

No additional requirements.

B.1.9 Extension data types

No additional requirements.

B.1.10 OR-names

Ref	OR-Name Form	Profile	
		UA	MS
A.1.10/2	numeric OR-address	m	
A.1.10/3	terminal OR-address	m	

B.1.11 General attributes

Ref	Attribute	Profile	
		UA	MS
A.1.11/4	content-correlator		m
A.1.11/5	content-identifier		m
A.1.11/8	content-returned		m
A.1.11/10	conversion-with-loss-prohibited		m
A.1.11/11	converted-eits		m
A.1.11/14	delivery-flags		m
A.1.11/15	dl-expansion-history		m
A.1.11/18	intended-recipient-name		m
A.1.11/20	message-delivery-identifier		m
A.1.11/21	message-delivery-time		m
A.1.11/24	message-submission-time		m
A.1.11/26	original-eits		m
A.1.11/29	other-recipient-names		m
A.1.11/34	redirection-history		m
A.1.11/36	reporting-dl-name		m
A.1.11/42	this-recipient-name		m