

INTERNATIONAL
STANDARDIZED
PROFILE

ISO/IEC
ISP
12063-4

Second edition
1997-12-15

**Information technology — International
Standardized Profiles AMH3n — Message
Handling Systems — EDI Messaging —**

**Part 4:
AMH33 and AMH35 — EDIMG Requirements
for MTS Access (P3) and MTS 94 Access (P3)**

*Technologies de l'information — Profils normalisés internationaux
AMH3n — Systèmes de messagerie — Messagerie EDI —*

*Partie 4: AMH33 et AMH35 — Prescriptions EDIMG pour accès à MTS (P3)
et accès à MTS 94 (P3)*



Reference number
ISO/IEC ISP 12063-4:1997(E)

Contents

	Page
Foreword.....	iii
Introduction.....	v
1 Scope	1
2 Normative references	2
3 Definitions.....	2
4 Abbreviations.....	4
5 Conformance.....	4

Annexes

A ISPICS Proforma for ISO/IEC ISP 12063-4 (AMH33 and AMH35)	6
B ISPICS Requirements List for ISO/IEC ISP 12063-4 (AMH33 and AMH35)	10
C Amendments and corrigenda	15
D Bibliography	16

© ISO/IEC 1997

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

ISO/IEC Copyright Office • Case Postale 56 • CH-1211 Genève 20 • Switzerland

Printed in Switzerland

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1. In addition to developing International Standards, ISO/IEC JTC 1 has created a Special Group on Functional Standardization for the elaboration of International Standardized Profiles.

An International Standardized Profile is an internationally agreed, harmonized document which identifies a standard or group of standards, together with options and parameters, necessary to accomplish a function or a set of functions.

Draft International Standardized Profiles are circulated to national bodies for voting. Publication as an International Standardized Profile requires approval by at least 75 % of the national bodies casting a vote.

International Standardized Profile ISO/IEC ISP 12063-4 was prepared with the collaboration of

- Asia-Oceania Workshop (AOW);
- European Workshop for Open Systems (EWOS);
- Open Systems Environment Implementors' Workshop (OIW).

This second edition cancels and replaces the first edition (ISO/IEC ISP 12063-4:1995), which has been technically revised. It also incorporates Technical Corrigendum 1:1996.

ISO/IEC ISP 12063 consists of the following parts, under the general title *Information technology - International Standardized Profiles AMH3n - Message Handling Systems - EDI Messaging*:

- *Part 1: EDIMG MHS Service Support*
- *Part 2: AMH31 - EDIMG Content*
- *Part 3: AMH32 - EDIMG Requirements for Message Transfer (P1)*
- *Part 4: AMH33 and AMH35 - EDIMG Requirements for MTS Access (P3) and MTS 94 Access (P3)*
- *Part 5: AMH34 - EDIMG Requirements for Enhanced MS Access (P7)*

— *Part 6: AMH36 - EDIMG Requirements for Enhanced MS 94 Access (P7)*

NOTE - Part 6 is not yet published.

Annexes A, B and C form an integral part of this part of ISO/IEC ISP 12063. Annex D is for information only.

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC ISP 12063-4:1997

Introduction

This part of ISO/IEC ISP 12063 is defined within the context of Functional Standardization, in accordance with the principles specified by ISO/IEC TR 10000, "Framework and Taxonomy of International Standardized Profiles". The context of Functional Standardization is one part of the overall field of Information Technology (IT) standardization activities, covering base standards, profiles, and registration mechanisms. A profile defines a combination of base standards that collectively perform a specific well-defined IT function. Profiles standardize the use of options and other variations in the base standards, and provide a basis for the development of uniform, internationally recognized system tests.

One of the most important roles for an ISP is to serve as the basis for the development (by organizations other than ISO and IEC) of internationally recognized tests. ISPs are produced not simply to 'legitimize' a particular choice of base standards and options, but to promote real system interoperability. The development and widespread acceptance of tests based on this and other ISPs is crucial to the successful realization of this goal.

The text for this part of ISO/IEC ISP 12063 was developed in close cooperation between the MHS Expert Groups of the three Regional Workshops: the North American OSE Implementors' Workshop (OIW), the European Workshop for Open Systems (EWOS) (jointly with the corresponding expert group of the European Telecommunications Standards Institute - ETSI) and the OSI Asia-Oceania Workshop (AOW). This part of ISO/IEC ISP 12063 is harmonized between these three Workshops and it has been ratified by the plenary assemblies of all three Workshops.

STANDARDSISO.COM : Click to view the PDF of ISO/IEC ISP 12063-4:1997

This page intentionally left blank

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC ISP 12063-4:1997

Information technology – International Standardized Profiles AMH3n – Message Handling Systems – EDI Messaging –

Part 4:

AMH33 and AMH35 – EDIMG Requirements for MTS Access (P3) and MTS 94 Access (P3)

1 Scope

1.1 General

This part of ISO/IEC ISP 12063 covers access to a Message Transfer System (MTS) in an EDI Messaging (EDIMG) environment using the P3 MTS Access Protocol (see also figure 1). These specifications form part of the EDI Messaging application functions, as defined in the parts of ISO/IEC ISP 12063, and are based on the Common Messaging content type-independent specifications in ISO/IEC ISP 10611.

An MTA or a MTS-user which conforms to profile AMH33 as specified in this part of ISO/IEC ISP 12063 shall support profile AMH12 as specified in ISO/IEC ISP 10611-4.

An MTA or a MTS-user which conforms to profile AMH35 as specified in this part of ISO/IEC ISP 12063 shall support profile AMH14 as specified in ISO/IEC ISP 10611-4.

1.2 Position within the taxonomy

This part of ISO/IEC ISP 12063 is the fourth part of a multipart ISP identified in ISO/IEC TR 10000-2 as “AMH3, Message Handling Systems - EDI Messaging” (see also ISO/IEC TR 10000-1, subclause 8.2 for the definition of multipart ISPs).

This part of ISO/IEC ISP 12063 specifies the following profiles:

AMH33 - EDIMG Requirements for MTS Access (P3)

AMH35 - EDIMG Requirements for MTS 95 Access (P3)

The AMH33 and AMH35 profiles may be combined with any T-Profiles (see ISO/IEC TR 10000) specifying the OSI connection-mode Transport service.

1.3 Scenario

The model used is one of access to an MTS by an EDI MTS-user - specifically, the intercommunication between a message transfer agent (MTA) and an EDI MTS-user using the P3 protocol, as shown in figure 1.




Figure 1 - AMH33 and AMH35 scenario

The AMH33 and AMH35 profiles covers all aspects of the MTS Abstract Service, as defined in clause 8 of ISO/IEC 10021-4, when realized using the P3 protocol in an EDIMG environment.

The OSI upper layer services and protocols to support the Message Handling Systems functions covered by the AMH33 and AMH35 profiles are specified in subclause 1.3 of ISO/IEC ISP 10611-4.

2 Normative references

The following documents contain provisions which, through reference in this text, constitute provisions of this part of ISO/IEC ISP 12063. At the time of publication, the editions indicated were valid. All documents are subject to revision, and parties to agreements based on this part of ISO/IEC ISP 12063 are warned against automatically applying any more recent editions of the documents listed below, since the nature of references made by ISPs to such documents is that they may be specific to a particular edition. Members of IEC and ISO maintain registers of currently valid International Standards and ISPs, and the Telecommunications Standardization Bureau of the ITU maintains a list of currently valid ITU-T Recommendations.

Amendments and corrigenda to the base standards referenced are listed in annex C.

NOTES

1 - References in the body of this part of ISO/IEC 12063 to specific clauses of ISO/IEC documents refer also to the corresponding clauses of the equivalent ITU-T Recommendations (as noted below) unless otherwise stated.

2 - Informative references are found in annex D.

ISO/IEC TR 10000-1:—¹, *Information technology - Framework and taxonomy of International Standardized Profiles - Part 1: General principles and documentation framework.*

ISO/IEC TR 10000-2:—¹, *Information technology - Framework and taxonomy of International Standardized Profiles - Part 2: Principles and Taxonomy for OSI profiles.*

ITU-T Recommendation F.400/X.400 (1996), *Message Handling Systems - System and service overview.*

ISO/IEC 10021-1:—², *Information technology - Message Handling Systems (MHS): System and service overview.*

ITU-T Recommendation X.402 (1995) | ISO/IEC 10021-2: 1996, *Information technology - Message Handling Systems (MHS): Overall architecture.*

ITU-T Recommendation X.411 (1995) | ISO/IEC 10021-4: 1997, *Information technology - Message Handling Systems (MHS): Message transfer system: Abstract service definition and procedures.*

ITU-T Recommendation X.419 (1995) | ISO/IEC 10021-6: 1996, *Information technology - Message Handling Systems (MHS): Protocol specifications.*

ISO/IEC ISP 10611-4: 1997, *Information technology - International Standardized Profiles AMH1n - Message Handling Systems - Common Messaging - Part 4: AMH12 and AMH14 - MTS Access (P3) and MTS 94 Access (P3).*

ISO/IEC ISP 12063-1: 1997, *Information technology - International Standardized Profiles AMH3n - Message Handling Systems - EDI Messaging - Part 1: EDIMG MHS Service Support.*

3 Definitions

For the purposes of this part of ISO/IEC ISP 12063, the following definitions apply.

Terms used in this part of ISO/IEC ISP 12063 are defined in the referenced base standards; in addition, the following terms are defined.

¹ To be published. (Revision of ISO/IEC 10000:1995)

² To be published. (Revision of ISO/IEC 10021-1:1990)

3.1 General

3.1.1 basic requirement: An Element of Service, protocol element, procedural element or other identifiable feature specified in the base standards which is required to be supported by all MHS implementations.

3.1.2 functional group: A specification of one or more related Elements of Service, protocol elements, procedural elements or other identifiable features specified in the base standards which together support a significant optional area of MHS functionality.

NOTE - A functional group can cover any combination of MHS features specified in the base standards for which the effect of implementation can be determined at a standardized external interface - i.e. via a standard OSI communications protocol (other forms of exposed interface, such as a standardized programmable interface, are outside the scope of this version of ISO/IEC ISP 12063).

3.2 Support classification

To specify the support level of operations, arguments, results and other protocol features for this part of ISO/IEC ISP 12063, the following terminology is defined.

The following classifications are used in this part of ISO/IEC ISP 12063 to specify static conformance requirements - i.e. capability.

NOTE - The following classifications apply only to MTS-users, as the requirements for support of operations, arguments, results and other protocol features by an MTA are as specified in ISO/IEC 10611-4.

In the case of arguments and results (protocol elements), the classification is relative to that of the containing element, if any. Where the constituent elements of a non-primitive element are not individually specified, then each shall be considered to have the classification of that element. Where the range of values to be supported for an element is not specified, then all values defined in the MHS base standards shall be supported.

3.2.1 mandatory support (m): The element or feature shall be supported. An implementation shall be able to generate the element, and/or receive the element and perform all associated procedures (i.e. implying the ability to handle both the syntax and the semantics of the element) as relevant, as specified in the MHS base standards. Where support for origination (generation) and reception are not distinguished, then both capabilities shall be assumed.

4 Abbreviations

ASN.1	Abstract Syntax Notation One
CV	Conversion
DC	Delivery Constraints
DIR	Use of Directory
DL	Distribution List
EDI	Electronic data interchange
EDI-MS	EDI message store
EDI-UA	EDI user agent
EDIFACT	EDI For Administration, Commerce and Transport
EDIM	EDI Message
EDIMG	EDI Messaging
FG	Functional group
ISP	International Standardized Profile
SPICIS	International Standard Protocol Implementation Conformance Statement
LD	Latest Delivery
MHS	Message Handling Systems
MT	Message transfer
MTA	Message transfer agent
MTS	Message Transfer System
OSI	Open Systems Interconnection
PD	Physical delivery
Pedi	Protocol for electronic data interchange
RED	Redirection
RED2	Redirection Instructions
RD	Restricted Delivery
SEC	Security
SPP	Simple Protected Password
UA	User agent

Support level for protocol elements and features (see 3.2):

m mandatory support

5 Conformance

This part of ISO/IEC ISP 12063 states requirements upon implementations to achieve interworking. A claim of conformance to this part of ISO/IEC ISP 12063 is a claim that all requirements in the relevant base standards are satisfied, and that all requirements in the following clauses and in annexes A and B.

5.1 Conformance statement

For each implementation claiming conformance to profiles AMH33 and/or AMH35 as specified in this part of ISO/IEC ISP 12063, a PICS shall be made available stating support or non-support of each option identified in this part of ISO/IEC ISP 12063. The scope of conformance to profiles AMH33 and AMH35 covers both MTAs and MTS-users. A claim of conformance to profiles AMH33 and/or AMH35 shall state whether the implementation claims conformance as an MTA, as a UA, or as an MS which is not co-located with an MTA.

A claim of conformance to profile AMH33 shall confirm that the implementation supports profile AMH12 as specified in ISO/IEC ISP 10611-4. A claim of conformance to profile AMH35 shall confirm that the implementation supports profile AMH14 as specified in ISO/IEC ISP 10611-4.

A claim of conformance to profiles AMH33 and/or AMH35 as a UA shall confirm that the implementation supports profile AMH31 as specified in ISO/IEC ISP 12063-2.

5.2 MHS conformance

This part of ISO/IEC ISP 12063 specifies implementation options or selections such that conformant implementations will satisfy the conformance requirements of ISO/IEC 10021 and the ITU-T X.400 series of Recommendations.

Implementations conforming to profiles AMH33 and AMH35 as specified in this part of ISO/IEC ISP 12063 shall conform to the basic requirements of profiles AMH12 and AMH14, as specified in ISO/IEC ISP 10611-4, as appropriate to the type of implementation (i.e. MTA or MTS-user) for which conformance is claimed.

Implementations conforming to profiles AMH33 and/or AMH35 as specified in this part of ISO/IEC ISP 12063 shall additionally implement all the mandatory support (m) features identified as basic requirements in annexes A and B except those features that are components of an unimplemented optional feature. It shall be stated which optional support (o) features are implemented.

For implementations conforming to profiles AMH33 and/or AMH35 as specified in this part of ISO/IEC ISP 12063, it shall be stated whether or not they support any of the optional functional groups as specified in ISO/IEC ISP 12063-1 which are applicable to the scope of this profile and to the role (i.e. MTA or MTS-user) for which conformance is claimed. For each functional group for which support is claimed, an implementation shall additionally implement all the mandatory support (m) features identified for that functional group in annex B except those features that are components of an unimplemented optional feature. It shall be stated which optional support (o) features are implemented.

Implementations shall support the procedures associated with supported protocol elements as specified in the base standards and as further specified in ISO/IEC ISP 12063-1. The MHS Elements of Service corresponding to such procedures are indicated in annex A of ISO/IEC ISP 12063-1.

5.3 Underlying layers conformance

Implementations conforming to profiles AMH33 and/or AMH35 as specified in this part of ISO/IEC ISP 12063 shall also meet the requirements for support of underlying layers as specified in subclause 5.3 of ISO/IEC ISP 10611-4.

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 12063-4:1997

Annex A¹

(normative)

ISPICS Proforma

for ISO/IEC ISP 12063-4 (AMH33 and AMH35)

This annex modifies the P3 ISPICS proforma as contained in annex A of ISO/IEC ISP 10611-4 for the purposes of conformance to the AMH33 and AMH35 profiles. In the event of a discrepancy becoming apparent in the body of this part of ISO/IEC ISP 12063 and the tables in this annex, this annex is to take precedence.

NOTE - The tables and other material in this annex replace the corresponding clauses of annex A of ISO/IEC ISP 10611-4 or should otherwise be inserted as appropriate.

Clause A.1 specifies the basic requirements for conformance to profiles AMH33 and AMH35. Clause A.2 specifies additional requirements to those specified in clause A.1 for each of the optional functional groups if conformance to such a functional group is claimed. Clause A.3 allows additional information to be provided for certain aspects of an implementation where no specific requirements are included in ISO/IEC ISP 12063 or in ISO/IEC ISP 10611. All three clauses shall be completed as appropriate.

In each table, the "Base" column reflects the level of support required for conformance to the base standard and the "Profile" column specifies the level of support required by this part of ISO/IEC ISP 12063 (using the classification and notation defined in 3.2).

The generic term "MTS-user" is used in the tables in this annex where the distinction between different types of MTS-user is not significant. Where a column is headed "UA", then an MS is only required to be able to pass through such elements transparently between a UA and the MTA.

The "Ref" column is provided for cross-referencing purposes. The notation employed for references also indicates composite elements which contain sub-elements (a sub-element reference is prefixed by the reference of the composite element). The convention is 'subclause number' / 'item number'.
E.g. the PICS serial number in A.0.1 on the next page is referenced as A.0.1/2.

The "Support" column is provided for completion by the supplier of the implementation as follows:

Y	the element or feature is fully supported (i.e. satisfying the requirements of the m profile support classification)
Y-	the element or feature is minimally supported (i.e. satisfying the requirements of the m-profile support classification)
N	the element or feature is not supported, further qualified to indicate the action taken on receipt of such an element as follows: ND - the element is discarded/ignored NR - the PDU is rejected (with an appropriate error indication where applicable)
– or blank	the element or feature is not applicable (i.e. a major feature or composite protocol element which includes this element or feature is not supported or is minimally supported)

¹Copyright release for ISPICS proformas

Users of this International Standardized Profile may freely reproduce the ISPICS proforma in this annex so that it can be used for its intended purpose and may further publish the completed ISPICS.

A.0 Identification of the implementation**A.0.1 Identification of PICS**

Ref	Question	Response
1	Date of statement (YYYY-MM-DD)	
2	PICS serial number	
3	System conformance statement cross reference	

A.0.2 Identification of IUT

Ref	Question	Response
1	Implementation name	
2	Implementation version	
3	Hardware name	
4	Hardware version	
5	Operating system name	
6	Operating system version	
7	Special configuration	
8	Other information	

A.0.3 Identification of supplier

Ref	Question	Response
1	Organization name	
2	Contact name(s)	
3	Address	
4	Telephone number	
5	Telex number	
6	Fax number	
7	E-mail address	
8	Other information	

A.0.4 Identification of protocol

Ref	Question	Response
1	Title, reference number and date of publication of the protocol standard	
2	Protocol version(s)	not applicable
3	Addenda/amendments/corrigenda implemented	
4	Defect reports implemented	not applicable

A.0.5 Type of implementation

Ref	Implementation Type	Response
1	MTS-user (UA or MS)	
2	MTA	

NOTE - A separate PICS shall be completed for each implementation type for which conformance is claimed.

A.0.6 Global statement of conformance

Ref	Question	Response
1	Are all mandatory base standards requirements implemented?	

A.0.7 Statement of profile conformance

Ref	Question	Response	Comments
1	Are all mandatory requirements of profile AMH12 implemented ?		
2	Implemented profiles		
2.1	Are all mandatory requirements of profile AMH33 implemented ?		
2.2	Are all mandatory requirements of profile AMH35 implemented?		
3	Are all mandatory requirements of any of the following optional functional groups implemented?		
3.1	EDI Conversion (CV)		not applicable in the case of an MS
3.2	EDI Distribution List (DL)		only applicable in the case of an MTA
3.3	EDI Physical Delivery (PD)		not applicable in the case of an MS
3.4	EDI Redirection (RED)		not applicable in the case of an MS
3.5	EDI Latest Delivery (LD)		not applicable in the case of an MS
3.6	EDI Security		class(es):
3.7	EDI Use of Directory (DIR)		not applicable in the case of an MS
3.8	EDI Simple Protected Password (SPP)		
3.10	EDI Redirection Instructions (RED2)		not applicable in the case of an MS
3.11	EDI Delivery Constraints (DC)		not applicable in the case of an MS
3.12	EDI Restricted Delivery (RD)		not applicable in the case of an MS

Annex B

(normative)

ISPICS Requirements List for ISO/IEC ISP 12063-4 (AMH33 and AMH35)

In the event of a discrepancy becoming apparent in the body of this part of ISO/IEC ISP 12063 and the tables in this annex, this annex is to take precedence.

This annex specifies the support constraints and characteristics of ISO/IEC ISP 12063-4 on what shall or may appear in the implementation columns of an ISPICS. Such requirements are additional to those specified in annex A of ISO/IEC ISP 10611-4 as modified by annex A of this part of ISO/IEC ISP 12063 (references are to the corresponding table entries in those annexes).

NOTE - This annex only specifies additional requirements for MTS-users. The support requirements for MTAs are as specified in annex A of ISO/IEC ISP 10611-4.

Clause B.1 specifies the basic requirements for conformance to profiles AMH33 and AMH35. Clause B.2 specifies additional requirements to those specified in clause B.1 for each of the optional functional groups if conformance to such a functional group is claimed.

In each table, the "Profile" column specifies the level of support required by this part of ISO/IEC ISP 12063 (using the classification and notation defined in 3.2). The supplier of an implementation for which conformance to profiles AMH33 and AMH35 is claimed should complete the Support column of the tables in annex A of ISO/IEC ISP 10611-4 as modified by annex A of this part of ISO/IEC ISP 12063 in accordance with the requirements contained therein together with any additional requirements in this annex in the case of an MTS-user implementation.

The "Ref" column is provided for cross-referencing purposes. The notation employed for references also indicates composite elements which contain sub-elements (a sub-element reference is prefixed by the reference of the composite element).

B.1 Basic requirements

B.1.1 Supported application contexts

There are no additional requirements to those specified in subclause A.1.1 of ISO/IEC ISP 10611-4.

B.1.2 Supported operations

The following requirements are additional to those specified in subclause A.1.2.2 of ISO/IEC ISP 10611-4.

Ref	Operation	Profile	Notes/References
3	CancelDeferredDelivery	m	

B.1.3 Operation arguments/results

There are no additional requirements to those specified in subclause A.1.3 of ISO/IEC ISP 10611-4.

B.1.4 MessageSubmissionEnvelope

The following requirements are additional to those specified in subclause A.1.4 of ISO/IEC ISP 10611-4.

Ref	Element	Profile	Notes/References
7	deferred-delivery-time	m	

B.1.5 ProbeSubmissionEnvelope

There are no additional requirements to those specified in subclause A.1.5 of ISO/IEC ISP 10611-4.

B.1.6 MessageDeliveryEnvelope

The following requirements are additional to those specified in subclause A.1.6 of ISO/IEC ISP 10611-4.

Ref	Element	Profile	Notes/References
3.12.19	dl-expansion-history	m	

B.1.7 ReportDeliveryEnvelope

There are no additional requirements to those specified in subclause A.1.7 of ISO/IEC ISP 10611-4.

B.1.8 Common data types

The following requirements are additional to those specified in subclause A.1.8 of ISO/IEC ISP 10611-4.

Ref	Element	Profile	Notes/References
5.1	disclosure-of-other-recipients	m	
5.3	alternate-recipient-allowed	m	

B.1.9 Extension data types

There are no additional requirements to those specified in subclause A.1.9 of ISO/IEC ISP 10611-4.

B.1.10 OR-names

The following requirements are additional to those specified in subclause A.1.10 of ISO/IEC ISP 10611-4.

Ref	Element	Profile	Notes/References
2	numeric OR-address	m	
3	terminal OR-address	m	

B.2 Optional functional groups

The following requirements are additional to those specified in clause A.1 if support of the functional group is claimed.

B.2.1 EDI Conversion (CV)

There are no additional requirements to those specified for the Common Messaging CV FG in subclause A.2.1 of ISO/IEC ISP 10611-4.

B.2.2 EDI Distribution List (DL)

There are no additional requirements to those specified for the Common Messaging DL FG in subclause A.2.2 of ISO/IEC ISP 10611-4.

B.2.3 EDI Physical Delivery (PD)

There are no additional requirements to those specified for the Common Messaging PD FG in subclause A.2.3 of ISO/IEC ISP 10611-4.

B.2.4 EDI Redirection (RED)

The following requirements are additional to those specified for the Common Messaging RED FG in subclause A.2.4 of ISO/IEC ISP 10611-4.

B.2.4.1 MessageSubmissionEnvelope

Specified in subclause A.1.4 of ISO/IEC ISP 10611-4.

Ref	Element	Profile	Notes/References
9.4.1	originator-requested-alternate-recipient	m	

B.2.4.2 ProbeSubmissionEnvelope

Specified in subclause A.1.5 of ISO/IEC ISP 10611-4.

Ref	Element	Profile	Notes/References
8.4.1	originator-requested-alternate-recipient	m	

B.2.4.3 MessageDeliveryEnvelope

Specified in subclause A.1.6 of ISO/IEC ISP 10611-4.

Ref	Element	Profile	Notes/References
3.12.18	redirection-history	m	

B.2.4.4 ReportDeliveryEnvelope

Specified in subclause A.1.7 of ISO/IEC ISP 10611-4.

Ref	Element	Profile	Notes/References
6.7.1	redirection-history	m	

B.2.4.5 Register Operation

Specified in subclause A.1.3.9 of ISO/IEC ISP 10611-4.

Ref	Element	Profile	Notes/References
1.7	labels-and-redirections	m	
1.7.2	recipient-assigned-alternate-recipient	m	

B.2.5 EDI Latest Delivery (LD)

There are no additional requirements to those specified for the Common Messaging LD FG in subclause A.2.5 of ISO/IEC ISP 10611-4.

B.2.6 EDI Security (S0, S0C, S1, S1C, S2, S2C)

There are no additional requirements to those specified for the Common Messaging SEC FG in subclause A.2.7 of ISO/IEC ISP 10611-4.

B.2.7 EDI Use of Directory (DIR)

There are no additional requirements to those specified for the Common Messaging DIR FG in subclause A.2.8 of ISO/IEC ISP 10611-4.