

INTERNATIONAL
STANDARDIZED
PROFILE

ISO/IEC
ISP
12063-5

First edition
1995-07-15

**Information technology — International
Standardized Profiles AMH3n — Message
Handling Systems — EDI Messaging —**

Part 5:

AMH34 — EDIMG Requirements for
Enhanced MS Access (P7)

*Technologies de l'information — Profils normalisés internationaux
AMH3n — Systèmes de messagerie — Messagerie EDI —*

Partie 5: AMH34 — Exigences EDIMG pour accès amélioré à MS (P7)



Reference number
ISO/IEC ISP 12063-5:1995(E)

Contents

	Page
Foreword	iii
Introduction.....	iv
1 Scope	1
2 Normative references	2
3 Definitions	3
4 Abbreviations.....	4
5 Conformance.....	4

Annexes

A ISPICS Proforma for ISO/IEC 12063-5 (AMH34)	6
B ISPICS Requirements List for ISO/IEC 12063-5 (AMH34).....	13
C Amendments and corrigenda	19

© ISO/IEC 1995

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

ISO/IEC Copyright Office • Case Postale 56 • CH-1211 Genève 20 • Switzerland

Printed in Switzerland

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC1. In addition to developing International Standards, ISO/IEC JTC1 has created a Special Group on Functional Standardization for the elaboration of International Standardized Profiles.

An International Standardized Profile is an internationally agreed, harmonized document which identifies a standard or group of standards, together with options and parameters, necessary to accomplish a function or set of functions.

International Standardized Profile ISO/IEC ISP 12063-5 was prepared with the collaboration of:

- OSI Asia-Oceania Workshop (AOW)
- European Workshop for Open Systems (EWOS), jointly with the European Telecommunications Standards Institute (ETSI)
- OSE Implementors' Workshop (OIW)

ISO/IEC ISP 12063 consists of the following parts, under the general title *Information technology - International Standardized Profiles AMH3n - Message Handling Systems - EDI Messaging*:

- Part 1 : *EDIMG MHS Service Support*
- Part 2 : *AMH31 - EDIMG Content*
- Part 3 : *AMH32 - EDIMG Requirements for Message Transfer (P1)*
- Part 4 : *AMH33 - EDIMG Requirements for MTS Access (P3)*
- Part 5 : *AMH34 - EDIMG Requirements for Enhanced MS Access (P7)*

Annexes A, B and C form an integral part of this part of ISO/IEC ISP 12063.

Introduction

This part of ISO/IEC ISP 12063 is defined within the context of Functional Standardization, in accordance with the principles specified by ISO/IEC TR 10000, "Framework and Taxonomy of International Standardized Profiles". The context of Functional Standardization is one part of the overall field of Information Technology (IT) standardization activities, covering base standards, profiles, and registration mechanisms. A profile defines a combination of base standards that collectively perform a specific well-defined IT function. Profiles standardize the use of options and other variations in the base standards, and provide a basis for the development of uniform, internationally recognized system tests.

One of the most important roles for an ISP is to serve as the basis for the development (by organizations other than ISO and IEC) of internationally recognized tests. ISPs are produced not simply to 'legitimize' a particular choice of base standards and options, but to promote real system interoperability. The development and widespread acceptance of tests based on this and other ISPs is crucial to the successful realization of this goal.

The text for this part of ISO/IEC ISP 12063 was developed in close cooperation between the MHS Expert Groups of the three Regional Workshops: the North American OSE Implementors' Workshop (OIW), the European Workshop for Open Systems (EWOS) (jointly with the corresponding expert group of the European Telecommunications Standards Institute - ETSI) and the OSI Asia-Oceania Workshop (AOW). This part of ISO/IEC ISP 12063 is harmonized between these three Workshops and it has been ratified by the plenary assemblies of all three Workshops.

Information technology – International Standardized Profiles AMH3n – Message Handling Systems – EDI Messaging –

Part 5 : AMH34 – EDIMG Requirements for Enhanced MS Access (P7)

1 Scope

1.1 General

This part of ISO/IEC ISP 12063 covers access to a message store (EDI-MS) in an EDI Messaging (EDIMG) environment using the P7 MS Access Protocol (see also figure 1). These specifications form part of the EDI Messaging application functions, as defined in the parts of ISO/IEC ISP 12063, and are based on the Common Messaging content type-independent specifications in ISO/IEC ISP 10611.

The type of MS access specified in this part of ISO/IEC ISP 12063 allows an EDI user agent (EDI-UA) to interact with an MS in a full and flexible manner without having to retrieve complete messages. Minimal attribute support for MS access in an EDIMG environment can be specified by claiming conformance to profile AMH13 with an additional claim of support of EDI-MS attributes (see subclause A.3.1 of ISO/IEC ISP 10611-5). Annex A of this part of ISO/IEC ISP 12063 may be used in such a case.

1.2 Position within the taxonomy

This part of ISO/IEC ISP 12063 is the fifth part of a multipart ISP identified in ISO/IEC TR 10000-2 as “AMH3, Message Handling Systems - EDI Messaging” (see also ISO/IEC TR 10000-1, subclause 8.2 for the definition of multipart ISPs).

This part of ISO/IEC ISP 12063 specifies the following profile:

AMH34 - EDIMG Requirements for Enhanced MS Access (P7)

The AMH34 profile may be combined with any T-Profiles (see ISO/IEC TR 10000) specifying the OSI connection-mode Transport service.

1.3 Scenario

The model used is one of access to an EDI message store (EDI-MS) by an EDI MS-user - specifically, the intercommunication between an EDI MS and an EDI MS-user (i.e. an EDI user agent) using the P7 protocol, as shown in figure 1.




Figure 1 - AMH34 scenario

The AMH34 profile covers all aspects of the MS Abstract Service, as defined in ISO/IEC 10021-5, when realised using the P7 protocol in an EDIMG environment.

The OSI upper layer services and protocols to support the Message Handling Systems functions covered by the AMH34 profile are specified in subclause 1.3 of ISO/IEC ISP 10611-5.

2 Normative references

The following documents contain provisions which, through reference in this text, constitute provisions of this part of ISO/IEC ISP 12063. At the time of publication, the editions indicated were valid. All documents are subject to revision, and parties to agreements based on this part of ISO/IEC ISP 12063 are warned against automatically applying any more recent editions of the documents listed below, since the nature of references made by ISPs to such documents is that they may be specific to a particular edition. Members of IEC and ISO maintain registers of currently valid International Standards and ISPs, and the Telecommunications Standardization Bureau of the ITU maintains a list of currently valid ITU-T Recommendations.

Amendments and corrigenda to the base standards referenced are listed in annex C.

NOTE - References in the body of this part of ISO/IEC 12063 to specific clauses of ISO/IEC documents refer also to the corresponding clauses of the equivalent ITU-T Recommendations (as noted below) unless otherwise stated.

ISO/IEC TR 10000-1: 1992, *Information technology - Framework and taxonomy of International Standardized Profiles - Part 1: Framework.*

ISO/IEC TR 10000-2: 1994, *Information technology - Framework and taxonomy of International Standardized Profiles - Part 2: Principles and taxonomy for OSI profiles.*

ISO/IEC 10021-1: 1990, *Information technology - Text Communication - Message-Oriented Text Interchange Systems (MOTIS) - Part 1: System and Service Overview. [see also CCITT Recommendation F.400(1992)]*

ISO/IEC 10021-2: 1990, *Information technology - Text Communication - Message-Oriented Text Interchange Systems (MOTIS) - Part 2: Overall Architecture. [see also CCITT Recommendation X.402(1992)]*

ISO/IEC 10021-5: 1990, *Information technology - Text Communication - Message-Oriented Text Interchange Systems (MOTIS) - Part 5: Message Store: Abstract Service Definition. [see also CCITT Recommendation X.413(1992)]*

ISO/IEC 10021-6: 1990, *Information technology - Text Communication - Message-Oriented Text Interchange Systems (MOTIS) - Part 6: Protocol Specifications. [see also CCITT Recommendation X.419(1992)]*

ISO/IEC 10021-8: 1995, *Information technology - Text Communication - Message Handling Systems - Part 8 : Electronic Data Interchange Messaging Service. [see also CCITT Recommendation F.435(1991)]*

ISO/IEC 10021-9: 1995, *Information technology - Text Communication - Message Handling Systems - Part 9 : Electronic Data Interchange Messaging System. [see also CCITT Recommendation X.435(1991)]*

ISO/IEC ISP 10611-5: 1994, *Information technology - International Standardized Profiles AMH1n - Message Handling Systems - Common Messaging - Part 5: AMH13 - MS Access (P7).*

ISO/IEC ISP 12063-1: 1995, *Information technology - International Standardized Profiles AMH3n - Message Handling Systems - EDI Messaging - Part 1: EDIMG MHS Service Support.*

ISO/IEC ISP 12063-2: 1995, *Information technology - International Standardized Profiles AMH3n - Message Handling Systems - EDI Messaging - Part 2: AMH31 - EDIMG Content.*

CCITT Recommendation F.400(1992), *Message handling services: Message handling system and service overview.*

CCITT Recommendation F.435(1991), *Message handling: EDI messaging service.*

CCITT Recommendation X.402(1992), *Message handling systems: Overall architecture.*

CCITT Recommendation X.413(1992), *Message handling systems - Message store: Abstract service definition.*

CCITT Recommendation X.419(1992), *Message handling systems - Protocol specifications.*

CCITT Recommendation X.435(1991), *Message handling systems: EDI messaging system.*

3 Definitions

For the purposes of this part of ISO/IEC ISP 12063, the following definitions apply.

Terms used in this part of ISO/IEC ISP 12063 are defined in the referenced base standards; in addition, the following terms are defined.

3.1 General

3.1.1 basic requirement : An Element of Service, protocol element, procedural element or other identifiable feature specified in the base standards which is required to be supported by all MHS implementations.

3.1.2 functional group : A specification of one or more related Elements of Service, protocol elements, procedural elements or other identifiable features specified in the base standards which together support a significant optional area of MHS functionality.

NOTE - A functional group can cover any combination of MHS features specified in the base standards for which the effect of implementation can be determined at a standardized external interface - i.e. via a standard OSI communications protocol (other forms of exposed interface, such as a standardized programmable interface, are outside the scope of this version of ISO/IEC ISP 12063).

3.2 Support classification

To specify the support level of operations, arguments, results, attributes and other protocol features for this part of ISO/IEC ISP 12063, the following terminology is defined.

The following classifications are used in this part of ISO/IEC ISP 12063 to specify static conformance requirements - i.e. capability.

In the case of arguments and results (protocol elements), the classification is relative to that of the containing element, if any. Where the constituent elements of a non-primitive element are not individually specified, then each shall be considered to have the classification of that element. Where the range of values to be supported for an element is not specified, then all values defined in the MHS base standards shall be supported.

3.2.1 mandatory support (m) : The element or feature shall be fully supported. An implementation shall be able to generate the element, and/or receive the element and perform all associated procedures (i.e. implying the ability to handle both the syntax and the semantics of the element) as relevant, as specified in the MHS base standards. Where support for origination (generation) and reception are not distinguished, then both capabilities shall be assumed. Mandatory support of an MS attribute requires that it is supported in the context of all applicable supported operation arguments and results and also for use within a selector to the level of support claimed for the filter item. The way in which attribute values are stored by an MS implementation, or used by a UA implementation, is otherwise a local matter.

3.2.1 optional support (o) : An implementation is not required to support the element or feature. If support is claimed, the element shall be treated as if it were specified as mandatory support. If support is not claimed, and the element is an argument, then an implementation shall generate an appropriate error indication if the element is received. If support is not claimed, and the element is a result, then an implementation may ignore the element if it is received.

4 Abbreviations

AF	Automatic Forwarding
ASN.1	Abstract Syntax Notation One
DIR	Use of Directory
EDI	Electronic data interchange
EDI-MS	EDI message store
EDI-UA	EDI user agent
EDIFACT	EDI For Administration, Commerce and Transport
EDIM	EDI Message
EDIMG	EDI Messaging
EDIN	EDI Notification
EH	EDIFACT Heading fields
EIT	Encoded information type
FG	Functional group
FN	Forwarded notification
ISP	International Standardized Profile
ISPICS	International Standard Protocol Implementation Conformance Statement
LD	Latest Delivery
MF	Manual Forwarding
MHS	Message Handling Systems
MPB	Multi part body
MS	Message store
MT	Message transfer
MTA	Message transfer agent
MTS	Message Transfer System
NN	Negative notification
OSI	Open Systems Interconnection
PD	Physical delivery
Pedi	Protocol for electronic data interchange
PN	Positive notification
SEC	Security
UA	User agent

Support level for protocol elements and features (see 3.2):

m	mandatory support
o	optional support

5 Conformance

This part of ISO/IEC ISP 12063 states requirements upon implementations to achieve interworking. A claim of conformance to this part of ISO/IEC ISP 12063 is a claim that all requirements in the relevant base standards are satisfied, and that all requirements in the following clauses and in annexes A and B of this part of ISO/IEC ISP 12063 are satisfied.

5.1 Conformance statement

For each implementation claiming conformance to profile AMH34 as specified in this part of ISO/IEC ISP 12063, a PICS shall be made available stating support or non-support of each option identified in this part of ISO/IEC ISP 12063.

The scope of conformance to profile AMH34 covers both EDI-MSs and EDI-MS-users (i.e. UAs). A claim of conformance to profile AMH34 shall confirm that the implementation supports profile AMH13 as specified in ISO/IEC ISP 10611-5 and shall state whether the implementation supports EDI-MS or EDI-MS-user functionality.

A claim of conformance to profile AMH34 as an MS-user shall confirm that the implementation supports profile AMH31 as specified in ISO/IEC ISP 12063-2.

5.2 MHS conformance

This part of ISO/IEC ISP 12063 specifies implementation options or selections such that conformant implementations will satisfy the conformance requirements of ISO/IEC 10021 and the ITU-T X.400 series of Recommendations.

Implementations conforming to profile AMH34 as specified in this part of ISO/IEC ISP 12063 shall conform to the basic requirements of profile AMH13, as specified in ISO/IEC ISP 10611-5.

Implementations conforming to profile AMH34 as specified in this part of ISO/IEC ISP 12063 shall additionally implement all the mandatory support (m) features identified as basic requirements in annexes A and B except those features that are components of an unimplemented optional feature. It shall be stated which optional support (o) features are implemented.

For implementations conforming to profile AMH34 as specified in this part of ISO/IEC ISP 12063, it shall be stated whether or not they support any of the optional functional groups as specified in ISO/IEC ISP 12063-1 which are applicable to the scope of this profile and to the role (i.e. MS or MS-user) for which conformance is claimed. For each functional group for which support is claimed, an implementation shall additionally implement all the mandatory support (m) features identified for that functional group in annex B except those features that are components of an unimplemented optional feature. It shall be stated which optional support (o) features are implemented.

Implementations shall support the procedures associated with supported protocol elements as specified in the base standards and as further specified in ISO/IEC ISP 12063-1. The MHS Elements of Service corresponding to such procedures are indicated in annex A of ISO/IEC ISP 12063-1.

5.3 Underlying layers conformance

Implementations conforming to profile AMH34 as specified in this part of ISO/IEC ISP 12063 shall also meet the requirements for support of underlying layers as specified in subclause 5.3 of ISO/IEC ISP 10611-5.

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC ISP 12063-5:1995

Annex A¹

(normative)

ISPICS Proforma**for ISO/IEC ISP 10611-5 (AMH13)**

This annex modifies the P7 ISPICS proforma as contained in annex A of ISO/IEC ISP 10611-5 for the purposes of conformance to the AMH34 profile.

NOTE - The tables and other material in this annex replace the corresponding clauses of annex A of ISO/IEC ISP 10611-5 or should otherwise be inserted as appropriate.

In the event of a discrepancy becoming apparent in the body of this part of ISO/IEC ISP 12063 and the tables in this annex, this annex is to take precedence.

Clause A.1 specifies the basic requirements for conformance to profile AMH34. Clause A.2 specifies additional requirements to those specified in clause A.1 for each of the optional functional groups if conformance to such a functional group is claimed. Clause A.3 allows additional information to be provided for certain aspects of an implementation where no specific requirements are included in ISO/IEC ISP 12063 or in ISO/IEC ISP 10611. All three clauses shall be completed as appropriate.

In each table, the "Base" column reflects the level of support required for conformance to the base standard and the "Profile" column specifies the level of support required by this part of ISO/IEC ISP 12063 (using the classification and notation defined in 3.2).

The "Ref" column is provided for cross-referencing purposes. The notation employed for references also indicates composite elements which contain sub-elements (a sub-element reference is prefixed by the reference of the composite element). The convention is 'subclause number' / 'item number'. E.g. the PICS serial number in A.0.1 on the next page is referenced as A.0.1/2.

The "Support" column is provided for completion by the supplier of the implementation as follows:

- | | |
|------------|--|
| Y | the element or feature is fully supported (i.e. satisfying the requirements of the m profile support classification) |
| N | the element or feature is not supported, further qualified to indicate the action taken on receipt of such an element as follows:
ND - the element is discarded/ignored
NR - the PDU is rejected (with an appropriate error indication where applicable) |
| - or blank | the element or feature is not applicable (i.e. a major feature or composite protocol element which includes this element or feature is not supported) |

¹Copyright release for ISPICS proformas

Users of this International Standardized Profile may freely reproduce the ISPICS proforma in this annex so that it can be used for its intended purpose and may further publish the completed ISPICS.

A.0 Identification of the implementation**A.0.1 Identification of PICS**

Ref	Question	Response
1	Date of statement (DD/MM/YY)	
2	PICS serial number	
3	System conformance statement cross reference	

A.0.2 Identification of IUT

Ref	Question	Response
1	Implementation name	
2	Implementation version	
3	Hardware name	
4	Hardware version	
5	Operating system name	
6	Operating system version	
7	Special configuration	
8	Other information	

A.0.3 Identification of supplier

Ref	Question	Response
1	Organization name	
2	Contact name(s)	
3	Address	
4	Telephone number	
5	Telex number	
6	Fax number	
7	E-mail address	
8	Other information	

A.0.4 Identification of protocol

Ref	Question	Response
1	Title, reference number and date of publication of the protocol standard	
2	Protocol version(s)	not applicable
3	Addenda/amendments/corrigenda implemented	
4	Defect reports implemented	not applicable

A.0.5 Type of implementation

Ref	Implementation Type	Response
1	MS-user (UA)	
2	MS (co-located with MTA)	
3	MS (P3 interface to MTA)	

NOTE - A separate PICS shall be completed for each implementation type for which conformance is claimed.

A.0.6 Global statement of conformance

Ref	Question	Response
1	Are all mandatory base standards requirements implemented?	

A.0.7 Statement of profile conformance

Ref	Question	Response	Comments
1	Are all mandatory requirements of profile AMH13 implemented?		
2	Are all mandatory requirements of profile AMH34 implemented ?		
3	Are all mandatory requirements of any of the following optional functional groups implemented?		
3.1	EDI Physical Delivery (PD)		not applicable in the case of an MS
3.2	EDI Forwarding,		class(es):
3.3	EDI Latest Delivery (LD)		not applicable in the case of an MS
3.4	EDI Security		class(es):
3.5	EDI Use of Directory (DIR)		not applicable in the case of an MS
3.6	EDI Multi-Part Body (MPB)		
3.7	EDI EDIFACT Heading fields (EH)		

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC ISP 12063-5:1995

A.1.12 EDI-specific attributes

Ref	Element	UA		MS		Support	Notes/References
		Base	Profile	Base	Profile		
1	acknowledgement-request-for-this-recipient	o	o	o			
2	action-request-for-this-recipient	o	o	o	o		
3	application-reference	o	o	o	o		
4	authorisation-information-for-this-recipient	o	o	o	o		
5	body	m	m	m	m		
6	communications-agreement-id-for-this-recipient	o	o	o	o		
7	cross-referencing-information	o	o	o	o		
8	date-and-time-of-preparation	m	m	m	m		
9	edi-application-security-elements	o	o	o	o		
10	edi-application-security-extensions	o	o	o	o		
11	edi-body-part	m	m	m	m		
12	edi-bodypart-type	m	m	m	m		
13	edi-message-type	m	m	m	m		
14	edi-notification-indicator	o	m	o	m		
15	edi-notification-requests-for-this-recipient	o	o	o	m		
16	edi-notification-security-for-this-recipient	o	o	o	o		
17	edi-reception-security-for-this-recipient	o	o	o	o		
18	edim-body-part	o	o	o	o		
19	edim-synopsis	o	o	o	o		
20	edims-entry-type	m	m	m	m		
21	edin-initiator	o	o	o	o		

Ref	Element	UA		MS		Support	Notes/References
		Base	Profile	Base	Profile		
22	edin-originator	o	o	o	o		
23	edin-receiver	o	o	o	o		
24	expiry-time	o	o	o	m		
25	externally-defined-body-part-types	o	o	o	o		
26	first-recipient	o	o	o	o		
27	fn-extensions	o	o	o	o		
28	fn-reason-code	o	o	o	m		
29	fn-supplementary-information	o	o	o	o		
30	forwarded-to	o	o	o	m		
31	heading	m	m	m	m		
32	heading-extensions	o	o	o	o		
33	incomplete-copy	o	o	o	o		
34	interchange-control-reference-for-this-recipient	m	m	m	m		
35	interchange-length	o	o	o	m		
36	interchange-recipient-for-this-recipient	m	m	m	m		
37	interchange-sender	m	m	m	m		
38	message-data	o	o	o	o		
39	message-parameters	o	o	o	o		
40	nn-extensions	o	o	o	o		
41	nn-reason-code	o	o	o	m		
42	nn-supplementary-information	o	o	o	o		
43	notification-security-elements	o	o	o	o		
44	notification-time	o	o	o	m		
45	notification-extensions	o	o	o	o		
46	obsoleted-edims	o	o	o	o		

Ref	Element	UA		MS		Support	Notes/References
		Base	Profile	Base	Profile		
47	originator	o	o	o	m		
48	pn-extensions	o	o	o	o		
49	pn-supplementary-information	o	o	o	o		
50	processing-priority-code-for-this-recipient	o	o	o	o		
51	recipient-extensions-for-this-recipient	o	o	o	o		
52	recipient-reference-for-this-recipient	o	o	o	o		
53	related-messages	o	o	o	m		
54	responsibility-forwarded	o	o	o	o		
55	responsibility-passing-allowed-for-this-recipient	o	o	o	o		
56	service-string-advice	o	o	o	o		
57	subject-edim	m	m	m	m		
58	syntax-identifier	m	m	m	m		
59	test-indicator-for-this-recipient	o	o	o	o		
60	this-edim	m	m	m	m		
61	this-recipient	o	o	o	o		

Annex B

(normative)

ISPICS Requirements List for ISO/IEC ISP 12063-5 (AMH34)

In the event of a discrepancy becoming apparent in the body of this part of ISO/IEC ISP 12063 and the tables in this annex, this annex is to take precedence.

This annex specifies the support constraints and characteristics of ISO/IEC ISP 12063-5 on what shall or may appear in the implementation columns of an ISPICS. Such requirements are additional to those specified in annex A of ISO/IEC 10611-5 and annex A of this part of ISO/IEC 12063 (reference numbers correspond to items in annex A of ISO/IEC 10611-5 or to subclause A.1.12 in this part of ISO/IEC 12063).

Clause B.1 specifies the basic requirements for conformance to profile AMH34. Clause B.2 specifies additional requirements to those specified in clause B.1 for each of the optional functional groups if conformance to such a functional group is claimed.

In each table, the "Profile" column specifies the level of support required by this part of ISO/IEC ISP 12063 (using the classification and notation defined in 3.2). The supplier of an implementation for which conformance to profile AMH34 is claimed should complete the Support column of the tables in annex A of ISO/IEC ISP 10611-5 as modified by annex A of this part of ISO/IEC ISP 12063 in accordance with the requirements contained therein together with any additional requirements in this annex for the type of implementation (i.e. MS or MS-user) in question.

The "Ref" column is provided for cross-referencing purposes. The notation employed for references also indicates composite elements which contain sub-elements (a sub-element reference is prefixed by the reference of the composite element).

STANDARDSISO.COM : Click to view the full text of ISO/IEC ISP 12063-5:1995

B.1 Basic requirements**B.1.1 Supported application contexts**

There are no additional requirements to those specified in subclause A.1.1 of ISO/IEC ISP 10611-5.

B.1.2 Supported operations**B.1.2.2 Message Submission Service Element (MSSE)**

The following requirements are additional to those specified in subclause A.1.2.2 of ISO/IEC ISP 10611-5.

Ref	Attribute	Profile		Notes/References
		EDI-UA	EDI-MS	
3	CancelDeferredDelivery	m		

B.1.3 Operation arguments/results

There are no additional requirements to those specified in subclause A.1.3 of ISO/IEC ISP 10611-5.

B.1.4 MessageSubmissionEnvelope

The following requirements are additional to those specified in subclause A.1.4 of ISO/IEC ISP 10611-5.

Ref	Attribute	Profile		Notes/References
		EDI-UA	EDI-MS	
7	deferred-delivery-time	m		

B.1.5 ProbeSubmissionEnvelope

There are no additional requirements to those specified in subclause A.1.5 of ISO/IEC ISP 10611-5.

B.1.6 AutoForwardRegistrationParameter

There are no additional requirements to those specified in subclause A.1.6 of ISO/IEC ISP 10611-5.

B.1.7 AutoAlertRegistrationParameter

There are no additional requirements to those specified in subclause A.1.7 of ISO/IEC ISP 10611-5.

B.1.8 Common data types

The following requirements are additional to those specified in subclause A.1.8 of ISO/IEC ISP 10611-5.

Ref	Attribute	Profile		Notes/References
		EDI-UA	EDI-MS	
5.1	disclosure-of-other-recipients	m		
5.3	alternate-recipient-allowed	m		

B.1.9 Extension data types

There are no additional requirements to those specified in subclause A.1.9 of ISO/IEC ISP 10611-5.

B.1.10 O/R names

The following requirements are additional to those specified in subclause A.1.10 of ISO/IEC ISP 10611-5.

Ref	Attribute	Profile		Notes/References
		EDI-UA	EDI-MS	
1	numeric O/R address	m		
2	terminal O/R address	m		

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC ISP 12063-5:1995