

ISO

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION

ISO RECOMMENDATION

R 1661

TECHNICAL DRAWINGS
TOLERANCES OF FORM AND OF POSITION

PART IV
PRACTICAL EXAMPLES OF INDICATIONS ON DRAWINGS

1st EDITION

April 1971

COPYRIGHT RESERVED

The copyright of ISO Recommendations and ISO Standards belongs to ISO Member Bodies. Reproduction of these documents, in any country, may be authorized therefore only by the national standards organization of that country, being a member of ISO.

For each individual country the only valid standard is the national standard of that country.

Printed in Switzerland

Also issued in French and Russian. Copies to be obtained through the national standards organizations.

BRIEF HISTORY

The ISO Recommendation R 1661, *Technical drawings – Tolerances of form and of position – Part IV : Practical examples of indications on drawings*, was drawn up by Technical Committee ISO/TC 10, *Drawings (General principles)*, the Secretariat of which is held by the Association Suisse de Normalisation (SNV).

Work on this question led to the adoption of Draft ISO Recommendation No. 1661, which was circulated to all the ISO Member Bodies for enquiry in September 1968. It was approved, subject to a few modifications of an editorial nature, by the following Member Bodies :

Austria	Iran	Spain
Belgium	Israel	Sweden
Chile	Italy	Switzerland
Czechoslovakia	Japan	Thailand
Denmark	Korea, Rep. of	Turkey
Finland	Netherlands	U.A.R.
France	New Zealand	United Kingdom
Germany	Norway	U.S.A.
Greece	Poland	U.S.S.R.
Hungary	Portugal	
India	Romania	

The following Member Body opposed the approval of the Draft :

Australia

This Draft ISO Recommendation was then submitted by correspondence to the ISO Council, which decided to accept it as an ISO RECOMMENDATION.

FOREWORD

This ISO Recommendation is a part of the following series :

ISO/R 1101, *Technical drawings – Tolerances of form and of position – Part I : Generalities, symbols, indications on drawings;*

ISO/R . . .*, *Technical drawings – Tolerances of form and of position – Part II : Maximum material principle;*

ISO/R 1660, *Technical drawings – Tolerances of form and of position – Part III : Dimensioning and tolerancing of profiles;*

ISO/R 1661, *Technical drawings – Tolerances of form and of position – Part IV : Practical examples of indications on drawings.*

STANDARDSISO.COM : Click to view the full PDF of ISO/R 1661:1971

* In preparation.

CONTENTS

	Page
1. Scope	5
2. Examples	6
Fig. 1 — Part of a crankshaft	6
Fig. 2 — Packing ring of a pump	7
Fig. 3 — Friction wheel	8
Fig. 4 — Roller	9
Fig. 5 — Arbor for milling cutters	10
Fig. 6 — Inner ring for tapered roller bearing	11
Fig. 7 — Ball bearing inner ring	12
Fig. 8 — Cam	13
Fig. 9 — Drawings in which dimensions are shown in tabular form	14
Fig. 10 — Drilling jig	15

STANDARDSISO.COM : Click to view the full PDF of ISO/R 1661:1971

TECHNICAL DRAWINGS
TOLERANCES OF FORM AND OF POSITION
PART IV
PRACTICAL EXAMPLES OF INDICATIONS ON DRAWINGS

INTRODUCTORY NOTE

For uniformity all the linear dimensions given in this ISO Recommendation are in metric units only and the figures are in projection method E (called European or first angle projection). It should be understood that inch units and/or projection method A (called American or third angle projection) could equally well have been used without prejudice to the principles established.

1. SCOPE

This ISO Recommendation gives practical examples of indications of tolerances of form and of position according to ISO Recommendation R 1101, *Technical drawings – Tolerances of form and of position – Part 1: Generalities, symbols, indications on drawings*.

NOTE. – The figures in this ISO Recommendation show only the principle of the indication. The technical correctness of the drawings depends on the functional conditions which apply to the represented parts.

The drawings are not fully dimensioned; only those dimensions having some relation to the indication of the tolerances of form and of position are shown.

2. EXAMPLES




FIG. 1 - Part of a crankshaft




FIG. 2 Packing ring of a pump




FIG. 3 - Friction wheel




FIG. 4 - Roller




FIG. 5 Arbor for milling cutters




FIG. 6 - Inner ring for tapered roller bearing




FIG. 7 -- Ball bearing inner ring