

ISO

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION

ISO RECOMMENDATION R 1844

HIGHER ALCOHOLS FOR INDUSTRIAL USE

DETERMINATION OF DENSITY AT 20 °C

1st EDITION

November 1970

COPYRIGHT RESERVED

The copyright of ISO Recommendations and ISO Standards belongs to ISO Member Bodies. Reproduction of these documents, in any country, may be authorized therefore only by the national standards organization of that country, being a member of ISO.

For each individual country the only valid standard is the national standard of that country.

Printed in Switzerland

Also issued in French and Russian. Copies to be obtained through the national standards organizations.

BRIEF HISTORY

The ISO Recommendation R 1844, *Higher alcohols for industrial use – Determination of density at 20 °C*, was drawn up by Technical Committee ISO/TC 47, *Chemistry*, the Secretariat of which is held by the Ente Nazionale Italiano di Unificazione (UNI).

Work on this question led to the adoption of Draft ISO Recommendation No. 1844, which was circulated to all the ISO Member Bodies for enquiry in April 1969. It was approved, subject to a few modifications of an editorial nature, by the following Member Bodies :

Australia	India	Romania
Austria	Iran	South Africa, Rep. of
Belgium	Israel	Spain
Brazil	Italy	Switzerland
Czechoslovakia	Netherlands	Turkey
France	New Zealand	U.A.R.
Germany	Peru	United Kingdom
Greece	Poland	U.S.S.R.
Hungary	Portugal	

No Member Body opposed the approval of the Draft.

This Draft ISO Recommendation was then submitted by correspondence to the ISO Council, which decided to accept it as an ISO Recommendation.

HIGHER ALCOHOLS FOR INDUSTRIAL USE

DETERMINATION OF DENSITY AT 20 °C

1. SCOPE

This ISO Recommendation describes a method for the determination of density at 20 °C of C₆ to C₁₃ alcohols for industrial use.

2. SAMPLING

Follow the principles given in ISO Recommendation R 758.*

Place the sample in a clean, dry, glass-stoppered bottle of such a size that it is nearly filled up. If it is necessary to seal this bottle, care should be taken to avoid the risk of contamination.

3. PROCEDURE

Use the method described in ISO Recommendation R 758, *Method for the determination of density of liquids at 20 °C*.

4. TEST REPORT

The test report should give the following particulars :

- (a) the reference of the method used;
- (b) the results and the method of expression used;
- (c) any unusual features noted during the determination;
- (d) any operation not included in this ISO Recommendation or regarded as optional.

* Sampling from the consignment of a chemical product will be the subject of a future ISO Recommendation.