

*Revised*

**ISO**

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION

**ISO RECOMMENDATION  
R 668**

**DIMENSIONS AND RATINGS OF FREIGHT CONTAINERS**

2nd EDITION

October 1970

This second edition supersedes the first edition.

**COPYRIGHT RESERVED**

The copyright of ISO Recommendations and ISO Standards belongs to ISO Member Bodies. Reproduction of these documents, in any country, may be authorized therefore only by the national standards organization of that country, being a member of ISO.

For each individual country the only valid standard is the national standard of that country.

Printed in Switzerland

Also issued in French and Russian. Copies to be obtained through the national standards organizations.

[STANDARDSISO.COM](https://standardsiso.com) : Click to view the full PDF of ISO/R 668:1970

## BRIEF HISTORY

The ISO Recommendation R 668, *Dimensions and ratings of freight containers*, was drawn up by Technical Committee ISO/TC 104, *Freight containers*, the Secretariat of which is held by the American National Standards Institute (ANSI).

Work on this question led to the adoption of Draft ISO Recommendation No. 804, which was circulated to all ISO Member Bodies for enquiry in May 1965. It was approved by 20 Member Bodies. Five Member Bodies opposed the approval of the Draft (Australia, France, Ireland, Poland and the U.S.S.R.).

The Draft ISO Recommendation was then submitted by correspondence to the ISO Council, which decided in February 1968 to accept it as an ISO RECOMMENDATION.

## BRIEF HISTORY RELATING TO THE 2<sup>nd</sup> EDITION

The revision of ISO Recommendation R 668-1968 was undertaken in 1969 and consists of minor modifications and of the addition of a supplementary container height in Table 3.

This revision was approved by the majority of the P-Members of ISO/TC 104, and, in an abbreviated procedure, as Draft ISO Recommendation No. 2183 was submitted direct to the ISO Council, which decided to accept it as the second edition of ISO Recommendation R 668.

This edition cancels and supersedes the first edition of ISO Recommendation R 668-1968.

STANDARDSISO.COM : Click to view the full PDF of ISO/R 668:1970

## DIMENSIONS AND RATINGS OF FREIGHT CONTAINERS

### 1. DEFINITIONS

1.1 A *freight container* is an article of transport equipment

- (a) of a permanent character and accordingly strong enough to be suitable for repeated use;
- (b) specially designed to facilitate the carriage of goods, by one or more modes of transport, without intermediate reloading;
- (c) fitted with devices permitting its ready handling, particularly its transfer from one mode of transport to another;
- (d) so designed as to be easy to fill and empty;
- (e) having an internal volume of  $1 \text{ m}^3$  ( $35.3 \text{ ft}^3$ ) or more.

The term *freight container* includes neither vehicles nor conventional packing.

1.2 *Rating*, for the purposes of this document, means the maximum gross weight and is the maximum permissible combined weight of the freight container and of its contents.

### 2. CLASSIFICATION AND DESIGNATION OF FREIGHT CONTAINERS

2.1 Two series of freight containers are approved :

- those of series 1, having a uniform cross-section of  $2\,438 \text{ mm} \times 2\,438 \text{ mm}$  (8 ft  $\times$  8 ft) and the 1AA container having a cross-section of  $2\,591 \text{ mm} \times 2\,438 \text{ mm}$  (8 ft 6 in  $\times$  8 ft) are shown in Table 1;
- those of series 2, having a uniform height of  $2\,100 \text{ mm}$  (6 ft 10 1/2 in), are shown in Table 2.

The actual dimensions of both series 1 and series 2 freight containers, and their tolerances, are given in Table 3.

TABLE 1 Nominal dimensions of series 1 freight containers

| Freight container designation | Series 1 |    |    |       |    |                 |       |
|-------------------------------|----------|----|----|-------|----|-----------------|-------|
|                               | Height   |    |    | Width |    | Nominal length* |       |
|                               | mm       | ft | in | mm    | ft | mm*             | ft in |
| 1A                            | 2 438    | 8  |    | 2 438 | 8  | 12 000**        | 40**  |
| 1AA                           | 2 591*** | 8  | 6  | 2 438 | 8  | 12 000**        | 40**  |
| 1B                            | 2 438    | 8  |    | 2 438 | 8  | 9 000           | 30    |
| 1C                            | 2 438    | 8  |    | 2 438 | 8  | 6 000           | 20    |
| 1D                            | 2 438    | 8  |    | 2 438 | 8  | 3 000           | 10    |
| 1E                            | 2 438    | 8  |    | 2 438 | 8  | 2 000           | 6 8   |
| 1F                            | 2 438    | 8  |    | 2 438 | 8  | 1 500           | 5     |

\* The exact lengths in millimetres are shown in Table 3.

\*\* In certain countries there are legal limitations to this length.

\*\*\* In certain countries there are legal limitations to this height.

TABLE 2 - Nominal dimensions of series 2 freight containers

| Freight container designation | Series 2 |     |    |        |     |    |         |        |
|-------------------------------|----------|-----|----|--------|-----|----|---------|--------|
|                               | Height*  |     |    | Width* |     |    | Length* |        |
|                               | mm       | ft* | in | mm     | ft* | in | mm      | ft* in |
| 2A                            | 2 100    | 6   | 11 | 2 300  | 7   | 7  | 2 920   | 9 7    |
| 2B                            | 2 100    | 6   | 11 | 2 100  | 6   | 11 | 2 400   | 7 11   |
| 2C                            | 2 100    | 6   | 11 | 2 300  | 7   | 7  | 1 450   | 4 9    |

\* The exact dimensions in feet are shown in Table 3.

### 3. OVERALL DIMENSIONS AND RATINGS

3.1 The overall external dimensions, tolerances and ratings are given in Table 3.

3.2 The dimensions and tolerances apply when measured at the temperature of 20 °C (68 °F); measurements taken at other temperatures should be adjusted accordingly.