
**Health informatics — Business
requirements for a syntax to exchange
structured dose information for
medicinal products**

*Informatique de santé — Exigences d'affaire pour une syntaxe
d'échange d'informations de dose structurée pour les produits
médicaux*

STANDARDSISO.COM : Click to view the full PDF of ISO/TS 17251:2016



STANDARDSISO.COM : Click to view the full PDF of ISO/TS 17251:2016



COPYRIGHT PROTECTED DOCUMENT

© ISO 2016, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

	Page
Foreword.....	iv
Introduction.....	v
1 Scope.....	1
2 Terms and definitions.....	1
3 Conformance.....	2
4 Business requirements for structured dose instructions.....	3
4.1 General.....	3
4.2 Use cases.....	3
4.3 Elements of a dose instruction.....	3
4.4 Information requirements.....	4
4.4.1 General.....	4
4.4.2 Infrastructure.....	5
4.4.3 Text representation.....	5
4.4.4 Administration amount.....	5
4.4.5 Route/site of administration.....	5
4.4.6 Timing of dose event(s).....	6
4.4.7 Conditional administration.....	7
4.4.8 Patient-specific information.....	7
4.4.9 Ancillary information.....	8
Bibliography.....	9

STANDARDSISO.COM : Click to view the full PDF of ISO/TS 17251:2016

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: [Foreword - Supplementary information](#)

The committee responsible for this document is ISO/TC 215, *Health informatics*.

Introduction

The requirements for the exchange of structured dose instructions are intended to be independent of any technology standard or software platform and have been developed with the aim of specifying the necessary clinical and business requirements precisely and unambiguously. Implementation of the requirements within a suitable medium designed to support communication of healthcare information can provide support to clinicians and their applications in storing, retrieving, using, and above all, communicating dose instructions information to other clinicians, their applications, and most importantly, to the patient.

The primary audiences for this Technical Specification are software developers building clinical IT systems.

STANDARDSISO.COM : Click to view the full PDF of ISO/TS 17251:2016

STANDARDSISO.COM : Click to view the full PDF of ISO/TS 17251:2016

Health informatics — Business requirements for a syntax to exchange structured dose information for medicinal products

1 Scope

This Technical Specification specifies the business requirements for the structured content of structured or semi-structured dose instructions for recording dose instructions in the electronic health record (EHR), supporting clinical decision support, and in exchanging medication orders, as applicable to primary, secondary and tertiary care.

NOTE See 2.9, note to entry, regarding the use of “medication order” and “prescription”.

Comprehension of dose instructions by the patient is an overarching consideration for patient safety and the best patient outcomes. Related factors are discussed, but are not part of the primary scope.

This Technical Specification does not define an information model, except to the extent that those information model concepts are necessary to define business requirements.

Outside the scope of this Technical Specification are:

- the functionality of health, clinical and/or pharmacy systems;
- other kinds of content of health, clinical or pharmacy systems that are needed to support the whole process of health care providers, such as:
 - wide range of knowledge about medicines that would be handled in drug knowledge databases and decision support systems;
 - the complete medical record (EHR);
 - a medicinal product dictionary.

2 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

2.1 dose instructions

instructions pertaining to the medication, which describe the amount of medication per dose, method of administration, the frequency or interval of dose, associated instructions for dosing or skipped doses, and other associated parameters necessary for appropriate administration of the medication

2.2 dose syntax structured dose instructions

structured set of data elements which represent the dose instructions in a consistent, computable format

2.3 structured information

information assembled from predefined concepts (vocabulary or code set) using an organizational scheme (information model)

2.4

unstructured information

information assembled from narrative words and word fragments, following either casual conventions or language-specific grammatical rules

2.5

semi-structured information

information containing both structured content and unstructured content

2.6

sig

directions to be written on a package or label for the use of the patient

Note 1 to entry: Sig (sometimes written as SIG) appears to be an acronym, but is an abbreviation of the Latin term “signā”.

Note 2 to entry: In the context of this Technical Specification, “sig” had the same meaning as “dose instructions” (see [4.1](#)).

2.7

storage and handling information

information provided to the patient/caregiver regarding the appropriated conditions to maximize the shelf life of the medicinal product

Note 1 to entry: While essential information, this does not directly relate to administration and is not within the scope of this Technical Specification.

2.8

medication order

documented instruction on intended therapy for an individual person with a medicinal product issued by an authorized health professional

Note 1 to entry: There is no inherent limitation on the setting for the medication order (inpatient, ambulatory, etc.).

[SOURCE: ISO/TR 22790:2007]

2.9

prescription

directions created by an authorized health professional to instruct a dispensing agent regarding the preparation and use of a medicinal product or medicinal appliance to be taken or used by a subject of care

Note 1 to entry: In the context of this Technical Specification, “prescription” or “medication order” could be used. We have chosen to use “medication order”. In this sense, we imply that “medication order” is inclusive of “prescription.”

[SOURCE: ISO/TR 22790:2007]

2.10

message syntax

structured set of data elements which represent the medication order in a consistent computable format

3 Conformance

Systems that create or consume electronic medication orders can claim conformance to this Technical Specification when it fulfils all requirements in Clause 4.

4 Business requirements for structured dose instructions

4.1 General

The business requirements for structured dose information shall focus on the primary goal of ensuring that the patient receives the appropriate medication dose at the appropriate time in a consistent manner. In addition to the patient-centric aspects, certain information is required to achieve this goal. The following requirements address both patient and information aspects.

NOTE The following conformance statements refer to either, or both, the message syntax and the dose syntax. Requirements which are not unique to the dose instructions, or useful in other components of a medication order, are described as part of the “message syntax”. Requirements which are specific to the dose instructions are described as part of the “dose syntax”.

4.2 Use cases

Dose instructions serve the following use cases.

- Indicating the right dosage during prescribing.
- Recording the indicated dosage in the EHR:
 - to be used in clinical decision support systems, like dose checking;
 - exchange of information between health care providers.
- Indicating comprehensible dose instructions on the patient label in order to make clear how to use the medicine. Comprehension may not be a component of the dose instructions specifically, but comprehension does influence the presentation of the instructions to the patient. Patient comprehension information shall be present in the medication order in some manner such that the dispenser can create appropriate instructions for the patient or caregiver.

4.3 Elements of a dose instruction

Based on the use cases, the elements of a dose instruction include the following.

- Text representation. The purpose of this Technical Specification is to specify requirements for structured dose instructions. However, some parts of a dose instruction cannot be captured in structured information. To support a human readable text of the whole dose instruction of a certain medicine, a textual representation of the whole dose instructions will remain an important element. This textual representation includes both the structured and the unstructured part of the dose instruction. Also, if a scenario occurs which prevents the structured content from being produced, the textual representation is then necessary for communicating the dose instruction. The structured content and the textual content, if both are present, shall agree, neither omitting nor adding any significant content between the two.
- Amount of medication to be administered at each dose event.
 - This may be comprised of a number of units of presentation (e.g. “1 tablet”) or a number and unit of measure (e.g. “5 ml”, “500 mg”). Calculated amounts (e.g. “50 mg/kg body weight”) may be appropriate in some cases, however an explicit amount is generally preferred over an implied amount.
 - The administered amount may vary over time (e.g. tapered dose) or relative to other parameters (e.g. insulin sliding scale).
 - The administered amount may be a range (1 to 2 tablets).
 - The administered amount should be quantified whenever possible. Indeterminate and non-quantifiable amounts (e.g. “apply a thin film”, “use a pea-sized amount”) should be quantified

wherever possible (e.g. “apply 1 to 2 ml”, “use 1 to 2 gm”) or the non-quantifiable portion included in a text representation element.

- Route of administration.
- Timing of dose event(s). A wide range of dose timing shall be considered. Possibilities include the following.
 - Dosing by frequency (e.g. “twice a day”, “once a month”), dosing by time interval (e.g. “every 6 hours”). Both frequency and interval require a numeric portion and a time portion, frequency being “<number> per <time>” and interval expressing “every <number> <time>”. The numeric portions may involve ranges (e.g. “every 3 to 4 days”).
 - Dosing at specific times (e.g. “at 9 am”), or relative to other events (e.g. meals, sleep, procedures).
 - There may be a start date, and/or time, for dose events. This may be specific (e.g. “begin on 3 October 2015”) or relative (e.g. “the day prior to the procedure”).
 - Dose timing can also be a combination of timing patterns running consecutively (e.g. tapers) or concurrently (e.g. “daily and as needed”).
- Conditional administration. Administration of a dose may be dependent upon other factors. Such factors may be symptoms (e.g. “as needed for cough”), measurable parameters (e.g. “blood glucose > 200 mg/dl”, “temperature > 38 °C”), event or encounter (e.g. “after bee sting”). The use of unspecified or indeterminate conditions (e.g. “as needed” without condition) is not supported in this Technical Specification.
- Ancillary information. As with the textual representation, this information not typically represented in the structured dose instructions and is included here as they are often discussed in relation to dose instructions. Examples include:
 - storage and handling (e.g. keep refrigerated, shake well before use);
 - advise on proper administration (e.g. take with food);
 - reference to dosing information provided elsewhere (e.g. medications following a documented protocol).

Dose instructions do not exist on their own; they are a component of the medication order, and thus the prescriber and dispenser systems. These systems are, in turn, related to other health, clinical, and/or pharmacy information systems. Some aspects of the dose instructions, and the dose syntax model, may be dependent on information in these other systems. Examples of such “other information” include patient weight for weight-based dosing, and procedure schedules for doses administered relative to that event. It is recognized that this Technical Specification includes requirements which are not specifically elements of dose instruction, but may be needed for appropriate interpretation and implementation of the dose instructions. Conformance of a dose syntax model, and dose instructions produced from that model, is not dependent of these “other information” requirements.

4.4 Information requirements

4.4.1 General

The requirements for structured dose information, or the “dose syntax,” are described in this subclause. These requirements build on the elements discussed in 4.2.

Dose syntax can only be assessed for structured (no textual representation present) and semi-structured (textual representation present) dose instructions. For structured, and the structured portion of semi-structured, dose instructions, the following requirements are defined. Some of these “requirements” describe “capabilities” or “features” which will not be used in all structured dose information instances.

Dose instructions can be very complex. Aggregates of sequential and alternating dosing are not uncommon (e.g. “4 tablets once a week (2 in the morning, 2 in the evening)” for methotrexate). Another complex example involves dosing multiple products dispensed as one “kit” [e.g. Didrokit, “once a week 1 tablet (=Didronel) in the morning, 6 times a week 1 tablet (=Cacit) in the evening”]. This specification addresses the information requirements for dose syntax models and derived dose instructions. This Technical Specification does not address all of the possible combinations and permutations of the elements.

4.4.2 Infrastructure

4.4.2.1 Information model

4.4.2.1.1 The dose syntax shall employ an information model.

4.4.2.1.2 The information model shall support the use of standardized vocabularies.

4.4.2.1.3 The dose syntax and the information model may or may not directly produce the patient instructions, but shall always provide a consistent presentation to the pharmacy/dispenser from which patient-friendly dose instructions can be created.

4.4.2.1.4 The information model should use, or be mapped to, the information model(s) used by related health information systems.

4.4.3 Text representation

Text representation of the dose instructions, if present, shall be consistent with any coded representation of the dose instructions.

4.4.4 Administration amount

The dose to administer is typically expressed as a numeric value and a unit of measure (e.g. 15 ml) or unit of presentation (e.g. 1 tablet).

4.4.4.1 The dose syntax model shall support an expression of the numeric value of the dose to be administered at each dosing event.

4.4.4.2 The dose syntax model shall support both a single value (e.g. 1) and a value range (e.g. 1 to 2) for the numeric value of the dose to be administered at each dosing event.

4.4.4.3 The dose syntax model shall support the expression of the dose unit/unit of presentation for each dosing event (e.g. tablet, ml, puff, mg/kg).

4.4.4.4 The dose syntax model should support the expression of the dose unit/unit of presentation for each dosing event (e.g. tablet, ml) based upon a standardized vocabulary.

4.4.4.5 The dose syntax model may support the expressions of calculated administration amounts (e.g. 50 mg/kg of body weight).

4.4.5 Route/site of administration

4.4.5.1 The dose syntax model shall support the expression of the route of administration for each dosing event (e.g. “oral”, “topical”, “ocular”).

4.4.5.2 The dose syntax model should support the expression of the route of administration for each dosing event (e.g. “oral”, “topical”, “ocular”) based upon a standardized vocabulary.

4.4.5.3 The dose syntax model shall support the expression of the site of administration for each dosing event (e.g. “left deltoid”, “right eye”).

4.4.5.4 The dose syntax model should support the expression of the site of administration for each dosing event (e.g. “left deltoid”, “right eye”) based upon a standardized vocabulary.

4.4.6 Timing of dose event(s)

4.4.6.1 Timing

4.4.6.1.1 The dose syntax model shall support expressing the timing of dosing events as a number of events per period of time (frequency) (e.g. “3 times a day”, “once a week”), as a numeric value and a value to express the unit of time.

4.4.6.1.2 The dose syntax model shall support expressing the timing of dosing events as spaced at equal intervals of time (interval) (e.g. “every 8 hours”).

4.4.6.1.3 The dose syntax model shall support expressing the timing of dosing events as a range of events per interval of time (e.g. “3 to 4 times a day”).

4.4.6.1.4 The dose syntax model shall support expressing the timing of dosing events as spaced at a range of intervals of time (e.g. every 6 to 8 weeks).

4.4.6.1.5 The dose syntax model shall support expressing the timing of dosing event as specific points of time (e.g. “9 am”, “10 am and 6 pm”).

4.4.6.1.6 The dose syntax model shall support expressing the timing of dosing events related to activities of daily living (e.g. “morning”, “at bedtime”).

4.4.6.1.7 The dose syntax model shall support expressing the timing of dosing events as offsets to activities of daily living (e.g. “take 30 min prior to breakfast”, “take 30 minutes prior to appointment”).

4.4.6.1.8 The dose syntax model shall support expressing the timing of dosing events as days within a week (e.g. “every Monday”).

4.4.6.1.9 The dose syntax model shall support expressing the timing of dosing event as days within a month (e.g. “on the first of every month”).

4.4.6.1.10 The dose syntax model should support the expression of the timing (e.g. ‘per day’, ‘per week’) and time (e.g. “hour”, “day”) based upon a standardized vocabulary.

4.4.6.2 Sequential and alternating dosing

4.4.6.2.1 The dose syntax model should support sequential sets of dosing instructions (e.g. “2 now, then 1 every day”, “3 tablets on first day, 2 tablets on second day, 1 tablet on third day”).

4.4.6.2.2 The dose syntax model should support alternating set of dosing instructions (e.g. “1 tablet every Monday, and 2 tablets every Thursday”, or “1 tablet on Monday, Wednesday, Friday, 2 tablets on Tuesday, Thursday, and Saturday, no dose on Sunday”).