

INTERNATIONAL WORKSHOP AGREEMENT

**IWA
13**

First edition
2014-11-15

Multiple resource evaluation guideline

Lignes directrices pour l'évaluation de ressources multiples

STANDARDSISO.COM : Click to view the full PDF of IWA 13:2014



Reference number
ISO 13:2014(E)

© ISO 2014

STANDARDSISO.COM : Click to view the full PDF of IWA 13:2014



COPYRIGHT PROTECTED DOCUMENT

© ISO 2014

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Background	1
3 MRP suggested methodology	2
3.1 General.....	2
3.2 Basic parameters.....	2
3.3 Secondary parameters.....	3
3.4 Methodology.....	4
4 Principles, criteria and indicators	6
4.1 General.....	6
4.2 Water availability and reliability — Methodologies and models for calculations.....	6
4.3 Energy availability and reliability — Methodologies and models for calculations.....	6
4.4 Food availability and reliability — Methodologies and models for calculations.....	6
Annex A (informative) Example of an MRP analysis algorithm	7
Bibliography	8

STANDARDSISO.COM : Click to view the full PDF of ISO 13:2014

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: [Foreword - Supplementary information](#)

The committee responsible for this document is ISO/TMBG, *Technical Management Board Groups*.

Introduction

General

A current challenge in assessing the economic impact of large-scale environmental projects and solutions with an apparently low greenhouse gas (GHG) footprint is how to also account for these projects' and solutions' consumption of adjacent resources. For example, the supply of water faces degrading quality and volatile availability. Yet any project dealing with water would also have an impact on or be influenced by the supplies of energy and food/cropland.

There is a growing understanding^[53] that future projects and solutions will need to be assessed and analysed based on a multiple-resource productivity framework. The aim of this International Workshop Agreement is to present the basis for such an analysis. The guidelines given in this International Workshop Agreement recognize that complex linkages between the supply of these resources make it harder to tackle without depleting one of the other resources. Existing solutions have been criticized because they focus on supplying one resource while negatively impacting another resource.

List of contributors

Company	Country	Name
South Africa Bureau of Standards	South Africa	Maisha Judy
South Africa Bureau of Standards	South Africa	Dennis Vusi
Cottensam	Mexico	Espana Francisco
Nigerian National Petroleum corporation (NNPC), CHQ, ABUJA	Nigeria	Iwuchukwu Onyema Justus
Nigerian Gas Company LTD (NNPC)	Nigeria	Musa Mohammed Alhaji
Standards Organization of Nigeria	Nigeria	Nyado Felix Teddy
Federal Ministry of water resources	Nigeria	Onyeanusi Rufus Chukwuma
Federal Ministry of power	Nigeria	Reis Roland Obafunmi
Nigerian Electricity Regulatory Commission	Nigeria	Ahaneku Niajirohene
National Environmental Standards and Regulations enforcement agency	Nigeria	Choji Davou
National Environmental Standards and Regulations enforcement agency	Nigeria	Atsegwasi Godwin Idaewor
Nigerian Electricity Regulatory Commission	Nigeria	Ukabiala Chinedum
SII	Israel	Yaron Ben Ari
SII	Israel	Michal Philosoph
Aquate Group Ltd.	Israel	Barak Yekutiely
	Brazil	Nissim Chen
RENZO	Israel	Maxim Rakov
APC	Israel	Amiram Porath

Acknowledgement: E&Y London - Environmental Group

STANDARDSISO.COM : Click to view the full PDF of IWA 13:2014

Multiple resource evaluation guideline

1 Scope

This International Workshop Agreement serves as the basis for a multiple-resource productivity analysis, providing a means to identify and evaluate scalable resource solutions that can be categorized as multiple-resource productivity (MRP) solutions. MRP solutions are defined as solutions that can produce at least two MRP resources (water, energy, food/cropland) without consuming the other resources.

This standardized framework includes a guideline for the creation of a quantitative evaluation method for assessing a solution's feasibility and conducting economic cost-benefits analysis of various MRP solutions.

2 Background

The concept of sustainability evolved from the need to reduce negative impacts on the environment (relevant resources), economy and society. Tools developed according to this concept, such as Life Cycle Analysis (LCA) and Environmental Impact Report (EIR) tend to focus on the mitigation of hazards and damage and on a single material, element or compound.

Renewable energies are a symbol of this concept, as they represent the ability to derive energy from self-replenishing resources. However, when considering the creation of new resources, this concept, aiming to achieve real sustainability in the long term, is insufficient.

A new concept of looking at renewable resources (e.g. wastewater treatment, electricity production from solar energy) requires some new assessment tools to evaluate projects based on resources creation or consumption.

This concept coincided with a greater understanding of the interlinked water, energy and food/cropland resources, namely the "Nexus". Food growth requires energy, including energy for transportation to consumers, as well as water. Water requires land for treatment as well as energy for transportation and treatment. Energy requires land and, in many cases, water does too. Therefore, it is the growing understanding of researchers that the three resources are interlinked (coupled); in order to solve a problem concerning one resource, the other two should be taken into account, so that additional problems are avoided.

The new concept of sustainability that also understands the Nexus is called the MRP. The MRP suggests a methodology for a project evaluation based on the impact the project's alternatives may have on all three resources, and allows grading of alternatives based on that evaluation, which may be quantified when required.

Each solution enhances one resource while consuming another resource. The methodology requires that in order to evaluate sustainability correctly, the evaluation must consider a solution's impact on all relevant resources. Current evaluation systems are usually based on an economic translation of the resources "value". However, as some resources are subsidized due to historical/social/political reasons, the economic values attributed to the resources are often erroneous.

The required methodology is one that can allow for a project or a program to be evaluated according to its creation or consumption of resources.

A modelling of resource utilization that considers the environmental impact of such projects has been in use for some time. Models such as LCA that aimed to model the environmental impact of mineral usage have focused on a single resource, which, as mentioned above, is no longer sufficient. Decision makers around the world are attempting to resolve the simultaneous resource needs without creating long-term resource depletion.

Recent policies have focused on reducing the negative impacts of resource exploitation and have therefore been mostly considered as “mitigation” or “mitigation-oriented” types of models. However, with the growing understanding that mitigation only postpones the inevitable depletion or negative impact, the need to promote or reorient the exploitation towards a positive, beneficial point of view, has been slowly coming into focus. In addition, new solutions, technologies and business models have the potential to resolve the nexus between water, energy, and food/cropland. Therefore the viewing of a project as “creating” or “consuming” resources is now more compatible with current and future world trends.

Some preliminary work has been done, mainly dual resources analysis (e.g. water-energy; energy-land), but there is a growing need for a more comprehensive analysis, and also for a standardization of the analysis.

3 MRP suggested methodology

3.1 General

In this clause, the MRP methodology will be presented in practical terms, including its purpose and details.

The MRP is a guideline for the methodological evaluation and comparison of different solutions and projects. The guideline is a decision-making tool that is intended to standardize the evaluation and comparison process of decision makers around the world regarding infrastructure projects. It intends to make sure that the same sustainable outlook is shared by standards users, and allows for the possibility of accreditation of decision making processes and organizations utilizing such processes based on its parameters. It allows for a grading of comparable projects according to the guideline’s basic assumptions, and allocates these projects into categories according to their grading.

In this clause the utilization of the MRP will be presented; discussion regarding the possibility of accreditation is under consideration.

3.2 Basic parameters

3.2.1 General

The three main components of the Nexus — water, energy and food/cropland — are the main parameters of the methodology underlying the MRP. Nevertheless, other parameters can be added to the Nexus, in two ways:

- adding another main parameter when needed;
- “fine tuning”, i.e. introducing secondary parameters that can help adjust the project’s grading and thus assist in decision making.

3.2.2 Water

The amount of water (in cubic meters or equivalent) consumed or created (as available water for consumption) is the relevant (basic) parameter in MRP. It should be noted that water can be produced in various qualities and quantities, and the relevant value for this parameter is utilization oriented. For example, 200 m³ of potable water for municipal utilization will have the same impact as 200 m³ of reclaimed water for irrigation purposes, even though their quality is different. For the creation of water, this parameter will be marked with a positive (+) mark. If, on the other hand, the project utilizes water (e.g. a steam production plant) the parameter will be marked with a negative (-) mark. If the project has a neutral water impact, then the parameter will be marked with a neutral (0) mark.

3.2.3 Energy

Energy utilization or creation (which is the second relevant basic parameter of the MRP), is measured in common energy units. The creation of energy, such as electrical power supply, is either through a grid or in a stored capacity. The energy component includes fuel as well as the infrastructure required for the production when analysing its impact on the other parameters. If energy is produced (e.g. in a power

plant) this parameter will be marked with a positive (+) mark. If, on the other hand, the project utilizes energy (e.g. a desalination plant) the parameter will be marked with a negative (-) mark. The net energy to be produced or consumed during the relevant project's life duration will be calculated and used as explained in [Annex A](#). If the project neither creates nor consumes energy, then the parameter will be marked with a neutral (0) mark.

3.2.4 Food/cropland (land)

Food availability is dependent upon land, but also upon energy and water. The latter two resources are the main parameters and are considered independently; therefore the production and availability of food mostly depend upon the availability of land and those two parameters. In this guideline, "food" and "cropland" are interchangeable terms.

There is some freedom of choice allowed with this parameter. For example, if food production is irrelevant to the project, other land parameters can be considered, such as land use for other types of agriculture (pulp and paper, furniture, textile and industrial crops in general) instead of the food component of this main parameter. Land made available for food production can be measured by the amount of food it can create, according to similarities in the region, or industrial crops where such an approach is appropriate, thus food creation is the third MRP basic relevant parameter. If the land is made available for these activities by the project (e.g. irrigation systems in arid areas), the amount of food to be produced will be marked with a positive (+) mark. If, on the other hand, the project utilizes or consumes food/cropland (e.g. a desalination plant) the parameter will be marked with a negative (-) mark. If the project has a neutral food/cropland impact, then the parameter will be marked with a neutral (0) mark.

3.3 Secondary parameters

3.3.1 General

When comparing different projects that seem to have similar grades, which therefore require further characterization and additional grading, secondary parameters are used.

Secondary parameters are not included within the main parameters, as their significance may differ from one place to another, and thus, to simplify the methodology, only clear-cut cases are used.

Such secondary parameters as employment and improved transportation are to be added when needed, in order to distinguish between projects with similar main parameter marks. This adjustment allows many projects to be compared and graded.

The relative importance of primary parameters as well as secondary parameters can vary from one place to another and they should be considered as the standard is being developed. Some examples are given in [3.3.2](#) to [3.3.4](#).

3.3.2 Resource security

The added or reduced security demand related to the project is as follows:

- if the security demand is increased (e.g. a new installation that requires security measures that were not previously required) it will be marked with a negative (-) mark;
- if the security demand is decreased (e.g. human resources for security replaced by more cost effective electronic systems) then it will be marked with a positive (+) mark.

NOTE In this International Workshop Agreement, "security" refers to the guarding of resource supply cost/effort.

3.3.3 Resource risk mitigation measures

Prior to a project being established, the potential risks relevant to the project should be assessed, and preventative mitigation measures should be taken accordingly.

NOTE Additional mitigation will be calculated.

3.3.4 Environment

Environment is not considered as a major parameter by itself, as it is embedded in the other major parameters. Moreover, this parameter is discussed in other ISO standards dealing with environmental sustainability (e.g. ISO 13065) as well as water quality (documents that were developed within the framework of ISO/TC 147), air and land.

3.4 Methodology


The preliminary evaluation stage is calculating the impact of projects on each of the main parameters and creating a comparison table that maps the different impacts (see [Figure 1](#)). In [Figure 1](#), the markings of (-/+0) have been replaced by graphs showing the relative impact of the project on each parameter; impacts above the x-axis will be marked with a positive (+) mark while impacts below X-axis will be marked with a negative (-) mark.

STANDARDSISO.COM : Click to view the full PDF of ISO 13:2014



The MRP benchmark

A generic benchmark for environmental solutions based on their impact on multiple resources



Parameter	Colour	Evaluation
Water	Blue	Increase / Decrease quantity Increase / Decrease quality Increase / Decrease availability
Food/Cropland	Green	Larger / smaller volumes Increase / Decrease variety
Energy	Red	Produce / Consume energy

Figure 1 — Benchmark table

If the qualitative nature of the table does not present one project that is preferable to other projects, a more detailed evaluation should be conducted, comparing the numbers behind the marks (-/+/0) for each parameter in each project and grading the parameters in descending order.

If the process results in another tie, then the secondary parameters can be calculated to determine an appropriate solution.

4 Principles, criteria and indicators

4.1 General

This clause presents the principles of utilizing this guideline. For now, this clause is for discussion purposes only. Legal, social and economic issues are to be developed in accordance with ISO standards and policies.

4.2 Water availability and reliability — Methodologies and models for calculations

It is the purpose of this guideline to present the methodology for calculating how a specific project increases or decreases the availability and reliability of water supply (see [3.2.2](#)). For this purpose the future standard will include a clause or clauses related to these topics.

4.3 Energy availability and reliability — Methodologies and models for calculations

It is the purpose of this guideline to present the methodology for calculating how a specific project increases or decreases the availability and reliability of energy supply (see [3.2.3](#)). For this purpose the future standard will include a clause or clauses related to these topics.

4.4 Food availability and reliability — Methodologies and models for calculations

It is the purpose of this guideline to present the methodology for calculating how a specific project increases or decreases the availability and reliability of food supply (see [3.2.4](#)), i.e. increased/decreased/neutral impact. For this purpose the future standard will include a clause or clauses related to these topics.

STANDARDSISO.COM : Click to view the full PDF of ISO 13:2014

Annex A (informative)

Example of an MRP analysis algorithm

An example of an algorithm for a multiple-resource productivity analysis is given in [Figure A.1](#).

Project proposal: to calculate the impacts of the project on the three important resources (water, energy and food). For example: installing solar panels on 10 000 m² of arable land compared to installing solar panels on a 10 000 m² water reservoir cover.

MRP Solutions/ impacted resources	MRP annual economic impact per resource	MRP key Solution A (terrestrial PV)	MRP key Solution B (covered water reservoir with PV)
	kwh x USD/kwh	+	+
	m ³ x USD/m ³	0	+
	m ² x USD/m ²	-	+
Total annual MRP benefits per solution (USD)		170k + 0 – 10K = 160k	170k + 10k + 10k = 190k

Key

- + positive impact
- negative impact
- 0 neutral impact

Example assumptions:

Annual energy impact = 1 700 000 kwh, power rate = USD 0,1/kwh (USD 170 000)

Annual water impact = 20 000 m³, water rate = USD 0,5/m³ (USD 10 000)

Annual food/land impact = 1 000 m², food/land rate = USD 10/m² (USD 10 000)

NOTE Reproduced with permission of Barak Yekutieli, Aquate Group.

Figure A.1 — Example MRP analysis algorithm

Bibliography

- [1] ISO/IEC 17000:2004, *Conformity assessment — Vocabulary and general principles*
- [2] EN 16214-1 *Sustainability criteria for the production of biofuels and bioliquids for energy applications — Principles, criteria, indicators and verifiers — Part 1: Terminology*
- [3] Directive 2009/28/EC of the European Parliament and of the Council of 23 April 2009 on the promotion of the use of energy from renewable sources and amending and subsequently repealing Directives 2001/77/EC and 2003/30/EC
- [4] NTA 8080:2009 *Sustainability criteria for biomass for energy purposes*
- [5] ISO 14040:2006, *Environmental management — Life cycle assessment — Principles and framework*
- [6] ISO 14001, *Environmental management systems - Requirements with guidance for use*
- [7] ISO 19011:2002, *Guidelines for quality and/or environmental management systems auditing*
- [8] EN 14588, *Solid biofuels - Terminology, definitions and descriptions*
- [9] ISO Guide 35:2006, *Reference materials — General and statistical principles for certification*
- [10] ISO 14064-1:2006, *Greenhouse gases — Part 1: Specification with guidance at the organization level for quantification and reporting of greenhouse gas emissions and removals*
- [11] ISO/IEC 27006:2007, *Information technology — Security techniques — Requirements for bodies providing audit and certification of information security management systems*
- [12] ISO 22222:2005, *Personal financial planning — Requirements for personal financial planners*
- [13] ISO/IEC 17000:2004, *Conformity assessment — Vocabulary and general principles*
- [14] ISO 9001, *Quality management systems - Requirements*
- [15] ISO/IEC 21000-7:2007, *Information technology — Multimedia framework (MPEG-21) — Part 7: Digital Item Adaptation*
- [16] ISO 14040:2006, *Environmental management — Life cycle assessment — Principles and framework*
- [17] ISO 28001:2007, *Security management systems for the supply chain — Best practices for implementing supply chain security, assessments and plans — Requirements and guidance*
- [18] ISO 16165:2001, *Ships and marine technology — Marine environment protection — Terminology relating to oil spill response*
- [19] ISO 6107-1:2004, *Water quality — Vocabulary — Part 1*
- [20] ISO/TR 21449:2004, *Content Delivery and Rights Management: Functional requirements for identifiers and descriptors for use in the music, film, video, sound recording and publishing industries*
- [21] ISO 6107-3:1993, *Water quality — Vocabulary — Part 3*
- [22] ISO 13943:2008, *Fire safety — Vocabulary*
- [23] ISO/TR 15031-2:2004, *Road vehicles — Communication between vehicle and external equipment for emissions-related diagnostics — Part 2: Terms, definitions, abbreviations and acronyms*
- [24] ISO 13705:2006, *Petroleum, petrochemical and natural gas industries — Fired heaters for general refinery service*