

AERONAUTICAL MATERIAL SPECIFICATIONS

AMS 3386

SOCIETY OF AUTOMOTIVE ENGINEERS, Inc. 485 Lexington Ave., New York 17, N.Y.

Issued 8-15-58
Revised

HOSE, SYNTHETIC RUBBER, AIRCRAFT FUELING Textile Reinforced - Collapsing

1. ACKNOWLEDGMENT: A vendor shall mention this specification number in all quotations and when acknowledging purchase orders.
2. TYPE: Soft wall, smooth bore, collapsing type hose.
3. APPLICATION: Primarily for fueling aircraft from tank trucks or pits where the hose will be rolled flat for stowage on a reel. Not recommended for operating pressures higher than 75 psi.
4. MATERIAL AND FABRICATION:
 - 4.1 Hose: Shall consist of a synthetic rubber inner tube; braided, spiralled, loomed, or plied textile reinforcement; and a synthetic rubber cover.
 - 4.1.1 Tube: Shall be a seamless, continuous extrusion of fuel resistant synthetic rubber. Thickness of tube shall be not less than 0.070 inch. The bore shall be smooth and free from pitting and from objectionable cuttings, borings, and cements.
 - 4.1.2 Reinforcement: Shall be well, evenly, and firmly braided, spiralled, loomed, or plied and shall be free from dirt, lumps, and irregularities of twist.
 - 4.1.3 Cover: Shall be of chloroprene type synthetic rubber and shall be free from pitting. Thickness shall be not less than 0.070 inch.
5. TECHNICAL REQUIREMENTS:
 - 5.1 General:
 - 5.1.1 Weathering: When specified, the product shall have weather resistance acceptable to the purchaser as determined by a procedure agreed upon by purchaser and vendor.
 - 5.1.2 Corrosion: The product shall not have a corrosive effect on other materials when exposed to conditions normally encountered in service. Discoloration of metal shall not be considered objectionable.
 - 5.2 Properties: The product shall conform to the following requirements; tests shall be performed on the product supplied and in accordance with ASTM D380-57T, insofar as practicable.
 - 5.2.1 Volume Change, % See Note 1
 - 5.2.1.1 Tube 0 to +50
 - 5.2.1.2 Cover 0 to +100

Note 1. Use ASTM Reference Fuel B

including standards approved and practices recommended, are advisory only. The user is responsible for determining the applicability of these specifications to his particular use. The user is advised to consult the latest edition of these specifications and to conform to or be guided by any technical report, in formulating and approving specifications which may apply to the subject matter. Prospective users of the report are responsible for protecting themselves against infringement of patents.

Section 7C of the SAE Technical Board rules provides that: "All technical reports use by anyone engaged in industry or trade is entirely voluntary. There is no obligation to conform to or be guided by any technical report. In formulating and approving specifications which may apply to the subject matter, prospective users of the report are responsible for protecting themselves against infringement of patents."