

Submitted for recognition as an American National Standard

WEBBING, WOVEN NYLON FABRIC
9000 lb (40,050 N), 2.5 oz per yd (77.5 g/m)

1. SCOPE:

- 1.1 Form: This specification covers one strength and weight of nylon fabric in the form of webbing.
- 1.2 Application: Primarily for use in the manufacture of aerial retrieval parachutes and their accessories requiring high strength, high energy absorption, good abrasion resistance, and minimum weight and bulk.
- 1.3 Classification: Breaking strength not lower than 9000 lb (40,050 N) with weight not higher than 2.5 oz per linear yd (77.5 g per linear m).

2. APPLICABLE DOCUMENTS: See AMS 3795.

3. TECHNICAL REQUIREMENTS:

- 3.1 Basic Specification: The complete requirements for procuring the webbing described herein shall consist of this document and the latest issue of the basic specification, AMS 3795.
- 3.2 Identification Yarn: Shall be Color Association Red No. 70081.
- 3.3 Properties: Webbing shall conform to the following requirements:
- | | |
|------------------------------|---|
| 3.3.1 Breaking Strength, min | 9000 lb (40,050 N) |
| 3.3.2 Weight, max | 2.5 oz per linear yd
(77.5 g per linear m) |
| 3.3.3 Width, max | 0.90 in. (22.5 mm) |
| 3.3.4 Thickness, max | 0.22 in. (5.5 mm) |

SAE Technical Board Rules provide that: "This report is published by SAE to advance the state of technical and engineering sciences. The use of this report is entirely voluntary, and its applicability and suitability for any particular use, including any patent infringement arising therefrom, is the sole responsibility of the user."

AMS documents are protected under United States and international copyright laws. Reproduction of these documents by any means is strictly prohibited without the written consent of the publisher.