



AEROSPACE RECOMMENDED PRACTICE	ARP1835™	REV. A
	Issued 1983-06 Reaffirmed 2013-01 Stabilized 2021-10	
Superseding ARP1835		
Preparation for Delivery, General Requirements for Hose Assemblies		

RATIONALE

This document has been determined to contain basic and stable technology which is not dynamic in nature.

STABILIZED NOTICE

This document has been declared "Stabilized" by the SAE G-3, Aerospace Couplings, Fittings, Hose, Tubing Assemblies Committee and will no longer be subjected to periodic reviews for currency. Users are responsible for verifying references and continued suitability of technical requirements. Newer technology may exist.

SAENORM.COM : Click to view the full PDF of ARP1835a

SAE Executive Standards Committee Rules provide that: "This report is published by SAE to advance the state of technical and engineering sciences. The use of this report is entirely voluntary, and its applicability and suitability for any particular use, including any patent infringement arising therefrom, is the sole responsibility of the user."

SAE reviews each technical report at least every five years at which time it may be revised, reaffirmed, stabilized, or cancelled. SAE invites your written comments and suggestions.

Copyright © 2021 SAE International

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of SAE.

TO PLACE A DOCUMENT ORDER: Tel: 877-606-7323 (inside USA and Canada)
Tel: +1 724-776-4970 (outside USA)
Fax: 724-776-0790
Email: CustomerService@sae.org
http://www.sae.org

SAE WEB ADDRESS:

For more information on this standard, visit
<https://www.sae.org/standards/content/ARP1835A>

1. SCOPE:

This Aerospace Recommended Practice covers general requirements for preservation, packaging, and packing of hose assemblies.

2. APPLICABLE DOCUMENTS:

The following documents of the issue in effect on date of invitation for bids or request for proposals, form a part of this recommended practice to the extent specified herein.

2.1 Specifications:

2.1.1 Federal:

PPP-T-60	Tape, Packaging, Waterproof
PPP-B-566	Boxes, Folding, Paperboard
PPP-B-576	Box, Wood, Cleated, Veneer, Paper Overlaid
PPP-B-585	Boxes, Wood, Wirebound
PPP-B-591	Boxes, Shipping Fiberboard, Wood-Cleated
PPP-B-601	Boxes, Wood, Cleated-Plywood
PPP-B-636	Boxes, Shipping, Fiberboard
PPP-B-665	Boxes, Paperboard, Metal-Edged and Components
PPP-B-676	Boxes, Set-Up

2.1.2 Military:

MIL-P-116	Preservation - Packaging, Methods of
MIL-C-5501	Caps and Plugs, Protective, Dust and Moisture Seal, General Specification for
MIL-L-10547	Liners, Case and Sheet, Overwrap; Water-Vaporproof or Waterproof, Flexible

SAENORM.COM . Click to view the full PDF of arp1835a

2.2 Standards:

2.2.1 Military:

MIL-STD-129 Marking for Shipment and Storage

MIL-STD-130 Identification Marking of U.S. Military Property

(Copies of documents required by suppliers in connection with specific procurement functions shall be obtained from the procuring activity or as directed by the Contracting Officer.)

2.3 Other Publications:

Uniform Freight Classification Rules

(Application for copies should be addressed to the Uniform Classification Committee, 202 Chicago Union Station, Chicago, Illinois 60606)

3. PREPARATION FOR DELIVERY:

3.1 Preservation and Packaging:

Preservation and packaging shall be Level A or C, as specified in the procuring document.

- 3.1.1 Level A: Hose assemblies shall be preserved in accordance with Method III of MIL-P-116. All openings shall be sealed with caps or plugs conforming to MIL-C-5501. All threaded openings shall be sealed with appropriate threaded caps or plugs for the protection of threads and sealing surfaces, and for prevention of dust, moisture, shavings, and chips into the assembly.

Hose assemblies shall be unit packaged in containers conforming to PPP-B-566, PPP-B-636, PPP-B-665, or PPP-B-676. The gross weight of the boxes shall not exceed the weight limitations of the applicable container specification.

- 3.1.2 Level C: Hose assemblies shall be preserved and packaged in accordance with the manufacturer's commercial practice.

3.2 Packing:

Packaging shall be Level A, B, or C as specified.