

REV.  
E

AS1003

FEDERAL SUPPLY CLASS  
4730




FIGURE 1 - FITTING, TEE, BULKHEAD END FOR OPTIONAL USE IN PORT INSTALLATION, PORT #3 SHOWN AS REDUCER





FIGURE 2 - FITTING, TEE, BULKHEAD END FOR OPTIONAL USE IN PORT INSTALLATION, NON-REDUCER SHOWN, SAME AS FIGURE 1 EXCEPT AS SHOWN



INACTIVE IN PART /22/

THIRD ANGLE PROJECTION



CUSTODIAN: SAE G-3/G-3B

PROCUREMENT SPECIFICATION: /4/ AS18280

SAE Aerospace  
An SAE International Group

(R) **AEROSPACE STANDARD**  
FITTING, TEE, STANDARD  
AND REDUCER, BULKHEAD  
ON RUN, FLARELESS

**AS1003**  
SHEET 1 OF 6

**REV.  
E**

SAE Technical Standards Board Rules provide that: "This report is published by SAE to advance the state of technical and engineering sciences. The use of this report is entirely voluntary, and its applicability and suitability for any particular use, including any patent infringement arising therefrom, is the sole responsibility of the user." SAE reviews each technical report at least every five years at which time it may be reaffirmed, revised, or cancelled. SAE invites your written comments and suggestions.

ISSUED 1966-03 REVISED 2001-08 REAFFIRMED 2005-06




FIGURE 3 - FITTING, TEE, BULKHEAD END NOT FOR USE IN PORT INSTALLATION, PORT #3 SHOWN AS REDUCER, SAME AS FIGURE 1 EXCEPT AS SHOWN




FIGURE 4 - FITTING, TEE, BULKHEAD END NOT FOR USE IN PORT INSTALLATION, NON-REDUCER SHOWN, SAME AS FIGURE 2 EXCEPT AS SHOWN

SAENORM.COM : Click to view the full PDF of as1003e

REV.  
E

AS1003

TABLE 1 - DIMENSIONS AND WEIGHTS /13/

BASIC NO. AS1003 /12/ /21/ SIZE CODE	V	W	LB/EA APPROX REF ALUM	LB/EA APPROX REF STEEL	LB/EA APPROX REF TI
02	.297- .314	.090	.0185	.0531	.0293
03	.360- .377	.100	.0289	.0830	.0458
04	.423- .440	.110	.0373	.107	.0591
05	.485- .502	.120	.0498	.143	.0789
06	.547- .565	.120	.0612	.176	.0969
08	.735- .753	.150	.125	.358	.198
10	.860- .878	.170	.162	.466	.257
12	1.047-1.065	.185	.277	.798	.440
14	1.173-1.191	.200	.372	1.07	.590
16	1.292-1.317	.205	.400	1.15	.634
20	1.605-1.630	.240	.701	2.01	1.11
24	1.855-1.880	.250	.908	2.61	1.44
32	2.542-2.572	.350	1.95	5.60	3.09

TABLE 2 - LEG LENGTH B /14/

FORGING SIZE /12/	TUBE SIZE OF PORT #1 02	TUBE SIZE OF PORT #1 03	TUBE SIZE OF PORT #1 04	TUBE SIZE OF PORT #1 05	TUBE SIZE OF PORT #1 06	TUBE SIZE OF PORT #1 08	TUBE SIZE OF PORT #1 10	TUBE SIZE OF PORT #1 12	TUBE SIZE OF PORT #1 14	TUBE SIZE OF PORT #1 16	TUBE SIZE OF PORT #1 20	TUBE SIZE OF PORT #1 24	TUBE SIZE OF PORT #1 32
02	1.336	-	-	-	-	-	-	-	-	-	-	-	-
03	1.367	1.414	-	-	-	-	-	-	-	-	-	-	-
04	1.413	1.460	1.523	-	-	-	-	-	-	-	-	-	-
05	1.445	1.492	1.555	1.555	-	-	-	-	-	-	-	-	-
06	1.555	1.602	1.665	1.665	1.711	-	-	-	-	-	-	-	-
08	1.664	1.711	1.774	1.774	1.820	1.992	-	-	-	-	-	-	-
10	1.804	1.851	1.914	1.914	1.960	2.132	2.273	-	-	-	-	-	-
12	1.914	1.961	2.024	2.024	2.070	2.242	2.383	2.492	-	-	-	-	-
14	2.024	2.071	2.134	2.134	2.180	2.352	2.493	2.617	2.543	-	-	-	-
16	2.039	2.086	2.149	2.149	2.195	2.367	2.508	2.617	2.617	2.617	-	-	-
20	2.320	2.367	2.430	2.430	2.476	2.648	2.789	2.898	2.898	2.898	2.898	2.898	-
24	2.602	2.649	2.712	2.712	2.758	2.930	3.071	3.180	3.180	3.180	3.180	3.180	-
32	2.992	3.039	3.102	3.102	3.148	3.320	3.461	3.570	3.570	3.570	3.570	3.570	3.773

**SAE Aerospace**  
An SAE International Group

(R)

**AEROSPACE STANDARD**

FITTING, TEE, STANDARD  
AND REDUCER, BULKHEAD  
ON RUN, FLARELESS

**AS1003**  
SHEET 3 OF 6

**REV.**  
**E**

REV.  
E

AS1003

TABLE 3 - LEG LENGTH D /14/

FORGING SIZE /12/	TUBE SIZE OF PORT #2 OR #3 02	TUBE SIZE OF PORT #2 OR #3 03	TUBE SIZE OF PORT #2 OR #3 04	TUBE SIZE OF PORT #2 OR #3 05	TUBE SIZE OF PORT #2 OR #3 06	TUBE SIZE OF PORT #2 OR #3 08	TUBE SIZE OF PORT #2 OR #3 10	TUBE SIZE OF PORT #2 OR #3 12	TUBE SIZE OF PORT #2 OR #3 14	TUBE SIZE OF PORT #2 OR #3 16	TUBE SIZE OF PORT #2 OR #3 20	TUBE SIZE OF PORT #2 OR #3 24	TUBE SIZE OF PORT #2 OR #3 32
02	.804	-	-	-	-	-	-	-	-	-	-	-	-
03	.883	.930	-	-	-	-	-	-	-	-	-	-	-
04	.883	.930	.961	-	-	-	-	-	-	-	-	-	-
05	.977	1.024	1.055	1.055	-	-	-	-	-	-	-	-	-
06	.992	1.039	1.070	1.070	1.086	-	-	-	-	-	-	-	-
08	1.149	1.196	1.227	1.227	1.243	1.336	-	-	-	-	-	-	-
10	1.274	1.320	1.352	1.352	1.368	1.461	1.524	-	-	-	-	-	-
12	1.335	1.383	1.414	1.414	1.430	1.523	1.586	1.649	-	-	-	-	-
14	1.398	1.445	1.476	1.476	1.492	1.585	1.648	1.742	2.023	-	-	-	-
16	1.429	1.476	1.507	1.507	1.523	1.616	1.679	1.742	1.742	-	-	-	-
20	1.710	1.757	1.788	1.788	1.804	1.897	1.960	2.023	2.023	2.023	2.023	-	-
24	1.898	1.945	1.976	1.976	1.992	2.085	2.148	2.211	2.211	2.211	2.211	2.211	-
32	2.085	2.132	2.163	2.163	2.179	2.272	2.335	2.398	2.398	2.398	2.398	2.398	2.398

TABLE 4 - TUBE SIZE AND CORRESPONDING THREAD

PORT SIZE	(NOMINAL TUBE SIZE)	T THREAD PER AS8879 CLASS 3A
02	.125	.3125-24 UNJF
03	.188	.3750-24 UNJF
04	.250	.4375-20 UNJF
05	.312	.5000-20 UNJF
06	.375	.5625-18 UNJF
08	.500	.7500-16 UNJF
10	.625	.8750-14 UNJF
12	.750	1.0625-12 UNJ
14	.875	1.8750-12 UNJ
16	1.000	1.3125-12 UNJ
20	1.250	1.6250-12 UNJ
24	1.500	1.8750-12 UNJ
32	2.000	2.5000-12 UNJ

**SAE Aerospace**  
An SAE International Group

(R)

**AEROSPACE STANDARD**

FITTING, TEE, STANDARD  
AND REDUCER, BULKHEAD  
ON RUN, FLARELESS

**AS1003**  
SHEET 4 OF 6

**REV.**  
**E**