

SAE Technical Standards Board Rules provide that: "This report is published by SAE to advance the state of technical and engineering sciences. The use of this report is entirely voluntary, and its applicability and suitability for any particular use, including any patent infringement arising therefrom, is the sole responsibility of the user." SAE reviews each technical report at least every five years at which time it may be revised, reaffirmed, stabilized, or cancelled. SAE invites your written comments and suggestions.

REV. B
AS121601 THRU AS121650

FEDERAL SUPPLY CLASS
5315

RATIONALE


THIS NONCURRENT STANDARD HAS BEEN STABILIZED.

STABILIZED NOTICE

THIS DOCUMENT HAS BEEN DECLARED "STABILIZED" BY THE SAE E-25 GENERAL STANDARDS FOR AEROSPACE AND PROPULSION SYSTEMS COMMITTEE AND WILL NO LONGER BE SUBJECT TO PERIODIC REVIEWS FOR CURRENCY. USERS ARE RESPONSIBLE FOR VERIFYING REFERENCES AND CONTINUED SUITABILITY OF TECHNICAL REQUIREMENTS. NEWER TECHNOLOGY MAY EXIST.

SAENORM.COM : Click to view the full PDF of as121601b

SAE values your input. To provide feedback on this Technical Report, please visit <http://www.sae.org/technical/standards/AS121601B>



CUSTODIAN: E-25		PROCUREMENT SPECIFICATION: NONE	
	AEROSPACE STANDARD		AS121601 THRU AS121650
	PIN, STRAIGHT, HEADED, CADMIUM PLATED, UNS G87400, .125 NOM		

ISSUED 1999-12 REAFFIRMED 2005-05 REVISED 2008-10 STABILIZED 2014-07

NOTICE

THE INITIAL SAE PUBLICATION OF THIS DOCUMENT WAS TAKEN DIRECTLY FROM U.S. MILITARY STANDARD AN121601 THRU AN121650, REVISION 3. THIS SAE STANDARD RETAINS THE SAME PART NUMBERS ESTABLISHED BY THE ORIGINAL MILITARY DOCUMENT.

ANY REQUIREMENTS ASSOCIATED WITH QUALIFIED PRODUCT LISTS (QPL) MAY CONTINUE TO BE MANDATORY FOR DOD CONTRACTS. REQUIREMENTS RELATING TO QPL'S HAVE NOT BEEN ADOPTED BY THE SAE FOR THIS STANDARD AND ARE NOT PART OF THIS SAE DOCUMENT.




FIGURE 1 - PIN

TABLE 1 - PART NUMBERS AND DIMENSIONS

PART NUMBERS	A	L	APPROX MASS LB/100	PART NUMBERS	A	L	APPROX MASS LB/100
AN121601	.253	.381 - .401	.160	AN121612	.940	1.068 - 1.088	.391
AN121602	.315	.443 - .463	.181	AN121613	1.003	1.131 - 1.151	.412
AN121603	.378	.506 - .526	.201	AN121614	1.065	1.193 - 1.213	.433
AN121604	.440	.568 - .588	.223	AN121615	1.128	1.256 - 1.276	.454
AN121605	.503	.631 - .651	.244	AN121616	1.190	1.318 - 1.338	.475
AN121606	.565	.693 - .713	.264	AN121617	1.253	1.381 - 1.401	.496
AN121607	.628	.756 - .776	.286	AN121618	1.315	1.443 - 1.463	.517
AN121608	.690	.818 - .838	.307	AN121619	1.378	1.506 - 1.526	.538
AN121609	.753	.881 - .901	.328	AN121620	1.440	1.568 - 1.588	.559
AN121610	.815	.943 - .963	.349	AN121621	1.503	1.631 - 1.651	.580
AN121611	.878	1.006 - 1.026	.370				

	AEROSPACE STANDARD	AS121601 THRU AS121650 SHEET 1 OF 2	REV. B
	PIN, STRAIGHT, HEADED, CADMIUM PLATED, UNS G87400, .125 NOM		