


AS 1736

SAE Technical Board Rules provide that: "This report is published by SAE to advance the state of technical and engineering sciences. The use of this report is entirely voluntary, and its applicability and suitability for any particular use, including any patent infringement arising therefrom, is the sole responsibility of the user." SAE reviews each technical report at least every five years at which time it may be reaffirmed, revised, or cancelled. SAE invites your written comments and suggestions.



WASHER DIMENSIONS AND WEIGHTS

AS1736 DASH NUMBER	MATERIAL	TUBE SIZE (REF)	A + .005 - .000	B		C 2	WEIGHT MAX. LBS		
				THICKNESS	TOL				
04	FORMICA	1/4	.585	.065	+.010 -.000	.084	.001		
05		5/16	.646			.084	.001		
06		3/8	.691			.075	.001		
08		1/2	.818			.075	.001		
10		5/8	.963			.088	.002		
12		3/4	1.129			.059	+.008	.097	.002
14		7/8	1.265			-.000	.098	.003	
16		1	1.388			.101	.003		
20		ALUMINUM	1-1/4			1.630	.097	.003	
24		1-1/2	1.880			.097	.005		
28		1-3/4	2.140			.075	.100	.006	
32		2	2.384			.097	.006		
36		2-1/4	2.640			+.010	.100	.008	
40		2-1/2	2.890			-.000	.100	.009	
48	3	3.515	.163	.017					
56	3-1/2	4.015	.085	.163	.019				
64	CRES	4	4.515	.158	.058				
72		4-1/2	5.017	.159	.065				
80		5	5.502	.151	.068				

DIMENSIONS IN INCHES

PROCUREMENT SPECIFICATION

1	---	2	---	---
LIST OF ACTIVE SHEETS				

PREPARED BY SAE SUBCOMMITTEE G-3A, COUPLINGS OF SAE COMMITTEE G-3, AEROSPACE FITTINGS, HOSE AND TUBING ASSEMBLIES

SAE The Engineering
Resource For
Advancing Mobility

AEROSPACE STANDARD

WASHER, COUPLING, RIGID, FIXED CAVITY,
THREADED, FERRULE TYPE TUBE ENDS

AS1736

SH 1 OF 2