

SAE Technical Standards Board Rules provide that: "This report is published by SAE to advance the state of technical and engineering sciences. The use of this report is entirely voluntary, and its applicability and suitability for any particular use, including any patent infringement arising therefrom, is the sole responsibility of the user." SAE reviews each technical report at least every five years at which time it may be revised, reaffirmed, stabilized, or cancelled. SAE invites your written comments and suggestions.

REV. A
AS29600/1

FEDERAL SUPPLY CLASS
5935

RATIONALE


THE C1 COMMITTEE HAS RECOMMENDED STABILIZATION OF THIS DOCUMENT BASED ON NO QPL SOURCES AND NO KNOWN USAGE. ANY EDITORIAL OR TECHNICAL CHANGES NEEDED TO ALIGN THIS DOCUMENT WITH SIMILAR CURRENTLY PUBLISHED DETAIL SHEETS SHALL BE MADE AT SUCH TIME A POTENTIAL SOURCE REQUESTS AUTHORIZATION TO QUALIFY TO THIS DOCUMENT.

STABILIZED NOTICE

THIS DOCUMENT HAS BEEN DECLARED "STABILIZED" BY THE SAE AE-8C1 CONNECTORS COMMITTEE AND WILL NO LONGER BE SUBJECTED TO PERIODIC REVIEWS FOR CURRENCY. USERS ARE RESPONSIBLE FOR VERIFYING REFERENCES AND CONTINUED SUITABILITY OF TECHNICAL REQUIREMENTS. NEWER TECHNOLOGY MAY EXIST.

SAENORM.COM : Click to view the full PDF of as29600_1a

SAE values your input. To provide feedback on this Technical Report, please visit <http://www.sae.org/technical/standards/AS29600/1A>



CUSTODIAN: AE-8/AE-8C1		PROCUREMENT SPECIFICATION: NONE	
	AEROSPACE STANDARD		AS29600/1
	CONNECTOR, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, REMOVABLE CRIMP CONTACTS, SEALING PLUG, SIZE 8, (SERIES A)		

ISSUED 1998-01 REAFFIRMED 2009-06 STABILIZED 2014-09

NOTICE

THIS DOCUMENT HAS BEEN TAKEN DIRECTLY FROM U.S. MILITARY SPECIFICATION MIL-C-29600/1 AND CONTAINS ONLY MINOR EDITORIAL AND FORMAT CHANGES REQUIRED TO BRING IT INTO CONFORMANCE WITH THE PUBLISHING REQUIREMENTS OF SAE TECHNICAL STANDARDS. THE INITIAL RELEASE OF THIS DOCUMENT IS INTENDED TO REPLACE MIL-C-29600/1. ANY PART NUMBERS ESTABLISHED BY THE ORIGINAL SPECIFICATION REMAIN UNCHANGED.

THE ORIGINAL MILITARY SPECIFICATION WAS ADOPTED AS AN SAE STANDARD UNDER THE PROVISIONS OF THE SAE TECHNICAL STANDARDS BOARD (TSB) RULES AND REGULATIONS (TSB 001) PERTAINING TO ACCELERATED ADOPTION OF GOVERNMENT SPECIFICATIONS AND STANDARDS. TSB RULES PROVIDE FOR (A) THE PUBLICATION OF PORTIONS OF UNREVISED GOVERNMENT SPECIFICATIONS AND STANDARDS WITHOUT CONSENSUS VOTING AT THE SAE COMMITTEE LEVEL, AND (B) THE USE OF THE EXISTING GOVERNMENT SPECIFICATION OR STANDARD FORMAT.

UNDER DEPARTMENT OF DEFENSE POLICIES AND PROCEDURES, ANY QUALIFICATION REQUIREMENTS AND ASSOCIATED QUALIFIED PRODUCTS LISTS ARE MANDATORY FOR DOD CONTRACTS. ANY REQUIREMENT RELATING TO QUALIFIED PRODUCTS LISTS (QPL'S) HAS NOT BEEN ADOPTED BY SAE AND IS NOT PART OF THIS TECHNICAL REPORT.

SAENORM.COM : Click to view the full PDF of as29600 - 1A

	AEROSPACE STANDARD	AS29600/1 SHEET 1 OF 3	REV. A
	CONNECTOR, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, REMOVABLE CRIMP CONTACTS, SEALING PLUG, SIZE 8, (SERIES A)		

THE COMPLETE REQUIREMENTS FOR ACQUIRING THE SEALING PLUG DESCRIBED HEREIN SHALL CONSIST OF THIS SPECIFICATION AND THE LATEST REVISION OF MIL-C-29600.




FIGURE 1. SEALING PLUG.

NOTES:

1. The $\phi .321$ end shall be inserted into the connector.
2. Dimensions are in inches unless otherwise specified.
3. Metric equivalents are based upon 1 inch = 25.4 mm.

	AEROSPACE STANDARD	AS29600/1 SHEET 2 OF 3	REV. A
	<small>CONNECTOR, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, REMOVABLE CRIMP CONTACTS, SEALING PLUG, SIZE 8, (SERIES A)</small>		