

SAE Technical Standards Board Rules provide that: "This report is published by SAE to advance the state of technical and engineering sciences. The use of this report is entirely voluntary, and its applicability and suitability for any particular use, including any patent infringement arising therefrom, is the sole responsibility of the user."

SAE reviews each technical report at least every five years at which time it may be revised, reaffirmed, stabilized, or cancelled. SAE invites your written comments and suggestions.

**REV.
A**

SAE AS3085

RATIONALE


THIS DOCUMENT HAS BEEN DETERMINED TO CONTAIN BASIC AND STABLE TECHNOLOGY WHICH IS NOT DYNAMIC IN NATURE AND WITH THE SUPERSEDURE OF AMS7280 TO AMS7276 IN 1992, TWO IDENTICAL STANDARDS EXIST (AS3085 AND AS3209). AS3085 IS AVAILABLE FOR HISTORICAL PURPOSES.

STABILIZED NOTICE

THIS DOCUMENT HAS BEEN DECLARED "STABILIZED" BY THE SAE E-25 GENERAL STANDARDS FOR AEROSPACE & PROPULSION SYSTEMS COMMITTEE AND WILL NO LONGER BE SUBJECTED TO PERIODIC REVIEWS FOR CURRENCY. AS3209 SHOULD BE CONSIDERED FOR NEW DESIGNS. USERS ARE RESPONSIBLE FOR VERIFYING REFERENCES AND CONTINUED SUITABILITY OF TECHNICAL REQUIREMENTS. NEWER TECHNOLOGY MAY EXIST

SAENORM.COM : Click to view the full PDF of as3085a

SAE values your input. To provide feedback on this Technical Report, please visit <http://www.sae.org/technical/standards/AS3085A>



CUSTODIAN: E-25



AEROSPACE STANDARD

PACKING, PREFORMED - AMS7280, 'O' RING

SAE AS3085

**REV.
A**

Copyright 2012 SAE International



All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of SAE.

TO PLACE A DOCUMENT ORDER: Tel: 877-606-7323 (inside USA and Canada)
Fax: 724-776-0790

Tel: +1 724-776-4970 (outside USA)
Email: CustomerService@sae.org

SAE WEB ADDRESS: <http://www.sae.org>

ISSUED 1974-08 REAFFIRMED 2006-07 STABILIZED 2012-06



PART NUMBER	ID IN.		ID (mm)		T IN.		T (mm)		APPROX MASS	
	MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX	LB/100	kg/100
AS3085-001	.025	.033	0.64	0.84	.037	.043	0.94	1.09	0.002	0.001
AS3085-002	.038	.046	0.97	1.17	.047	.053	1.19	1.35	0.004	0.002
AS3085-003	.052	.060	1.32	1.52	.057	.063	1.45	1.60	0.007	0.003
AS3085-004	.065	.075	1.65	1.90	.067	.073	1.70	1.85	0.012	0.006
AS3085-005	.096	.106	2.44	2.69	.067	.073	1.70	1.85	0.015	0.007
AS3085-006	.109	.119	2.77	3.02	.067	.073	1.70	1.85	0.016	0.007
AS3085-007	.140	.150	3.56	3.81	.067	.073	1.70	1.85	0.019	0.008
AS3085-008	.171	.181	4.34	4.60	.067	.073	1.70	1.85	0.021	0.010
AS3085-009	.203	.213	5.16	5.41	.067	.073	1.70	1.85	0.024	0.011
AS3085-010	.234	.244	5.94	6.20	.067	.073	1.70	1.85	0.027	0.012
AS3085-011	.296	.306	7.52	7.77	.067	.073	1.70	1.85	0.032	0.015
AS3085-012	.359	.369	9.12	9.37	.067	.073	1.70	1.85	0.038	0.017
AS3085-013	.421	.431	10.59	10.95	.067	.073	1.70	1.85	0.043	0.020
AS3085-014	.484	.494	12.29	12.55	.067	.073	1.70	1.85	0.049	0.022
AS3085-015	.544	.558	13.82	14.17	.067	.073	1.70	1.85	0.054	0.025
AS3085-016	.605	.623	15.37	15.82	.067	.073	1.70	1.85	0.060	0.027
AS3085-017	.667	.685	16.94	17.40	.067	.073	1.70	1.85	0.065	0.029
AS3085-018	.730	.748	18.54	19.00	.067	.073	1.70	1.85	0.070	0.032
AS3085-019	.792	.810	20.12	20.57	.067	.073	1.70	1.85	0.076	0.034
AS3085-020	.855	.873	21.72	22.17	.067	.073	1.70	1.85	0.081	0.037
AS3085-021	.917	.935	23.29	23.75	.067	.073	1.70	1.85	0.087	0.039
AS3085-022	.979	.999	24.87	25.37	.067	.073	1.70	1.85	0.092	0.042
AS3085-023	1.041	1.061	26.44	26.95	.067	.073	1.70	1.85	0.098	0.044
AS3085-024	1.104	1.124	28.04	28.55	.067	.073	1.70	1.85	0.103	0.047
AS3085-025	1.165	1.187	29.59	30.15	.067	.073	1.70	1.85	0.108	0.049
AS3085-026	1.228	1.250	31.19	31.75	.067	.073	1.70	1.85	0.114	0.052
AS3085-027	1.290	1.312	32.77	33.32	.067	.073	1.70	1.85	0.119	0.054
AS3085-028	1.351	1.377	34.32	34.98	.067	.073	1.70	1.85	0.125	0.057
AS3085-029	1.476	1.502	37.49	38.15	.067	.073	1.70	1.85	0.136	0.062
AS3085-030	1.601	1.627	40.67	41.33	.067	.073	1.70	1.85	0.147	0.066
AS3085-031	1.724	1.754	43.79	44.55	.067	.073	1.70	1.85	0.157	0.071
AS3085-032	1.849	1.879	46.96	47.73	.067	.073	1.70	1.85	0.168	0.076
AS3085-033	1.971	2.007	50.06	50.98	.067	.073	1.70	1.85	0.179	0.081
AS3085-034	2.096	2.132	53.24	54.15	.067	.073	1.70	1.85	0.190	0.086
AS3085-035	2.221	2.257	56.41	57.33	.067	.073	1.70	1.85	0.201	0.091
AS3085-036	2.346	2.382	59.59	60.50	.067	.073	1.70	1.85	0.212	0.096
AS3085-037	2.471	2.507	62.76	63.68	.067	.073	1.70	1.85	0.223	0.101
AS3085-038	2.594	2.634	65.9	66.9	.067	.073	1.70	1.85	0.234	0.106
AS3085-039	2.719	2.759	69.1	70.1	.067	.073	1.70	1.85	0.245	0.111
AS3085-040	2.844	2.884	72.2	73.3	.067	.073	1.70	1.85	0.255	0.116
AS3085-041	2.965	3.013	75.3	76.5	.067	.073	1.70	1.85	0.266	0.121
AS3085-042	3.215	3.263	81.7	82.9	.067	.073	1.70	1.85	0.288	0.131
AS3085-043	3.465	3.513	88.0	89.2	.067	.073	1.70	1.85	0.310	0.141
AS3085-044	3.712	3.766	94.3	95.7	.067	.073	1.70	1.85	0.332	0.150
AS3085-045	3.962	4.016	100.6	102.0	.067	.073	1.70	1.85	0.353	0.160
AS3085-046	4.209	4.269	106.9	108.4	.067	.073	1.70	1.85	0.375	0.170
AS3085-047	4.459	4.519	113.3	114.8	.067	.073	1.70	1.85	0.397	0.180
AS3085-048	4.709	4.769	119.6	121.1	.067	.073	1.70	1.85	0.419	0.190
AS3085-049	4.952	5.026	125.8	127.7	.067	.073	1.70	1.85	0.440	0.200
AS3085-050	5.202	5.276	132.1	134.0	.067	.073	1.70	1.85	0.462	0.210

PART NUMBER	ID IN.		ID (mm)		T IN.		T (mm)		APPROX MASS	
	MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX	LB/100	kg/100
AS3085-102	.044	.054	1.12	1.37	.100	.106	2.54	2.69	0.029	0.013
AS3085-103	.076	.086	1.93	2.18	.100	.106	2.54	2.69	0.035	0.016
AS3085-104	.107	.117	2.72	2.97	.100	.106	2.54	2.69	0.041	0.018
AS3085-105	.138	.148	3.51	3.76	.100	.106	2.54	2.69	0.046	0.021
AS3085-106	.169	.179	4.29	4.55	.100	.106	2.54	2.69	0.052	0.024
AS3085-107	.201	.211	5.11	5.36	.100	.106	2.54	2.69	0.058	0.026
AS3085-108	.232	.242	5.89	6.15	.100	.106	2.54	2.69	0.064	0.029
AS3085-109	.294	.304	7.47	7.72	.100	.106	2.54	2.69	0.076	0.034
AS3085-110	.357	.367	9.07	9.32	.100	.106	2.54	2.69	0.088	0.040
AS3085-111	.419	.429	10.64	10.90	.100	.106	2.54	2.69	0.099	0.045
AS3085-112	.482	.492	12.24	12.50	.100	.106	2.54	2.69	0.111	0.050
AS3085-113	.542	.552	13.77	14.12	.100	.106	2.54	2.69	0.123	0.056
AS3085-114	.603	.621	15.32	15.77	.100	.106	2.54	2.69	0.135	0.061
AS3085-115	.665	.683	16.89	17.35	.100	.106	2.54	2.69	0.146	0.066
AS3085-116	.728	.746	18.49	18.95	.100	.106	2.54	2.69	0.158	0.072
AS3085-117	.789	.809	20.04	20.55	.100	.106	2.54	2.69	0.170	0.077
AS3085-118	.852	.872	21.64	22.15	.100	.106	2.54	2.69	0.182	0.082
AS3085-119	.914	.934	23.22	23.72	.100	.106	2.54	2.69	0.194	0.088
AS3085-120	.977	.997	24.82	25.32	.100	.106	2.54	2.69	0.205	0.093
AS3085-121	1.039	1.059	26.39	26.90	.100	.106	2.54	2.69	0.217	0.098
AS3085-122	1.102	1.122	27.99	28.50	.100	.106	2.54	2.69	0.229	0.104
AS3085-123	1.162	1.186	29.51	30.12	.100	.106	2.54	2.69	0.241	0.109
AS3085-124	1.225	1.249	31.12	31.72	.100	.106	2.54	2.69	0.253	0.115
AS3085-125	1.287	1.311	32.69	33.30	.100	.106	2.54	2.69	0.264	0.120
AS3085-126	1.350	1.374	34.29	34.90	.100	.106	2.54	2.69	0.276	0.125
AS3085-127	1.412	1.436	35.96	36.47	.100	.106	2.54	2.69	0.288	0.131
AS3085-128	1.475	1.499	37.46	38.07	.100	.106	2.54	2.69	0.300	0.136
AS3085-129	1.534	1.564	38.96	39.73	.100	.106	2.54	2.69	0.311	0.141
AS3085-130	1.597	1.627	40.56	41.33	.100	.106	2.54	2.69	0.323	0.147
AS3085-131	1.659	1.689	42.14	42.90	.100	.106	2.54	2.69	0.335	0.152
AS3085-132	1.722	1.752	43.74	44.50	.100	.106	2.54	2.69	0.347	0.157
AS3085-133	1.784	1.814	45.31	46.08	.100	.106	2.54	2.69	0.358	0.163
AS3085-134	1.847	1.877	46.91	47.68	.100	.106	2.54	2.69	0.370	0.168
AS3085-135	1.908	1.942	48.46	49.33	.100	.106	2.54	2.69	0.382	0.173
AS3085-136	1.970	2.004	50.04	50.90	.100	.106	2.54	2.69	0.394	0.179
AS3085-137	2.033	2.067	51.64	52.50	.100	.106	2.54	2.69	0.406	0.184
AS3085-138	2.095	2.129	53.21	54.08	.100	.106	2.54	2.69	0.417	0.189
AS3085-139	2.158	2.192	54.81	55.68	.100	.106	2.54	2.69	0.429	0.195
AS3085-140	2.220	2.254	56.39	57.25	.100	.106	2.54	2.69	0.441	0.200
AS3085-141	2.280	2.320	57.9	58.9	.100	.106	2.54	2.69	0.453	0.205
AS3085-142	2.342	2.382	59.5	60.5	.100	.106	2.54	2.69	0.465	0.211
AS3085-143	2.405	2.445	61.1	62.1	.100	.106	2.54	2.69	0.476	0.216
AS3085-144	2.467	2.507	62.7	63.7	.100	.106	2.54	2.69	0.488	0.221
AS3085-145	2.530	2.570	64.3	65.3	.100	.106	2.54	2.69	0.500	0.227
AS3085-146	2.592	2.632	65.8	66.9	.100	.106	2.54	2.69	0.512	0.232
AS3085-147	2.653	2.697	67.4	68.5	.100	.106	2.54	2.69	0.524	0.237
AS3085-148	2.715	2.759	69.0	70.1	.100	.106	2.54	2.69	0.535	0.243
AS3085-149	2.778	2.822	70.6	71.7	.100	.106	2.54	2.69	0.547	0.248
AS3085-150	2.843	2.884	72.1	73.3	.100	.106	2.54	2.69	0.559	0.253
AS3085-151	2.903	2.911	75.3	75.5	.100	.106	2.54	2.69	0.582	0.264
AS3085-152	3.213	3.261	81.6	82.8	.100	.106	2.54	2.69	0.529	0.286
AS3085-153	3.453	3.511	88.0	89.2	.100	.106	2.54	2.69	0.577	0.307
AS3085-154	3.709	3.765	94.2	95.6	.100	.106	2.54	2.69	0.724	0.328
AS3085-155	3.953	4.015	100.6	102.0	.100	.106	2.54	2.69	0.771	0.350
AS3085-156	4.207	4.267	106.9	108.4	.100	.106	2.54	2.69	0.818	0.371
AS3085-157	4.457	4.517	113.2	114.7	.100	.106	2.54	2.69	0.865	0.392
AS3085-158	4.707	4.767	119.5	121.1	.100	.106	2.54	2.69	0.912	0.414
AS3085-159	4.952	5.022	125.8	127.6	.100	.106	2.54	2.69	0.959	0.435
AS3085-160	5.202	5.272	132.1	133.9	.100	.106	2.54	2.69	1.006	0.457
AS3085-161	5.452	5.522	138.5	140.3	.100	.106	2.54	2.69	1.054	0.478
AS3085-162	5.702	5.772	144.8	146.6	.100	.106	2.54	2.69	1.101	0.499
AS3085-163	5.952	6.022	151.2	153.0	.100	.106	2.54	2.69	1.148	0.521
AS3085-164	6.197	6.277	157.4	159.4	.100	.106	2.54	2.69	1.195	0.542
AS3085-165	6.447	6.527	163.8	165.8	.100	.106	2.54	2.69	1.242	0.563
AS3085-166	6.697	6.777	170.1	172.1	.100	.106	2.54	2.69	1.289	0.585
AS3085-167	6.947	7.027	176.5	178.5	.100	.106	2.54	2.69	1.336	0.606
AS3085-168	7.197	7.282	182.7	185.0	.100	.106	2.54	2.69	1.383	0.628
AS3085-169	7.442	7.532	189.0	191.3	.100	.106	2.54	2.69	1.431	0.649
AS3085-170	7.692	7.782	195.4	197.7	.100	.106	2.54	2.69	1.478	0.670

PART NUMBER	ID IN.		ID (mm)		T IN.		T (mm)		APPROX MASS	
	MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX	LB/100	kg/100
AS3085-171	7.942	8.032	201.7	204.0	.100	.106	2.54	2.69	1.525	0.692
AS3085-172	8.187	8.287	207.9	210.5	.100	.106	2.54	2.69	1.572	0.713
AS3085-173	8.437	8.537	214.3	216.8	.100	.106	2.54	2.69	1.619	0.734
AS3085-174	8.687	8.787	220.6	223.2	.100	.106	2.54	2.69	1.666	0.756
AS3085-175	8.937	9.037	227.0	229.5	.100	.106	2.54	2.69	1.713	0.777
AS3085-176	9.182	9.292	233.2	236.0	.100	.106	2.54	2.69	1.760	0.798
AS3085-177	9.432	9.542	239.6	242.4	.100	.106	2.54	2.69	1.807	0.820
AS3085-178	9.682	9.792	245.9	248.7	.100	.106	2.54	2.69	1.855	0.841
AS3085-201	.166	.176	4.22	4.47	.135	.143	3.43	3.63	0.106	0.048
AS3085-202	.229	.239	5.82	6.07	.135	.143	3.43	3.63	0.128	0.058
AS3085-203	.291	.301	7.39	7.65	.135	.143	3.43	3.63	0.149	0.068
AS3085-204	.354	.364	8.99	9.25	.135	.143	3.43	3.63	0.171	0.078
AS3085-205	.416	.426	10.57	10.82	.135	.143	3.43	3.63	0.192	0.087
AS3085-206	.479	.489	12.17	12.42	.135	.143	3.43	3.63	0.214	0.097
AS3085-207	.539	.553	13.69	14.05	.135	.143	3.43	3.63	0.235	0.107
AS3085-208	.600	.618	15.24	15.70	.135	.143	3.43	3.63	0.257	0.116
AS3085-209	.662	.680	16.81	17.27	.135	.143	3.43	3.63	0.278	0.126
AS3085-210	.724	.744	18.39	18.90	.135	.143	3.43	3.63	0.300	0.136
AS3085-211	.786	.806	19.96	20.47	.135	.143	3.43	3.63	0.321	0.146
AS3085-212	.849	.869	21.56	22.07	.135	.143	3.43	3.63	0.343	0.155
AS3085-213	.911	.931	23.14	23.65	.135	.143	3.43	3.63	0.364	0.165
AS3085-214	.974	.994	24.74	25.25	.135	.143	3.43	3.63	0.385	0.175
AS3085-215	1.036	1.056	26.31	26.82	.135	.143	3.43	3.63	0.407	0.184
AS3085-216	1.097	1.121	27.86	28.47	.135	.143	3.43	3.63	0.428	0.194
AS3085-217	1.159	1.183	29.44	30.05	.135	.143	3.43	3.63	0.450	0.204
AS3085-218	1.222	1.246	31.04	31.65	.135	.143	3.43	3.63	0.471	0.214
AS3085-219	1.284	1.308	32.61	33.22	.135	.143	3.43	3.63	0.493	0.223
AS3085-220	1.347	1.371	34.21	34.82	.135	.143	3.43	3.63	0.514	0.233
AS3085-221	1.409	1.433	35.79	36.40	.135	.143	3.43	3.63	0.535	0.243
AS3085-222	1.469	1.499	37.31	38.07	.135	.143	3.43	3.63	0.557	0.253
AS3085-223	1.594	1.624	40.49	41.25	.135	.143	3.43	3.63	0.600	0.272
AS3085-224	1.719	1.749	43.66	44.42	.135	.143	3.43	3.63	0.643	0.292
AS3085-225	1.841	1.877	46.76	47.68	.135	.143	3.43	3.63	0.686	0.311
AS3085-226	1.966	2.002	49.94	50.85	.135	.143	3.43	3.63	0.729	0.331
AS3085-227	2.091	2.127	53.11	54.03	.135	.143	3.43	3.63	0.772	0.350
AS3085-228	2.214	2.254	56.2	57.3	.135	.143	3.43	3.63	0.815	0.369
AS3085-229	2.339	2.379	59.4	60.4	.135	.143	3.43	3.63	0.857	0.389
AS3085-230	2.464	2.504	62.6	63.6	.135	.143	3.43	3.63	0.900	0.408
AS3085-231	2.589	2.629	65.8	66.8	.135	.143	3.43	3.63	0.943	0.428
AS3085-232	2.710	2.758	68.8	70.1	.135	.143	3.43	3.63	0.986	0.447
AS3085-233	2.835	2.883	72.0	73.2	.135	.143	3.43	3.63	1.029	0.467
AS3085-234	2.960	3.008	75.2	76.4	.135	.143	3.43	3.63	1.072	0.486
AS3085-235	3.085	3.133	78.4	79.6	.135	.143	3.43	3.63	1.115	0.506
AS3085-236	3.210	3.258	81.5	82.8	.135	.143	3.43	3.63	1.158	0.525
AS3085-237	3.335	3.383	84.7	85.9	.135	.143	3.43	3.63	1.201	0.545
AS3085-238	3.460	3.508	87.9	89.1	.135	.143	3.43	3.63	1.244	0.564
AS3085-239	3.581	3.637	91.0	92.4	.135	.143	3.43	3.63	1.286	0.584
AS3085-240	3.706	3.762	94.1	95.6	.135	.143	3.43	3.63	1.329	0.603
AS3085-241	3.831	3.887	97.3	98.7	.135	.143	3.43	3.63	1.372	0.622
AS3085-242	3.956	4.012	100.5	101.9	.135	.143	3.43	3.63	1.415	0.642
AS3085-243	4.081	4.137	103.7	105.1	.135	.143	3.43	3.63	1.458	0.661
AS3085-244	4.204	4.264	106.8	108.3	.135	.143	3.43	3.63	1.501	0.681
AS3085-245	4.329	4.389	110.0	111.5	.135	.143	3.43	3.63	1.544	0.700
AS3085-246	4.454	4.514	113.1	114.7	.135	.143	3.43	3.63	1.587	0.720
AS3085-247	4.579	4.639	116.3	117.8	.135	.143	3.43	3.63	1.630	0.739
AS3085-248	4.704	4.764	119.5	121.0	.135	.143	3.43	3.63	1.673	0.759
AS3085-249	4.824	4.894	122.5	124.3	.135	.143	3.43	3.63	1.716	0.778
AS3085-250	4.949	5.019	125.7	127.5	.135	.143	3.43	3.63	1.758	0.798
AS3085-251	5.074	5.144	128.9	130.7	.135	.143	3.43	3.63	1.801	0.817
AS3085-252	5.199	5.269	132.1	133.8	.135	.143	3.43	3.63	1.844	0.837
AS3085-253	5.324	5.394	135.2	137.0	.135	.143	3.43	3.63	1.887	0.856
AS3085-254	5.449	5.519	138.4	140.2	.135	.143	3.43	3.63	1.930	0.875
AS3085-255	5.574	5.644	141.6	143.4	.135	.143	3.43	3.63	1.973	0.895
AS3085-256	5.699	5.769	144.8	146.5	.135	.143	3.43	3.63	2.016	0.914
AS3085-257	5.824	5.894	147.9	149.7	.135	.143	3.43	3.63	2.059	0.934
AS3085-258	5.949	6.019	151.1	152.9	.135	.143	3.43	3.63	2.102	0.953
AS3085-259	6.194	6.274	157.3	159.4	.135	.143	3.43	3.63	2.187	0.992
AS3085-260	6.444	6.524	163.7	165.7	.135	.143	3.43	3.63	2.273	1.031

PART NUMBER	ID IN.		ID (mm)		T IN.		T (mm)		APPROX MASS	
	MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX	LB/100	kg/100
AS3085-261	6.694	6.774	170.0	172.1	.135	.143	3.43	3.63	2.359	1.070
AS3085-262	6.944	7.024	176.4	178.4	.135	.143	3.43	3.63	2.445	1.109
AS3085-263	7.189	7.279	182.6	184.9	.135	.143	3.43	3.63	2.531	1.148
AS3085-264	7.439	7.529	189.0	191.2	.135	.143	3.43	3.63	2.617	1.187
AS3085-265	7.689	7.779	195.3	197.6	.135	.143	3.43	3.63	2.702	1.226
AS3085-266	7.939	8.029	201.7	203.9	.135	.143	3.43	3.63	2.788	1.265
AS3085-267	8.184	8.284	207.9	210.4	.135	.143	3.43	3.63	2.874	1.304
AS3085-268	8.434	8.534	214.2	216.8	.135	.143	3.43	3.63	2.960	1.343
AS3085-269	8.684	8.784	220.6	223.1	.135	.143	3.43	3.63	3.046	1.381
AS3085-270	8.934	9.034	226.9	229.5	.135	.143	3.43	3.63	3.131	1.420
AS3085-271	9.179	9.289	233.1	235.9	.135	.143	3.43	3.63	3.217	1.459
AS3085-272	9.429	9.539	239.5	242.3	.135	.143	3.43	3.63	3.303	1.498
AS3085-273	9.679	9.789	245.8	248.6	.135	.143	3.43	3.63	3.389	1.537
AS3085-274	9.929	10.039	252.2	255.0	.135	.143	3.43	3.63	3.475	1.576
AS3085-275	10.429	10.539	264.9	267.7	.135	.143	3.43	3.63	3.646	1.654
AS3085-276	10.919	11.049	277.3	280.6	.135	.143	3.43	3.63	3.818	1.732
AS3085-277	11.419	11.549	290.0	293.3	.135	.143	3.43	3.63	3.990	1.810
AS3085-278	11.919	12.049	302.7	306.0	.135	.143	3.43	3.63	4.161	1.887
AS3085-279	12.919	13.049	328.1	331.4	.135	.143	3.43	3.63	4.504	2.043
AS3085-280	13.919	14.049	353.5	356.8	.135	.143	3.43	3.63	4.848	2.199
AS3085-281	14.919	15.049	378.9	382.2	.135	.143	3.43	3.63	5.191	2.355
AS3085-282	15.880	16.030	403.4	407.2	.135	.143	3.43	3.63	5.524	2.506
AS3085-283	16.875	17.035	428.6	432.7	.135	.143	3.43	3.63	5.867	2.661
AS3085-284	17.870	18.040	453.9	458.2	.135	.143	3.43	3.63	6.211	2.817
AS3085-309	.407	.417	10.34	10.59	.205	.215	5.21	5.46	0.487	0.221
AS3085-310	.470	.480	11.94	12.19	.205	.215	5.21	5.46	0.537	0.243
AS3085-311	.530	.544	13.46	13.82	.205	.215	5.21	5.46	0.585	0.265
AS3085-312	.591	.609	15.01	15.47	.205	.215	5.21	5.46	0.635	0.288
AS3085-313	.653	.671	16.59	17.04	.205	.215	5.21	5.46	0.683	0.310
AS3085-314	.715	.735	18.16	18.67	.205	.215	5.21	5.46	0.733	0.332
AS3085-315	.777	.797	19.74	20.24	.205	.215	5.21	5.46	0.781	0.354
AS3085-316	.840	.860	21.34	21.84	.205	.215	5.21	5.46	0.830	0.377
AS3085-317	.902	.922	22.91	23.42	.205	.215	5.21	5.46	0.879	0.399
AS3085-318	.965	.985	24.51	25.02	.205	.215	5.21	5.46	0.928	0.421
AS3085-319	1.027	1.047	26.09	26.59	.205	.215	5.21	5.46	0.977	0.443
AS3085-320	1.088	1.112	27.64	28.24	.205	.215	5.21	5.46	1.026	0.466
AS3085-321	1.150	1.174	29.21	29.82	.205	.215	5.21	5.46	1.075	0.488
AS3085-322	1.213	1.237	30.81	31.42	.205	.215	5.21	5.46	1.124	0.510
AS3085-323	1.275	1.299	32.38	32.99	.205	.215	5.21	5.46	1.173	0.532
AS3085-324	1.338	1.362	33.99	34.59	.205	.215	5.21	5.46	1.222	0.554
AS3085-325	1.460	1.490	37.08	37.85	.205	.215	5.21	5.46	1.320	0.599
AS3085-326	1.585	1.615	40.26	41.02	.205	.215	5.21	5.46	1.418	0.643
AS3085-327	1.710	1.740	43.43	44.20	.205	.215	5.21	5.46	1.516	0.688
AS3085-328	1.835	1.865	46.61	47.37	.205	.215	5.21	5.46	1.614	0.732
AS3085-329	1.957	1.993	49.71	50.62	.205	.215	5.21	5.46	1.712	0.776
AS3085-330	2.082	2.118	52.88	53.80	.205	.215	5.21	5.46	1.810	0.821
AS3085-331	2.207	2.243	56.06	56.97	.205	.215	5.21	5.46	1.908	0.865
AS3085-332	2.332	2.368	59.23	60.15	.205	.215	5.21	5.46	2.006	0.910
AS3085-333	2.455	2.495	62.4	63.4	.205	.215	5.21	5.46	2.104	0.954
AS3085-334	2.580	2.620	65.5	66.5	.205	.215	5.21	5.46	2.201	0.999
AS3085-335	2.705	2.745	68.7	69.7	.205	.215	5.21	5.46	2.299	1.043
AS3085-336	2.830	2.870	71.9	72.9	.205	.215	5.21	5.46	2.397	1.087
AS3085-337	2.951	2.999	75.0	76.2	.205	.215	5.21	5.46	2.495	1.132
AS3085-338	3.076	3.124	78.1	79.3	.205	.215	5.21	5.46	2.593	1.176
AS3085-339	3.201	3.249	81.3	82.5	.205	.215	5.21	5.46	2.691	1.221
AS3085-340	3.326	3.374	84.5	85.7	.205	.215	5.21	5.46	2.789	1.265
AS3085-341	3.451	3.499	87.7	88.9	.205	.215	5.21	5.46	2.887	1.310
AS3085-342	3.572	3.628	90.7	92.2	.205	.215	5.21	5.46	2.985	1.354
AS3085-343	3.697	3.753	93.9	95.3	.205	.215	5.21	5.46	3.083	1.398
AS3085-344	3.822	3.878	97.1	98.5	.205	.215	5.21	5.46	3.181	1.443
AS3085-345	3.947	4.003	100.3	101.7	.205	.215	5.21	5.46	3.279	1.487
AS3085-346	4.072	4.128	103.4	104.9	.205	.215	5.21	5.46	3.377	1.532
AS3085-347	4.195	4.255	106.6	108.1	.205	.215	5.21	5.46	3.475	1.576
AS3085-348	4.320	4.380	109.7	111.3	.205	.215	5.21	5.46	3.573	1.621
AS3085-349	4.445	4.505	112.9	114.4	.205	.215	5.21	5.46	3.670	1.665
AS3085-350	4.570	4.630	116.1	117.6	.205	.215	5.21	5.46	3.768	1.709