


RATIONALE

AS3209 HAS BEEN REAFFIRMED TO COMPLY WITH THE SAE FIVE-YEAR REVIEW POLICY.




AS3209

SAE Technical Standards Board Rules provide that: "This report is published by SAE to advance the state of technical and engineering sciences. The use of this report is entirely voluntary, and its applicability and suitability for any particular use, including any patent infringement arising therefrom, is the sole responsibility of the user." SAE reviews each technical report at least every five years at which time it may be revised, reaffirmed, stabilized, or cancelled. SAE invites your written comments and suggestions.

PART NUMBER	ID IN.		ID (mm)		T DIA IN.		T DIA (mm)		APPROX MASS	
	MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX	LB/100	KG/100
AS3209-001	.025	.033	0.64	0.84	.037	.043	0.94	1.09	.002	0.001
AS3209-002	.038	.046	0.97	1.17	.047	.053	1.19	1.35	.004	0.002
AS3209-003	.052	.060	1.32	1.52	.057	.063	1.45	1.60	.006	0.003
AS3209-004	.065	.075	1.65	1.90	.067	.073	1.70	1.85	.011	0.005
AS3209-005	.096	.106	2.44	2.69	.067	.073	1.70	1.85	.013	0.006
AS3209-006	.109	.119	2.77	3.02	.067	.073	1.70	1.85	.014	0.006
AS3209-007	.140	.150	3.56	3.81	.067	.073	1.70	1.85	.016	0.007
AS3209-008	.171	.181	4.34	4.60	.067	.073	1.70	1.85	.019	0.008
AS3209-009	.203	.213	5.16	5.41	.067	.073	1.70	1.85	.021	0.010
AS3209-010	.234	.244	5.94	6.20	.067	.073	1.70	1.85	.024	0.011
AS3209-011	.296	.306	7.52	7.77	.067	.073	1.70	1.85	.028	0.013
AS3209-012	.359	.369	9.12	9.37	.067	.073	1.70	1.85	.033	0.015
AS3209-013	.421	.431	10.69	10.95	.067	.073	1.70	1.85	.038	0.017
AS3209-014	.484	.494	12.29	12.55	.067	.073	1.70	1.85	.043	0.019
AS3209-015	.544	.554	13.82	14.17	.067	.073	1.70	1.85	.047	0.021
AS3209-016	.605	.623	15.37	15.82	.067	.073	1.70	1.85	.052	0.024
AS3209-017	.667	.685	16.94	17.40	.067	.073	1.70	1.85	.057	0.026
AS3209-018	.730	.748	18.54	19.00	.067	.073	1.70	1.85	.062	0.028
AS3209-019	.792	.810	20.12	20.57	.067	.073	1.70	1.85	.066	0.030
AS3209-020	.855	.873	21.72	22.17	.067	.073	1.70	1.85	.071	0.032
AS3209-021	.917	.935	23.29	23.75	.067	.073	1.70	1.85	.076	0.034
AS3209-022	.979	.999	24.87	25.37	.067	.073	1.70	1.85	.081	0.037
AS3209-023	1.041	1.061	26.44	26.95	.067	.073	1.70	1.85	.085	0.039
AS3209-024	1.104	1.124	28.04	28.55	.067	.073	1.70	1.85	.090	0.041
AS3209-025	1.165	1.187	29.59	30.15	.067	.073	1.70	1.85	.095	0.043
AS3209-026	1.228	1.250	31.19	31.75	.067	.073	1.70	1.85	.100	0.045
AS3209-027	1.290	1.312	32.77	33.32	.067	.073	1.70	1.85	.104	0.047
AS3209-028	1.351	1.377	34.32	34.98	.067	.073	1.70	1.85	.109	0.050
AS3209-029	1.416	1.502	37.49	38.15	.067	.073	1.70	1.85	.119	0.054
AS3209-030	1.601	1.627	40.67	41.33	.067	.073	1.70	1.85	.128	0.058
AS3209-031	1.724	1.754	43.79	44.55	.067	.073	1.70	1.85	.138	0.063
AS3209-032	1.849	1.878	46.96	47.73	.067	.073	1.70	1.85	.147	0.067
AS3209-033	1.971	2.007	50.06	50.98	.067	.073	1.70	1.85	.157	0.071
AS3209-034	2.096	2.132	53.24	54.15	.067	.073	1.70	1.85	.166	0.075
AS3209-035	2.221	2.257	56.41	57.33	.067	.073	1.70	1.85	.176	0.080
AS3209-036	2.346	2.382	59.59	60.50	.067	.073	1.70	1.85	.185	0.084
AS3209-037	2.471	2.507	62.76	63.68	.067	.073	1.70	1.85	.195	0.088
AS3209-038	2.594	2.634	65.9	66.9	.067	.073	1.70	1.85	.204	0.093
AS3209-039	2.719	2.759	69.1	70.1	.067	.073	1.70	1.85	.214	0.097
AS3209-040	2.844	2.884	72.2	73.3	.067	.073	1.70	1.85	.223	0.101
AS3209-041	2.965	3.013	75.3	76.5	.067	.073	1.70	1.85	.233	0.106
AS3209-042	3.215	3.263	81.7	82.9	.067	.073	1.70	1.85	.252	0.114
AS3209-043	3.465	3.513	88.0	89.2	.067	.073	1.70	1.85	.271	0.123
AS3209-044	3.712	3.766	94.3	95.7	.067	.073	1.70	1.85	.290	0.132
AS3209-045	3.962	4.016	100.6	102.0	.067	.073	1.70	1.85	.309	0.140
AS3209-046	4.209	4.269	106.9	108.4	.067	.073	1.70	1.85	.328	0.149
AS3209-047	4.459	4.519	113.3	114.8	.067	.073	1.70	1.85	.347	0.158
AS3209-048	4.709	4.769	119.6	121.1	.067	.073	1.70	1.85	.366	0.166
AS3209-049	4.952	5.026	125.8	127.7	.067	.073	1.70	1.85	.385	0.175
AS3209-050	5.202	5.276	132.1	134.0	.067	.073	1.70	1.85	.404	0.183

SAE values your input. To provide feedback on this Technical Report, please visit <http://www.sae.org/technical/standards/AS3209>

THIRD ANGLE PROJECTION



CUSTODIAN: E-25

PROCUREMENT SPECIFICATION: AMS 7276



AEROSPACE STANDARD

PACKING, PREFORMED - AMS 7276, 'O' RING

AS3209 SHEET 1 OF 6

PART NUMBER	ID IN.		ID (mm)		T DIA IN.		T DIA (mm)		APPROX MASS	
	MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX	LB/100	KG/100
AS3209-102	.044	.054	1.12	1.37	.100	.106	2.54	2.69	.025	0.011
AS3209-103	.076	.086	1.93	2.18	.100	.106	2.54	2.69	.030	0.014
AS3209-104	.107	.117	2.72	2.97	.100	.106	2.54	2.69	.035	0.016
AS3209-105	.138	.148	3.51	3.76	.100	.106	2.54	2.69	.041	0.018
AS3209-106	.169	.179	4.29	4.55	.100	.106	2.54	2.69	.046	0.021
AS3209-107	.201	.211	5.11	5.36	.100	.106	2.54	2.69	.051	0.023
AS3209-108	.232	.242	5.89	6.15	.100	.106	2.54	2.69	.056	0.025
AS3209-109	.294	.304	7.47	7.72	.100	.106	2.54	2.69	.066	0.030
AS3209-110	.357	.367	9.07	9.32	.100	.106	2.54	2.69	.077	0.035
AS3209-111	.419	.429	10.64	10.90	.100	.106	2.54	2.69	.087	0.039
AS3209-112	.482	.492	12.24	12.50	.100	.106	2.54	2.69	.097	0.044
AS3209-113	.542	.552	13.77	14.12	.100	.106	2.54	2.69	.108	0.049
AS3209-114	.603	.621	15.32	15.77	.100	.106	2.54	2.69	.118	0.053
AS3209-115	.665	.683	16.89	17.35	.100	.106	2.54	2.69	.128	0.058
AS3209-116	.728	.746	18.49	18.95	.100	.106	2.54	2.69	.139	0.063
AS3209-117	.789	.809	20.04	20.55	.100	.106	2.54	2.69	.149	0.067
AS3209-118	.852	.872	21.64	22.15	.100	.106	2.54	2.69	.159	0.072
AS3209-119	.914	.934	23.22	23.72	.100	.106	2.54	2.69	.169	0.077
AS3209-120	.977	.997	24.82	25.32	.100	.106	2.54	2.69	.180	0.082
AS3209-121	1.039	1.059	26.39	26.90	.100	.106	2.54	2.69	.190	0.086
AS3209-122	1.102	1.122	27.99	28.50	.100	.106	2.54	2.69	.200	0.091
AS3209-123	1.162	1.186	29.51	30.12	.100	.106	2.54	2.69	.211	0.096
AS3209-124	1.225	1.249	31.12	31.72	.100	.106	2.54	2.69	.221	0.100
AS3209-125	1.287	1.311	32.69	33.30	.100	.106	2.54	2.69	.231	0.105
AS3209-126	1.350	1.374	34.29	34.90	.100	.106	2.54	2.69	.242	0.110
AS3209-127	1.412	1.436	35.86	36.47	.100	.106	2.54	2.69	.252	0.114
AS3209-128	1.475	1.499	37.46	38.07	.100	.106	2.54	2.69	.262	0.119
AS3209-129	1.534	1.564	38.96	39.73	.100	.106	2.54	2.69	.272	0.124
AS3209-130	1.597	1.627	40.56	41.33	.100	.106	2.54	2.69	.283	0.128
AS3209-131	1.659	1.689	42.14	42.90	.100	.106	2.54	2.69	.293	0.133
AS3209-132	1.722	1.752	43.74	44.50	.100	.106	2.54	2.69	.303	0.138
AS3209-133	1.784	1.814	45.31	46.08	.100	.106	2.54	2.69	.314	0.142
AS3209-134	1.847	1.877	46.91	47.68	.100	.106	2.54	2.69	.324	0.147
AS3209-135	1.908	1.942	48.46	49.33	.100	.106	2.54	2.69	.334	0.152
AS3209-136	1.970	2.004	50.04	50.90	.100	.106	2.54	2.69	.345	0.156
AS3209-137	2.033	2.067	51.64	52.50	.100	.106	2.54	2.69	.355	0.161
AS3209-138	2.095	2.129	53.21	54.08	.100	.106	2.54	2.69	.365	0.166
AS3209-139	2.158	2.192	54.81	55.68	.100	.106	2.54	2.69	.376	0.170
AS3209-140	2.220	2.254	56.39	57.25	.100	.106	2.54	2.69	.386	0.175
AS3209-141	2.280	2.320	57.9	58.9	.100	.106	2.54	2.69	.396	0.180
AS3209-142	2.342	2.382	59.5	60.5	.100	.106	2.54	2.69	.407	0.184
AS3209-143	2.405	2.445	61.1	62.1	.100	.106	2.54	2.69	.417	0.189
AS3209-144	2.467	2.507	62.7	63.7	.100	.106	2.54	2.69	.427	0.194
AS3209-145	2.530	2.570	64.3	65.3	.100	.106	2.54	2.69	.438	0.198
AS3209-146	2.592	2.632	65.8	66.9	.100	.106	2.54	2.69	.448	0.203
AS3209-147	2.653	2.697	67.4	68.5	.100	.106	2.54	2.69	.458	0.208
AS3209-148	2.715	2.759	69.0	70.1	.100	.106	2.54	2.69	.468	0.212
AS3209-149	2.778	2.822	70.6	71.7	.100	.106	2.54	2.69	.479	0.217
AS3209-150	2.840	2.884	72.1	73.3	.100	.106	2.54	2.69	.489	0.222
AS3209-151	2.903	3.011	75.3	76.5	.100	.106	2.54	2.69	.510	0.231
AS3209-152	3.213	3.261	81.6	82.8	.100	.106	2.54	2.69	.551	0.250
AS3209-153	3.463	3.511	88.0	89.2	.100	.106	2.54	2.69	.592	0.269
AS3209-154	3.709	3.765	94.2	95.6	.100	.106	2.54	2.69	.633	0.287
AS3209-155	3.959	4.015	100.6	102.0	.100	.106	2.54	2.69	.674	0.306
AS3209-156	4.207	4.267	106.9	108.4	.100	.106	2.54	2.69	.716	0.325
AS3209-157	4.457	4.517	113.2	114.7	.100	.106	2.54	2.69	.757	0.343
AS3209-158	4.707	4.767	119.6	121.1	.100	.106	2.54	2.69	.798	0.362
AS3209-159	4.952	5.022	125.8	127.6	.100	.106	2.54	2.69	.839	0.381
AS3209-160	5.202	5.272	132.1	133.9	.100	.106	2.54	2.69	.881	0.399
AS3209-161	5.452	5.522	138.5	140.3	.100	.106	2.54	2.69	.922	0.418
AS3209-162	5.702	5.772	144.8	146.6	.100	.106	2.54	2.69	.963	0.437
AS3209-163	5.952	6.022	151.2	153.0	.100	.106	2.54	2.69	1.004	0.456
AS3209-164	6.197	6.277	157.4	159.4	.100	.106	2.54	2.69	1.046	0.474
AS3209-165	6.447	6.527	163.8	165.8	.100	.106	2.54	2.69	1.087	0.493
AS3209-166	6.697	6.777	170.1	172.1	.100	.106	2.54	2.69	1.128	0.512
AS3209-167	6.947	7.027	176.5	178.5	.100	.106	2.54	2.69	1.169	0.530
AS3209-168	7.192	7.282	182.7	185.0	.100	.106	2.54	2.69	1.210	0.549
AS3209-169	7.442	7.532	189.0	191.3	.100	.106	2.54	2.69	1.252	0.568
AS3209-170	7.692	7.782	195.4	197.7	.100	.106	2.54	2.69	1.293	0.586



AEROSPACE STANDARD

PACKING, PREFORMED - AMS 7276, 'O' RING

AS3209
SHEET 2 OF 6

PART NUMBER	ID IN.		ID (mm)		T DIA IN.		T DIA (mm)		APPROX MASS	
	MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX	LB/100	kg/100
AS3209-171	7.942	8.032	201.7	204.0	.100	.106	2.54	2.69	1.334	0.605
AS3209-172	8.187	8.287	207.9	210.5	.100	.106	2.54	2.69	1.375	0.624
AS3209-173	8.437	8.537	214.3	216.8	.100	.106	2.54	2.69	1.417	0.643
AS3209-174	8.687	8.787	220.6	223.2	.100	.106	2.54	2.69	1.458	0.661
AS3209-175	8.937	9.037	227.0	229.5	.100	.106	2.54	2.69	1.499	0.680
AS3209-176	9.182	9.292	233.2	236.0	.100	.106	2.54	2.69	1.540	0.699
AS3209-177	9.432	9.542	239.6	242.4	.100	.106	2.54	2.69	1.582	0.717
AS3209-178	9.682	9.792	245.9	248.7	.100	.106	2.54	2.69	1.623	0.736
AS3209-201	.166	.176	4.22	4.47	.135	.143	3.43	3.63	.093	0.042
AS3209-202	.229	.239	5.82	6.07	.135	.143	3.43	3.63	.112	0.051
AS3209-203	.291	.301	7.39	7.65	.135	.143	3.43	3.63	.131	0.059
AS3209-204	.354	.364	8.99	9.25	.135	.143	3.43	3.63	.150	0.068
AS3209-205	.416	.426	10.57	10.82	.135	.143	3.43	3.63	.168	0.076
AS3209-206	.479	.489	12.17	12.42	.135	.143	3.43	3.63	.187	0.085
AS3209-207	.539	.553	13.69	14.05	.135	.143	3.43	3.63	.206	0.093
AS3209-208	.600	.618	15.24	15.70	.135	.143	3.43	3.63	.225	0.102
AS3209-209	.662	.680	16.81	17.27	.135	.143	3.43	3.63	.243	0.110
AS3209-210	.724	.744	18.39	18.90	.135	.143	3.43	3.63	.262	0.119
AS3209-211	.786	.806	19.96	20.47	.135	.143	3.43	3.63	.281	0.127
AS3209-212	.849	.869	21.56	22.07	.135	.143	3.43	3.63	.300	0.136
AS3209-213	.911	.931	23.14	23.65	.135	.143	3.43	3.63	.318	0.144
AS3209-214	.974	.994	24.74	25.25	.135	.143	3.43	3.63	.337	0.153
AS3209-215	1.036	1.056	26.31	26.82	.135	.143	3.43	3.63	.356	0.161
AS3209-216	1.097	1.121	27.86	28.47	.135	.143	3.43	3.63	.375	0.170
AS3209-217	1.159	1.183	29.44	30.05	.135	.143	3.43	3.63	.393	0.178
AS3209-218	1.222	1.246	31.04	31.65	.135	.143	3.43	3.63	.412	0.187
AS3209-219	1.284	1.308	32.61	33.22	.135	.143	3.43	3.63	.431	0.195
AS3209-220	1.347	1.371	34.21	34.82	.135	.143	3.43	3.63	.450	0.204
AS3209-221	1.409	1.433	35.79	36.40	.135	.143	3.43	3.63	.469	0.213
AS3209-222	1.469	1.499	37.31	38.07	.135	.143	3.43	3.63	.487	0.221
AS3209-223	1.594	1.624	40.49	41.25	.135	.143	3.43	3.63	.525	0.238
AS3209-224	1.719	1.749	43.66	44.42	.135	.143	3.43	3.63	.563	0.255
AS3209-225	1.841	1.877	46.76	47.68	.135	.143	3.43	3.63	.600	0.272
AS3209-226	1.966	2.002	49.94	50.85	.135	.143	3.43	3.63	.638	0.289
AS3209-227	2.091	2.127	53.11	54.03	.135	.143	3.43	3.63	.675	0.306
AS3209-228	2.214	2.254	56.2	57.3	.135	.143	3.43	3.63	.713	0.323
AS3209-229	2.339	2.379	59.4	60.4	.135	.143	3.43	3.63	.750	0.340
AS3209-230	2.464	2.504	62.6	63.6	.135	.143	3.43	3.63	.788	0.357
AS3209-231	2.589	2.629	65.8	66.8	.135	.143	3.43	3.63	.825	0.374
AS3209-232	2.710	2.758	68.8	70.1	.135	.143	3.43	3.63	.863	0.391
AS3209-233	2.835	2.883	72.0	73.2	.135	.143	3.43	3.63	.900	0.408
AS3209-234	2.960	3.008	75.2	76.4	.135	.143	3.43	3.63	.938	0.425
AS3209-235	3.085	3.133	78.4	79.6	.135	.143	3.43	3.63	.976	0.442
AS3209-236	3.210	3.258	81.5	82.8	.135	.143	3.43	3.63	1.013	0.460
AS3209-237	3.335	3.383	84.7	85.9	.135	.143	3.43	3.63	1.051	0.477
AS3209-238	3.460	3.508	87.9	89.1	.135	.143	3.43	3.63	1.088	0.494
AS3209-239	3.581	3.637	91.0	92.4	.135	.143	3.43	3.63	1.126	0.511
AS3209-240	3.706	3.762	94.1	95.6	.135	.143	3.43	3.63	1.163	0.528
AS3209-241	3.831	3.887	97.3	98.7	.135	.143	3.43	3.63	1.201	0.545
AS3209-242	3.956	4.012	100.5	101.9	.135	.143	3.43	3.63	1.238	0.562
AS3209-243	4.081	4.137	103.7	105.1	.135	.143	3.43	3.63	1.276	0.579
AS3209-244	4.204	4.264	106.8	108.3	.135	.143	3.43	3.63	1.313	0.596
AS3209-245	4.329	4.389	110.0	111.5	.135	.143	3.43	3.63	1.351	0.613
AS3209-246	4.454	4.514	113.1	114.7	.135	.143	3.43	3.63	1.388	0.630
AS3209-247	4.579	4.639	116.3	117.8	.135	.143	3.43	3.63	1.426	0.647
AS3209-248	4.704	4.764	119.5	121.0	.135	.143	3.43	3.63	1.464	0.664
AS3209-249	4.824	4.894	122.5	124.3	.135	.143	3.43	3.63	1.501	0.681
AS3209-250	4.949	5.019	125.7	127.5	.135	.143	3.43	3.63	1.539	0.698
AS3209-251	5.074	5.144	128.9	130.7	.135	.143	3.43	3.63	1.576	0.715
AS3209-252	5.199	5.269	132.1	133.8	.135	.143	3.43	3.63	1.614	0.732
AS3209-253	5.324	5.394	135.2	137.0	.135	.143	3.43	3.63	1.651	0.749
AS3209-254	5.449	5.519	138.4	140.2	.135	.143	3.43	3.63	1.689	0.766
AS3209-255	5.574	5.644	141.6	143.4	.135	.143	3.43	3.63	1.726	0.783
AS3209-256	5.699	5.769	144.8	146.5	.135	.143	3.43	3.63	1.764	0.800
AS3209-257	5.824	5.894	147.9	149.7	.135	.143	3.43	3.63	1.801	0.817
AS3209-258	5.949	6.019	151.1	152.9	.135	.143	3.43	3.63	1.839	0.834
AS3209-259	6.194	6.274	157.3	159.4	.135	.143	3.43	3.63	1.914	0.868
AS3209-260	6.444	6.524	163.7	165.7	.135	.143	3.43	3.63	1.989	0.902



AEROSPACE STANDARD

PACKING, PREFORMED - AMS 7276, 'O' RING

AS3209
SHEET 3 OF 6

PART NUMBER	ID IN.		ID (IN)		T DIA IN.		T DIA (IN)		APPROX MASS	
	MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX	LB/100	KG/100
AS3209-261	6.694	6.774	170.0	172.1	.135	.143	3.43	3.63	2.064	0.936
AS3209-262	6.944	7.024	176.4	178.4	.135	.143	3.43	3.63	2.139	0.970
AS3209-263	7.189	7.279	182.6	184.9	.135	.143	3.43	3.63	2.214	1.004
AS3209-264	7.439	7.529	189.0	191.2	.135	.143	3.43	3.63	2.289	1.039
AS3209-265	7.689	7.779	195.3	197.6	.135	.143	3.43	3.63	2.365	1.073
AS3209-266	7.939	8.029	201.7	203.9	.135	.143	3.43	3.63	2.440	1.107
AS3209-267	8.184	8.284	207.9	210.4	.135	.143	3.43	3.63	2.515	1.141
AS3209-268	8.434	8.534	214.2	216.8	.135	.143	3.43	3.63	2.590	1.175
AS3209-269	8.684	8.784	220.6	223.1	.135	.143	3.43	3.63	2.665	1.209
AS3209-270	8.934	9.034	226.9	229.5	.135	.143	3.43	3.63	2.740	1.243
AS3209-271	9.179	9.289	233.1	235.9	.135	.143	3.43	3.63	2.815	1.277
AS3209-272	9.429	9.539	239.5	242.3	.135	.143	3.43	3.63	2.890	1.311
AS3209-273	9.679	9.789	245.8	248.6	.135	.143	3.43	3.63	2.965	1.345
AS3209-274	9.929	10.039	252.2	255.0	.135	.143	3.43	3.63	3.040	1.379
AS3209-275	10.429	10.539	264.9	267.7	.135	.143	3.43	3.63	3.190	1.447
AS3209-276	10.919	11.049	277.3	280.6	.135	.143	3.43	3.63	3.341	1.515
AS3209-277	11.419	11.549	290.0	293.3	.135	.143	3.43	3.63	3.491	1.583
AS3209-278	11.919	12.049	302.7	306.0	.135	.143	3.43	3.63	3.641	1.652
AS3209-279	12.919	13.049	328.1	331.4	.135	.143	3.43	3.63	3.941	1.788
AS3209-280	13.919	14.049	353.5	356.8	.135	.143	3.43	3.63	4.242	1.924
AS3209-281	14.919	15.049	378.9	382.2	.135	.143	3.43	3.63	4.542	2.060
AS3209-282	15.880	16.030	403.4	407.2	.135	.143	3.43	3.63	4.834	2.193
AS3209-283	16.875	17.035	428.6	432.7	.135	.143	3.43	3.63	5.134	2.329
AS3209-284	17.870	18.040	453.9	458.2	.135	.143	3.43	3.63	5.434	2.465
AS3209-309	.407	.417	10.34	10.59	.205	.215	5.21	5.46	.426	0.193
AS3209-310	.470	.480	11.94	12.19	.205	.215	5.21	5.46	.470	0.213
AS3209-311	.530	.544	13.46	13.82	.205	.215	5.21	5.46	.512	0.232
AS3209-312	.591	.609	15.01	15.47	.205	.215	5.21	5.46	.555	0.252
AS3209-313	.653	.671	16.59	17.04	.205	.215	5.21	5.46	.598	0.271
AS3209-314	.715	.735	18.16	18.67	.205	.215	5.21	5.46	.641	0.291
AS3209-315	.777	.797	19.74	20.24	.205	.215	5.21	5.46	.683	0.310
AS3209-316	.840	.860	21.34	21.84	.205	.215	5.21	5.46	.727	0.330
AS3209-317	.902	.922	22.91	23.42	.205	.215	5.21	5.46	.769	0.349
AS3209-318	.965	.985	24.51	25.02	.205	.215	5.21	5.46	.812	0.368
AS3209-319	1.027	1.047	26.09	26.59	.205	.215	5.21	5.46	.855	0.388
AS3209-320	1.088	1.112	27.64	28.24	.205	.215	5.21	5.46	.898	0.407
AS3209-321	1.150	1.174	29.21	29.82	.205	.215	5.21	5.46	.941	0.427
AS3209-322	1.213	1.237	30.81	31.42	.205	.215	5.21	5.46	.984	0.446
AS3209-323	1.275	1.299	32.38	32.99	.205	.215	5.21	5.46	1.026	0.465
AS3209-324	1.338	1.362	33.99	34.59	.205	.215	5.21	5.46	1.069	0.485
AS3209-325	1.460	1.490	37.08	37.85	.205	.215	5.21	5.46	1.155	0.524
AS3209-326	1.585	1.615	40.26	41.02	.205	.215	5.21	5.46	1.241	0.563
AS3209-327	1.710	1.740	43.43	44.20	.205	.215	5.21	5.46	1.326	0.602
AS3209-328	1.835	1.865	46.61	47.37	.205	.215	5.21	5.46	1.412	0.641
AS3209-329	1.957	1.993	49.71	50.62	.205	.215	5.21	5.46	1.498	0.679
AS3209-330	2.082	2.118	52.88	53.80	.205	.215	5.21	5.46	1.584	0.718
AS3209-331	2.207	2.243	56.06	56.97	.205	.215	5.21	5.46	1.669	0.757
AS3209-332	2.332	2.368	59.23	60.15	.205	.215	5.21	5.46	1.755	0.796
AS3209-333	2.455	2.495	62.4	63.4	.205	.215	5.21	5.46	1.841	0.835
AS3209-334	2.580	2.620	65.5	66.5	.205	.215	5.21	5.46	1.926	0.874
AS3209-335	2.705	2.745	68.7	69.7	.205	.215	5.21	5.46	2.012	0.913
AS3209-336	2.830	2.870	71.9	72.9	.205	.215	5.21	5.46	2.098	0.952
AS3209-337	2.951	2.999	75.0	76.2	.205	.215	5.21	5.46	2.183	0.990
AS3209-338	3.076	3.124	78.1	79.3	.205	.215	5.21	5.46	2.269	1.029
AS3209-339	3.201	3.249	81.3	82.5	.205	.215	5.21	5.46	2.355	1.066
AS3209-340	3.326	3.374	84.5	85.7	.205	.215	5.21	5.46	2.440	1.107
AS3209-341	3.451	3.499	87.7	88.9	.205	.215	5.21	5.46	2.526	1.146
AS3209-342	3.572	3.628	90.7	92.2	.205	.215	5.21	5.46	2.612	1.185
AS3209-343	3.697	3.753	93.9	95.3	.205	.215	5.21	5.46	2.698	1.224
AS3209-344	3.822	3.878	97.1	98.5	.205	.215	5.21	5.46	2.783	1.262
AS3209-345	3.947	4.003	100.3	101.7	.205	.215	5.21	5.46	2.869	1.301
AS3209-346	4.072	4.128	103.4	104.9	.205	.215	5.21	5.46	2.955	1.340
AS3209-347	4.195	4.255	106.6	108.1	.205	.215	5.21	5.46	3.040	1.379
AS3209-348	4.320	4.380	109.7	111.3	.205	.215	5.21	5.46	3.126	1.418
AS3209-349	4.445	4.505	112.9	114.4	.205	.215	5.21	5.46	3.212	1.457
AS3209-350	4.570	4.630	116.1	117.6	.205	.215	5.21	5.46	3.297	1.496



AEROSPACE STANDARD

PACKING, PREFORMED - AMS 7276, 'O' RING

AS3209
SHEET 4 OF 6