

REV.
E

AS3241™

RATIONALE

UPDATE TO ASME Y14.5-2018. REVISE LIGHTENING HOLE CONFIGURATION TO AS1132. REVISE FILLET RADIUS TO "CR." ADD "COMPOSITION SIMILAR TO" TO NOTE 2.





FIGURE 1 - BOLT

For more information on this standard, visit
<https://www.sae.org/standards/content/AS3241E/>



CUSTODIAN: E-25

PROCUREMENT SPECIFICATION: AS7466



AEROSPACE STANDARD

BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, NICKEL ALLOY, UNS N07718, 185 KSI MIN, .5000-20 UNJF-3A

AS3241™
SHEET 1 OF 3

REV.
E

SAE Executive Standards Committee Rules provide that: "This report is published by SAE to advance the state of technical and engineering sciences. The use of this report is entirely voluntary, and its applicability and suitability for any particular use, including any patent infringement arising therefrom, is the sole responsibility of the user." SAE reviews each technical report at least every five years at which time it may be revised, reaffirmed, stabilized, or cancelled. SAE invites your written comments and suggestions.

ISSUED 1980-07 REAFFIRMED 2007-06 REVISED 2023-02

TABLE 1 - PART NUMBERS AND DIMENSIONS

PART NO.	L	N MIN	M MAX	APPROX MASS LB/100	PART NO.	L	N MIN	M MAX	APPROX MASS LB/100
AS3241-03	.740- .760	.030	.125	7.33	AS3241-30	2.865-2.885	1.465	1.625	18.18
AS3241-04	.802- .822	.030	.125	7.65	AS3241-31	2.990-3.010	1.590	1.750	18.81
AS3241-05	.865- .885	.030	.125	7.97	AS3241-32	3.115-3.135	1.715	1.875	19.45
AS3241-06	.928- .948	.030	.125	8.29	AS3241-33	3.240-3.260	1.840	2.000	20.09
AS3241-07	.990-1.010	.030	.125	8.61	AS3241-34	3.365-3.385	1.965	2.125	20.73
AS3241-08	1.052-1.072	.030	.125	8.93	AS3241-35	3.490-3.510	2.090	2.250	21.35
AS3241-09	1.115-1.135	.030	.125	9.25	AS3241-36	3.615-3.635	2.215	2.375	22.01
AS3241-10	1.178-1.198	.030	.125	9.56	AS3241-37	3.740-3.760	2.340	2.500	22.64
AS3241-11	1.240-1.260	.030	.125	9.88	AS3241-38	3.865-3.885	2.465	2.625	23.28
AS3241-12	1.302-1.322	.030	.125	10.20	AS3241-39	3.990-4.010	2.590	2.750	23.92
AS3241-13	1.365-1.385	.030	.125	10.53	AS3241-40	4.115-4.135	2.715	2.875	24.56
AS3241-14	1.428-1.448	.030	.188	10.84	AS3241-41	4.240-4.260	2.840	3.000	25.19
AS3241-15	1.490-1.510	.090	.250	11.16	AS3241-42	4.365-4.385	2.965	3.125	25.83
AS3241-16	1.552-1.572	.152	.312	11.48	AS3241-43	4.490-4.510	3.090	3.250	26.47
AS3241-17	1.615-1.635	.215	.375	11.80	AS3241-44	4.615-4.635	3.215	3.375	27.10
AS3241-18	1.678-1.698	.278	.438	12.11	AS3241-45	4.740-4.760	3.340	3.500	27.75
AS3241-19	1.740-1.760	.340	.500	12.44	AS3241-46	4.865-4.885	3.465	3.625	28.38
AS3241-20	1.802-1.822	.402	.562	12.77	AS3241-47	4.990-5.010	3.590	3.750	29.02
AS3241-21	1.865-1.885	.465	.625	13.07	AS3241-48	5.115-5.135	3.715	3.875	29.66
AS3241-22	1.928-1.948	.528	.688	13.39	AS3241-49	5.240-5.260	3.840	4.000	30.60
AS3241-23	1.990-2.010	.590	.750	13.71	AS3241-50	5.365-5.385	3.965	4.125	30.93
AS3241-24	2.115-2.135	.715	.875	14.35	AS3241-51	5.490-5.510	4.090	4.250	31.58
AS3241-25	2.240-2.260	.840	1.000	14.99	AS3241-52	5.615-5.635	4.215	4.375	32.22
AS3241-26	2.365-2.385	.965	1.125	15.62	AS3241-53	5.740-5.760	4.340	4.500	32.85
AS3241-27	2.490-2.510	1.090	1.250	16.27	AS3241-54	5.865-5.885	4.465	4.625	33.50
AS3241-28	2.615-2.635	1.215	1.375	16.90	AS3241-55	5.990-6.010	4.590	4.750	34.14
AS3241-29	2.740-2.760	1.340	1.500	17.54					

NOTES:

- 1/ FOR PART NUMBERS AS3241-03 THROUGH AS3241-24, DATUM Z (THREAD PD) SHALL REPLACE DATUM Y.
2. MATERIAL: CORROSION AND HEAT RESISTANT NICKEL ALLOY PER AMS5662 (COMPOSITION SIMILAR TO UNS N07718).
3. PROCUREMENT SPECIFICATION: AS7466.
4. FLUORESCENT PENETRANT INSPECTION PER ASTM E1417/E1417M, TYPE 1, SENSITIVITY LEVEL 2 MIN.
5. SURFACE TEXTURE: SYMBOLS ARE PER ASME Y14.36M. REQUIREMENTS PER ASME B46.1. UNLESS OTHERWISE SPECIFIED, SURFACES TO BE 125 MICROINCHES Ra.
6. BREAK SHARP EDGES .003 TO .015, UNLESS OTHERWISE SPECIFIED.
7. DIMENSIONS ARE IN INCHES.
8. DIMENSIONING AND TOLERANCING PER ASME Y14.5-2018.
9. UNLESS OTHERWISE SPECIFIED, PART INVENTORY MANUFACTURED TO PREVIOUS REVISIONS OF THE APPLICABLE DRAWING OR SPECIFICATION MAY BE PROCURED AND USED UNTIL STOCK IS DEPLETED.
10. DO NOT USE UNASSIGNED PART NUMBERS.

	AEROSPACE STANDARD	AS3241™ SHEET 2 OF 3	REV. E
	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, NICKEL ALLOY, UNS N07718, 185 KSI MIN, .5000-20 UNJF-3A		