

AS4227





FIGURE 1 - FITTING ASSEMBLY, ADAPTER

TABLE 1A - DIMENSIONS

BASIC NO. AS4227 /14/	RANGE OF NOMINAL TUBE WALL FOR PORT #2	(NOMINAL TUBE SIZE)	T THREAD PER MIL-S-8879 CLASS 3B	PORT #2 STYLE	A
SIZE AND TUBE WALL CODES	/11 /14/			/8/	
03-018	.016-.018	.188	.3750-28 UNJS	A	.635
03-022	.019-.022	.188	.3750-28 UNJS	A	.635
04-022	.019-.022	.250	.4375-24 UNJS	B	.747
05-022	.019-.022	.312	.5000-24 UNJS	B	.675
05-028	.023-.028	.312	.5000-24 UNJS	B	.675
06-022	.019-.022	.375	.5625-20 UNJS	B	.781
06-028	.023-.028	.375	.5625-20 UNJS	B	.781
06-032	.029-.032	.375	.5625-20 UNJS	B	.781
08-022	.019-.022	.500	.7188-20 UNJS	B	.788
08-043	.033-.043	.500	.7188-20 UNJS	A	.788
10-028	.023-.028	.625	.8438-18 UNJS	B	.857
10-043	.033-.043	.625	.8438-18 UNJS	B	.857
10-055	.044-.055	.625	.8438-18 UNJS	A	.857
12-028	.023-.028	.750	1.0000-16 UNJ	B	.898
12-055	.044-.055	.750	1.0000-16 UNJ	A	.899
12-065	.056-.065	.750	1.0000-16 UNJ	A	.899

THIRD ANGLE PROJECTION



CUSTODIAN: SAE G-3/G-3B

PROCUREMENT SPECIFICATION: /5/ AS4510



AEROSPACE STANDARD

FITTING ASSEMBLY, ADAPTER, INTERNAL THREAD,
BEAM SEAL TO INTEGRAL WELD RING

AS4227
SHEET 1 OF 3

ISSUED 1996-05 REAFFIRMED 2001-12

SAE Technical Standards Board Rules provide that: "This report is published by SAE to advance the state of technical and engineering sciences. The use of this report is entirely voluntary, and its applicability and suitability for any particular use, including any patent infringement arising therefrom, is the sole responsibility of the user." SAE reviews each technical report at least every five years at which time it may be reaffirmed, revised, or cancelled. SAE invites your written comments and suggestions.

AS4227

TABLE 1A (CONTINUED)

BASIC NO. AS4227 /14/ SIZE AND TUBE WALL CODES	RANGE OF NOMINAL TUBE WALL FOR PORT #2		(NOMINAL TUBE SIZE)	T THREAD PER MIL-S-8879 CLASS 3B	PORT #2 STYLE	A
	/7/ /14/	/7/ /14/				
14-032	.029-.032		.875	1.1250-16 UNJ	B	.944
14-065	.056-.065		.875	1.1250-16 UNJ	A	.944
16-043	.033-.043		1.000	1.2500-14 UNJ	B	.997
16-078	.066-.078		1.000	1.2500-14 UNJS	A	.997
16-089	.079-.089		1.000	1.2500-14 UNJS	A	.997
20-055	.044-.055		1.250	1.5781-14 UNJS	B	1.043
20-089	.079-.089		1.250	1.5781-14 UNJS	A	1.043
24-055	.044-.055		1.500	1.8438-14 UNJS	B	1.450

TABLE 1B - DIMENSIONS AND WEIGHTS

BASIC NO. AS4227 /14/ SIZE AND TUBE WALL CODES	C		D	E	H	RECOMMENDED MAXIMUM PRESSURE PSI(7)	LB/EA MAX CRES	LB/EA MAX TI
	/8/	/8/						
03-018	—		.146	.568	.500	5000	.0218	.0124
03-022	—		.138	.568	.500	5000	.0218	.0124
04-022	.184-	.194	.200	.638	.562	5000	.0299	.0171
05-022	.232-	.242	.262	.709	.625	4000	.0371	.0212
05-028	.232-	.242	.250	.709	.625	5000	.0371	.0212
06-022	.297-	.307	.325	.780	.688	3000	.0473	.0270
06-028	.297-	.307	.313	.780	.688	4000	.0473	.0270
06-032	.297-	.307	.305	.780	.688	5000	.0473	.0270
08-022	.398-	.408	.450	.993	.875	2000	.0787	.0450
08-043	—		.408	.993	.875	5000	.0787	.0450
10-028	.512-	.523	.563	1.120	1.000	2000	.111	.0633
10-043	.512-	.523	.533	1.120	1.000	4000	.111	.0633
10-055	—		.509	1.120	1.000	5000	.111	.0633
12-028	.649-	.660	.688	1.260	1.125	2000	.134	.0766
12-055	—		.634	1.260	1.125	4000	.134	.0766
12-065	—		.614	1.260	1.125	5000	.134	.0766
14-032	.769-	.780	.805	1.540	1.375	2000	.223	.127
14-065	—		.739	1.540	1.375	4000	.223	.127
16-043	.862-	.874	.908	1.650	1.500	2000	.296	.169
16-078	—		.838	1.650	1.500	4000	.296	.169
16-089	—		.816	1.500	1.500	5000	.296	.169
20-055	1.115-	1.128	1.134	2.063	1.875	2000	.458	.262
20-089	—		1.066	2.063	1.875	4000	.458	.262
24-055	1.324-	1.337	1.384	2.338	2.125	2000	.673	.385