

REV.
A

AS4377

SAE Technical Standards Board Rules provide that: "This report is published by SAE to advance the state of technical and engineering sciences. The use of this report is entirely voluntary, and its applicability and suitability for any particular use, including any patent infringement arising therefrom, is the sole responsibility of the user."
SAE reviews each technical report at least every five years at which time it may be reaffirmed, revised, or cancelled. SAE invites your written comments and suggestions.





FIGURE 1 - FITTING END DESIGN, STYLE G

INACTIVE IN PART /11/

SAENORM.COM! Click to view the full PDF of AS4377

THIRD ANGLE PROJECTION



CUSTODIAN: SAE G-3/G-3B

PROCUREMENT SPECIFICATION: NONE /1/

SAE The Engineering Society
For Advancing Mobility
Land Sea Air and Space
INTERNATIONAL
400 Commonwealth Drive, Warrendale, PA 15096-0001

AEROSPACE STANDARD

FITTING END, BULKHEAD,
FLARELESS, DESIGN STANDARD

AS4377
SHEET 1 OF 5

REV.
A

REV.
A

AS4377




FIGURE 2 - FITTING END DESIGN, STYLE H
SAME AS STYLE G EXCEPT AS SHOWN




FIGURE 3 - FITTING END DESIGN, STYLE S,
SAME AS STYLE G EXCEPT AS SHOWN. STYLE S IS INACTIVE
FOR DESIGN AS OF THE PUBLICATION DATE OF REVISION A
OF THIS STANDARD. USE STYLE G FOR NEW DESIGN. /11/

REV.
A

AS4377




FIGURE 4 - FITTING END DESIGN, STYLE E,
SAME AS STYLE H EXCEPT AS SHOWN. STYLE E IS INACTIVE
FOR DESIGN AS OF THE PUBLICATION DATE OF REVISION A
OF THIS STANDARD. USE STYLE H FOR NEW DESIGN. /11/

TABLE 1A - DIMENSIONS A-F

BASIC NO. AS4377 /10/ SIZE CODE	(NOMINAL TUBE SIZE)	T THREAD PER MIL-S-8879 CLASS 3A	A ±.003	B	C	D +.004/- .000	F +.002/- .003
02	.125	.3125-24 UNJF	.093	.1630	.189	.135	.250
03	.188	.3750-24 UNJF	.125	.2340	.267	.196	.312
04	.250	.4375-20 UNJF	.187	.2930	.319	.261	.364
05	.312	.5000-20 UNJF	.234	.3560	.382	.324	.426
06	.375	.5625-18 UNJF	.297	.4160	.441	.386	.481
08	.500	.7500-16 UNJF	.422	.5600	.601	.514	.660
10	.625	.8750-14 UNJF	.500	.6860	.727	.641	.773
12	.750	1.0625-12 UNJ	.656	.8100	.852	.766	.945
14	.875	1.1875-12 UNJ	.765	.9360	.977	.891	1.070
16	1.000	1.3125-12 UNJ	.875	1.0620	1.102	1.016	1.195
20	1.250	1.6250-12 UNJ	1.093	1.3160	1.355	1.270	1.507
24	1.500	1.8750-12 UNJ	1.344	1.5650	1.604	1.520	1.756
32	2.000	2.5000-12 UNJ	1.813	2.0680	2.108	2.022	2.381

REV.
A

AS4377

TABLE 1B - DIMENSIONS G-P

BASIC NO. AS4377									
/10/ SIZE CODE	G +.000/-0.005	H ±.003	J		K ±.016	L ±.016	M	N +.010/-0.000	P ±.005
02	.245	.188	.3053 -	.3125	.828	.094	.005	.125	.290
03	.307	.234	.3678 -	.3750	.875	.094	.005	.131	.340
04	.359	.234	.4294 -	.4375	.938	.094	.005	.140	.355
05	.421	.250	.4919 -	.5000	.938	.094	.010	.140	.355
06	.476	.250	.5538 -	.5625	.984	.094	.010	.156	.365
08	.654	.305	.7406 -	.7500	1.125	.125	.010	.187	.445
10	.767	.350	.8647 -	.8750	1.266	.125	.010	.219	.495
12	.938	.350	1.0511 -	1.0625	1.375	.125	.010	.234	.545
14	1.064	.356	1.1761 -	1.1875	1.375	.125	.010	.234	.545
16	1.188	.415	1.3011 -	1.3125	1.375	.125	.010	.234	.545
20	1.501	.415	1.6136 -	1.6250	1.375	.125	.015	.234	.545
24	1.750	.485	1.8636 -	1.8750	1.375	.125	.015	.234	.545
32	2.375	.485	2.4886 -	2.5000	1.578	.125	.015	.234	.545

TABLE 1C - DIMENSIONS R-DD

BASIC NO. AS4377									
/10/ SIZE CODE	R ±.030	V	W MAX	Y	AA ±.005	BB	CC ±.031	DD /2/	
02	.110	.005 - .010	.005	.250	.128	.078	.438	.542	
03	.110	.005 - .020	.005	.310	.158	.078	.500	.605	
04	.120	.005 - .020	.005	.365	.174	.090	.562	.668	
05	.120	.005 - .020	.005	.425	.190	.090	.625	.730	
06	.140	.005 - .020	.005	.480	.193	.098	.688	.792	
08	.160	.005 - .020	.005	.660	.210	.109	.875	.980	
10	.170	.005 - .020	.005	.775	.255	.122	1.000	1.105	
12	.190	.005 - .020	.005	.945	.253	.140	1.187	1.355	
14	.190	.005 - .020	.008	1.070	.260	.140	1.312	1.480	
16	.190	.005 - .020	.008	1.195	.322	.140	1.438	1.605	
20	.190	.020 - .025	.008	1.505	.325	.140	1.750	1.855	
24	.190	.020 - .025	.008	1.755	.390	.140	2.000	2.105	
32	.190	.020 - .025	.008	2.380	.395	.140	2.625	2.730	