

REV.
C

SAE AS4689

RATIONALE

CANCELED MILITARY STANDARD NUMBERS HAVE BEEN REPLACED. PRI-QPL NOTE HAS BEEN UPDATED AND CADMIUM WARNING NOTE ADDED. OTHER UPDATES.





FIGURE 1 - FITTING, TEE, REDUCER

SAENORM.COM : Click to view the full PDF of AS4689C

SAE values your input. To provide feedback on this Technical Report, please visit <http://www.sae.org/technical/standards/AS4689C>



CUSTODIAN: G-3/G-3B

PROCUREMENT SPECIFICATION: /4/ AS18280

SAE Aerospace
An SAE International Group

AEROSPACE STANDARD

(R) FITTING, TEE, REDUCER,
BULKHEAD ON RUN,
FLARELESS AND SHORT FLARELESS

SAE AS4689
SHEET 1 OF 6

REV. C

SAE Technical Standards Board Rules provide that: "This report is published by SAE to advance the state of technical and engineering sciences. The use of this report is entirely voluntary, and its applicability and suitability for any particular use, including any patent infringement arising therefrom, is the sole responsibility of the user." SAE reviews each technical report at least every five years at which time it may be reaffirmed, revised, or cancelled. SAE invites your written comments and suggestions.

ISSUED 1992-07 REAFFIRMED 2007-07 REVISED 2012-07




FIGURE 2A - FITTING, TEE, SIZE 16
 BULKHEAD REDUCER TO SIZE 20 SHORT ENDS




FIGURE 2B - FITTING, TEE, SIZE 20
 BULKHEAD REDUCER TO SIZE 24 SHORT ENDS




FIGURE 2C - FITTING, TEE, SIZE 12 AND SMALLER
BULKHEAD REDUCER TO SIZE 20 SHORT ENDS




FIGURE 2D - FITTING, TEE, SIZE 16
BULKHEAD REDUCER TO SIZE 24 SHORT ENDS

<p>SAE Aerospace An SAE International Group</p>	<p>AEROSPACE STANDARD</p>	<p>SAE AS4689 SHEET 3 OF 6</p>	<p>REV. C</p>
	<p>(R) FITTING, TEE, REDUCER, BULKHEAD ON RUN, FLARELESS AND SHORT FLARELESS</p>		

TABLE 1 - DIMENSIONS AND WEIGHTS /10/

BASIC NO. AS4689 /9/ /19/ SIZE CODE	D	H	J + .005 - .020	LB/EA APPROX REF ALUM	LB/EA APPROX REF STEEL	LB/EA APPROX REF TI
20	.517	.124	1.375	.426	1.18	.640
24	.614	.156	1.688	.630	1.74	.998

TABLE 2 - LEG LENGTH A /11/

SIZE OF PORT	FORGING SIZE /9/ 20	FORGING SIZE /9/ 24
02	1.710	1.898
03	1.757	1.945
04	1.788	1.976
05	1.788	1.976
06	1.804	1.992
08	1.897	2.085
10	1.960	2.148
12	2.023	2.211
14	2.023	2.211
16	2.023	2.211
20	1.798	1.986
24	-	1.986

TABLE 3 - LEG LENGTH B /11/

SIZE OF PORT	FORGING SIZE /9/ 20	FORGING SIZE /9/ 24
02	2.320	2.602
03	2.367	2.649
04	2.430	2.712
05	2.430	2.712
06	2.476	2.758
08	2.648	2.930
10	2.789	3.071
12	2.989	3.180
14	2.989	3.180
16	2.989	3.180
20	2.686	2.968
24	-	2.968