

REV.
A

AS4693





FIGURE 1 - UNION, TUBE END

TABLE 1 - DIMENSIONS AND WEIGHTS

PART NO.	(NOMINAL TUBE SIZE)	(NOMINAL TUBE WALL)	WELD END STYLE /B/	T MIL-S-8879	THREAD PER	A	B ±.010	C	D ±.002	E	F	G	H ±.005/- .010	K ±.010	LB/EA MAX
AS4693T20-070	1.250	.070	B	1.5625-12 UNJ	1.243	.300	1.318	1.104	1.093	.135	.075	1.625	1.605	.144	
AS4693V20-070	1.250	.070	B	1.5625-12 UNJ	1.243	.300	1.318	1.104	1.093	.095	.075	1.625	1.605	.252	
AS4693T24-074	1.500	.074	B	1.8125-12 UNJ	1.356	.350	1.431	1.346	1.344	.135	.075	1.875	1.855	.196	
AS4693Y24-040	1.500	.040	B	1.8125-12 UNJ	1.356	.350	1.431	1.414	1.344	.075	.055	1.875	1.855	.353	

THIRD ANGLE PROJECTION



CUSTODIAN: SAE G-3/G-3B

PROCUREMENT SPECIFICATION: /4/ AS1576

SAE Aerospace
An SAE International Group

AEROSPACE STANDARD

UNION, TUBE END, EXTERNAL THREAD TO WELD,
SHORT FLARELESS

AS4693
SHEET 1 OF 2

**REV.
A**

SAE Technical Standards Board Rules provide that: "This report is published by SAE to advance the state of technical and engineering sciences. The use of this report is entirely voluntary, and its applicability and suitability for any particular use, including any patent infringement arising therefrom, is the sole responsibility of the user." SAE reviews each technical report at least every five years at which time it may be reaffirmed, revised, or cancelled. SAE invites your written comments and suggestions.

ISSUED 1992-05 REVISED 1992-12 REAFFIRMED 2004-07