

SAE Technical Standards Board Rules provide that: "This report is published by SAE to advance the state of technical and engineering sciences. The use of this report is entirely voluntary, and its applicability and suitability for any particular use, including any patent infringement arising therefrom, is the sole responsibility of the user."

SAE reviews each technical report at least every five years at which time it may be reaffirmed, revised, or cancelled. SAE invites your written comments and suggestions.

**AS5174**

**REV. B**

FEDERAL SUPPLY CLASS  
4730





FIGURE 1 – FITTING, UNION AND REDUCER

SAENORM.COM : Click to view the full PDF of as5174



CUSTODIAN: SAE G-3/G-3B

PROCUREMENT SPECIFICATION: /4/ AS4841

**SAE Aerospace**  
An SAE International Group

**AEROSPACE STANDARD**

FITTING, UNION AND REDUCER, FLARED

**AS5174**  
SHEET 1 OF 6

**REV. B**

Copyright 2005 SAE International  
All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of SAE.

TO PLACE A DOCUMENT ORDER: Tel: 877-606-7323 (inside USA and Canada)  
Fax: 724-776-0790

Tel: 724-776-4970 (outside USA)  
Email: custsvc@sae.org

SAE WEB ADDRESS: <http://www.sae.org>

REVISED 2005-01

ISSUED 1998-03



TABLE 1B – DIMENSIONS

PORT #1 /17/ SIZE CODE	C±.031 PORT #2 SIZE CODE 02	C±.031 PORT #2 SIZE CODE 03	C±.031 PORT #2 SIZE CODE 04	C±.031 PORT #2 SIZE CODE 05	C±.031 PORT #2 SIZE CODE 06	C±.031 PORT #2 SIZE CODE 08	C±.031 PORT #2 SIZE CODE 10	C±.031 PORT #2 SIZE CODE 12	C±.031 PORT #2 SIZE CODE 16	C±.031 PORT #2 SIZE CODE 20	C±.031 PORT #2 SIZE CODE 24	C±.031 PORT #2 SIZE CODE 28	C±.031 PORT #2 SIZE CODE 32	C±.031 PORT #2 SIZE CODE 40	C±.031 PORT #2 SIZE CODE 48
02	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
03	.625	-	-	-	-	-	-	-	-	-	-	-	-	-	-
04	.688	.578	-	-	-	-	-	-	-	-	-	-	-	-	-
05	-	-	.609	-	-	-	-	-	-	-	-	-	-	-	-
06	.625	.625	.625	.625	-	-	-	-	-	-	-	-	-	-	-
08	.719	.719	.719	.719	.719	-	-	-	-	-	-	-	-	-	-
10	-	-	.797	-	.797	.797	-	-	-	-	-	-	-	-	-
12	-	-	.891	.891	.891	.891	.891	-	-	-	-	-	-	-	-
16	-	-	.891	-	-	.891	.891	.891	-	-	-	-	-	-	-
20	-	-	.859	-	-	-	-	.859	.859	-	-	-	-	-	-
24	-	-	-	-	-	-	-	-	.906	.906	-	-	-	-	-
28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
48	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

REV.  
B

AS5174

TABLE 1C – DIMENSIONS AND WEIGHTS /10/

PORT SIZE CODE	(NOMINAL TUBE SIZE)	T THREAD PER			LB/EA APPROX	LB/EA APPROX	LB/EA APPROX
		AS8879 CLASS 3A	B ±.010	H	REF AL	REF STEEL	REF TI
02	.125	.3125-24 UNJF	.542	.552-.565	.0350	.0724	.0554
03	.188	.3750-24 UNJF	.605	.615-.628	.0443	.0916	.0702
04	.250	.4375-20 UNJF	.668	.678-.691	.0556	.115	.0881
05	.312	.5000-20 UNJF	.730	.740-.753	.0662	.137	.105
06	.375	.5625-18 UNJF	.792	.802-.815	.0762	.158	.121
08	.500	.7500-16 UNJF	.980	.990-1.003	.126	.260	.199
10	.625	.8750-14 UNJF	1.103	1.113-1.128	.165	.341	.261
12	.750	1.0625-12 UNJ	1.353	1.363-1.380	.250	.517	.396
16	1.000	1.3125-12 UNJ	1.603	1.613-1.630	.347	.719	.550
20	1.250	1.6250-12 UNJ	1.853	1.863-1.880	.484	1.00	.766
24	1.500	1.8750-12 UNJ	2.099	2.109-2.135	.636	1.32	1.01
28	1.750	2.2500-12 UNJ	2.474	2.484-2.510	.781	1.62	1.24
32	2.000	2.5000-12 UNJ	2.724	2.734-2.760	1.18	2.45	1.87
40	2.500	3.0000-12 UNJ	3.224	3.234-3.260	1.32	2.74	2.10
48	3.000	3.5000-12 UNJ	3.724	3.734-3.760	1.38	2.87	2.19

## NOTES:

## /1/ MATERIAL:

- a. DASH AS CODE LETTER – TYPE 4130 STEEL BAR PER AMS-S-6758 OR AMS 6370 OR TYPE 4140 PER AMS 6382.
- b. CODE LETTER D – TYPE 2024-T6 ALUMINUM ALLOY BAR PER AMS-QQ-A-225/6, OR TYPE 2024-T851 ALUMINUM ALLOY BAR PER AMS-QQ-A-225/6 OR AMS 4339.
- c. CODE LETTER J – TYPE 304 CORROSION RESISTANT STEEL BAR PER AMS-QQ-S-763 OR AMS 5639.
- d. CODE LETTER K – TYPE 316 CORROSION RESISTANT STEEL BAR PER AMS-QQ-S-763 OR AMS 5648.
- e. CODE LETTER R – TYPE 321 CORROSION RESISTANT STEEL BAR PER AMS-QQ-S-763 OR AMS 5645.
- f. CODE LETTER T – TYPE 6AL-4V TITANIUM ALLOY BAR PER AMS 4928.
- g. CODE LETTER W – TYPE 7075-T73 ALUMINUM ALLOY BAR PER AMS-QQ-A-225/9, OR TYPE 7075-T7351 ALUMINUM ALLOY BAR PER AMS 4124.

## /2/ HEAT TREATMENT:

- a. DASH AS CODE LETTER – SEE HARDNESS REQUIREMENT PER PROCUREMENT SPECIFICATION.
- b. OTHER MATERIAL CODE LETTERS - NONE.