


RATIONALE


THIS STANDARD ESTABLISHES THE DIMENSIONAL AND VISUAL QUALITY REQUIREMENTS AND PACKAGING AND LABELING REQUIREMENTS FOR O-RINGS MOLDED FROM AMS7268 RUBBER. IT SHALL BE USED FOR PROCUREMENT PURPOSES.

SAE AS5728



PART NUMBER	ID (IN)		ID (MM)		W DIA (IN)		W DIA (MM)		APPROX MASS	
	MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX	LB/100	KG/100
AS5728-001	.025	.033	0.64	0.84	.037	.043	0.94	1.09	.002	0.001
AS5728-002	.038	.046	0.97	1.17	.047	.053	1.19	1.35	.003	0.002
AS5728-003	.052	.060	1.32	1.52	.057	.063	1.45	1.60	.005	0.002
AS5728-004	.065	.075	1.65	1.90	.067	.073	1.70	1.85	.009	0.004
AS5728-005	.096	.106	2.44	2.69	.067	.073	1.70	1.85	.011	0.005
AS5728-006	.109	.119	2.77	3.02	.067	.073	1.70	1.85	.011	0.005
AS5728-007	.140	.150	3.56	3.81	.067	.073	1.70	1.85	.013	0.006
AS5728-008	.171	.181	4.34	4.60	.067	.073	1.70	1.85	.015	0.006
AS5728-009	.203	.213	5.16	5.41	.067	.073	1.70	1.85	.017	0.008
AS5728-010	.234	.244	5.94	6.20	.067	.073	1.70	1.85	.019	0.009
AS5728-011	.296	.306	7.52	7.77	.067	.073	1.70	1.85	.023	0.011
AS5728-012	.359	.369	9.12	9.37	.067	.073	1.70	1.85	.027	0.012
AS5728-013	.421	.431	10.69	10.95	.067	.073	1.70	1.85	.031	0.014
AS5728-014	.484	.494	12.29	12.55	.067	.073	1.70	1.85	.035	0.015
AS5728-015	.544	.558	13.82	14.17	.067	.073	1.70	1.85	.038	0.017
AS5728-016	.605	.623	15.37	15.82	.067	.073	1.70	1.85	.042	0.019
AS5728-017	.667	.685	16.94	17.40	.067	.073	1.70	1.85	.046	0.021
AS5728-018	.730	.748	18.54	19.00	.067	.073	1.70	1.85	.050	0.023
AS5728-019	.792	.810	20.12	20.57	.067	.073	1.70	1.85	.054	0.024
AS5728-020	.855	.873	21.72	22.17	.067	.073	1.70	1.85	.058	0.026
AS5728-021	.917	.935	23.29	23.75	.067	.073	1.70	1.85	.062	0.028
AS5728-022	.979	.999	24.87	25.37	.067	.073	1.70	1.85	.066	0.030
AS5728-023	1.041	1.061	26.44	26.95	.067	.073	1.70	1.85	.069	0.032
AS5728-024	1.104	1.124	28.04	28.55	.067	.073	1.70	1.85	.073	0.033
AS5728-025	1.165	1.187	29.59	30.15	.067	.073	1.70	1.85	.077	0.035

SAE values your input. To provide feedback on this Technical Report, please visit <http://www.sae.org/technical/standards/AS5728>



CUSTODIAN: A-6/A-6C

PROCUREMENT SPECIFICATION: AS5728



AEROSPACE STANDARD

PACKING, PREFORMED, O-RING MOLDED FROM AMS7268 MATERIAL

SAE AS5728
SHEET 1 OF 9

SAE Technical Standards Board Rules provide that: "This report is published by SAE to advance the state of technical and engineering sciences. The use of this report is entirely voluntary, and its applicability and suitability for any particular use, including any patent infringement arising therefrom, is the sole responsibility of the user." SAE reviews each technical report at least every five years at which time it may be reaffirmed, revised, or cancelled. SAE invites your written comments and suggestions.

PART NUMBER	ID (IN)		ID (MM)		W DIA (IN)		W DIA (MM)		APPROX MASS	
	MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX	LB/100	KG/100
AS5728-026	1.228	1.250	31.19	31.75	.067	.073	1.70	1.85	.081	0.036
AS5728-027	1.290	1.312	32.77	33.32	.067	.073	1.70	1.85	.084	0.038
AS5728-028	1.351	1.377	34.32	34.98	.067	.073	1.70	1.85	.088	0.041
AS5728-029	1.476	1.502	37.49	38.15	.067	.073	1.70	1.85	.097	0.044
AS5728-030	1.601	1.627	40.67	41.33	.067	.073	1.70	1.85	.104	0.047
AS5728-031	1.724	1.754	43.79	44.55	.067	.073	1.70	1.85	.112	0.051
AS5728-032	1.849	1.879	46.96	47.73	.067	.073	1.70	1.85	.119	0.054
AS5728-033	1.971	2.007	50.06	50.98	.067	.073	1.70	1.85	.127	0.058
AS5728-034	2.096	2.132	53.24	54.15	.067	.073	1.70	1.85	.135	0.061
AS5728-035	2.221	2.257	56.41	57.33	.067	.073	1.70	1.85	.143	0.065
AS5728-036	2.346	2.382	59.59	60.50	.067	.073	1.70	1.85	.150	0.068
AS5728-037	2.471	2.507	62.76	63.68	.067	.073	1.70	1.85	.158	0.071
AS5728-038	2.594	2.634	65.9	66.9	.067	.073	1.70	1.85	.165	0.075
AS5728-039	2.719	2.759	69.1	70.1	.067	.073	1.70	1.85	.174	0.079
AS5728-040	2.844	2.884	72.2	73.3	.067	.073	1.70	1.85	.181	0.082
AS5728-041	2.965	3.013	75.3	76.5	.067	.073	1.70	1.85	.189	0.086
AS5728-042	3.215	3.263	81.7	82.9	.067	.073	1.70	1.85	.204	0.092
AS5728-043	3.465	3.513	88.0	89.2	.067	.073	1.70	1.85	.220	0.100
AS5728-044	3.712	3.766	94.3	95.7	.067	.073	1.70	1.85	.235	0.107
AS5728-045	3.962	4.016	100.6	102.0	.067	.073	1.70	1.85	.251	0.114
AS5728-046	4.209	4.269	106.9	108.4	.067	.073	1.70	1.85	.266	0.121
AS5728-047	4.459	4.519	113.3	114.8	.067	.073	1.70	1.85	.281	0.128
AS5728-048	4.709	4.769	119.6	121.1	.067	.073	1.70	1.85	.297	0.135
AS5728-049	4.952	5.026	125.8	127.7	.067	.073	1.70	1.85	.312	0.142
AS5728-050	5.202	5.276	132.1	134.0	.067	.073	1.70	1.85	.328	0.148
AS5728-102	.044	.054	1.12	1.37	.100	.106	2.54	2.69	.020	0.009
AS5728-103	.076	.086	1.93	2.18	.100	.106	2.54	2.69	.024	0.011
AS5728-104	.107	.117	2.72	2.97	.100	.106	2.54	2.69	.028	0.013
AS5728-105	.138	.148	3.51	3.76	.100	.106	2.54	2.69	.033	0.015
AS5728-106	.169	.179	4.29	4.55	.100	.106	2.54	2.69	.037	0.017
AS5728-107	.201	.211	5.11	5.36	.100	.106	2.54	2.69	.041	0.019
AS5728-108	.232	.242	5.89	6.15	.100	.106	2.54	2.69	.045	0.020
AS5728-109	.294	.304	7.47	7.72	.100	.106	2.54	2.69	.054	0.024
AS5728-110	.357	.367	9.07	9.32	.100	.106	2.54	2.69	.062	0.028
AS5728-111	.419	.429	10.64	10.90	.100	.106	2.54	2.69	.071	0.032
AS5728-112	.482	.492	12.24	12.50	.100	.106	2.54	2.69	.079	0.036
AS5728-113	.542	.556	13.77	14.12	.100	.106	2.54	2.69	.088	0.040
AS5728-114	.603	.621	15.32	15.77	.100	.106	2.54	2.69	.096	0.043
AS5728-115	.665	.683	16.89	17.35	.100	.106	2.54	2.69	.104	0.047
AS5728-116	.728	.746	18.49	18.95	.100	.106	2.54	2.69	.113	0.051
AS5728-117	.789	.809	20.04	20.55	.100	.106	2.54	2.69	.121	0.054
AS5728-118	.852	.872	21.64	22.15	.100	.106	2.54	2.69	.129	0.058
AS5728-119	.914	.934	23.22	23.72	.100	.106	2.54	2.69	.137	0.062
AS5728-120	.977	.997	24.82	25.32	.100	.106	2.54	2.69	.146	0.067
AS5728-121	1.039	1.059	26.39	26.90	.100	.106	2.54	2.69	.154	0.070
AS5728-122	1.102	1.122	27.99	28.50	.100	.106	2.54	2.69	.162	0.074
AS5728-123	1.162	1.186	29.51	30.12	.100	.106	2.54	2.69	.171	0.078
AS5728-124	1.225	1.249	31.12	31.72	.100	.106	2.54	2.69	.179	0.081
AS5728-125	1.287	1.311	32.69	33.30	.100	.106	2.54	2.69	.187	0.085

PART NUMBER	ID (IN)		ID (MM)		W DIA (IN)		W DIA (MM)		APPROX MASS	
	MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX	LB/100	KG/100
AS5728-126	1.350	1.374	34.29	34.90	.100	.106	2.54	2.69	.196	0.089
AS5728-127	1.412	1.436	35.86	36.47	.100	.106	2.54	2.69	.204	0.092
AS5728-128	1.475	1.499	37.46	38.07	.100	.106	2.54	2.69	.212	0.097
AS5728-129	1.534	1.564	38.96	39.73	.100	.106	2.54	2.69	.221	0.101
AS5728-130	1.597	1.627	40.56	41.33	.100	.106	2.54	2.69	.230	0.104
AS5728-131	1.659	1.689	42.14	42.90	.100	.106	2.54	2.69	.238	0.108
AS5728-132	1.722	1.752	43.74	44.50	.100	.106	2.54	2.69	.246	0.112
AS5728-133	1.784	1.814	45.31	46.08	.100	.106	2.54	2.69	.255	0.115
AS5728-134	1.847	1.877	46.91	47.68	.100	.106	2.54	2.69	.263	0.119
AS5728-135	1.908	1.942	48.46	49.33	.100	.106	2.54	2.69	.271	0.123
AS5728-136	1.970	2.004	50.04	50.90	.100	.106	2.54	2.69	.280	0.127
AS5728-137	2.033	2.067	51.64	52.50	.100	.106	2.54	2.69	.288	0.131
AS5728-138	2.095	2.129	53.21	54.08	.100	.106	2.54	2.69	.296	0.135
AS5728-139	2.158	2.192	54.81	55.68	.100	.106	2.54	2.69	.305	0.138
AS5728-140	2.220	2.254	56.39	57.25	.100	.106	2.54	2.69	.313	0.142
AS5728-141	2.280	2.320	57.9	58.9	.100	.106	2.54	2.69	.321	0.146
AS5728-142	2.342	2.382	59.5	60.5	.100	.106	2.54	2.69	.330	0.149
AS5728-143	2.405	2.445	61.1	62.1	.100	.106	2.54	2.69	.338	0.153
AS5728-144	2.467	2.507	62.7	63.7	.100	.106	2.54	2.69	.346	0.157
AS5728-145	2.530	2.570	64.3	65.3	.100	.106	2.54	2.69	.355	0.161
AS5728-146	2.592	2.632	65.8	66.9	.100	.106	2.54	2.69	.363	0.165
AS5728-147	2.653	2.697	67.4	68.5	.100	.106	2.54	2.69	.371	0.169
AS5728-148	2.715	2.759	69.0	70.1	.100	.106	2.54	2.69	.380	0.172
AS5728-149	2.778	2.822	70.6	71.7	.100	.106	2.54	2.69	.388	0.176
AS5728-150	2.840	2.884	72.1	73.3	.100	.106	2.54	2.69	.397	0.180
AS5728-151	2.963	3.011	75.3	76.5	.100	.106	2.54	2.69	.414	0.187
AS5728-152	3.213	3.261	81.6	82.8	.100	.106	2.54	2.69	.447	0.203
AS5728-153	3.463	3.511	88.0	89.2	.100	.106	2.54	2.69	.480	0.218
AS5728-154	3.709	3.765	94.2	95.6	.100	.106	2.54	2.69	.513	0.233
AS5728-155	3.959	4.015	100.6	102.0	.100	.106	2.54	2.69	.547	0.248
AS5728-156	4.207	4.267	106.9	108.4	.100	.106	2.54	2.69	.581	0.264
AS5728-157	4.457	4.517	113.2	114.7	.100	.106	2.54	2.69	.614	0.278
AS5728-158	4.707	4.767	119.6	121.1	.100	.106	2.54	2.69	.647	0.294
AS5728-159	4.952	5.022	125.8	127.6	.100	.106	2.54	2.69	.680	0.309
AS5728-160	5.202	5.272	132.1	133.9	.100	.106	2.54	2.69	.714	0.324
AS5728-161	5.452	5.522	138.5	140.3	.100	.106	2.54	2.69	.748	0.339
AS5728-162	5.702	5.772	144.8	146.6	.100	.106	2.54	2.69	.781	0.354
AS5728-163	5.952	6.022	151.2	153.0	.100	.106	2.54	2.69	.814	0.370
AS5728-164	6.197	6.277	157.4	159.4	.100	.106	2.54	2.69	.848	0.384
AS5728-165	6.447	6.527	163.8	165.8	.100	.106	2.54	2.69	.882	0.400
AS5728-166	6.697	6.777	170.1	172.1	.100	.106	2.54	2.69	.915	0.415
AS5728-167	6.947	7.027	176.5	178.5	.100	.106	2.54	2.69	.948	0.430
AS5728-168	7.192	7.282	182.7	185.0	.100	.106	2.54	2.69	.981	0.445
AS5728-169	7.442	7.532	189.0	191.3	.100	.106	2.54	2.69	1.015	0.461
AS5728-170	7.692	7.782	195.4	197.7	.100	.106	2.54	2.69	1.049	0.475
AS5728-171	7.942	8.032	201.7	204.0	.100	.106	2.54	2.69	1.082	0.491
AS5728-172	8.187	8.287	207.9	210.5	.100	.106	2.54	2.69	1.115	0.506
AS5728-173	8.437	8.537	214.3	216.8	.100	.106	2.54	2.69	1.149	0.521
AS5728-174	8.687	8.787	220.6	223.2	.100	.106	2.54	2.69	1.182	0.536
AS5728-175	8.937	9.037	227.0	229.5	.100	.106	2.54	2.69	1.216	0.551

PART NUMBER	ID (IN)		ID (MM)		W DIA (IN)		W DIA (MM)		APPROX MASS	
	MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX	LB/100	KG/100
AS5728-176	9.182	9.292	233.2	236.0	.100	.106	2.54	2.69	1.249	0.567
AS5728-177	9.432	9.542	239.6	242.4	.100	.106	2.54	2.69	1.283	0.581
AS5728-178	9.682	9.792	245.9	248.7	.100	.106	2.54	2.69	1.316	0.597
AS5728-201	.166	.176	4.22	4.47	.135	.143	3.43	3.63	.075	0.034
AS5728-202	.229	.239	5.82	6.07	.135	.143	3.43	3.63	.091	0.041
AS5728-203	.291	.301	7.39	7.65	.135	.143	3.43	3.63	.106	0.048
AS5728-204	.354	.364	8.99	9.25	.135	.143	3.43	3.63	.122	0.055
AS5728-205	.416	.426	10.57	10.82	.135	.143	3.43	3.63	.136	0.062
AS5728-206	.479	.489	12.17	12.42	.135	.143	3.43	3.63	.152	0.062
AS5728-207	.539	.553	13.69	14.05	.135	.143	3.43	3.63	.167	0.075
AS5728-208	.600	.618	15.24	15.70	.135	.143	3.43	3.63	.182	0.083
AS5728-209	.662	.680	16.81	17.27	.135	.143	3.43	3.63	.197	0.089
AS5728-210	.724	.744	18.39	18.90	.135	.143	3.43	3.63	.212	0.097
AS5728-211	.786	.806	19.96	20.47	.135	.143	3.43	3.63	.228	0.103
AS5728-212	.849	.869	21.56	22.07	.135	.143	3.43	3.63	.243	0.110
AS5728-213	.911	.931	23.14	23.65	.135	.143	3.43	3.63	.258	0.117
AS5728-214	.974	.994	24.74	25.25	.135	.143	3.43	3.63	.273	0.124
AS5728-215	1.036	1.056	26.31	26.82	.135	.143	3.43	3.63	.289	0.131
AS5728-216	1.097	1.121	27.86	28.47	.135	.143	3.43	3.63	.304	0.138
AS5728-217	1.159	1.183	29.44	30.05	.135	.143	3.43	3.63	.319	0.144
AS5728-218	1.222	1.246	31.04	31.65	.135	.143	3.43	3.63	.334	0.152
AS5728-219	1.284	1.308	32.61	33.22	.135	.143	3.43	3.63	.350	0.158
AS5728-220	1.347	1.371	34.21	34.82	.135	.143	3.43	3.63	.365	0.165
AS5728-221	1.409	1.433	35.79	36.40	.135	.143	3.43	3.63	.380	0.173
AS5728-222	1.469	1.499	37.31	38.07	.135	.143	3.43	3.63	.395	0.179
AS5728-223	1.594	1.624	40.49	41.25	.135	.143	3.43	3.63	.426	0.193
AS5728-224	1.719	1.749	43.66	44.42	.135	.143	3.43	3.63	.457	0.207
AS5728-225	1.841	1.877	46.76	47.68	.135	.143	3.43	3.63	.487	0.221
AS5728-226	1.966	2.002	49.94	50.85	.135	.143	3.43	3.63	.517	0.234
AS5728-227	2.091	2.127	53.11	54.03	.135	.143	3.43	3.63	.547	0.248
AS5728-228	2.214	2.254	56.2	57.3	.135	.143	3.43	3.63	.578	0.262
AS5728-229	2.339	2.379	59.4	60.4	.135	.143	3.43	3.63	.608	0.276
AS5728-230	2.464	2.504	62.6	63.6	.135	.143	3.43	3.63	.639	0.290
AS5728-231	2.589	2.629	65.8	66.8	.135	.143	3.43	3.63	.669	0.303
AS5728-232	2.710	2.758	68.8	70.1	.135	.143	3.43	3.63	.700	0.317
AS5728-233	2.835	2.883	72.0	73.2	.135	.143	3.43	3.63	.730	0.331
AS5728-234	2.960	3.008	75.2	76.4	.135	.143	3.43	3.63	.761	0.345
AS5728-235	3.085	3.133	78.4	79.6	.135	.143	3.43	3.63	.792	0.358
AS5728-236	3.210	3.258	81.5	82.8	.135	.143	3.43	3.63	.822	0.373
AS5728-237	3.335	3.383	84.7	85.9	.135	.143	3.43	3.63	.852	0.387
AS5728-238	3.460	3.508	87.9	89.1	.135	.143	3.43	3.63	.882	0.401
AS5728-239	3.581	3.637	91.0	92.4	.135	.143	3.43	3.63	.913	0.414
AS5728-240	3.706	3.762	94.1	95.6	.135	.143	3.43	3.63	.943	0.428
AS5728-241	3.831	3.887	97.3	98.7	.135	.143	3.43	3.63	.974	0.442
AS5728-242	3.956	4.012	100.5	101.9	.135	.143	3.43	3.63	1.004	0.456
AS5728-243	4.081	4.137	103.7	105.1	.135	.143	3.43	3.63	1.035	0.470
AS5728-244	4.204	4.264	106.8	108.3	.135	.143	3.43	3.63	1.065	0.483
AS5728-245	4.329	4.389	110.0	111.5	.135	.143	3.43	3.63	1.096	0.497

PART NUMBER	ID (IN)		ID (MM)		W DIA (IN)		W DIA (MM)		APPROX MASS	
	MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX	LB/100	KG/100
AS5728-246	4.454	4.514	113.1	114.7	.135	.143	3.43	3.63	1.126	0.511
AS5728-247	4.579	4.639	116.3	117.8	.135	.143	3.43	3.63	1.156	0.525
AS5728-248	4.704	4.764	119.5	121.0	.135	.143	3.43	3.63	1.187	0.539
AS5728-249	4.824	4.894	122.5	124.3	.135	.143	3.43	3.63	1.217	0.552
AS5728-250	4.949	5.019	125.7	127.5	.135	.143	3.43	3.63	1.248	0.566
AS5728-251	5.074	5.144	128.9	130.7	.135	.143	3.43	3.63	1.278	0.580
AS5728-252	5.199	5.269	132.1	133.8	.135	.143	3.43	3.63	1.309	0.594
AS5728-253	5.324	5.394	135.2	137.0	.135	.143	3.43	3.63	1.339	0.607
AS5728-254	5.449	5.519	138.4	140.2	.135	.143	3.43	3.63	1.370	0.621
AS5728-255	5.574	5.644	141.6	143.4	.135	.143	3.43	3.63	1.400	0.635
AS5728-256	5.699	5.769	144.8	146.5	.135	.143	3.43	3.63	1.431	0.649
AS5728-257	5.824	5.894	147.9	149.7	.135	.143	3.43	3.63	1.461	0.663
AS5728-258	5.949	6.019	151.1	152.9	.135	.143	3.43	3.63	1.491	0.676
AS5728-259	6.194	6.274	157.3	159.4	.135	.143	3.43	3.63	1.552	0.704
AS5728-260	6.444	6.524	163.7	165.7	.135	.143	3.43	3.63	1.613	0.732
AS5728-261	6.694	6.774	170.0	172.1	.135	.143	3.43	3.63	1.674	0.759
AS5728-262	6.944	7.024	176.4	178.4	.135	.143	3.43	3.63	1.735	0.787
AS5728-263	7.189	7.279	182.6	184.9	.135	.143	3.43	3.63	1.796	0.814
AS5728-264	7.439	7.529	189.0	191.2	.135	.143	3.43	3.63	1.856	0.843
AS5728-265	7.689	7.779	195.3	197.6	.135	.143	3.43	3.63	1.918	0.870
AS5728-266	7.939	8.029	201.7	203.9	.135	.143	3.43	3.63	1.979	0.898
AS5728-267	8.184	8.284	207.9	210.4	.135	.143	3.43	3.63	2.040	0.925
AS5728-268	8.434	8.534	214.2	216.8	.135	.143	3.43	3.63	2.100	0.953
AS5728-269	8.684	8.784	220.6	223.1	.135	.143	3.43	3.63	2.161	0.980
AS5728-270	8.934	9.034	226.9	229.5	.135	.143	3.43	3.63	2.222	1.008
AS5728-271	9.179	9.289	233.1	235.9	.135	.143	3.43	3.63	2.283	1.036
AS5728-272	9.429	9.539	239.5	242.3	.135	.143	3.43	3.63	2.344	1.063
AS5728-273	9.679	9.789	245.8	248.6	.135	.143	3.43	3.63	2.405	1.091
AS5728-274	9.929	10.039	252.2	255.0	.135	.143	3.43	3.63	2.465	1.118
AS5728-275	10.429	10.539	264.9	267.7	.135	.143	3.43	3.63	2.587	1.174
AS5728-276	10.919	11.049	277.3	280.6	.135	.143	3.43	3.63	2.710	1.229
AS5728-277	11.419	11.549	290.0	293.3	.135	.143	3.43	3.63	2.831	1.284
AS5728-278	11.919	12.049	302.7	306.0	.135	.143	3.43	3.63	2.953	1.340
AS5728-279	12.919	13.049	328.1	331.4	.135	.143	3.43	3.63	3.196	1.450
AS5728-280	13.919	14.049	353.5	356.8	.135	.143	3.43	3.63	3.440	1.560
AS5728-281	14.919	15.049	378.9	382.2	.135	.143	3.43	3.63	3.684	1.671
AS5728-282	15.880	16.030	403.4	407.2	.135	.143	3.43	3.63	3.920	1.779
AS5728-283	16.875	17.035	428.6	432.7	.135	.143	3.43	3.63	4.164	1.889
AS5728-284	17.870	18.040	453.9	458.2	.135	.143	3.43	3.63	4.407	1.999
AS5728-309	.407	.417	10.34	10.59	.205	.215	5.21	5.46	.345	0.157
AS5728-310	.470	.480	11.94	12.19	.205	.215	5.21	5.46	.381	0.173
AS5728-311	.530	.544	13.46	13.82	.205	.215	5.21	5.46	.415	0.188
AS5728-312	.591	.609	15.01	15.47	.205	.215	5.21	5.46	.450	0.204
AS5728-313	.653	.671	16.59	17.04	.205	.215	5.21	5.46	.485	0.220
AS5728-314	.715	.735	18.16	18.67	.205	.215	5.21	5.46	.520	0.236
AS5728-315	.777	.797	19.74	20.24	.205	.215	5.21	5.46	.554	0.251
AS5728-316	.840	.860	21.34	21.84	.205	.215	5.21	5.46	.590	0.268
AS5728-317	.902	.922	22.91	23.42	.205	.215	5.21	5.46	.624	0.283
AS5728-318	.965	.985	24.51	25.02	.205	.215	5.21	5.46	.659	0.298
AS5728-319	1.027	1.047	26.09	26.59	.205	.215	5.21	5.46	.693	0.315
AS5728-320	1.088	1.112	27.64	28.24	.205	.215	5.21	5.46	.728	0.330

PART NUMBER	ID (IN)		ID (MM)		W DIA (IN)		W DIA (MM)		APPROX MASS	
	MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX	LB/100	KG/100
AS5728-321	1.150	1.174	29.21	29.82	.205	.215	5.21	5.46	.763	0.346
AS5728-322	1.213	1.237	30.81	31.42	.205	.215	5.21	5.46	.798	0.362
AS5728-323	1.275	1.299	32.38	32.99	.205	.215	5.21	5.46	.832	0.377
AS5728-324	1.338	1.362	33.99	34.59	.205	.215	5.21	5.46	.867	0.393
AS5728-325	1.460	1.490	37.08	37.85	.205	.215	5.21	5.46	.937	0.425
AS5728-326	1.585	1.615	40.26	41.02	.205	.215	5.21	5.46	1.006	0.457
AS5728-327	1.710	1.740	43.43	44.20	.205	.215	5.21	5.46	1.075	0.488
AS5728-328	1.835	1.865	46.61	47.37	.205	.215	5.21	5.46	1.145	0.520
AS5728-329	1.957	1.993	49.71	50.62	.205	.215	5.21	5.46	1.215	0.551
AS5728-330	2.082	2.118	52.88	53.80	.205	.215	5.21	5.46	1.285	0.582
AS5728-331	2.207	2.243	56.06	56.97	.205	.215	5.21	5.46	1.354	0.614
AS5728-332	2.332	2.368	59.23	60.15	.205	.215	5.21	5.46	1.423	0.646
AS5728-333	2.455	2.495	62.4	63.4	.205	.215	5.21	5.46	1.493	0.677
AS5728-334	2.580	2.620	65.5	66.5	.205	.215	5.21	5.46	1.562	0.709
AS5728-335	2.705	2.745	68.7	69.7	.205	.215	5.21	5.46	1.632	0.740
AS5728-336	2.830	2.870	71.9	72.9	.205	.215	5.21	5.46	1.701	0.772
AS5728-337	2.951	2.999	75.0	76.2	.205	.215	5.21	5.46	1.770	0.803
AS5728-338	3.076	3.124	78.1	79.3	.205	.215	5.21	5.46	1.840	0.835
AS5728-339	3.201	3.249	81.3	82.5	.205	.215	5.21	5.46	1.910	0.866
AS5728-340	3.326	3.374	84.5	85.7	.205	.215	5.21	5.46	1.979	0.898
AS5728-341	3.451	3.499	87.7	88.9	.205	.215	5.21	5.46	2.049	0.929
AS5728-342	3.572	3.628	90.7	92.2	.205	.215	5.21	5.46	2.118	0.961
AS5728-343	3.697	3.753	93.9	95.3	.205	.215	5.21	5.46	2.188	0.993
AS5728-344	3.822	3.878	97.1	98.5	.205	.215	5.21	5.46	2.257	1.023
AS5728-345	3.947	4.003	100.3	101.7	.205	.215	5.21	5.46	2.327	1.055
AS5728-346	4.072	4.128	103.4	104.9	.205	.215	5.21	5.46	2.397	1.087
AS5728-347	4.195	4.255	106.6	108.1	.205	.215	5.21	5.46	2.465	1.118
AS5728-348	4.320	4.380	109.7	111.3	.205	.215	5.21	5.46	2.535	1.150
AS5728-349	4.445	4.505	112.9	114.4	.205	.215	5.21	5.46	2.605	1.182
AS5728-350	4.570	4.630	116.1	117.6	.205	.215	5.21	5.46	2.674	1.213
AS5728-351	4.695	4.755	119.3	120.8	.205	.215	5.21	5.46	2.744	1.245
AS5728-352	4.820	4.880	122.4	124.0	.205	.215	5.21	5.46	2.813	1.276
AS5728-353	4.938	5.012	125.4	127.3	.205	.215	5.21	5.46	2.882	1.307
AS5728-354	5.063	5.137	128.6	130.5	.205	.215	5.21	5.46	2.952	1.339
AS5728-355	5.188	5.262	131.8	133.7	.205	.215	5.21	5.46	3.022	1.371
AS5728-356	5.313	5.387	135.0	136.8	.205	.215	5.21	5.46	3.091	1.402
AS5728-357	5.438	5.512	138.1	140.0	.205	.215	5.21	5.46	3.160	1.434
AS5728-358	5.563	5.637	141.3	143.2	.205	.215	5.21	5.46	3.230	1.465
AS5728-359	5.688	5.762	144.5	146.4	.205	.215	5.21	5.46	3.300	1.496
AS5728-360	5.813	5.887	147.7	149.5	.205	.215	5.21	5.46	3.369	1.528
AS5728-361	5.938	6.012	150.8	152.7	.205	.215	5.21	5.46	3.439	1.560
AS5728-362	6.185	6.265	157.1	159.1	.205	.215	5.21	5.46	3.577	1.623
AS5728-363	6.435	6.515	163.4	165.5	.205	.215	5.21	5.46	3.717	1.686
AS5728-364	6.685	6.765	169.8	171.8	.205	.215	5.21	5.46	3.855	1.749
AS5728-365	6.935	7.015	176.1	178.2	.205	.215	5.21	5.46	3.994	1.812
AS5728-366	7.180	7.270	182.4	184.7	.205	.215	5.21	5.46	4.134	1.875
AS5728-367	7.430	7.520	188.7	191.0	.205	.215	5.21	5.46	4.272	1.938
AS5728-368	7.680	7.770	195.1	197.4	.205	.215	5.21	5.46	4.412	2.001
AS5728-369	7.930	8.020	201.4	203.7	.205	.215	5.21	5.46	4.551	2.064
AS5728-370	8.175	8.275	207.6	210.2	.205	.215	5.21	5.46	4.689	2.127

PART NUMBER	ID (IN)		ID (MM)		W DIA (IN)		W DIA (MM)		APPROX MASS	
	MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX	LB/100	KG/100
AS5728-371	8.425	8.525	214.0	216.5	.205	.215	5.21	5.46	4.829	2.191
AS5728-372	8.675	8.775	220.3	222.9	.205	.215	5.21	5.46	4.967	2.253
AS5728-373	8.925	9.025	226.7	229.2	.205	.215	5.21	5.46	5.107	2.316
AS5728-374	9.170	9.280	232.9	235.7	.205	.215	5.21	5.46	5.246	2.379
AS5728-375	9.420	9.530	239.3	242.1	.205	.215	5.21	5.46	5.384	2.443
AS5728-376	9.670	9.780	245.6	248.4	.205	.215	5.21	5.46	5.524	2.505
AS5728-377	9.920	10.030	252.0	254.8	.205	.215	5.21	5.46	5.662	2.568
AS5728-378	10.415	10.535	264.5	267.6	.205	.215	5.21	5.46	5.941	2.695
AS5728-379	10.915	11.035	277.2	280.3	.205	.215	5.21	5.46	6.219	2.821
AS5728-380	11.410	11.540	289.8	293.1	.205	.215	5.21	5.46	6.496	2.946
AS5728-381	11.910	12.040	302.5	305.8	.205	.215	5.21	5.46	6.774	3.073
AS5728-382	12.910	13.040	327.9	331.2	.205	.215	5.21	5.46	7.331	3.325
AS5728-383	13.905	14.045	353.2	356.7	.205	.215	5.21	5.46	7.886	3.577
AS5728-384	14.905	15.045	378.6	382.1	.205	.215	5.21	5.46	8.443	3.830
AS5728-385	15.880	16.030	403.4	407.2	.205	.215	5.21	5.46	8.987	4.077
AS5728-386	16.875	17.035	428.6	432.7	.205	.215	5.21	5.46	9.543	4.328
AS5728-387	17.870	18.040	453.9	458.2	.205	.215	5.21	5.46	10.099	4.581
AS5728-388	18.865	19.045	479.2	483.7	.205	.215	5.21	5.46	10.655	4.833
AS5728-389	19.860	20.050	504.4	509.3	.205	.215	5.21	5.46	11.211	5.085
AS5728-390	20.860	21.050	529.8	534.7	.205	.215	5.21	5.46	11.767	5.337
AS5728-391	21.855	22.055	555.1	560.2	.205	.215	5.21	5.46	12.323	5.589
AS5728-392	22.835	23.045	480.0	585.3	.205	.215	5.21	5.46	12.871	5.838
AS5728-393	23.830	24.050	605.3	610.9	.205	.215	5.21	5.46	13.426	6.090
AS5728-394	24.825	25.055	630.6	636.4	.205	.215	5.21	5.46	13.982	6.342
AS5728-395	25.820	26.060	655.8	661.9	.205	.215	5.21	5.46	14.538	6.594
AS5728-425	4.442	4.508	112.8	114.5	.269	.281	6.83	7.14	4.529	2.054
AS5728-426	4.567	4.633	116.0	117.7	.269	.281	6.83	7.14	4.648	2.109
AS5728-427	4.692	4.758	119.2	120.9	.269	.281	6.83	7.14	4.767	2.162
AS5728-428	4.817	4.883	122.4	124.0	.269	.281	6.83	7.14	4.886	2.216
AS5728-429	4.938	5.012	125.4	127.3	.269	.281	6.83	7.14	5.005	2.270
AS5728-430	5.063	5.137	128.6	130.5	.269	.281	6.83	7.14	5.125	2.324
AS5728-431	5.188	5.262	131.8	133.7	.269	.281	6.83	7.14	5.244	2.379
AS5728-432	5.313	5.387	135.0	136.8	.269	.281	6.83	7.14	5.363	2.432
AS5728-433	5.438	5.512	138.1	140.0	.269	.281	6.83	7.14	5.482	2.487
AS5728-434	5.563	5.637	141.3	143.2	.269	.281	6.83	7.14	5.601	2.541
AS5728-435	5.688	5.762	144.5	146.4	.269	.281	6.83	7.14	5.720	2.594
AS5728-436	5.813	5.887	147.7	149.5	.269	.281	6.83	7.14	5.839	2.649
AS5728-437	5.938	6.012	150.8	152.7	.269	.281	6.83	7.14	5.958	2.703
AS5728-438	6.185	6.265	157.1	159.1	.269	.281	6.83	7.14	6.197	2.811
AS5728-439	6.435	6.515	163.4	165.5	.269	.281	6.83	7.14	6.435	2.919
AS5728-440	6.685	6.765	169.8	171.8	.269	.281	6.83	7.14	6.674	3.027
AS5728-441	6.935	7.015	176.1	178.2	.269	.281	6.83	7.14	6.912	3.135
AS5728-442	7.180	7.270	182.4	184.7	.269	.281	6.83	7.14	7.151	3.243
AS5728-443	7.430	7.520	188.7	191.0	.269	.281	6.83	7.14	7.389	3.352
AS5728-444	7.680	7.770	195.1	197.4	.269	.281	6.83	7.14	7.627	3.460
AS5728-445	7.930	8.020	201.4	203.7	.269	.281	6.83	7.14	7.865	3.568