


RATIONALE

REVISION A UPDATES THE INSPECTION CRITERIA AND TEMPLATE FORMAT.

FOREWORD

THIS STANDARD ESTABLISHES THE DIMENSIONAL AND VISUAL QUALITY REQUIREMENTS, LOT REQUIREMENTS AND PACKAGING AND LABELING REQUIREMENTS FOR O-RINGS MOLDED FROM AMS7268 RUBBER. IT SHALL BE USED FOR PROCUREMENT PURPOSES.



NOTE: DIMENSIONS AND TOLERANCING PER ASME Y14.5-2009


FIGURE 1 - O-RING DIMENSIONS: WIDTH (ØW) AND INSIDE DIAMETER (ØD)

TABLE 1 - PART NUMBERS AND DIMENSIONS

	PART NUMBER	ØD INCH	ØD (MM)	ØW INCH	ØW (MM)	APPROX MASS	
						LB/100	(KG/100)
	AS5728-001	.025 / .033	0.635 / 0.838	.037 / .043	0.940 / 1.092	.002	0.001
	AS5728-002	.038 / .046	0.965 / 1.168	.047 / .053	1.194 / 1.346	.003	0.002
	AS5728-003	.052 / .060	1.321 / 1.524	.057 / .063	1.448 / 1.600	.005	0.002
	AS5728-004	.065 / .075	1.651 / 1.905	.067 / .073	1.702 / 1.854	.009	0.004
	AS5728-005	.096 / .106	2.438 / 2.692	.067 / .073	1.702 / 1.854	.011	0.005
	AS5728-006	.109 / .119	2.769 / 3.023	.067 / .073	1.702 / 1.854	.011	0.005
	AS5728-007	.140 / .150	3.556 / 3.810	.067 / .073	1.702 / 1.854	.013	0.006
	AS5728-008	.171 / .181	4.343 / 4.597	.067 / .073	1.702 / 1.854	.015	0.006
	AS5728-009	.203 / .213	5.156 / 5.410	.067 / .073	1.702 / 1.854	.017	0.008
	AS5728-010	.234 / .244	5.944 / 6.198	.067 / .073	1.702 / 1.854	.019	0.009
	AS5728-011	.296 / .306	7.518 / 7.772	.067 / .073	1.702 / 1.854	.023	0.011
	AS5728-012	.359 / .369	9.119 / 9.373	.067 / .073	1.702 / 1.854	.027	0.012
(a)	AS5728-013	.421 / .431	10.693 / 10.947	.067 / .073	1.702 / 1.854	.031	0.014
	AS5728-014	.484 / .494	12.294 / 12.548	.067 / .073	1.702 / 1.854	.035	0.015
	AS5728-015	.544 / .558	13.818 / 14.173	.067 / .073	1.702 / 1.854	.038	0.017
	AS5728-016	.605 / .623	15.367 / 15.824	.067 / .073	1.702 / 1.854	.042	0.019
	AS5728-017	.667 / .685	16.942 / 17.399	.067 / .073	1.702 / 1.854	.046	0.021
	AS5728-018	.730 / .748	18.542 / 18.999	.067 / .073	1.702 / 1.854	.050	0.023
	AS5728-019	.792 / .810	20.117 / 20.574	.067 / .073	1.702 / 1.854	.054	0.024
	AS5728-020	.855 / .873	21.717 / 22.174	.067 / .073	1.702 / 1.854	.058	0.026

SAE values your input. To provide feedback on this Technical Report, please visit <http://www.sae.org/technical/standards/AS5728A>

THIRD ANGLE PROJECTION



CUSTODIAN: A-6/A-6C2

PROCUREMENT SPECIFICATION: NONE



AEROSPACE STANDARD

(R) O-RING MOLDED FROM AMS7268 (SILICONE) MATERIAL

AS5728
SHEET 1 OF 11

REV. A

SAE Technical Standards Board Rules provide that: "This report is published by SAE to advance the state of technical and engineering sciences. The use of this report is entirely voluntary, and its applicability and suitability for any particular use, including any patent infringement arising therefrom, is the sole responsibility of the user." SAE reviews each technical report at least every five years at which time it may be revised, reaffirmed, stabilized, or cancelled. SAE invites your written comments and suggestions.

REV. A
AS5728

ISSUED 2009-03 REVISED 2015-06

TABLE 1 - PART NUMBERS AND DIMENSIONS (CONTINUED)

	PART NUMBER	ØD INCH	ØD (MM)	ØW INCH	ØW (MM)	APPROX MASS		
						LB/100	(KG/100)	
(a)	AS5728-021	.917 / .935	23.292 / 23.749	.067 / .073	1.702 / 1.854	.062	0.028	
	AS5728-022	.979 / .999	24.867 / 25.375	.067 / .073	1.702 / 1.854	.066	0.030	
	AS5728-023	1.041 / 1.061	26.441 / 26.949	.067 / .073	1.702 / 1.854	.069	0.032	
	AS5728-024	1.104 / 1.124	28.042 / 28.550	.067 / .073	1.702 / 1.854	.073	0.033	
	AS5728-025	1.165 / 1.187	29.591 / 30.150	.067 / .073	1.702 / 1.854	.077	0.035	
	AS5728-026	1.228 / 1.250	31.191 / 31.750	.067 / .073	1.702 / 1.854	.081	0.036	
	AS5728-027	1.290 / 1.312	32.766 / 33.325	.067 / .073	1.702 / 1.854	.084	0.038	
	AS5728-028	1.351 / 1.377	34.315 / 34.976	.067 / .073	1.702 / 1.854	.088	0.041	
(b)	AS5728-029	1.476 / 1.502	37.490 / 38.151	.067 / .073	1.702 / 1.854	.097	0.044	
	AS5728-030	1.601 / 1.627	40.665 / 41.326	.067 / .073	1.702 / 1.854	.104	0.047	
	AS5728-031	1.724 / 1.754	43.790 / 44.552	.067 / .073	1.702 / 1.854	.112	0.051	
	AS5728-032	1.849 / 1.879	46.965 / 47.727	.067 / .073	1.702 / 1.854	.119	0.054	
	AS5728-033	1.971 / 2.007	50.063 / 50.978	.067 / .073	1.702 / 1.854	.127	0.058	
	AS5728-034	2.096 / 2.132	53.238 / 54.153	.067 / .073	1.702 / 1.854	.135	0.061	
	AS5728-035	2.221 / 2.257	56.413 / 57.328	.067 / .073	1.702 / 1.854	.143	0.065	
	AS5728-036	2.346 / 2.382	59.588 / 60.503	.067 / .073	1.702 / 1.854	.150	0.068	
	AS5728-037	2.471 / 2.507	62.763 / 63.678	.067 / .073	1.702 / 1.854	.158	0.071	
	AS5728-038	2.594 / 2.634	65.888 / 66.904	.067 / .073	1.702 / 1.854	.165	0.075	
	AS5728-039	2.719 / 2.759	69.063 / 70.079	.067 / .073	1.702 / 1.854	.174	0.079	
	AS5728-040	2.844 / 2.884	72.238 / 73.254	.067 / .073	1.702 / 1.854	.181	0.082	
	AS5728-041	2.965 / 3.013	75.311 / 76.530	.067 / .073	1.702 / 1.854	.189	0.086	
	AS5728-042	3.215 / 3.263	81.661 / 82.880	.067 / .073	1.702 / 1.854	.204	0.092	
	AS5728-043	3.465 / 3.513	88.011 / 89.230	.067 / .073	1.702 / 1.854	.220	0.100	
	AS5728-044	3.712 / 3.766	94.285 / 95.656	.067 / .073	1.702 / 1.854	.235	0.107	
	AS5728-045	3.962 / 4.016	100.635 / 102.006	.067 / .073	1.702 / 1.854	.251	0.114	
	AS5728-046	4.209 / 4.269	106.909 / 108.433	.067 / .073	1.702 / 1.854	.266	0.121	
	AS5728-047	4.459 / 4.519	113.259 / 114.783	.067 / .073	1.702 / 1.854	.281	0.128	
	AS5728-048	4.709 / 4.769	119.609 / 121.133	.067 / .073	1.702 / 1.854	.297	0.135	
	AS5728-049	4.952 / 5.026	125.781 / 127.660	.067 / .073	1.702 / 1.854	.312	0.142	
	AS5728-050	5.202 / 5.276	132.131 / 134.010	.067 / .073	1.702 / 1.854	.328	0.148	
	(a)	AS5728-102	0.044 / 0.054	1.118 / 1.372	.100 / .106	2.540 / 2.692	.020	0.009
		AS5728-103	0.076 / 0.086	1.930 / 2.184	.100 / .106	2.540 / 2.692	.024	0.011
AS5728-104		0.107 / 0.117	2.718 / 2.972	.100 / .106	2.540 / 2.692	.028	0.013	
AS5728-105		0.138 / 0.148	3.505 / 3.759	.100 / .106	2.540 / 2.692	.033	0.015	
AS5728-106		0.169 / 0.179	4.293 / 4.547	.100 / .106	2.540 / 2.692	.037	0.017	
AS5728-107		0.201 / 0.211	5.105 / 5.359	.100 / .106	2.540 / 2.692	.041	0.019	
AS5728-108		0.232 / 0.242	5.893 / 6.147	.100 / .106	2.540 / 2.692	.045	0.020	
AS5728-109		0.294 / 0.304	7.468 / 7.722	.100 / .106	2.540 / 2.692	.054	0.024	
AS5728-110		0.357 / 0.367	9.068 / 9.322	.100 / .106	2.540 / 2.692	.062	0.028	
AS5728-111		0.419 / 0.429	10.643 / 10.897	.100 / .106	2.540 / 2.692	.071	0.032	
AS5728-112		0.482 / 0.492	12.243 / 12.497	.100 / .106	2.540 / 2.692	.079	0.036	
AS5728-113		0.542 / 0.556	13.767 / 14.122	.100 / .106	2.540 / 2.692	.088	0.040	
AS5728-114		0.603 / 0.621	15.316 / 15.773	.100 / .106	2.540 / 2.692	.096	0.043	
AS5728-115		0.665 / 0.683	16.891 / 17.348	.100 / .106	2.540 / 2.692	.104	0.047	
AS5728-116		0.728 / 0.746	18.491 / 18.948	.100 / .106	2.540 / 2.692	.113	0.051	
AS5728-117		0.789 / 0.809	20.041 / 20.549	.100 / .106	2.540 / 2.692	.121	0.054	
AS5728-118	0.852 / 0.872	21.641 / 22.149	.100 / .106	2.540 / 2.692	.129	0.058		
AS5728-119	0.914 / 0.934	23.216 / 23.724	.100 / .106	2.540 / 2.692	.137	0.062		
AS5728-120	0.977 / 0.997	24.816 / 25.324	.100 / .106	2.540 / 2.692	.146	0.067		



AEROSPACE STANDARD

(R) O-RING MOLDED FROM
AMS7268 (SILICONE) MATERIAL

AS5728
SHEET 2 OF 11

REV.
A

TABLE 1 - PART NUMBERS AND DIMENSIONS (CONTINUED)

	PART NUMBER	ØD INCH	ØD (MM)	ØW INCH	ØW (MM)	APPROX MASS	
						LB/100	(KG/100)
(a)	AS5728-121	1.039 / 1.059	26.391 / 26.899	.100 / .106	2.540 / 2.692	.154	0.070
	AS5728-122	1.102 / 1.122	27.991 / 28.499	.100 / .106	2.540 / 2.692	.162	0.074
	AS5728-123	1.162 / 1.186	29.515 / 30.124	.100 / .106	2.540 / 2.692	.171	0.078
	AS5728-124	1.225 / 1.249	31.115 / 31.725	.100 / .106	2.540 / 2.692	.179	0.081
	AS5728-125	1.287 / 1.311	32.690 / 33.299	.100 / .106	2.540 / 2.692	.187	0.085
	AS5728-126	1.350 / 1.374	34.290 / 34.900	.100 / .106	2.540 / 2.692	.196	0.089
	AS5728-127	1.412 / 1.436	35.865 / 36.474	.100 / .106	2.540 / 2.692	.204	0.092
	AS5728-128	1.475 / 1.499	37.465 / 38.075	.100 / .106	2.540 / 2.692	.212	0.097
	AS5728-129	1.534 / 1.564	38.964 / 39.726	.100 / .106	2.540 / 2.692	.221	0.101
	AS5728-130	1.597 / 1.627	40.564 / 41.326	.100 / .106	2.540 / 2.692	.230	0.104
	AS5728-131	1.659 / 1.689	42.139 / 42.901	.100 / .106	2.540 / 2.692	.238	0.108
	AS5728-132	1.722 / 1.752	43.739 / 44.501	.100 / .106	2.540 / 2.692	.246	0.112
	AS5728-133	1.784 / 1.814	45.314 / 46.076	.100 / .106	2.540 / 2.692	.255	0.115
	AS5728-134	1.847 / 1.877	46.914 / 47.676	.100 / .106	2.540 / 2.692	.263	0.119
	AS5728-135	1.908 / 1.942	48.463 / 49.327	.100 / .106	2.540 / 2.692	.271	0.123
	AS5728-136	1.970 / 2.004	50.038 / 50.902	.100 / .106	2.540 / 2.692	.280	0.127
	AS5728-137	2.033 / 2.067	51.638 / 52.502	.100 / .106	2.540 / 2.692	.288	0.131
	AS5728-138	2.095 / 2.129	53.213 / 54.077	.100 / .106	2.540 / 2.692	.296	0.135
	AS5728-139	2.158 / 2.192	54.813 / 55.677	.100 / .106	2.540 / 2.692	.305	0.138
	AS5728-140	2.220 / 2.254	56.388 / 57.252	.100 / .106	2.540 / 2.692	.313	0.142
	AS5728-141	2.280 / 2.320	57.912 / 58.928	.100 / .106	2.540 / 2.692	.321	0.146
	AS5728-142	2.342 / 2.382	59.487 / 60.503	.100 / .106	2.540 / 2.692	.330	0.149
	AS5728-143	2.405 / 2.445	61.087 / 62.103	.100 / .106	2.540 / 2.692	.338	0.153
	AS5728-144	2.467 / 2.507	62.662 / 63.678	.100 / .106	2.540 / 2.692	.346	0.157
	AS5728-145	2.530 / 2.570	64.262 / 65.278	.100 / .106	2.540 / 2.692	.355	0.161
AS5728-146	2.592 / 2.632	65.837 / 66.853	.100 / .106	2.540 / 2.692	.363	0.165	
AS5728-147	2.653 / 2.697	67.386 / 68.504	.100 / .106	2.540 / 2.692	.371	0.169	
AS5728-148	2.715 / 2.759	68.961 / 70.079	.100 / .106	2.540 / 2.692	.380	0.172	
AS5728-149	2.778 / 2.822	70.561 / 71.679	.100 / .106	2.540 / 2.692	.388	0.176	
AS5728-150	2.840 / 2.884	72.136 / 73.254	.100 / .106	2.540 / 2.692	.397	0.180	
AS5728-151	2.963 / 3.011	75.260 / 76.479	.100 / .106	2.540 / 2.692	.414	0.187	
AS5728-152	3.213 / 3.261	81.610 / 82.829	.100 / .106	2.540 / 2.692	.447	0.203	
AS5728-153	3.463 / 3.511	87.960 / 89.179	.100 / .106	2.540 / 2.692	.480	0.218	
AS5728-154	3.709 / 3.765	94.209 / 95.631	.100 / .106	2.540 / 2.692	.513	0.233	
AS5728-155	3.959 / 4.015	100.559 / 101.981	.100 / .106	2.540 / 2.692	.547	0.248	
AS5728-156	4.207 / 4.267	106.858 / 108.382	.100 / .106	2.540 / 2.692	.581	0.264	
AS5728-157	4.457 / 4.517	113.208 / 114.732	.100 / .106	2.540 / 2.692	.614	0.278	
AS5728-158	4.707 / 4.767	119.558 / 121.082	.100 / .106	2.540 / 2.692	.647	0.294	
AS5728-159	4.952 / 5.022	125.781 / 127.559	.100 / .106	2.540 / 2.692	.680	0.309	
AS5728-160	5.202 / 5.272	132.131 / 133.909	.100 / .106	2.540 / 2.692	.714	0.324	
AS5728-161	5.452 / 5.522	138.481 / 140.259	.100 / .106	2.540 / 2.692	.748	0.339	
AS5728-162	5.702 / 5.772	144.831 / 146.609	.100 / .106	2.540 / 2.692	.781	0.354	
AS5728-163	5.952 / 6.022	151.181 / 152.959	.100 / .106	2.540 / 2.692	.814	0.370	
AS5728-164	6.197 / 6.277	157.404 / 159.436	.100 / .106	2.540 / 2.692	.848	0.384	
AS5728-165	6.447 / 6.527	163.754 / 165.786	.100 / .106	2.540 / 2.692	.882	0.400	
AS5728-166	6.697 / 6.777	170.104 / 172.136	.100 / .106	2.540 / 2.692	.915	0.415	
AS5728-167	6.947 / 7.027	176.454 / 178.486	.100 / .106	2.540 / 2.692	.948	0.430	
AS5728-168	7.192 / 7.282	182.677 / 184.963	.100 / .106	2.540 / 2.692	.981	0.445	
AS5728-169	7.442 / 7.532	189.027 / 191.313	.100 / .106	2.540 / 2.692	1.015	0.461	
AS5728-170	7.692 / 7.782	195.377 / 197.663	.100 / .106	2.540 / 2.692	1.049	0.475	



AEROSPACE STANDARD

(R) O-RING MOLDED FROM
AMS7268 (SILICONE) MATERIAL

AS5728
SHEET 3 OF 11

REV.
A

TABLE 1 - PART NUMBERS AND DIMENSIONS (CONTINUED)

	PART NUMBER	ØD INCH	ØD (MM)	ØW INCH	ØW (MM)	APPROX MASS	
						LB/100	(KG/100)
(b)	AS5728-171	7.942 / 8.032	201.727 / 204.013	.100 / .106	2.540 / 2.692	1.082	0.491
	AS5728-172	8.187 / 8.287	207.950 / 210.490	.100 / .106	2.540 / 2.692	1.115	0.506
	AS5728-173	8.437 / 8.537	214.300 / 216.840	.100 / .106	2.540 / 2.692	1.149	0.521
	AS5728-174	8.687 / 8.787	220.650 / 223.190	.100 / .106	2.540 / 2.692	1.182	0.536
	AS5728-175	8.937 / 9.037	227.000 / 229.540	.100 / .106	2.540 / 2.692	1.216	0.551
	AS5728-176	9.182 / 9.292	233.223 / 236.017	.100 / .106	2.540 / 2.692	1.249	0.567
	AS5728-177	9.432 / 9.542	239.573 / 242.367	.100 / .106	2.540 / 2.692	1.283	0.581
	AS5728-178	9.682 / 9.792	245.923 / 248.717	.100 / .106	2.540 / 2.692	1.316	0.597
	AS5728-201	.166 / .176	4.216 / 4.470	.135 / .143	3.429 / 3.632	.075	0.034
	AS5728-202	.229 / .239	5.817 / 6.071	.135 / .143	3.429 / 3.632	.091	0.041
	AS5728-203	.291 / .301	7.391 / 7.645	.135 / .143	3.429 / 3.632	.106	0.048
	AS5728-204	.354 / .364	8.992 / 9.246	.135 / .143	3.429 / 3.632	.122	0.055
	AS5728-205	.416 / .426	10.566 / 10.820	.135 / .143	3.429 / 3.632	.136	0.062
	AS5728-206	.479 / .489	12.167 / 12.421	.135 / .143	3.429 / 3.632	.152	0.062
	AS5728-207	.539 / .553	13.691 / 14.046	.135 / .143	3.429 / 3.632	.167	0.075
	AS5728-208	.600 / .618	15.240 / 15.697	.135 / .143	3.429 / 3.632	.182	0.083
	AS5728-209	.662 / .680	16.815 / 17.272	.135 / .143	3.429 / 3.632	.197	0.089
	AS5728-210	.724 / .744	18.390 / 18.898	.135 / .143	3.429 / 3.632	.212	0.097
	AS5728-211	.786 / .806	19.964 / 20.472	.135 / .143	3.429 / 3.632	.228	0.103
	AS5728-212	.849 / .869	21.565 / 22.073	.135 / .143	3.429 / 3.632	.243	0.110
	AS5728-213	.911 / .931	23.139 / 23.647	.135 / .143	3.429 / 3.632	.258	0.117
	AS5728-214	.974 / .994	24.740 / 25.248	.135 / .143	3.429 / 3.632	.273	0.124
	AS5728-215	1.036 / 1.056	26.314 / 26.822	.135 / .143	3.429 / 3.632	.289	0.131
	AS5728-216	1.097 / 1.121	27.864 / 28.473	.135 / .143	3.429 / 3.632	.304	0.138
	AS5728-217	1.159 / 1.183	29.439 / 30.048	.135 / .143	3.429 / 3.632	.319	0.144
	AS5728-218	1.222 / 1.246	31.039 / 31.648	.135 / .143	3.429 / 3.632	.334	0.152
	AS5728-219	1.284 / 1.308	32.614 / 33.223	.135 / .143	3.429 / 3.632	.350	0.158
	AS5728-220	1.347 / 1.371	34.214 / 34.823	.135 / .143	3.429 / 3.632	.365	0.165
	AS5728-221	1.409 / 1.433	35.789 / 36.398	.135 / .143	3.429 / 3.632	.380	0.173
	AS5728-222	1.469 / 1.499	37.313 / 38.075	.135 / .143	3.429 / 3.632	.395	0.179
	AS5728-223	1.594 / 1.624	40.488 / 41.250	.135 / .143	3.429 / 3.632	.426	0.193
	AS5728-224	1.719 / 1.749	43.663 / 44.425	.135 / .143	3.429 / 3.632	.457	0.207
	AS5728-225	1.841 / 1.877	46.761 / 47.676	.135 / .143	3.429 / 3.632	.487	0.221
	AS5728-226	1.966 / 2.002	49.936 / 50.851	.135 / .143	3.429 / 3.632	.517	0.234
	AS5728-227	2.091 / 2.127	53.111 / 54.026	.135 / .143	3.429 / 3.632	.547	0.248
	AS5728-228	2.214 / 2.254	56.236 / 57.252	.135 / .143	3.429 / 3.632	.578	0.262
	AS5728-229	2.339 / 2.379	59.411 / 60.427	.135 / .143	3.429 / 3.632	.608	0.276
	AS5728-230	2.464 / 2.504	62.586 / 63.602	.135 / .143	3.429 / 3.632	.639	0.290
(a)	AS5728-231	2.589 / 2.629	65.761 / 66.777	.135 / .143	3.429 / 3.632	.669	0.303
	AS5728-232	2.710 / 2.758	68.834 / 70.053	.135 / .143	3.429 / 3.632	.700	0.317
	AS5728-233	2.835 / 2.883	72.009 / 73.228	.135 / .143	3.429 / 3.632	.730	0.331
	AS5728-234	2.960 / 3.008	75.184 / 76.403	.135 / .143	3.429 / 3.632	.761	0.345
	AS5728-235	3.085 / 3.133	78.359 / 79.578	.135 / .143	3.429 / 3.632	.792	0.358
	AS5728-236	3.210 / 3.258	81.534 / 82.753	.135 / .143	3.429 / 3.632	.822	0.373
	AS5728-237	3.335 / 3.383	84.709 / 85.928	.135 / .143	3.429 / 3.632	.852	0.387
	AS5728-238	3.460 / 3.508	87.884 / 89.103	.135 / .143	3.429 / 3.632	.882	0.401
	AS5728-239	3.581 / 3.637	90.957 / 92.380	.135 / .143	3.429 / 3.632	.913	0.414
AS5728-240	3.706 / 3.762	94.132 / 95.555	.135 / .143	3.429 / 3.632	.943	0.428	

TABLE 1 - PART NUMBERS AND DIMENSIONS (CONTINUED)

	PART NUMBER	ØD INCH	ØD (MM)	ØW INCH	ØW (MM)	APPROX MASS	
						LB/100	(KG/100)
(a)	AS5728-241	3.831 / 3.887	97.307 / 98.730	.135 / .143	3.429 / 3.632	.974	0.442
	AS5728-242	3.956 / 4.012	100.482 / 101.905	.135 / .143	3.429 / 3.632	1.004	0.456
	AS5728-243	4.081 / 4.137	103.657 / 105.080	.135 / .143	3.429 / 3.632	1.035	0.470
	AS5728-244	4.204 / 4.264	106.782 / 108.306	.135 / .143	3.429 / 3.632	1.065	0.483
	AS5728-245	4.329 / 4.389	109.957 / 111.481	.135 / .143	3.429 / 3.632	1.096	0.497
(b)	AS5728-246	4.454 / 4.514	113.132 / 114.656	.135 / .143	3.429 / 3.632	1.126	0.511
	AS5728-247	4.579 / 4.639	116.307 / 117.831	.135 / .143	3.429 / 3.632	1.156	0.525
	AS5728-248	4.704 / 4.764	119.482 / 121.006	.135 / .143	3.429 / 3.632	1.187	0.539
	AS5728-249	4.824 / 4.894	122.530 / 124.308	.135 / .143	3.429 / 3.632	1.217	0.552
	AS5728-250	4.949 / 5.019	125.705 / 127.483	.135 / .143	3.429 / 3.632	1.248	0.566
	AS5728-251	5.074 / 5.144	128.880 / 130.658	.135 / .143	3.429 / 3.632	1.278	0.580
	AS5728-252	5.199 / 5.269	132.055 / 133.833	.135 / .143	3.429 / 3.632	1.309	0.594
	AS5728-253	5.324 / 5.394	135.230 / 137.008	.135 / .143	3.429 / 3.632	1.339	0.607
	AS5728-254	5.449 / 5.519	138.405 / 140.183	.135 / .143	3.429 / 3.632	1.370	0.621
	AS5728-255	5.574 / 5.644	141.580 / 143.358	.135 / .143	3.429 / 3.632	1.400	0.635
	AS5728-256	5.699 / 5.769	144.755 / 146.533	.135 / .143	3.429 / 3.632	1.431	0.649
	AS5728-257	5.824 / 5.894	147.930 / 149.708	.135 / .143	3.429 / 3.632	1.461	0.663
	AS5728-258	5.949 / 6.019	151.105 / 152.883	.135 / .143	3.429 / 3.632	1.491	0.676
	AS5728-259	6.194 / 6.274	157.328 / 159.360	.135 / .143	3.429 / 3.632	1.552	0.704
	AS5728-260	6.444 / 6.524	163.678 / 165.710	.135 / .143	3.429 / 3.632	1.613	0.732
	AS5728-261	6.694 / 6.774	170.028 / 172.060	.135 / .143	3.429 / 3.632	1.674	0.759
	AS5728-262	6.944 / 7.024	176.378 / 178.410	.135 / .143	3.429 / 3.632	1.735	0.787
	AS5728-263	7.189 / 7.279	182.601 / 184.887	.135 / .143	3.429 / 3.632	1.796	0.814
	AS5728-264	7.439 / 7.529	188.951 / 191.237	.135 / .143	3.429 / 3.632	1.856	0.843
	AS5728-265	7.689 / 7.779	195.301 / 197.587	.135 / .143	3.429 / 3.632	1.918	0.870
	AS5728-266	7.939 / 8.029	201.651 / 203.937	.135 / .143	3.429 / 3.632	1.979	0.898
	AS5728-267	8.184 / 8.284	207.874 / 210.414	.135 / .143	3.429 / 3.632	2.040	0.925
	AS5728-268	8.434 / 8.534	214.224 / 216.764	.135 / .143	3.429 / 3.632	2.100	0.953
	AS5728-269	8.684 / 8.784	220.574 / 223.114	.135 / .143	3.429 / 3.632	2.161	0.980
	AS5728-270	8.934 / 9.034	226.924 / 229.464	.135 / .143	3.429 / 3.632	2.222	1.008
	AS5728-271	9.179 / 9.289	233.147 / 235.941	.135 / .143	3.429 / 3.632	2.283	1.036
	AS5728-272	9.429 / 9.539	239.497 / 242.291	.135 / .143	3.429 / 3.632	2.344	1.063
	AS5728-273	9.679 / 9.789	245.847 / 248.641	.135 / .143	3.429 / 3.632	2.405	1.091
	AS5728-274	9.929 / 10.039	252.197 / 254.991	.135 / .143	3.429 / 3.632	2.465	1.118
	AS5728-275	10.429 / 10.539	264.897 / 267.691	.135 / .143	3.429 / 3.632	2.587	1.174
	AS5728-276	10.919 / 11.049	277.343 / 280.645	.135 / .143	3.429 / 3.632	2.710	1.229
	AS5728-277	11.419 / 11.549	290.043 / 293.345	.135 / .143	3.429 / 3.632	2.831	1.284
AS5728-278	11.919 / 12.049	302.743 / 306.045	.135 / .143	3.429 / 3.632	2.953	1.340	
AS5728-279	12.919 / 13.049	328.143 / 331.445	.135 / .143	3.429 / 3.632	3.196	1.450	
AS5728-280	13.919 / 14.049	353.543 / 356.845	.135 / .143	3.429 / 3.632	3.440	1.560	
AS5728-281	14.919 / 15.049	378.943 / 382.245	.135 / .143	3.429 / 3.632	3.684	1.671	
AS5728-282	15.880 / 16.030	403.352 / 407.162	.135 / .143	3.429 / 3.632	3.920	1.779	
AS5728-283	16.875 / 17.035	428.625 / 432.689	.135 / .143	3.429 / 3.632	4.164	1.889	
AS5728-284	17.870 / 18.040	453.898 / 458.216	.135 / .143	3.429 / 3.632	4.407	1.999	
AS5728-309	.407 / .417	10.338 / 10.592	.205 / .215	5.207 / 5.461	.345	0.157	
AS5728-310	.470 / .480	11.938 / 12.192	.205 / .215	5.207 / 5.461	.381	0.173	
AS5728-311	.530 / .544	13.462 / 13.818	.205 / .215	5.207 / 5.461	.415	0.188	
AS5728-312	.591 / .609	15.011 / 15.469	.205 / .215	5.207 / 5.461	.450	0.204	
AS5728-313	.653 / .671	16.586 / 17.043	.205 / .215	5.207 / 5.461	.485	0.220	
AS5728-314	.715 / .735	18.161 / 18.669	.205 / .215	5.207 / 5.461	.520	0.236	
AS5728-315	.777 / .797	19.736 / 20.244	.205 / .215	5.207 / 5.461	.554	0.251	



AEROSPACE STANDARD

(R) O-RING MOLDED FROM
AMS7268 (SILICONE) MATERIAL

AS5728
SHEET 5 OF 11

REV.
A

TABLE 1 - PART NUMBERS AND DIMENSIONS (CONTINUED)

	PART NUMBER	ØD INCH	ØD (MM)	ØW INCH	ØW (MM)	APPROX MASS	
						LB/100	(KG/100)
	AS5728-316	.840 / .860	21.336 / 21.844	.205 / .215	5.207 / 5.461	.590	0.268
	AS5728-317	.902 / .922	22.911 / 23.419	.205 / .215	5.207 / 5.461	.624	0.283
	AS5728-318	.965 / .985	24.511 / 25.019	.205 / .215	5.207 / 5.461	.659	0.298
	AS5728-319	1.027 / 1.047	26.086 / 26.594	.205 / .215	5.207 / 5.461	.693	0.315
	AS5728-320	1.088 / 1.112	27.635 / 28.245	.205 / .215	5.207 / 5.461	.728	0.330
	AS5728-321	1.150 / 1.174	29.210 / 29.820	.205 / .215	5.207 / 5.461	.763	0.346
	AS5728-322	1.213 / 1.237	30.810 / 31.420	.205 / .215	5.207 / 5.461	.798	0.362
	AS5728-323	1.275 / 1.299	32.385 / 32.995	.205 / .215	5.207 / 5.461	.832	0.377
	AS5728-324	1.338 / 1.362	33.985 / 34.595	.205 / .215	5.207 / 5.461	.867	0.393
	AS5728-325	1.460 / 1.490	37.084 / 37.846	.205 / .215	5.207 / 5.461	.937	0.425
	AS5728-326	1.585 / 1.615	40.259 / 41.021	.205 / .215	5.207 / 5.461	1.006	0.457
	AS5728-327	1.710 / 1.740	43.434 / 44.196	.205 / .215	5.207 / 5.461	1.075	0.488
	AS5728-328	1.835 / 1.865	46.609 / 47.371	.205 / .215	5.207 / 5.461	1.145	0.520
	AS5728-329	1.957 / 1.993	49.708 / 50.622	.205 / .215	5.207 / 5.461	1.215	0.551
	AS5728-330	2.082 / 2.118	52.883 / 53.797	.205 / .215	5.207 / 5.461	1.285	0.582
	AS5728-331	2.207 / 2.243	56.058 / 56.972	.205 / .215	5.207 / 5.461	1.354	0.614
	AS5728-332	2.332 / 2.368	59.233 / 60.147	.205 / .215	5.207 / 5.461	1.423	0.646
	AS5728-333	2.455 / 2.495	62.357 / 63.373	.205 / .215	5.207 / 5.461	1.493	0.677
	AS5728-334	2.580 / 2.620	65.532 / 66.548	.205 / .215	5.207 / 5.461	1.562	0.709
	AS5728-335	2.705 / 2.745	68.707 / 69.723	.205 / .215	5.207 / 5.461	1.632	0.740
	AS5728-336	2.830 / 2.870	71.882 / 72.898	.205 / .215	5.207 / 5.461	1.701	0.772
	AS5728-337	2.951 / 2.999	74.955 / 76.175	.205 / .215	5.207 / 5.461	1.770	0.803
	AS5728-338	3.076 / 3.124	78.130 / 79.350	.205 / .215	5.207 / 5.461	1.840	0.835
	AS5728-339	3.201 / 3.249	81.305 / 82.525	.205 / .215	5.207 / 5.461	1.910	0.866
	AS5728-340	3.326 / 3.374	84.480 / 85.700	.205 / .215	5.207 / 5.461	1.979	0.898
	AS5728-341	3.451 / 3.499	87.655 / 88.875	.205 / .215	5.207 / 5.461	2.049	0.929
	AS5728-342	3.572 / 3.628	90.729 / 92.151	.205 / .215	5.207 / 5.461	2.118	0.961
	AS5728-343	3.697 / 3.753	93.904 / 95.326	.205 / .215	5.207 / 5.461	2.188	0.993
	AS5728-344	3.822 / 3.878	97.079 / 98.501	.205 / .215	5.207 / 5.461	2.257	1.023
	AS5728-345	3.947 / 4.003	100.254 / 101.676	.205 / .215	5.207 / 5.461	2.327	1.055
	AS5728-346	4.072 / 4.128	103.429 / 104.851	.205 / .215	5.207 / 5.461	2.397	1.087
	AS5728-347	4.195 / 4.255	106.553 / 108.077	.205 / .215	5.207 / 5.461	2.465	1.118
	AS5728-348	4.320 / 4.380	109.728 / 111.252	.205 / .215	5.207 / 5.461	2.535	1.150
	AS5728-349	4.445 / 4.505	112.903 / 114.427	.205 / .215	5.207 / 5.461	2.605	1.182
	AS5728-350	4.570 / 4.630	116.078 / 117.602	.205 / .215	5.207 / 5.461	2.674	1.213
	AS5728-351	4.695 / 4.755	119.253 / 120.777	.205 / .215	5.207 / 5.461	2.744	1.245
	AS5728-352	4.820 / 4.880	122.428 / 123.952	.205 / .215	5.207 / 5.461	2.813	1.276
	AS5728-353	4.938 / 5.012	125.425 / 127.305	.205 / .215	5.207 / 5.461	2.882	1.307
	AS5728-354	5.063 / 5.137	128.600 / 130.480	.205 / .215	5.207 / 5.461	2.952	1.339
	AS5728-355	5.188 / 5.262	131.775 / 133.655	.205 / .215	5.207 / 5.461	3.022	1.371
	AS5728-356	5.313 / 5.387	134.950 / 136.830	.205 / .215	5.207 / 5.461	3.091	1.402
	AS5728-357	5.438 / 5.512	138.125 / 140.005	.205 / .215	5.207 / 5.461	3.160	1.434
	AS5728-358	5.563 / 5.637	141.300 / 143.180	.205 / .215	5.207 / 5.461	3.230	1.465
	AS5728-359	5.688 / 5.762	144.475 / 146.355	.205 / .215	5.207 / 5.461	3.300	1.496
(b)	AS5728-360	5.813 / 5.887	147.650 / 149.530	.205 / .215	5.207 / 5.461	3.369	1.528
	AS5728-361	5.938 / 6.012	150.825 / 152.705	.205 / .215	5.207 / 5.461	3.439	1.560
	AS5728-362	6.185 / 6.265	157.099 / 159.131	.205 / .215	5.207 / 5.461	3.577	1.623
	AS5728-363	6.435 / 6.515	163.449 / 165.481	.205 / .215	5.207 / 5.461	3.717	1.686
	AS5728-364	6.685 / 6.765	169.799 / 171.831	.205 / .215	5.207 / 5.461	3.855	1.749
	AS5728-365	6.935 / 7.015	176.149 / 178.181	.205 / .215	5.207 / 5.461	3.994	1.812

TABLE 1 - PART NUMBERS AND DIMENSIONS (CONTINUED)

	PART NUMBER	ØD INCH	ØD (MM)	ØW INCH	ØW (MM)	APPROX MASS	
						LB/100	(KG/100)
(b)	AS5728-366	7.180 / 7.270	182.372 / 184.658	.205 / .215	5.207 / 5.461	4.134	1.875
	AS5728-367	7.430 / 7.520	188.722 / 191.008	.205 / .215	5.207 / 5.461	4.272	1.938
	AS5728-368	7.680 / 7.770	195.072 / 197.358	.205 / .215	5.207 / 5.461	4.412	2.001
	AS5728-369	7.930 / 8.020	201.422 / 203.708	.205 / .215	5.207 / 5.461	4.551	2.064
	AS5728-370	8.175 / 8.275	207.645 / 210.185	.205 / .215	5.207 / 5.461	4.689	2.127
	AS5728-371	8.425 / 8.525	213.995 / 216.535	.205 / .215	5.207 / 5.461	4.829	2.191
	AS5728-372	8.675 / 8.775	220.345 / 222.885	.205 / .215	5.207 / 5.461	4.967	2.253
	AS5728-373	8.925 / 9.025	226.695 / 229.235	.205 / .215	5.207 / 5.461	5.107	2.316
	AS5728-374	9.170 / 9.280	232.918 / 235.712	.205 / .215	5.207 / 5.461	5.246	2.379
	AS5728-375	9.420 / 9.530	239.268 / 242.062	.205 / .215	5.207 / 5.461	5.384	2.443
	AS5728-376	9.670 / 9.780	245.618 / 248.412	.205 / .215	5.207 / 5.461	5.524	2.505
	AS5728-377	9.920 / 10.030	251.968 / 254.762	.205 / .215	5.207 / 5.461	5.662	2.568
	AS5728-378	10.415 / 10.535	264.541 / 267.589	.205 / .215	5.207 / 5.461	5.941	2.695
	AS5728-379	10.915 / 11.035	277.241 / 280.289	.205 / .215	5.207 / 5.461	6.219	2.821
	AS5728-380	11.410 / 11.540	289.814 / 293.116	.205 / .215	5.207 / 5.461	6.496	2.946
	AS5728-381	11.910 / 12.040	302.514 / 305.816	.205 / .215	5.207 / 5.461	6.774	3.073
	AS5728-382	12.910 / 13.040	327.914 / 331.216	.205 / .215	5.207 / 5.461	7.331	3.325
	AS5728-383	13.905 / 14.045	353.187 / 356.743	.205 / .215	5.207 / 5.461	7.886	3.577
	AS5728-384	14.905 / 15.045	378.587 / 382.143	.205 / .215	5.207 / 5.461	8.443	3.830
	AS5728-385	15.880 / 16.030	403.352 / 407.162	.205 / .215	5.207 / 5.461	8.987	4.077
	AS5728-386	16.875 / 17.035	428.625 / 432.689	.205 / .215	5.207 / 5.461	9.543	4.328
	AS5728-387	17.870 / 18.040	453.898 / 458.216	.205 / .215	5.207 / 5.461	10.099	4.581
	AS5728-388	18.865 / 19.045	479.171 / 483.743	.205 / .215	5.207 / 5.461	10.655	4.833
	AS5728-389	19.860 / 20.050	504.444 / 509.270	.205 / .215	5.207 / 5.461	11.211	5.085
	AS5728-390	20.860 / 21.050	529.844 / 534.670	.205 / .215	5.207 / 5.461	11.767	5.337
	AS5728-391	21.855 / 22.055	555.117 / 560.197	.205 / .215	5.207 / 5.461	12.323	5.589
	AS5728-392	22.835 / 23.045	580.009 / 585.343	.205 / .215	5.207 / 5.461	12.871	5.838
	AS5728-393	23.830 / 24.050	605.282 / 610.870	.205 / .215	5.207 / 5.461	13.426	6.090
	AS5728-394	24.825 / 25.055	630.555 / 636.397	.205 / .215	5.207 / 5.461	13.982	6.342
	AS5728-395	25.820 / 26.060	655.828 / 661.924	.205 / .215	5.207 / 5.461	14.538	6.594
	AS5728-425	4.442 / 4.508	112.827 / 114.503	.269 / .281	6.833 / 7.137	4.529	2.054
	AS5728-426	4.567 / 4.633	116.002 / 117.678	.269 / .281	6.833 / 7.137	4.648	2.109
	AS5728-427	4.692 / 4.758	119.177 / 120.853	.269 / .281	6.833 / 7.137	4.767	2.162
AS5728-428	4.817 / 4.883	122.352 / 124.028	.269 / .281	6.833 / 7.137	4.886	2.216	
AS5728-429	4.938 / 5.012	125.425 / 127.305	.269 / .281	6.833 / 7.137	5.005	2.270	
AS5728-430	5.063 / 5.137	128.600 / 130.480	.269 / .281	6.833 / 7.137	5.125	2.324	
AS5728-431	5.188 / 5.262	131.775 / 133.655	.269 / .281	6.833 / 7.137	5.244	3.279	
AS5728-432	5.313 / 5.387	134.950 / 136.830	.269 / .281	6.833 / 7.137	5.363	2.432	
AS5728-433	5.438 / 5.512	138.125 / 140.005	.269 / .281	6.833 / 7.137	5.482	2.487	
AS5728-434	5.563 / 5.637	141.300 / 143.180	.269 / .281	6.833 / 7.137	5.601	2.541	
AS5728-435	5.688 / 5.762	144.475 / 146.355	.269 / .281	6.833 / 7.137	5.720	2.594	
AS5728-436	5.813 / 5.887	147.650 / 149.530	.269 / .281	6.833 / 7.137	5.839	2.649	
AS5728-437	5.938 / 6.012	150.825 / 152.705	.269 / .281	6.833 / 7.137	5.958	2.703	
AS5728-438	6.185 / 6.265	157.099 / 159.131	.269 / .281	6.833 / 7.137	6.197	2.811	
AS5728-439	6.435 / 6.515	163.449 / 165.481	.269 / .281	6.833 / 7.137	6.435	2.919	
AS5728-440	6.685 / 6.765	169.799 / 171.831	.269 / .281	6.833 / 7.137	6.674	3.027	



AEROSPACE STANDARD

(R) O-RING MOLDED FROM
AMS7268 (SILICONE) MATERIAL

AS5728
SHEET 7 OF 11

REV.
A

TABLE 1 - PART NUMBERS AND DIMENSIONS (CONTINUED)

	PART NUMBER	ØD INCH	ØD (MM)	ØW INCH	ØW (MM)	APPROX MASS	
						LB/100	(KG/100)
	AS5728-441	6.935 / 7.015	176.149 / 178.181	.269 / .281	6.833 / 7.137	6.912	3.135
	AS5728-442	7.180 / 7.270	182.372 / 184.658	.269 / .281	6.833 / 7.137	7.151	2.243
	AS5728-443	7.430 / 7.520	188.722 / 191.008	.269 / .281	6.833 / 7.137	7.389	3.352
	AS5728-444	7.680 / 7.770	195.072 / 197.358	.269 / .281	6.833 / 7.137	7.627	3.460
	AS5728-445	7.930 / 8.020	201.422 / 203.708	.269 / .281	6.833 / 7.137	7.865	3.568
	AS5728-446	8.420 / 8.530	213.868 / 216.662	.269 / .281	6.833 / 7.137	8.342	3.784
	AS5728-447	8.920 / 9.030	226.568 / 229.362	.269 / .281	6.833 / 7.137	8.819	4.000
	AS5728-448	9.420 / 9.530	239.268 / 242.062	.269 / .281	6.833 / 7.137	9.296	4.216
	AS5728-449	9.920 / 10.030	251.968 / 254.762	.269 / .281	6.833 / 7.137	9.977	4.433
	AS5728-450	10.415 / 10.535	264.541 / 267.589	.269 / .281	6.833 / 7.137	10.249	4.649
	AS5728-451	10.915 / 11.035	277.241 / 280.289	.269 / .281	6.833 / 7.137	10.725	4.865
	AS5728-452	11.415 / 11.535	289.941 / 292.989	.269 / .281	6.833 / 7.137	11.202	5.082
	AS5728-453	11.915 / 12.035	302.641 / 305.689	.269 / .281	6.833 / 7.137	11.679	5.297
	AS5728-454	12.415 / 12.535	315.341 / 318.389	.269 / .281	6.833 / 7.137	12.155	5.514
	AS5728-455	12.915 / 13.035	328.041 / 331.089	.269 / .281	6.833 / 7.137	12.632	5.730
	AS5728-456	13.405 / 13.545	340.487 / 344.043	.269 / .281	6.833 / 7.137	13.109	5.946
	AS5728-457	13.905 / 14.045	353.187 / 356.743	.269 / .281	6.833 / 7.137	13.586	6.163
	AS5728-458	14.405 / 14.545	365.887 / 369.443	.269 / .281	6.833 / 7.137	14.063	6.379
	AS5728-459	14.905 / 15.045	378.587 / 382.143	.269 / .281	6.833 / 7.137	14.539	6.595
	AS5728-460	15.405 / 15.545	391.287 / 394.843	.269 / .281	6.833 / 7.137	15.016	6.811
(b)	AS5728-461	15.880 / 16.030	403.352 / 407.162	.269 / .281	6.833 / 7.137	15.473	7.018
	AS5728-462	16.380 / 16.530	416.052 / 419.862	.269 / .281	6.833 / 7.137	15.950	7.235
	AS5728-463	16.875 / 17.035	428.625 / 432.689	.269 / .281	6.833 / 7.137	16.427	7.451
	AS5728-464	17.370 / 17.540	441.198 / 445.516	.269 / .281	6.833 / 7.137	16.904	7.667
	AS5728-465	17.870 / 18.040	453.898 / 458.216	.269 / .281	6.833 / 7.137	17.381	7.884
	AS5728-466	18.370 / 18.540	466.598 / 470.916	.269 / .281	6.833 / 7.137	17.857	8.100
	AS5728-467	18.865 / 19.045	479.171 / 483.743	.269 / .281	6.833 / 7.137	18.333	8.316
	AS5728-468	19.365 / 19.545	491.871 / 496.443	.269 / .281	6.833 / 7.137	18.810	8.533
	AS5728-469	19.860 / 20.050	504.444 / 509.270	.269 / .281	6.833 / 7.137	19.287	8.748
	AS5728-470	20.860 / 21.050	529.844 / 534.670	.269 / .281	6.833 / 7.137	20.240	9.181
	AS5728-471	21.855 / 22.055	555.117 / 560.197	.269 / .281	6.833 / 7.137	21.194	9.614
	AS5728-472	22.835 / 23.045	580.009 / 585.343	.269 / .281	6.833 / 7.137	22.133	10.039
	AS5728-473	23.830 / 24.050	605.282 / 610.870	.269 / .281	6.833 / 7.137	23.086	10.472
AS5728-474	24.825 / 25.055	630.555 / 636.397	.269 / .281	6.833 / 7.137	24.040	10.905	
AS5728-475	25.820 / 26.060	655.828 / 661.924	.269 / .281	6.833 / 7.137	24.993	11.337	

SAENORM.COM - CHECK THE PDF FILE