

RATIONALE

THIS STANDARD WAS PREPARED TO PROVIDE AN ENVELOPE REQUIREMENTS FOR AN AXIALLY SWAGED, FIELD ATTACHABLE, 5000 PSI, TUBE FITTING.

AS5969

SAE Technical Standards Board Rules provide that: "This report is published by SAE to advance the state of technical and engineering sciences. The use of this report is entirely voluntary, and its applicability and suitability for any particular use, including any patent infringement arising therefrom, is the sole responsibility of the user." SAE reviews each technical report at least every five years at which time it may be reaffirmed, revised, or cancelled. SAE invites your written comments and suggestions.





FIGURE 1 - UNION, SWAGE

SAENORM.COM : Click to view the full PDF of AS5969



ISSUED 2006-01

CUSTODIAN: SAE G-3/G-3B

PROCUREMENT SPECIFICATION: AS5958

SAE Aerospace
An SAE International Group

AEROSPACE STANDARD

FITTING ASSEMBLY, UNION,
AXIALLY SWAGED,
HYDRAULIC, 5080 PSI

AS5969
SHEET 1 OF 3

Copyright 2006 SAE International

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of SAE.

TO PLACE A DOCUMENT ORDER: Tel: 877-606-7323 (inside USA and Canada)
Fax: 724-776-0790

Tel: 724-776-4970 (outside USA)
Email: custsvc@sae.org

SAE WEB ADDRESS: <http://www.sae.org>

TABLE 1A - DIMENSIONS A THROUGH J

BASIC NO. AS5969 /13/ SIZE CODE	NOMINAL TUBE SIZE END 1	NOMINAL TUBE SIZE END 2	A	A1	E	EA	F	FA	J /11/ ALLOWABLE TUBE GAP	
0404	.2500	.2500	1.134	.975	.466	.466	.253	.253	.150	±.150
0604	.3750	.2500	1.621	1.448	.609	.466	.378	.253	.300	±.300
0606	.3750	.3750	1.568	1.351	.609	.609	.378	.378	.175	±.150
0806	.5000	.3750	2.032	1.785	.783	.609	.504	.378	.300	±.300
0808	.5000	.5000	1.942	1.665	.783	.783	.504	.504	.175	±.175
1008	.6250	.5000	2.582	2.262	.939	.783	.629	.504	.350	±.350
1010	.6250	.6250	2.555	2.162	.939	.939	.629	.629	.175	±.175
1210	.7500	.6250	3.003	2.609	1.122	.939	.754	.629	.325	±.325
1212	.7500	.7500	2.843	2.448	1.122	1.122	.754	.754	.175	±.175
1612	1.0000	.7500	3.521	3.117	1.495	1.122	1.004	.754	.375	±.375
1616	1.0000	1.0000	3.426	3.013	1.495	1.495	1.004	1.004	.200	±.200

TABLE 1B - DIMENSIONS W THROUGH W3 AND WEIGHTS

BASIC NO. AS5969 /13/ SIZE CODE	NOMINAL TUBE SIZE END 1	NOMINAL TUBE SIZE END 2	W	W1	W1A	W2 ±.0015	W2A ±.0015	W3	W3A	MAX WEIGHT LBS/EA
0404	.2500	.2500	.113	.488	.488	.3005	.3005	.018	.018	.012
0604	.3750	.2500	.443	.675	.488	.4475	.3005	.033	.018	.023
0606	.3750	.3750	.173	.675	.675	.4475	.4475	.033	.033	.031
0806	.5000	.3750	.441	.871	.675	.5945	.4475	.033	.033	.050
0808	.5000	.5000	.155	.871	.871	.5945	.5945	.033	.033	.062
1008	.6250	.5000	.506	1.190	.871	.7365	.5945	.021	.033	.099
1010	.6250	.6250	.130	1.190	1.190	.7365	.7365	.021	.021	.103
1210	.7500	.6250	.441	1.327	1.190	.8805	.7365	.024	.021	.140
1212	.7500	.7500	.144	1.327	1.327	.8805	.8805	.024	.024	.165
1612	1.0000	.7500	.537	1.612	1.327	1.1725	.8805	.027	.024	.281
1616	1.0000	1.0000	.157	1.612	1.612	1.1725	1.1725	.027	.027	.359