

AS81714/67


THIS DOCUMENT HAS BEEN TAKEN DIRECTLY FROM U.S. MILITARY SPECIFICATION MIL-T-81714/67, AMENDMENT 1, NOTICE 1 AND CONTAINS ONLY MINOR EDITORIAL AND FORMAT CHANGES REQUIRED TO BRING IT INTO CONFORMANCE WITH THE PUBLISHING REQUIREMENTS OF SAE TECHNICAL STANDARDS. THE INITIAL RELEASE OF THIS DOCUMENT IS INTENDED TO REPLACE MIL-T-81714/67, AMENDMENT 1, NOTICE 1. ANY PART NUMBERS ESTABLISHED BY THE ORIGINAL SPECIFICATION REMAIN UNCHANGED.

THE ORIGINAL MILITARY SPECIFICATION WAS ADOPTED AS AN SAE STANDARD UNDER THE PROVISIONS OF THE SAE TECHNICAL STANDARDS BOARD (TSB) RULES AND REGULATIONS (TSB 001) PERTAINING TO ACCELERATED ADOPTION OF GOVERNMENT SPECIFICATIONS AND STANDARDS. TSB RULES PROVIDE FOR (A) THE PUBLICATION OF PORTIONS OF UNREVISED GOVERNMENT SPECIFICATIONS AND STANDARDS WITHOUT CONSENSUS VOTING AT THE SAE COMMITTEE LEVEL, AND (B) THE USE OF THE EXISTING GOVERNMENT SPECIFICATION OR STANDARD FORMAT.

UNDER DEPARTMENT OF DEFENSE POLICIES AND PROCEDURES, ANY QUALIFICATION REQUIREMENTS AND ASSOCIATED QUALIFIED PRODUCTS LISTS ARE MANDATORY FOR DOD CONTRACTS. ANY REQUIREMENT RELATING TO QUALIFIED PRODUCTS LISTS (QPL'S) HAS NOT BEEN ADOPTED BY SAE AND IS NOT PART OF THIS TECHNICAL REPORT.

SAENORM.COM : Click to view the full PDF of as81714_67

THIRD ANGLE PROJECTION



ISSUED 2004-04

CUSTODIAN: AE-8/AE-8C2

SAE Aerospace
An SAE International Group

AEROSPACE STANDARD

TERMINAL JUNCTION SYSTEM, RACK ASSEMBLY,
TRACK, FEEDBACK TYPE,
SERIES II

AS81714/67
SHEET 1 OF 4

Copyright 2004 SAE International

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of SAE.


TO PLACE A DOCUMENT ORDER: Tel: 877-606-7323 (inside USA and Canada)
Fax: 724-776-0790

Tel: 724-776-4970 (outside USA)
Email: custsvc@sae.org

SAE WEB ADDRESS: <http://www.sae.org>

THIS SPECIFICATION IS APPROVED FOR USE BY ALL DEPARTMENTS AND AGENCIES OF THE DEPARTMENT OF DEFENSE.

THE COMPLETE REQUIREMENTS FOR ACQUIRING THE RAIL DESCRIBED HEREIN SHALL CONSIST OF THIS DOCUMENT AND THE LATEST ISSUE OF SPECIFICATION MIL-T-81714.



MIL-T-81714/67, DATED 2 MARCH 1988, IS INACTIVE FOR NEW DESIGN AND IS NO LONGER USED, EXCEPT FOR REPLACEMENT PURPOSES.

SAENORM.COM : Click to view the full PDF of as81714/67

PART NUMBER	QUANTITY OF BLOCKS PER RACK ^{1/}	A ± .015		B ± .015	
M81714/67-02	2	1.036	.518		
M81714/67-03	3	1.554	1.036		
M81714/67-04	4	2.072	1.554		
M81714/67-05	5	2.590	1.072		
M81714/67-06	6	3.108	2.590		
M81714/67-07	7	3.626	3.108		
M81714/67-08	8	4.144	3.626		
M81714/67-09	9	4.662	4.144		
M81714/67-10	10	5.180	4.662		
M81714/67-12	12	6.216	5.698		
M81714/67-13	13	6.734	6.216		
M81714/67-14	14	7.252	6.734		
M81714/67-15	15	7.770	7.252		
M81714/67-16	16	8.288	7.770		
M81714/67-18	18	9.324	8.806		
M81714/67-19	19	9.842	9.324		
M81714/67-20	20	10.360	9.842		
M81714/67-21	21	10.878	10.360		
M81714/67-25	25	12.950	12.432		
M81714/67-30	30	15.540	15.022		
M81714/67-32	32	16.576	16.058		
M81714/67-40	40	20.720	20.202		

^{1/} NUMBER OF BLOCKS APPLIED TO THE 22, 20 AND 16 SIZES.
THE NUMBER OF SIZE 12 BLOCKS IS THE NUMBER SHOWN
DIVISIBLE BY 2.

INCH	MM	INCH	MM	INCH	MM	INCH	MM
.005	0.12	.194	4.92	4.662	118.41	10.360	263.14
.007	0.17	.224	5.68	5.180	131.57	10.878	276.30
.010	0.25	.514	13.05	5.698	144.73	12.432	315.77
.012	0.30	.518	13.16	6.216	157.89	12.950	328.93
.015	0.38	1.036	26.31	6.734	171.04	15.022	381.56
.020	0.50	1.554	39.47	7.252	184.20	15.540	394.72
.030	0.76	2.072	52.63	7.770	197.36	16.058	407.87
.035	0.88	2.590	65.79	8.288	210.52	16.576	421.03
.050	1.27	3.108	78.94	8.806	223.67	20.202	513.13
.130	3.30	3.626	92.10	9.324	236.83	20.720	526.29
.167	4.24	4.144	105.26	9.824	249.99		