

RATIONALE

AS81714/69 HAS BEEN REAFFIRMED TO COMPLY WITH THE SAE FIVE-YEAR REVIEW POLICY.


THIS DOCUMENT HAS BEEN TAKEN DIRECTLY FROM U.S. MILITARY SPECIFICATION MIL-T-81714/69, NOTICE 1, NOTICE 2 AND CONTAINS ONLY MINOR EDITORIAL AND FORMAT CHANGES REQUIRED TO BRING IT INTO CONFORMANCE WITH THE PUBLISHING REQUIREMENTS OF SAE TECHNICAL STANDARDS. THE INITIAL RELEASE OF THIS DOCUMENT IS INTENDED TO REPLACE MIL-T-81714/69, NOTICE 1, NOTICE 2. ANY PART NUMBERS ESTABLISHED BY THE ORIGINAL SPECIFICATION REMAIN UNCHANGED.

THE ORIGINAL MILITARY SPECIFICATION WAS ADOPTED AS AN SAE STANDARD UNDER THE PROVISIONS OF THE SAE TECHNICAL STANDARDS BOARD (TSB) RULES AND REGULATIONS (TSB 001) PERTAINING TO ACCELERATED ADOPTION OF GOVERNMENT SPECIFICATIONS AND STANDARDS. TSB RULES PROVIDE FOR (A) THE PUBLICATION OF PORTIONS OF UNREVISED GOVERNMENT SPECIFICATIONS AND STANDARDS WITHOUT CONSENSUS VOTING AT THE SAE COMMITTEE LEVEL, AND (B) THE USE OF THE EXISTING GOVERNMENT SPECIFICATION OR STANDARD FORMAT.

UNDER DEPARTMENT OF DEFENSE POLICIES AND PROCEDURES, ANY QUALIFICATION REQUIREMENTS AND ASSOCIATED QUALIFIED PRODUCTS LISTS ARE MANDATORY FOR DOD CONTRACTS. ANY REQUIREMENT RELATING TO QUALIFIED PRODUCTS LISTS (QPL'S) HAS NOT BEEN ADOPTED BY SAE AND IS NOT PART OF THIS TECHNICAL REPORT.

SAENORM.COM : Click to view the full PDF of as81714-150

SAE values your input. To provide feedback on this Technical Report, please visit <http://www.sae.org/technical/standards/AS81714/69>



CUSTODIAN: AE-8/AE-8C2



**AEROSPACE STANDARD**

TERMINAL JUNCTION SYSTEM,  
BLOCK REMOVAL TOOLS, SERIES II

**SAE AS81714/69**  
SHEET 1 OF 4

ISSUED 2004-04 REAFFIRMED 2012-01

SAE Technical Standards Board Rules provide that: "This report is published by SAE to advance the state of technical and engineering sciences. The use of this report is entirely voluntary, and its applicability and suitability for any particular use, including any patent infringement arising therefrom, is the sole responsibility of the user." SAE reviews each technical report at least every five years at which time it may be revised, reaffirmed, stabilized, or cancelled. SAE invites your written comments and suggestions.

SAE AS81714/69

THIS SPECIFICATION IS APPROVED FOR USE BY ALL DEPARTMENTS AND AGENCIES OF THE DEPARTMENT OF DEFENSE.

THE COMPLETE REQUIREMENTS FOR ACQUIRING THE TOOL DESCRIBED HEREIN SHALL CONSIST OF THIS DOCUMENT AND THE LATEST ISSUE OF SPECIFICATION MIL-T-81714.




FIGURE 1. BLOCK REMOVAL TOOL -1.

MIL-T-81714/69 REMAINS INACTIVE FOR NEW DESIGN, HOWEVER, THE DOCUMENT IS VALID FOR USE.




FIGURE 2. BLOCK REMOVAL TOOL -2.

INCH	MM	INCH	MM	INCH	MM	INCH	MM
.0005	0.01	.050	1.27	.250	6.35	.750	19.05
.005	0.13	.060	1.52	.270	6.86	1.200	30.48
.015	0.38	.100	2.54	.350	8.89	1.250	31.75
.020	0.51	.120	3.05	.575	14.61	1.258	31.95
.023	0.58	.145	3.68	.625	15.88	1.750	44.45
.030	0.76	.200	5.08	.645	16.38	3.300	83.82
.040	1.02						

SAENORM.COM : click to view the full PDF of as81714\_69