

<b>AEROSPACE STANDARD</b>	<b>AS9386™</b>	<b>REV. B</b>
	Issued 1994-11 Reaffirmed 2018-08 Revised 2021-07 Superseding MS9386A	
O-Ring Molded from AMS7267 Silicone (VMQ) Rubber		

RATIONALE

The part number prefix has been changed from AS to MS to avoid negative impact on some companies.




Figure 1 - O-ring dimensions - width (ØW) and inside diameter (ØID)

NOTE: Dimensions and tolerancing per ASME Y14.5.

SAE Executive Standards Committee Rules provide that: "This report is published by SAE to advance the state of technical and engineering sciences. The use of this report is entirely voluntary, and its applicability and suitability for any particular use, including any patent infringement arising therefrom, is the sole responsibility of the user."

SAE reviews each technical report at least every five years at which time it may be revised, reaffirmed, stabilized, or cancelled. SAE invites your written comments and suggestions.

Copyright © 2021 SAE International

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of SAE.

TO PLACE A DOCUMENT ORDER: Tel: 877-606-7323 (inside USA and Canada)  
 Tel: +1 724-776-4970 (outside USA)  
 Fax: 724-776-0790  
 Email: CustomerService@sae.org  
 http://www.sae.org

SAE WEB ADDRESS:

For more information on this standard, visit  
<https://www.sae.org/standards/content/AS9386B>

Table 1 - Part numbers and dimensions

App Note	Part Number	ØID	ØID	ØW	ØW	Approx Mass		
		Inches	mm	Inches	mm	lb/100	kg/100	
	MS9386-001	0.025/0.033	0.64/ 0.84	0.037/0.043	0.94/1.09	0.0015	0.0007	
	MS9386-002	0.038/0.046	0.97/ 1.17	0.047/0.053	1.19/1.35	0.003	0.0014	
	MS9386-003	0.052/0.060	1.32/ 1.52	0.057/0.063	1.45/1.60	0.005	0.0018	
	MS9386-004	0.065/0.075	1.65/ 1.91	0.067/0.073	1.70/1.85	0.008	0.0036	
	MS9386-005	0.096/0.106	2.44/ 2.69	0.067/0.073	1.70/1.85	0.010	0.0045	
	MS9386-006	0.109/0.119	2.77/ 3.02	0.067/0.073	1.70/1.85	0.011	0.0054	
	MS9386-007	0.140/0.150	3.56/ 3.81	0.067/0.073	1.70/1.85	0.013	0.0059	
	MS9386-008	0.171/0.181	4.34/ 4.60	0.067/0.073	1.70/1.85	0.015	0.0068	
	MS9386-009	0.203/0.213	5.16/ 5.41	0.067/0.073	1.70/1.85	0.017	0.0077	
	MS9386-010	0.234/0.244	5.94/ 6.20	0.067/0.073	1.70/1.85	0.018	0.0082	
	MS9386-011	0.296/0.306	7.52/ 7.77	0.067/0.073	1.70/1.85	0.022	0.010	
	MS9386-012	0.359/0.369	9.12/ 9.37	0.067/0.073	1.70/1.85	0.025	0.011	
(a)	MS9386-013	0.421/0.431	10.69/ 10.95	0.067/0.073	1.70/1.85	0.029	0.013	
	MS9386-014	0.484/0.494	12.29/ 12.55	0.067/0.073	1.70/1.85	0.033	0.015	
	MS9386-015	0.544/0.558	13.82/ 14.17	0.067/0.073	1.70/1.85	0.037	0.017	
	MS9386-016	0.605/0.623	15.37/ 15.82	0.067/0.073	1.70/1.85	0.040	0.018	
	MS9386-017	0.667/0.685	16.94/ 17.40	0.067/0.073	1.70/1.85	0.044	0.020	
	MS9386-018	0.730/0.748	18.54/ 19.00	0.067/0.073	1.70/1.85	0.048	0.022	
	MS9386-019	0.792/0.810	20.12/ 20.57	0.067/0.073	1.70/1.85	0.051	0.023	
	MS9386-020	0.855/0.873	21.72/ 22.17	0.067/0.073	1.70/1.85	0.055	0.025	
	MS9386-021	0.917/0.935	23.29/ 23.75	0.067/0.073	1.70/1.85	0.059	0.027	
	MS9386-022	0.979/0.999	24.87/ 25.37	0.067/0.073	1.70/1.85	0.062	0.028	
	MS9386-023	1.041/1.061	26.44/ 26.95	0.067/0.073	1.70/1.85	0.066	0.030	
	MS9386-024	1.104/1.124	28.04/ 28.55	0.067/0.073	1.70/1.85	0.070	0.032	
	MS9386-025	1.165/1.187	29.59/ 30.15	0.067/0.073	1.70/1.85	0.074	0.034	
	MS9386-026	1.228/1.250	31.19/ 31.75	0.067/0.073	1.70/1.85	0.077	0.035	
	MS9386-027	1.290/1.312	32.77/ 33.33	0.067/0.073	1.70/1.85	0.083	0.038	
	MS9386-028	1.351/1.377	34.32/ 34.98	0.067/0.073	1.70/1.85	0.085	0.039	
	(b)	MS9386-029	1.476/1.502	37.49/ 38.15	0.067/0.073	1.70/1.85	0.092	0.042
		MS9386-030	1.601/1.627	40.67/ 41.33	0.067/0.073	1.70/1.85	0.100	0.045
MS9386-031		1.724/1.754	43.79/ 44.55	0.067/0.073	1.70/1.85	0.107	0.049	
MS9386-032		1.849/1.879	46.97/ 47.73	0.067/0.073	1.70/1.85	0.115	0.052	
MS9386-033		1.971/2.007	50.06/ 50.98	0.067/0.073	1.70/1.85	0.122	0.055	
MS9386-034		2.096/2.132	53.24/ 54.15	0.067/0.073	1.70/1.85	0.129	0.059	
MS9386-035		2.221/2.257	56.41/ 57.33	0.067/0.073	1.70/1.85	0.137	0.062	
MS9386-036		2.346/2.382	59.59/ 60.50	0.067/0.073	1.70/1.85	0.144	0.065	
MS9386-037		2.471/2.507	62.76/ 63.68	0.067/0.073	1.70/1.85	0.151	0.061	
MS9386-038		2.594/2.634	65.89/ 66.90	0.067/0.073	1.70/1.85	0.159	0.072	
MS9386-039		2.719/2.759	69.06/ 70.08	0.067/0.073	1.70/1.85	0.166	0.076	
MS9386-040		2.844/2.884	72.24/ 73.25	0.067/0.073	1.70/1.85	0.174	0.079	
MS9386-041		2.965/3.013	75.31/ 76.53	0.067/0.073	1.70/1.85	0.181	0.082	
MS9386-042		3.215/3.263	81.66/ 82.88	0.067/0.073	1.70/1.85	0.196	0.089	
MS9386-043		3.465/3.513	88.01/ 89.23	0.067/0.073	1.70/1.85	0.210	0.095	
MS9386-044		3.712/3.766	94.29/ 95.66	0.067/0.073	1.70/1.85	0.225	0.102	
MS9386-045		3.962/4.016	100.64/102.01	0.067/0.073	1.70/1.85	0.240	0.109	
MS9386-046	4.209/4.269	106.91/108.43	0.067/0.073	1.70/1.85	0.255	0.116		
MS9386-047	4.459/4.519	113.26/114.78	0.067/0.073	1.70/1.85	0.270	0.122		
MS9386-048	4.709/4.769	119.61/121.13	0.067/0.073	1.70/1.85	0.285	0.129		
MS9386-049	4.952/5.026	125.78/127.66	0.067/0.073	1.70/1.85	0.300	0.136		
MS9386-050	5.202/5.276	132.13/134.01	0.067/0.073	1.70/1.85	0.314	0.142		

Table 1 - Part numbers and dimensions (continued)

App Note	Part Number	ØID	ØID	ØW	ØW	Approx Mass	
		Inches	mm	Inches	mm	lb/100	kg/100
	MS9386-102	0.044/0.054	1.12/ 1.37	0.100/0.106	2.54/2.69	0.020	0.009
	MS9386-103	0.076/0.086	1.93/ 2.18	0.100/0.106	2.54/2.69	0.024	0.011
	MS9386-104	0.107/0.117	2.72/ 2.97	0.100/0.106	2.54/2.69	0.027	0.012
	MS9386-105	0.138/0.148	3.51/ 3.76	0.100/0.106	2.54/2.69	0.031	0.014
	MS9386-106	0.169/0.179	4.29/ 4.55	0.100/0.106	2.54/2.69	0.036	0.016
	MS9386-107	0.201/0.211	5.11/ 5.36	0.100/0.106	2.54/2.69	0.040	0.018
	MS9386-108	0.232/0.242	5.89/ 6.15	0.100/0.106	2.54/2.69	0.044	0.020
	MS9386-109	0.294/0.304	7.47/ 7.72	0.100/0.106	2.54/2.69	0.051	0.023
	MS9386-110	0.357/0.367	9.07/ 9.32	0.100/0.106	2.54/2.69	0.060	0.027
	MS9386-111	0.419/0.429	10.64/10.90	0.100/0.106	2.54/2.69	0.068	0.031
	MS9386-112	0.482/0.492	12.24/12.50	0.100/0.106	2.54/2.69	0.075	0.034
	MS9386-113	0.542/0.556	13.77/14.12	0.100/0.106	2.54/2.69	0.084	0.038
	MS9386-114	0.603/0.621	15.32/15.77	0.100/0.106	2.54/2.69	0.092	0.042
	MS9386-115	0.665/0.683	16.89/17.35	0.100/0.106	2.54/2.69	0.099	0.045
	MS9386-116	0.728/0.746	18.49/18.95	0.100/0.106	2.54/2.69	0.108	0.049
	MS9386-117	0.789/0.809	20.04/20.55	0.100/0.106	2.54/2.69	0.116	0.053
	MS9386-118	0.852/0.872	21.64/22.15	0.100/0.106	2.54/2.69	0.124	0.056
	MS9386-119	0.914/0.934	23.22/23.72	0.100/0.106	2.54/2.69	0.132	0.060
	MS9386-120	0.977/0.997	24.82/25.32	0.100/0.106	2.54/2.69	0.140	0.064
	MS9386-121	1.039/1.059	26.39/26.90	0.100/0.106	2.54/2.69	0.148	0.067
	MS9386-122	1.102/1.122	27.99/28.50	0.100/0.106	2.54/2.69	0.156	0.071
	MS9386-123	1.162/1.186	29.52/30.12	0.100/0.106	2.54/2.69	0.164	0.074
	MS9386-124	1.225/1.249	31.12/31.73	0.100/0.106	2.54/2.69	0.172	0.078
	MS9386-125	1.287/1.311	32.69/33.30	0.100/0.106	2.54/2.69	0.180	0.082
	MS9386-126	1.350/1.374	34.29/34.90	0.100/0.106	2.54/2.69	0.188	0.085
	MS9386-127	1.412/1.436	35.87/36.47	0.100/0.106	2.54/2.69	0.196	0.089
	MS9386-128	1.475/1.499	37.47/38.08	0.100/0.106	2.54/2.69	0.204	0.093
	MS9386-129	1.534/1.564	38.96/39.73	0.100/0.106	2.54/2.69	0.212	0.096
	MS9386-130	1.597/1.627	40.56/41.33	0.100/0.106	2.54/2.69	0.220	0.100
	MS9386-131	1.659/1.689	42.14/42.90	0.100/0.106	2.54/2.69	0.228	0.103
	MS9386-132	1.722/1.752	43.74/44.50	0.100/0.106	2.54/2.69	0.236	0.108
	MS9386-133	1.784/1.814	45.31/46.08	0.100/0.106	2.54/2.69	0.244	0.111
	MS9386-134	1.847/1.877	46.91/47.68	0.100/0.106	2.54/2.69	0.252	0.114
	MS9386-135	1.908/1.942	48.46/49.33	0.100/0.106	2.54/2.69	0.260	0.118
	MS9386-136	1.970/2.004	50.04/50.90	0.100/0.106	2.54/2.69	0.268	0.122
	MS9386-137	2.033/2.067	51.64/52.50	0.100/0.106	2.54/2.69	0.276	0.125
	MS9386-138	2.095/2.129	53.21/54.08	0.100/0.106	2.54/2.69	0.284	0.129
	MS9386-139	2.158/2.192	54.81/55.68	0.100/0.106	2.54/2.69	0.292	0.132
	MS9386-140	2.220/2.254	56.39/57.25	0.100/0.106	2.54/2.69	0.300	0.136
	MS9386-141	2.280/2.320	57.91/58.93	0.100/0.106	2.54/2.69	0.308	0.140
	MS9386-142	2.342/2.382	59.49/60.50	0.100/0.106	2.54/2.69	0.316	0.143
	MS9386-143	2.405/2.445	61.09/62.10	0.100/0.106	2.54/2.69	0.324	0.147
	MS9386-144	2.467/2.507	62.66/63.68	0.100/0.106	2.54/2.69	0.332	0.151
	MS9386-145	2.530/2.570	64.26/65.28	0.100/0.106	2.54/2.69	0.340	0.154
	MS9386-146	2.592/2.632	65.84/66.85	0.100/0.106	2.54/2.69	0.348	0.158
	MS9386-147	2.653/2.697	67.39/68.50	0.100/0.106	2.54/2.69	0.356	0.161
	MS9386-148	2.715/2.759	68.96/70.08	0.100/0.106	2.54/2.69	0.364	0.165
	MS9386-149	2.778/2.822	70.56/71.68	0.100/0.106	2.54/2.69	0.372	0.169
(b)	MS9386-150	2.840/2.884	72.14/73.25	0.100/0.106	2.54/2.69	0.381	0.173

Table 1 - Part numbers and dimensions (continued)

App Note	Part Number	ØID	ØID	ØW	ØW	Approx Mass	
		Inches	mm	Inches	mm	lb/100	kg/100
	MS9386-151	2.963/3.011	75.26/ 76.48	0.100/0.106	2.54/2.69	0.396	0.180
	MS9386-152	3.213/3.261	81.61/ 82.83	0.100/0.106	2.54/2.69	0.428	0.194
	MS9386-153	3.463/3.511	87.96/ 89.18	0.100/0.106	2.54/2.69	0.461	0.209
	MS9386-154	3.709/3.765	94.21/ 95.63	0.100/0.106	2.54/2.69	0.492	0.223
	MS9386-155	3.959/4.015	100.56/101.98	0.100/0.106	2.54/2.69	0.525	0.238
	MS9386-156	4.207/4.267	106.86/108.38	0.100/0.106	2.54/2.69	0.556	0.252
	MS9386-157	4.457/4.517	113.21/114.73	0.100/0.106	2.54/2.69	0.590	0.268
	MS9386-158	4.707/4.767	119.56/121.08	0.100/0.106	2.54/2.69	0.621	0.282
	MS9386-159	4.952/5.022	125.78/127.56	0.100/0.106	2.54/2.69	0.654	0.297
	MS9386-160	5.202/5.272	132.13/133.91	0.100/0.106	2.54/2.69	0.685	0.311
	MS9386-161	5.452/5.522	138.48/140.26	0.100/0.106	2.54/2.69	0.718	0.326
	MS9386-162	5.702/5.772	144.83/146.61	0.100/0.106	2.54/2.69	0.749	0.340
	MS9386-163	5.952/6.022	151.18/152.96	0.100/0.106	2.54/2.69	0.782	0.355
	MS9386-164	6.197/6.277	157.40/159.44	0.100/0.106	2.54/2.69	0.812	0.368
(b)	MS9386-165	6.447/6.527	163.75/165.79	0.100/0.106	2.54/2.69	0.845	0.383
	MS9386-166	6.697/6.777	170.10/172.14	0.100/0.106	2.54/2.69	0.876	0.397
	MS9386-167	6.947/7.027	176.45/178.49	0.100/0.106	2.54/2.69	0.910	0.413
	MS9386-168	7.192/7.282	182.68/184.96	0.100/0.106	2.54/2.69	0.941	0.427
	MS9386-169	7.442/7.532	189.03/191.31	0.100/0.106	2.54/2.69	0.974	0.442
	MS9386-170	7.692/7.782	195.38/197.66	0.100/0.106	2.54/2.69	1.015	0.460
	MS9386-171	7.942/8.032	201.73/204.01	0.100/0.106	2.54/2.69	1.035	0.470
	MS9386-172	8.187/8.287	207.95/210.49	0.100/0.106	2.54/2.69	1.070	0.485
	MS9386-173	8.437/8.537	214.30/216.84	0.100/0.106	2.54/2.69	1.101	0.499
	MS9386-174	8.687/8.787	220.65/223.19	0.100/0.106	2.54/2.69	1.132	0.514
	MS9386-175	8.937/9.037	227.00/229.54	0.100/0.106	2.54/2.69	1.163	0.528
	MS9386-176	9.182/9.292	233.22/236.02	0.100/0.106	2.54/2.69	1.199	0.544
	MS9386-177	9.432/9.542	239.57/242.37	0.100/0.106	2.54/2.69	1.230	0.558
	MS9386-178	9.682/9.792	245.92/248.72	0.100/0.106	2.54/2.69	1.260	0.572
	MS9386-201	0.166/0.176	4.22/ 4.47	0.135/0.143	3.43/3.63	0.072	0.033
	MS9386-202	0.229/0.239	5.82/ 6.07	0.135/0.143	3.43/3.63	0.087	0.039
	MS9386-203	0.291/0.301	7.39/ 7.65	0.135/0.143	3.43/3.63	0.101	0.046
	MS9386-204	0.354/0.364	8.99/ 9.25	0.135/0.143	3.43/3.63	0.116	0.053
	MS9386-205	0.416/0.426	10.57/ 10.82	0.135/0.143	3.43/3.63	0.131	0.059
	MS9386-206	0.479/0.489	12.17/ 12.42	0.135/0.143	3.43/3.63	0.146	0.066
	MS9386-207	0.539/0.553	13.69/ 14.05	0.135/0.143	3.43/3.63	0.160	0.073
	MS9386-208	0.600/0.618	15.24/ 15.70	0.135/0.143	3.43/3.63	0.175	0.079
	MS9386-209	0.662/0.680	16.81/ 17.27	0.135/0.143	3.43/3.63	0.189	0.086
	MS9386-210	0.724/0.744	18.39/ 18.90	0.135/0.143	3.43/3.63	0.204	0.093
	MS9386-211	0.786/0.806	19.96/ 20.47	0.135/0.143	3.43/3.63	0.219	0.099
	MS9386-212	0.849/0.869	21.56/ 22.07	0.135/0.143	3.43/3.63	0.233	0.106
	MS9386-213	0.911/0.931	23.14/ 23.65	0.135/0.143	3.43/3.63	0.248	0.112
	MS9386-214	0.974/0.994	24.74/ 25.25	0.135/0.143	3.43/3.63	0.262	0.119
	MS9386-215	1.036/1.056	26.31/ 26.82	0.135/0.143	3.43/3.63	0.277	0.126
	MS9386-216	1.097/1.121	27.86/ 28.47	0.135/0.143	3.43/3.63	0.292	0.132
	MS9386-217	1.159/1.183	29.44/ 30.05	0.135/0.143	3.43/3.63	0.306	0.139
	MS9386-218	1.222/1.246	31.04/ 31.65	0.135/0.143	3.43/3.63	0.322	0.146
	MS9386-219	1.284/1.308	32.61/ 33.22	0.135/0.143	3.43/3.63	0.335	0.152
	MS9386-220	1.347/1.371	34.21/ 34.82	0.135/0.143	3.43/3.63	0.350	0.159

Table 1 - Part numbers and dimensions (continued)

App Note	Part Number	ØID	ØID	ØW	ØW	Approx Mass	
		Inches	mm	Inches	mm	lb/100	kg/100
	MS9386-221	1.409/1.433	35.79/ 36.40	0.135/0.143	3.43/3.63	0.364	0.165
	MS9386-222	1.469/1.499	37.31/ 38.08	0.135/0.143	3.43/3.63	0.379	0.172
	MS9386-223	1.594/1.624	40.49/ 41.25	0.135/0.143	3.43/3.63	0.408	0.185
	MS9386-224	1.719/1.749	43.66/ 44.42	0.135/0.143	3.43/3.63	0.437	0.198
	MS9386-225	1.841/1.877	46.76/ 47.68	0.135/0.143	3.43/3.63	0.466	0.211
	MS9386-226	1.966/2.002	49.94/ 50.85	0.135/0.143	3.43/3.63	0.496	0.225
	MS9386-227	2.091/2.127	53.11/ 54.03	0.135/0.143	3.43/3.63	0.526	0.239
	MS9386-228	2.214/2.254	56.24/ 57.25	0.135/0.143	3.43/3.63	0.555	0.252
	MS9386-229	2.339/2.379	59.41/ 60.43	0.135/0.143	3.43/3.63	0.585	0.265
	MS9386-230	2.464/2.504	62.59/ 63.60	0.135/0.143	3.43/3.63	0.612	0.278
	MS9386-231	2.589/2.629	65.76/ 66.78	0.135/0.143	3.43/3.63	0.642	0.291
	MS9386-232	2.710/2.758	68.83/ 70.05	0.135/0.143	3.43/3.63	0.671	0.304
	MS9386-233	2.835/2.883	72.01/ 73.23	0.135/0.143	3.43/3.63	0.700	0.318
	MS9386-234	2.960/3.008	75.18/ 76.40	0.135/0.143	3.43/3.63	0.730	0.331
(a)	MS9386-235	3.085/3.133	78.36/ 79.58	0.135/0.143	3.43/3.63	0.758	0.344
	MS9386-236	3.210/3.258	81.53/ 82.75	0.135/0.143	3.43/3.63	0.788	0.357
	MS9386-237	3.335/3.383	84.71/ 85.93	0.135/0.143	3.43/3.63	0.816	0.370
	MS9386-238	3.460/3.508	87.88/ 89.10	0.135/0.143	3.43/3.63	0.845	0.383
	MS9386-239	3.581/3.637	90.96/ 92.38	0.135/0.143	3.43/3.63	0.876	0.397
	MS9386-240	3.706/3.762	94.13/ 95.56	0.135/0.143	3.43/3.63	0.905	0.410
	MS9386-241	3.831/3.887	97.31/ 98.73	0.135/0.143	3.43/3.63	0.935	0.424
	MS9386-242	3.956/4.012	100.48/101.91	0.135/0.143	3.43/3.63	0.964	0.437
	MS9386-243	4.081/4.137	103.66/105.08	0.135/0.143	3.43/3.63	0.994	0.451
	MS9386-244	4.204/4.264	106.78/108.31	0.135/0.143	3.43/3.63	1.021	0.463
	MS9386-245	4.329/4.389	109.96/111.48	0.135/0.143	3.43/3.63	1.050	0.476
	MS9386-246	4.454/4.514	113.13/114.66	0.135/0.143	3.43/3.63	1.080	0.490
	MS9386-247	4.579/4.639	116.31/117.83	0.135/0.143	3.43/3.63	1.110	0.504
	MS9386-248	4.704/4.764	119.48/121.01	0.135/0.143	3.43/3.63	1.138	0.516
	MS9386-249	4.824/4.894	122.63/124.31	0.135/0.143	3.43/3.63	1.170	0.531
	MS9386-250	4.949/5.019	125.71/127.48	0.135/0.143	3.43/3.63	1.200	0.544
	MS9386-251	5.074/5.144	128.88/130.66	0.135/0.143	3.43/3.63	1.228	0.558
	MS9386-252	5.199/5.269	132.06/133.83	0.135/0.143	3.43/3.63	1.257	0.570
	MS9386-253	5.324/5.394	135.23/137.01	0.135/0.143	3.43/3.63	1.286	0.583
	MS9386-254	5.449/5.519	138.41/140.18	0.135/0.143	3.43/3.63	1.315	0.596
	MS9386-255	5.574/5.644	141.58/143.36	0.135/0.143	3.43/3.63	1.342	0.609
	MS9386-256	5.699/5.769	144.76/146.53	0.135/0.143	3.43/3.63	1.372	0.622
	MS9386-257	5.824/5.894	147.93/149.71	0.135/0.143	3.43/3.63	1.400	0.635
	MS9386-258	5.949/6.019	151.11/152.88	0.135/0.143	3.43/3.63	1.430	0.649
(b)	MS9386-259	6.194/6.274	157.33/159.36	0.135/0.143	3.43/3.63	1.488	0.675
	MS9386-260	6.444/6.524	163.68/165.71	0.135/0.143	3.43/3.63	1.547	0.702
	MS9386-261	6.694/6.774	170.03/172.06	0.135/0.143	3.43/3.63	1.605	0.728
	MS9386-262	6.944/7.024	176.38/178.41	0.135/0.143	3.43/3.63	1.662	0.754
	MS9386-263	7.189/7.279	182.60/184.89	0.135/0.143	3.43/3.63	1.720	0.780
	MS9386-264	7.439/7.529	188.95/191.24	0.135/0.143	3.43/3.63	1.780	0.807
	MS9386-265	7.689/7.779	195.30/197.59	0.135/0.143	3.43/3.63	1.839	0.834
	MS9386-266	7.939/8.029	201.65/203.94	0.135/0.143	3.43/3.63	1.900	0.862
	MS9386-267	8.184/8.284	207.87/210.41	0.135/0.143	3.43/3.63	1.957	0.888
	MS9386-268	8.434/8.534	214.22/216.76	0.135/0.143	3.43/3.63	2.015	0.914
	MS9386-269	8.684/8.784	220.57/223.11	0.135/0.143	3.43/3.63	2.075	0.941
	MS9386-270	8.934/9.034	226.92/229.46	0.135/0.143	3.43/3.63	2.121	0.962

Table 1 - Part numbers and dimensions (continued)

App Note	Part Number	ØID	ØID	ØW	ØW	Approx Mass	
		Inches	mm	Inches	mm	lb/100	kg/100
(b)	MS9386-271	9.179/ 9.289	233.15/235.94	0.135/0.143	3.43/3.63	2.194	0.995
	MS9386-272	9.429/ 9.539	239.50/242.29	0.135/0.143	3.43/3.63	2.245	1.018
	MS9386-273	9.679/ 9.789	245.85/248.64	0.135/0.143	3.43/3.63	2.306	1.046
	MS9386-274	9.929/10.039	252.20/254.99	0.135/0.143	3.43/3.63	2.365	1.073
	MS9386-275	10.429/10.539	264.90/267.69	0.135/0.143	3.43/3.63	2.473	1.122
	MS9386-276	10.919/11.049	277.34/280.65	0.135/0.143	3.43/3.63	2.600	1.179
	MS9386-277	11.419/11.549	290.04/293.35	0.135/0.143	3.43/3.63	2.715	1.232
	MS9386-278	11.919/12.049	302.74/306.05	0.135/0.143	3.43/3.63	2.832	1.285
	MS9386-279	12.919/13.049	328.14/331.45	0.135/0.143	3.43/3.63	3.065	1.390
	MS9386-280	13.919/14.049	353.54/356.85	0.135/0.143	3.43/3.63	3.300	1.497
	MS9386-281	14.919/15.049	378.94/382.25	0.135/0.143	3.43/3.63	3.535	1.604
	MS9386-282	15.880/16.030	403.35/407.16	0.135/0.143	3.43/3.63	3.759	1.705
	MS9386-283	16.875/17.035	428.63/432.69	0.135/0.143	3.43/3.63	3.993	1.811
	MS9386-284	17.870/18.040	453.90/458.22	0.135/0.143	3.43/3.63	4.227	1.917
	MS9386-309	0.407/ 0.417	10.34/ 10.59	0.205/0.215	5.21/5.46	0.332	0.151
	MS9386-310	0.470/ 0.480	11.94/ 12.19	0.205/0.215	5.21/5.46	0.365	0.166
	MS9386-311	0.530/ 0.544	13.46/ 13.82	0.205/0.215	5.21/5.46	0.399	0.181
	MS9386-312	0.591/ 0.609	15.01/ 15.47	0.205/0.215	5.21/5.46	0.432	0.196
	MS9386-313	0.653/ 0.671	16.59/ 17.04	0.205/0.215	5.21/5.46	0.465	0.211
	MS9386-314	0.715/ 0.735	18.16/ 18.67	0.205/0.215	5.21/5.46	0.498	0.226
	MS9386-315	0.777/ 0.797	19.74/ 20.24	0.205/0.215	5.21/5.46	0.532	0.241
	MS9386-316	0.840/ 0.860	21.34/ 21.84	0.205/0.215	5.21/5.46	0.565	0.256
	MS9386-317	0.902/ 0.922	22.91/ 23.42	0.205/0.215	5.21/5.46	0.598	0.271
	MS9386-318	0.965/ 0.985	24.51/ 25.02	0.205/0.215	5.21/5.46	0.632	0.287
	MS9386-319	1.027/ 1.047	26.09/ 26.59	0.205/0.215	5.21/5.46	0.665	0.302
	MS9386-320	1.088/ 1.112	27.64/ 28.25	0.205/0.215	5.21/5.46	0.698	0.317
	MS9386-321	1.150/ 1.174	29.21/ 29.82	0.205/0.215	5.21/5.46	0.732	0.332
	MS9386-322	1.213/ 1.237	30.81/ 31.42	0.205/0.215	5.21/5.46	0.765	0.347
	MS9386-323	1.275/ 1.299	32.39/ 33.00	0.205/0.215	5.21/5.46	0.798	0.362
	MS9386-324	1.338/ 1.362	33.99/ 34.60	0.205/0.215	5.21/5.46	0.832	0.377
	MS9386-325	1.460/ 1.490	37.08/ 37.85	0.205/0.215	5.21/5.46	0.897	0.407
	MS9386-326	1.585/ 1.615	40.26/ 41.02	0.205/0.215	5.21/5.46	0.965	0.438
	MS9386-327	1.710/ 1.740	43.43/ 44.20	0.205/0.215	5.21/5.46	1.031	0.468
	MS9386-328	1.835/ 1.865	46.61/ 47.37	0.205/0.215	5.21/5.46	1.100	0.499
	MS9386-329	1.957/ 1.993	49.71/ 50.62	0.205/0.215	5.21/5.46	1.163	0.528
	MS9386-330	2.082/ 2.118	52.88/ 53.80	0.205/0.215	5.21/5.46	1.231	0.558
	MS9386-331	2.207/ 2.243	56.06/ 56.97	0.205/0.215	5.21/5.46	1.300	0.590
	MS9386-332	2.332/ 2.368	59.23/ 60.15	0.205/0.215	5.21/5.46	1.368	0.620
	MS9386-333	2.455/ 2.495	62.36/ 63.37	0.205/0.215	5.21/5.46	1.433	0.650
	MS9386-334	2.580/ 2.620	65.53/ 66.55	0.205/0.215	5.21/5.46	1.498	0.680
	MS9386-335	2.705/ 2.745	68.71/ 69.72	0.205/0.215	5.21/5.46	1.565	0.710
	MS9386-336	2.830/ 2.870	71.88/ 72.90	0.205/0.215	5.21/5.46	1.632	0.740
	MS9386-337	2.951/ 2.999	74.96/ 76.18	0.205/0.215	5.21/5.46	1.700	0.771
	MS9386-338	3.076/ 3.124	78.13/ 79.35	0.205/0.215	5.21/5.46	1.765	0.800
	MS9386-339	3.201/ 3.249	81.31/ 82.53	0.205/0.215	5.21/5.46	1.830	0.830
	MS9386-340	3.326/ 3.374	84.48/ 85.70	0.205/0.215	5.21/5.46	1.900	0.862

Table 1 - Part numbers and dimensions (continued)

App Note	Part Number	ØID	ØID	ØW	ØW	Approx Mass	
		Inches	mm	Inches	mm	lb/100	kg/100
	MS9386-341	3.451/ 3.499	87.66/ 88.88	0.205/0.215	5.21/5.46	1.965	0.891
	MS9386-342	3.572/ 3.628	90.73/ 92.15	0.205/0.215	5.21/5.46	2.030	0.921
	MS9386-343	3.697/ 3.753	93.90/ 95.33	0.205/0.215	5.21/5.46	2.100	0.953
	MS9386-344	3.822/ 3.878	97.08/ 98.50	0.205/0.215	5.21/5.46	2.166	0.982
	MS9386-345	3.947/ 4.003	100.25/101.68	0.205/0.215	5.21/5.46	2.233	1.013
	MS9386-346	4.072/ 4.128	103.43/104.85	0.205/0.215	5.21/5.46	2.300	1.043
	MS9386-347	4.195/ 4.255	106.55/108.08	0.205/0.215	5.21/5.46	2.366	1.074
	MS9386-348	4.320/ 4.380	109.73/111.25	0.205/0.215	5.21/5.46	2.432	1.103
	MS9386-349	4.445/ 4.505	112.90/114.43	0.205/0.215	5.21/5.46	2.495	1.132
	MS9386-350	4.570/ 4.630	116.08/117.60	0.205/0.215	5.21/5.46	2.565	1.164
	MS9386-351	4.695/ 4.755	119.25/120.78	0.205/0.215	5.21/5.46	2.631	1.193
	MS9386-352	4.820/ 4.880	122.43/123.95	0.205/0.215	5.21/5.46	2.698	1.224
	MS9386-353	4.938/ 5.012	125.43/127.31	0.205/0.215	5.21/5.46	2.765	1.254
	MS9386-354	5.063/ 5.137	128.60/130.48	0.205/0.215	5.21/5.46	2.831	1.284
	MS9386-355	5.188/ 5.262	131.78/133.66	0.205/0.215	5.21/5.46	2.898	1.314
	MS9386-356	5.313/ 5.387	134.95/136.83	0.205/0.215	5.21/5.46	2.964	1.344
	MS9386-357	5.438/ 5.512	138.13/140.01	0.205/0.215	5.21/5.46	3.031	1.375
	MS9386-358	5.563/ 5.637	141.30/143.18	0.205/0.215	5.21/5.46	3.098	1.405
	MS9386-359	5.688/ 5.762	144.48/146.36	0.205/0.215	5.21/5.46	3.164	1.435
	MS9386-360	5.813/ 5.887	147.65/149.53	0.205/0.215	5.21/5.46	3.231	1.466
	MS9386-361	5.938/ 6.012	150.83/152.71	0.205/0.215	5.21/5.46	3.298	1.496
	MS9386-362	6.185/ 6.265	157.10/159.13	0.205/0.215	5.21/5.46	3.431	1.556
	MS9386-363	6.435/ 6.515	163.45/165.48	0.205/0.215	5.21/5.46	3.564	1.617
	MS9386-364	6.685/ 6.765	169.80/171.83	0.205/0.215	5.21/5.46	3.698	1.677
	MS9386-365	6.935/ 7.015	176.15/178.18	0.205/0.215	5.21/5.46	3.831	1.738
	MS9386-366	7.180/ 7.270	182.37/184.66	0.205/0.215	5.21/5.46	3.964	1.798
(b)	MS9386-367	7.430/ 7.520	188.72/191.01	0.205/0.215	5.21/5.46	4.097	1.858
	MS9386-368	7.680/ 7.770	195.07/197.36	0.205/0.215	5.21/5.46	4.231	1.919
	MS9386-369	7.930/ 8.020	201.42/203.71	0.205/0.215	5.21/5.46	4.364	1.980
	MS9386-370	8.175/ 8.275	207.65/210.19	0.205/0.215	5.21/5.46	4.497	2.040
	MS9386-371	8.425/ 8.525	214.00/216.54	0.205/0.215	5.21/5.46	4.630	2.100
	MS9386-372	8.675/ 8.775	220.35/222.89	0.205/0.215	5.21/5.46	4.764	2.161
	MS9386-373	8.925/ 9.025	226.70/229.24	0.205/0.215	5.21/5.46	4.897	2.221
	MS9386-374	9.170/ 9.280	232.94/235.71	0.205/0.215	5.21/5.46	5.030	2.282
	MS9386-375	9.420/ 9.530	239.27/242.06	0.205/0.215	5.21/5.46	5.164	2.342
	MS9386-376	9.670/ 9.780	245.67/248.41	0.205/0.215	5.21/5.46	5.297	2.403
	MS9386-377	9.920/10.030	251.97/254.76	0.205/0.215	5.21/5.46	5.431	2.464
	MS9386-378	10.415/10.535	264.54/267.59	0.205/0.215	5.21/5.46	5.697	2.584
	MS9386-379	10.915/11.035	277.24/280.29	0.205/0.215	5.21/5.46	5.964	2.705
	MS9386-380	11.410/11.540	289.81/293.12	0.205/0.215	5.21/5.46	6.230	2.826
	MS9386-381	11.910/12.040	302.51/305.82	0.205/0.215	5.21/5.46	6.497	2.947
	MS9386-382	12.910/13.040	327.91/331.22	0.205/0.215	5.21/5.46	7.030	3.189
	MS9386-383	13.905/14.045	353.19/356.74	0.205/0.215	5.21/5.46	7.563	3.431
	MS9386-384	14.905/15.045	378.59/382.14	0.205/0.215	5.21/5.46	8.096	3.672
	MS9386-385	15.880/16.030	403.35/407.16	0.205/0.215	5.21/5.46	8.619	3.910

Table 1 - Part numbers and dimensions (continued)

App Note	Part Number	ØID	ØID	ØW	ØW	Approx Mass		
		Inches	mm	Inches	mm	lb/100	kg/100	
(b)	MS9386-386	16.875/17.035	428.63/432.69	0.205/0.215	5.21/5.46	9.152	4.151	
	MS9386-387	17.870/18.040	453.90/458.22	0.205/0.215	5.21/5.46	9.685	4.393	
	MS9386-388	18.865/19.045	479.17/483.74	0.205/0.215	5.21/5.46	10.218	4.635	
	MS9386-389	19.860/20.050	504.44/509.27	0.205/0.215	5.21/5.46	10.752	4.877	
	MS9386-390	20.860/21.050	529.84/534.67	0.205/0.215	5.21/5.46	11.285	5.119	
	MS9386-391	21.855/22.055	555.12/560.20	0.205/0.215	5.21/5.46	11.818	5.360	
	MS9386-392	22.835/23.045	580.01/585.34	0.205/0.215	5.21/5.46	12.343	5.599	
	MS9386-393	23.830/24.050	605.28/610.87	0.205/0.215	5.21/5.46	12.876	5.840	
	MS9386-394	24.825/25.055	630.56/636.40	0.205/0.215	5.21/5.46	13.409	6.082	
MS9386-395	25.820/26.060	655.83/661.92	0.205/0.215	5.21/5.46	13.942	6.324		
	MS9386-425	4.442/ 4.508	112.83/114.50	0.269/0.281	6.83/7.14	4.340	1.969	
	MS9386-426	4.567/ 4.633	116.00/117.68	0.269/0.281	6.83/7.14	4.457	2.022	
	MS9386-427	4.692/ 4.758	119.18/120.85	0.269/0.281	6.83/7.14	4.610	2.091	
	MS9386-428	4.817/ 4.883	122.35/124.03	0.269/0.281	6.83/7.14	4.686	2.126	
	MS9386-429	4.938/ 5.012	125.43/127.31	0.269/0.281	6.83/7.14	4.800	2.177	
	MS9386-430	5.063/ 5.137	128.60/130.48	0.269/0.281	6.83/7.14	4.915	2.229	
	MS9386-431	5.188/ 5.262	131.78/133.66	0.269/0.281	6.83/7.14	5.029	2.281	
	MS9386-432	5.313/ 5.387	134.95/136.83	0.269/0.281	6.83/7.14	5.143	2.333	
	MS9386-433	5.438/ 5.512	138.13/140.01	0.269/0.281	6.83/7.14	5.257	2.385	
	MS9386-434	5.563/ 5.637	141.30/143.18	0.269/0.281	6.83/7.14	5.371	2.436	
	MS9386-435	5.688/ 5.762	144.48/146.36	0.269/0.281	6.83/7.14	5.486	2.488	
	MS9386-436	5.813/ 5.887	147.65/149.53	0.269/0.281	6.83/7.14	5.600	2.540	
	MS9386-437	5.938/ 6.012	150.83/152.71	0.269/0.281	6.83/7.14	5.714	2.592	
	MS9386-438	6.185/ 6.265	157.10/159.13	0.269/0.281	6.83/7.14	5.943	2.696	
	MS9386-439	6.435/ 6.515	163.45/165.48	0.269/0.281	6.83/7.14	6.172	2.800	
	MS9386-440	6.685/ 6.765	169.80/171.83	0.269/0.281	6.83/7.14	6.400	2.903	
	MS9386-441	6.935/ 7.015	176.15/178.18	0.269/0.281	6.83/7.14	6.629	3.007	
	MS9386-442	7.180/ 7.270	182.37/184.66	0.269/0.281	6.83/7.14	6.858	3.111	
	MS9386-443	7.430/ 7.520	188.72/191.01	0.269/0.281	6.83/7.14	7.066	3.205	
	MS9386-444	7.680/ 7.770	195.07/197.36	0.269/0.281	6.83/7.14	7.315	3.318	
	MS9386-445	7.930/ 8.020	201.42/203.71	0.269/0.281	6.83/7.137	7.543	3.422	
	MS9386-446	8.420/ 8.530	213.87/216.66	0.269/0.281	6.83/7.14	8.000	3.629	
	MS9386-447	8.920/ 9.030	226.57/229.36	0.269/0.281	6.83/7.14	8.457	3.836	
	MS9386-448	9.420/ 9.530	239.27/242.06	0.269/0.281	6.83/7.14	8.914	4.043	
	MS9386-449	9.920/10.030	251.97/254.76	0.269/0.281	6.83/7.14	9.372	4.251	
	MS9386-450	10.415/10.535	264.54/267.59	0.269/0.281	6.83/7.14	9.829	4.458	
	MS9386-451	10.915/11.035	277.24/280.29	0.269/0.281	6.83/7.14	10.287	4.666	
	MS9386-452	11.415/11.535	289.94/292.99	0.269/0.281	6.83/7.14	10.734	4.873	
	MS9386-453	11.915/12.035	302.64/305.69	0.269/0.281	6.83/7.14	11.200	5.080	
	MS9386-454	12.415/12.535	315.34/318.39	0.269/0.281	6.83/7.14	11.668	5.292	
	MS9386-455	12.915/13.035	328.04/331.09	0.269/0.281	6.83/7.14	12.115	5.495	
	MS9386-456	13.405/13.545	340.49/344.04	0.269/0.281	6.83/7.14	12.572	5.703	
	MS9386-457	13.905/14.045	353.19/356.74	0.269/0.281	6.83/7.14	13.029	5.910	
	MS9386-458	14.405/14.545	365.89/369.44	0.269/0.281	6.83/7.14	13.486	6.117	
	MS9386-459	14.905/15.045	378.59/382.14	0.269/0.281	6.83/7.14	13.943	6.324	
	MS9386-460	15.405/15.545	391.29/394.84	0.269/0.281	6.83/7.14	14.401	6.532	
	(b)	MS9386-461	15.880/16.030	403.35/407.16	0.269/0.281	6.83/7.14	14.840	6.731
		MS9386-462	16.380/16.530	416.05/419.86	0.269/0.281	6.83/7.14	15.297	6.939
		MS9386-463	16.875/17.035	428.63/432.69	0.269/0.281	6.83/7.14	15.754	7.146
		MS9386-464	17.370/17.540	441.20/445.52	0.269/0.281	6.83/7.14	16.211	7.353
MS9386-465		17.870/18.040	453.90/458.22	0.269/0.281	6.83/7.14	16.668	7.560	

**Table 1 - Part numbers and dimensions (continued)**

App Note	Part Number	ØID		ØW		Approx Mass	
		Inches	mm	Inches	mm	lb/100	kg/100
(b)	MS9386-466	18.370/18.540	466.60/470.92	0.269/0.281	6.83/7.14	17.126	7.768
	MS9386-467	18.865/19.045	479.17/483.74	0.269/0.281	6.83/7.14	17.583	7.976
	MS9386-468	19.365/19.545	491.87/496.44	0.269/0.281	6.83/7.14	18.040	8.183
	MS9386-469	19.860/20.050	504.44/509.27	0.269/0.281	6.83/7.14	18.497	8.390
	MS9386-470	20.860/21.050	529.84/534.67	0.269/0.281	6.83/7.14	19.411	8.805
	MS9386-471	21.855/22.055	555.13/560.20	0.269/0.281	6.83/7.14	20.326	9.220
	MS9386-472	22.835/23.045	580.01/585.34	0.269/0.281	6.83/7.14	21.226	9.628
	MS9386-473	23.830/24.050	605.28/610.87	0.269/0.281	6.83/7.14	22.140	10.042
	MS9386-474	24.825/25.055	630.56/636.40	0.269/0.281	6.83/7.14	23.050	10.455
MS9386-475	25.820/26.060	655.83/661.92	0.269/0.281	6.83/7.14	23.969	10.872	

**Table 2 - Boss O-rings sizes**

Part Number	Nominal Tube Outside Diameter		ØID		ØW		Approx Mass	
	Inches	mm	Inches	mm	Inches	mm	lb/100	kg/100
MS9386-901	0.094	2.39	0.180/0.190	4.57/ 4.83	0.053/0.059	1.35/1.50	0.009	0.004
MS9386-902	0.125	3.18	0.234/0.244	5.94/ 6.20	0.061/0.067	1.55/1.70	0.015	0.007
MS9386-903	0.188	4.78	0.295/0.306	7.49/ 7.77	0.061/0.067	1.55/1.70	0.018	0.008
MS9386-904	0.250	6.35	0.346/0.356	8.79/ 9.04	0.069/0.075	1.75/1.91	0.026	0.012
MS9386-905	0.312	7.93	0.409/0.419	10.39/10.64	0.069/0.075	1.75/1.91	0.030	0.014
MS9386-906	0.375	9.53	0.463/0.473	11.76/12.01	0.075/0.081	1.91/2.06	0.040	0.018
MS9386-907	0.438	11.13	0.523/0.537	13.28/13.64	0.079/0.085	2.01/2.16	0.050	0.023
MS9386-908	0.500	12.70	0.635/0.653	16.13/16.59	0.084/0.090	2.13/2.29	0.067	0.030
MS9386-909	0.562	14.28	0.697/0.715	17.70/18.16	0.094/0.100	2.39/2.54	0.091	0.041
MS9386-910	0.625	15.88	0.746/0.764	18.95/19.41	0.094/0.100	2.39/2.54	0.097	0.044
MS9386-911	0.688	17.48	0.854/0.872	21.69/22.15	0.112/0.120	2.85/3.05	0.160	0.073
MS9386-912	0.750	19.05	0.915/0.933	23.24/23.70	0.112/0.120	2.85/3.05	0.169	0.077
MS9386-913	0.812	20.63	0.976/0.996	24.79/25.30	0.112/0.120	2.85/3.05	0.179	0.081
MS9386-914	0.875	22.23	1.037/1.057	26.34/26.85	0.112/0.120	2.85/3.05	0.189	0.086
MS9386-916	1.000	25.40	1.161/1.181	29.49/30.00	0.112/0.120	2.85/3.05	0.209	0.095
MS9386-918	1.125	28.58	1.343/1.367	34.11/34.72	0.112/0.120	2.85/3.05	0.240	0.109
MS9386-920	1.250	31.75	1.461/1.489	37.11/37.82	0.114/0.122	2.90/3.10	0.268	0.122
MS9386-924	1.500	38.10	1.706/1.734	43.33/44.04	0.114/0.122	2.90/3.10	0.309	0.140
MS9386-928	1.750	44.45	2.072/2.108	52.63/53.54	0.114/0.122	2.90/3.10	0.372	0.169
MS9386-932	2.000	50.80	2.319/2.356	58.90/59.84	0.114/0.122	2.90/3.10	0.412	0.187