

**AS9601**

## NOTICE

THIS DOCUMENT HAS BEEN TAKEN DIRECTLY FROM U.S. MILITARY SPECIFICATION MS9601 AND CONTAINS ONLY MINOR EDITORIAL AND FORMAT CHANGES REQUIRED TO BRING IT INTO CONFORMANCE WITH THE PUBLISHING REQUIREMENTS OF SAE TECHNICAL STANDARDS. THE INITIAL RELEASE OF THIS DOCUMENT IS INTENDED TO REPLACE MS9601. ANY PART NUMBERS ESTABLISHED BY THE ORIGINAL SPECIFICATION REMAIN UNCHANGED.

THE ORIGINAL MILITARY SPECIFICATION WAS ADOPTED AS AN SAE STANDARD UNDER THE PROVISIONS OF THE SAE TECHNICAL STANDARDS BOARD (TSB) RULES AND REGULATIONS (TSB 001) PERTAINING TO ACCELERATED ADOPTION OF GOVERNMENT SPECIFICATIONS AND STANDARDS. TSB RULES PROVIDE FOR (A) THE PUBLICATION OF PORTIONS OF UNREVISED GOVERNMENT SPECIFICATIONS AND STANDARDS WITHOUT CONSENSUS VOTING AT THE SAE COMMITTEE LEVEL, AND (B) THE USE OF THE EXISTING GOVERNMENT SPECIFICATION OR STANDARD FORMAT.

ANY MATERIAL RELATING TO QUALIFIED PRODUCT LISTS HAS NOT BEEN ADOPTED BY SAE. THIS MATERIAL WAS PART OF THE ORIGINAL MILITARY SPECIFICATION AND IS REPRINTED HERE FOR HISTORIC REFERENCE ONLY.

SAENORM.COM : Click to view the full PDF of as9601

THIRD ANGLE PROJECTION



ISSUED 1998-02

PREPARED BY COMMITTEE E-25, GENERAL STANDARDS FOR AEROSPACE PROPULSION

**SAE** The Engineering Society  
For Advancing Mobility  
Land Sea Air and Space®  
**INTERNATIONAL**  
400 Commonwealth Drive, Warrendale, PA 15096-0001

**AEROSPACE STANDARD**

BRACKET, ANGLE, 90°, CRES  
.190 x .250 BOLT

**AS9601**  
SHEET 1 OF 4

SAE Technical Standards Board Rules provide that: "This report is published by SAE to advance the state of technical and engineering sciences. The use of this report is entirely voluntary, and its applicability and suitability for any particular use, including any patent infringement arising therefrom, is the sole responsibility of the user."  
SAE reviews each technical report at least every five years at which time it may be reaffirmed, revised, or cancelled. SAE invites your written comments and suggestions.



AS9601

TABLE 1 - DASH NUMBERS AND DIMENSIONS - CONTINUED

B LENGTH	A - LENGTH			
	.938	1.000	1.125	1.250
	DASH NUMBERS			
.438	-215	-245 1/	-305 1/	-365 1/
.500	-216	-246 1/	-306 1/	-366 1/
.562	-217	-247 1/	-331 1/	-367 1/
.625	-218	-248 1/	-332 1/	-368 1/
.688	-219	-249 1/	-309 1/	-369 1/
.750	-220	-250 1/	-310 1/	-370 1/
.812	-221	-251	-311	-371
.875	-222	-252 1/	-312 1/	-372 1/
.938	-223	-253	-313	-373
1.000	-224	-254 1/	-314 1/	-374 1/
1.062	-225	-255	-315	-375
1.125	-226	-256 1/	-316 1/	-376 1/
1.188	-227	-257	-317	-377
1.250	-228	-258 1/	-318 1/	-378 1/
1.312	-229	-259	-319	-379
1.375	-230	-260 1/	-320 1/	-380 1/
1.438	-231	-261	-321	-381
1.500	-232	-262 1/	-322 1/	-382 1/

1/ PREFERRED SIZES

TABLE 1 - DASH NUMBERS AND DIMENSIONS - CONTINUE

B LENGTH	A - LENGTH				
	1.375	1.500	1.625	1.750	1.875
	DASH NUMBERS				
.438	-425 1/	-485 1/	-545 1/	-605 1/	-665 1/
.500	-426 1/	-486 1/	-546 1/	-606 1/	-666 1/
.562	-427 1/	-487 1/	-547 1/	-607 1/	-667 1/
.625	-428 1/	-488 1/	-548 1/	-608 1/	-668 1/
.688	-429 1/	-489 1/	-549 1/	-609 1/	-669 1/
.750	-430 1/	-490 1/	-550 1/	-610 1/	-670 1/
.812	-431	-491	-551	-611	-671
.875	-432 1/	-492 1/	-552 1/	-612 1/	-672 1/
.938	-433	-493	-553	-613	-673
1.000	-434 1/	-494 1/	-554 1/	-614 1/	-674 1/
1.062	-435	-495	-555	-615	-675
1.125	-436 1/	-496 1/	-556 1/	-616 1/	-676 1/
1.188	-437	-497	-557	-617	-677
1.250	-438 1/	-498 1/	-558 1/	-618 1/	-678 1/
1.312	-439	-499	-559	-619	-679
1.375	-440 1/	-500 1/	-560 1/	-620 1/	-680 1/
1.438	-441	-501	-561	-621	-681
1.500	-442 1/	-502 1/	-562 1/	-622 1/	-682 1/

1/ PREFERRED SIZES