

NOTICE

THIS DOCUMENT HAS BEEN TAKEN DIRECTLY FROM U.S. MILITARY SPECIFICATION MS9750, NOTICE 1 AND CONTAINS ONLY MINOR EDITORIAL AND FORMAT CHANGES REQUIRED TO BRING IT INTO CONFORMANCE WITH THE PUBLISHING REQUIREMENTS OF SAE TECHNICAL STANDARDS. THE INITIAL RELEASE OF THIS DOCUMENT IS INTENDED TO REPLACE MS9750, NOTICE 1. ANY PART NUMBERS ESTABLISHED BY THE ORIGINAL SPECIFICATION REMAIN UNCHANGED.

THE ORIGINAL MILITARY SPECIFICATION WAS ADOPTED AS AN SAE STANDARD UNDER THE PROVISIONS OF THE SAE TECHNICAL STANDARDS BOARD (TSB) RULES AND REGULATIONS (TSB 001) PERTAINING TO ACCELERATED ADOPTION OF GOVERNMENT SPECIFICATIONS AND STANDARDS. TSB RULES PROVIDE FOR (A) THE PUBLICATION OF PORTIONS OF UNREVISED GOVERNMENT SPECIFICATIONS AND STANDARDS WITHOUT CONSENSUS VOTING AT THE SAE COMMITTEE LEVEL, AND (B) THE USE OF THE EXISTING GOVERNMENT SPECIFICATION OR STANDARD FORMAT.

UNDER DEPARTMENT OF DEFENSE POLICIES AND PROCEDURES, ANY QUALIFICATION REQUIREMENTS AND ASSOCIATED QUALIFIED PRODUCTS LISTS ARE MANDATORY FOR DOD CONTRACTS. ANY REQUIREMENT RELATING TO QUALIFIED PRODUCTS LISTS (QPL'S) HAS NOT BEEN ADOPTED BY SAE AND IS NOT PART OF THIS SAE TECHNICAL DOCUMENT.

SAENORM.COM : Click to view the full PDF of as9750

AS9750

SAE Technical Standards Board Rules provide that: "This report is published by SAE to advance the state of technical and engineering sciences. The use of this report is entirely voluntary, and its applicability and suitability for any particular use, including any patent infringement arising therefrom, is the sole responsibility of the user." SAE reviews each technical report at least every five years at which time it may be reaffirmed, revised, or cancelled. SAE invites your written comments and suggestions.



THIRD ANGLE PROJECTION



ISSUED 2000-08 REAFFIRMED 2005-05

PREPARED BY SAE COMMITTEE E-25

PROCUREMENT SPECIFICATION: NONE




**AEROSPACE STANDARD**

BOLT, MACHINE - DOUBLE HEXAGON EXTENDED  
WASHER HEAD, PD SHANK, TITANIUM AMS 4967,  
.190-32 UNJF-3A

**AS9750**  
SHEET 1 OF 3

AS9750



PART NUMBER	L	K	APPROX WEIGHT LB/100	PART NUMBER	L	K	APPROX WEIGHT LB/100
MS9750-03	.312	.072-.092	.393	MS9750-24	1.625	.935-.995	.865
MS9750-04	.375	.072-.092	.415	MS9750-25	1.688	.998-1.058	.888
MS9750-05	.438	.072-.092	.438	MS9750-26	1.750	1.060-1.120	.910
MS9750-06	.500	.072-.092	.460	MS9750-27	1.812	1.122-1.182	.933
MS9750-07	.562	.072-.092	.483	MS9750-28	1.875	1.185-1.245	.955
MS9750-08	.625	.072-.092	.505	MS9750-29	2.000	1.310-1.370	1.000
MS9750-09	.688	.072-.092	.528	MS9750-31	2.125	1.435-1.495	1.045
MS9750-10	.750	.072-.120	.550	MS9750-31	2.250	1.560-1.620	1.090
MS9750-11	.812	.122-.182	.573	MS9750-32	2.375	1.685-1.740	1.135
MS9750-12	.875	.185-.245	.595	MS9750-33	2.500	1.810-1.870	1.180
MS9750-13	.938	.248-.308	.615	MS9750-34	2.625	1.935-1.995	1.225
MS9750-14	1.000	.310-.370	.640	MS9750-35	2.750	2.060-2.120	1.270
MS9750-15	1.062	.372-.432	.663	MS9750-36	2.875	2.185-2.245	1.315
MS9750-16	1.125	.435-.495	.685	MS9750-37	3.000	2.310-2.370	1.360
MS9750-17	1.188	.498-.558	.708	MS9750-38	3.125	2.435-2.495	1.405
MS9750-18	1.250	.560-.620	.730	MS9750-39	3.250	2.560-2.620	1.450
MS9750-19	1.312	.622-.682	.753	MS9750-40	3.375	2.685-2.745	1.495
MS9750-20	1.375	.685-.745	.775	MS9750-41	3.500	2.810-2.870	1.540
MS9750-21	1.438	.748-.808	.795	MS9750-42	3.625	2.935-2.995	1.585
MS9750-22	1.500	.810-.870	.820	MS9750-43	3.750	3.060-3.120	1.630
MS9750-23	1.562	.872-.932	.843	MS9750-44	3.875	3.185-3.245	1.675