

Submitted for recognition as an American National Standard

RADIATOR CAPS AND FILLER NECKS

Foreword—This reaffirmed document has been changed only to reflect the new SAE Technical Standards Board format.

1. Scope—This SAE Standard was developed primarily for passenger car and truck application, but may be used in marine, industrial, and similar applications.

1.1 Purpose—The purpose of this document is to provide dimensions for the different pressure ratings of boyonet type radiator pressure caps and filler necks. Use of these dimensions will preclude the use of a high-pressure rated cap on low-pressure systems for the small and medium size applications. (See Tables 1 to 4 and Figures 1 to 4.)

This document will allow use of low-pressure rated cap on a nominal high-pressure system.

TABLE 1—PRESSURE TYPE RADIATOR CAP

Nominal Pressure Rating kPa	Nominal Pressure Rating psi	A mm	B mm	C mm	D mm	E mm
Mini						
83-110	12-16	10.70-11.70	11.20-12.00	39.2-40.0	43.43-43.80	66.0
97-124	14-18	10.70-11.70	11.20-12.00	39.2-40.0	43.43-43.80	66.0
Small						
21-34	3-5	10.92-11.94	14.73-15.62	50.80-52.32	57.15-57.79	80.26
41-55	6-8	14.22-15.24	14.73-15.62	50.80-52.32	57.15-57.79	80.26
62-76	9-11	14.22-15.24	14.73-15.62	50.80-52.32	57.15-57.79	80.26
83-110	12-16	20.83-21.84	14.73-15.62	50.80-52.32	57.15-57.79	80.26
97-124	14-18	20.83-21.84	14.73-15.62	50.80-52.32	57.15-57.79	80.26
Medium						
21-34	3-5	9.14-10.16	13.72-14.61	62.74-64.26	69.34-69.98	92.71
41-55	6-8	15.49-16.51	13.72-14.61	62.74-64.26	69.34-69.98	92.71
62-76	9-11	15.49-16.51	13.72-14.61	62.74-64.25	69.34-69.98	92.71
83-110	12-16	20.83-21.84	13.72-14.61	62.74-64.25	69.34-69.98	92.71

SAE Technical Standards Board Rules provide that: "This report is published by SAE to advance the state of technical and engineering sciences. The use of this report is entirely voluntary, and its applicability and suitability for any particular use, including any patent infringement arising therefrom, is the sole responsibility of the user."

SAE reviews each technical report at least every five years at which time it may be reaffirmed, revised, or cancelled. SAE invites your written comments and suggestions.

TO PLACE A DOCUMENT ORDER; (724) 776-4970 FAX: (724) 776-0790
SAE WEB ADDRESS <http://www.sae.org>

SAE J164 Reaffirmed FEB97

TABLE 2A—RADIATOR FILLER NECKS (F, G, H, I, AND J)

Nominal Pressure Rating kPa	Nominal Pressure Rating psi	F mm	G mm	H mm	I mm	J mm
Mini						
83-110	12-16					
97-124	14-18	38.40-39.00	12.19-13.21	42.80-43.20	31.10-31.7	5.08-5.33
Small						
21-34	3-5	49.78-50.29	12.19-13.21	56.39-56.77	41.15-41.53	5.46-5.72
41-55	6-8	49.78-50.29	15.24-16.26	56.39-56.77	41.15-41.53	5.46-5.72
62-76	9-11	49.78-50.29	15.24-16.26	56.39-56.77	41.15-41.53	5.46-5.72
83-110	12-16	49.78-50.29	21.84-22.86	56.39-56.77	41.15-41.53	5.46-5.72
97-124	14-18	49.78-50.29	21.84-22.86	56.39-56.77	41.15-41.53	5.46-5.72
Medium						
21-34	3-5	61.72-62.23	12.70-13.72	68.33-68.71	54.10-54.48	5.46-5.72
41-55	6-8	61.72-62.23	18.29-19.30	68.33-68.71	54.10-54.48	5.46-5.72
62-76	9-11	61.72-62.23	18.29-19.30	68.33-68.71	54.10-54.48	5.46-5.72
83-110	12-16	61.72-62.23	22.61-23.11	68.33-68.71	54.10-54.48	5.46-5.72

TABLE 2B—RADIATOR FILLER NECKS (K, L, M, N, P, AND R)

Nominal Pressure Rating kPa	Nominal Pressure Rating psi	K mm	L mm	M mm	N Nom mm	P Min mm	R mm
Mini							
83-110	12-16						
97-124	14-18	22.4-22.7	10.45-10.7	12.43-12.68	19.7	12.0	4.70-5.0
Small							
21-34	3-5	30.7-31.0	13.75-14.0	16.05-16.3	28.3	12.45	4.90-5.16
41-55	6-8	30.7-31.0	13.75-14.0	16.05-16.3	28.3	15.75	4.90-5.16
62-76	9-11	30.7-31.0	13.75-14.0	16.05-16.3	28.3	15.75	4.90-5.16
83-110	12-16	30.7-31.0	13.75-14.0	16.05-16.3	28.3	22.34	4.90-5.16
97-124	14-18	30.7-31.0	13.75-14.0	16.05-16.3	28.3	22.35	4.90-5.16
Medium							
21-34	3-5	—	13.05-13.3	15.35-15.6	40.70	10.67	4.90-5.16
41-55	6-8	—	13.05-13.3	15.35-15.6	40.70	17.02	4.90-5.16
62-76	9-11	—	13.05-13.3	15.35-15.6	40.70	17.02	4.90-5.16
83-110	12-16	—	13.05-13.3	15.35-15.6	40.70	22.35	4.90-5.16

TABLE 3—PRESSURE TYPE RADIATOR CAP (A TO D)

Nominal Pressure Rating kPa	Nominal Pressure Rating psi	A mm	A in	B mm	B in	C mm	C in	D mm	D in
34–48	5–7	17.91–18.67	0.705–0.735	30.48–32.51	1.200–1.280	95.63–96.38	3.764–3.794	102.24–103.00	4.025–4.055

TABLE 4A—RADIATOR FILLER NECK (F TO I)

Nominal Pressure Rating kPa	Nominal Pressure Rating psi	F mm	F in	G mm	G in	H mm	H in	I mm	I in
34–48	5–7	93.73–95.25	3.690–3.750	18.92–19.69	0.745–0.775	101.14–101.75	3.982–4.006	83.97–84.53	3.306–3.328

TABLE 4B—RADIATOR FILLER NECK (J TO M)

Nominal Pressure Rating kPa	Nominal Pressure Rating psi	J mm	J in	K mm	K in	L mm	L in	M mm	M in
34–48	5–7	7.49–7.75	0.295–0.305	72.90–73.16	2.870–2.880	37.97–38.23	1.496–1.505	4.45–4.70	0.175–0.185

TABLE 4C—RADIATOR FILLER NECK (L AND R)

Nominal Pressure Rating kPa	Nominal Pressure Rating psi	N mm	N in	R mm	R in
34–48	5–7	19.43	0.765	5.46–6.22	0.215–0.245

SAE J164 Reaffirmed FEB97




FIGURE 1—PRESSURE TYPE RADIATOR CAP




FIGURE 2—RADIATOR FILLER NECKS