

2.2 Related Publications

The following publications are provided for information purposes only and are not a required part of this document.

2.2.1 SAE Publication

Available from SAE, 400 Commonwealth Drive, Warrendale, PA 15096-0001, Tel: 877-606-7323 (inside USA and Canada) or 724-776-4970 (outside USA), www.sae.org.

SAE J2133 Disc Wheel Radial Runout Low Point Marking

2.2.2 ISO Publications

Available from ANSI, 25 West 43rd Street, New York, NY 10036-8002, Tel: 212-642-4900, www.ansi.org.

ISO 3911 Wheel/rims—Nomenclature, designation, marking and units measurement

ISO 4107 Road vehicles—Wheel for commercial vehicles—Dimensions—Characteristics of attachment on hub

3. DEFINITIONS

A detailed list of basic nomenclature is contained in SAE J393.

4. CLEARANCE LINES

See Table 1.

TABLE 1 - CLEARANCE LINES

Wheel Size	Mounting System	Figure
19.5 x 6.75	II, 8 hole 275 mm	Figure 1
19.5 x 6.75	XIV, 8 hole 275 mm	Figure 2
19.5 x 7.50	XIV, 8 hole 275 mm	Figure 3
19.5 x 8.25	III, 10 hole 285.75 mm	
22.5 x 7.50	XIV, 8 hole 275 mm	Figure 4
22.5 x 8.25	III, 10 hole 285.75 mm	
22.5 x 9.00		
24.5 x 8.25		




FIGURE 1 CLEARANCE LINE 19.5 X 6.75 WHEELS, MOUNTING SYSTEM II

SAENORM.COM: Click to view the full PDF of J1865_200707




FIGURE 2 - CLEARANCE LINE 19.5 X 6.75 WHEELS, MOUNTING SYSTEM XIV