

IDENTIFICATION TERMINOLOGY AND COMPONENT NOMENCLATURE KNUCKLE BOOM LOG LOADER

Foreword—This Reaffirmed Document not changed other than to put it into the new SAE Technical Standards Board Format.

1. **Scope**—This SAE Recommended Practice includes the types of mounting configurations and the names of major components and parts peculiar to this type of machine.

Illustrations used here are not intended to include all existing commercial machines or to be exactly descriptive of any particular machine.

They have been provided to describe the principles to be used in applying this document.

2. **References**

- 2.1 **Related Publication**—The following publication is provided for information purposes only and is not a required part of this document.

2.1.1 SAE PUBLICATION—Available from SAE, 400 Commonwealth Drive, Warrendale, PA 15096-0001.

SAE J1209 JAN85—Identification Terminology of Mobile Forestry Machines

3. **Definition**

- 3.1 **A Knuckle Boom Log Loader**—A swing-to-load machine with articulated booms, grapple, and supporting structure designed to grab, lift, swing, and place trees or parts of trees.

4. **Identification Terminology**

4.1 Six different types of mounting configurations are illustrated. (See Figure 1.)


4.2 Five different types of boom configurations are illustrated. (See Figure 2.)

5. **Component Nomenclature**—Figure 2 identifies the major components.


SAE Technical Standards Board Rules provide that: "This report is published by SAE to advance the state of technical and engineering sciences. The use of this report is entirely voluntary, and its applicability and suitability for any particular use, including any patent infringement arising therefrom, is the sole responsibility of the user."

SAE reviews each technical report at least every five years at which time it may be reaffirmed, revised, or cancelled. SAE invites your written comments and suggestions.


QUESTIONS REGARDING THIS DOCUMENT: (724) 772-8512 FAX: (724) 776-0243
TO PLACE A DOCUMENT ORDER; (724) 776-4970 FAX: (724) 776-0790
SAE WEB ADDRESS <http://www.sae.org>




TRAILER MOUNT




CRAWLER MOUNT




TRUCK MOUNT



RUBBER-TIRED CARRIER MOUNT



ARTICULATED CARRIER MOUNT



STATIONARY MOUNT

FIGURE 1—MOUNTING CONFIGURATIONS




FIGURE 2—BOOM TYPES AND NOMENCLATURE

SAE J2055 Reaffirmed JUN96

Component Nomenclature Knuckle Boom Log Loader

1. Stabilizer pad
2. Stabilizer leg
3. Stabilizer cylinder
4. Lower frame
5. Swing bearing
6. Swing actuator
7. Upper frame
8. Head
9. Main boom pivot pin
10. Main boom cylinder
11. Main boom
12. Stick boom cylinder
13. Stick boom pivot pin
14. Stick boom
15. Grapple pivot pin
16. Grapple pivot
17. Grapple
18. Cab
19. Operator station
20. Cab riser
21. Power unit
22. Counterweight
23. Heel boom
24. Heel boom pivot pin
25. Heel boom cylinder
26. Heel
27. Fixed heel
28. Jib boom cylinder
29. Jib boom pivot pin
30. Jib boom
31. Telescoping boom cylinder
32. Telescoping boom section

SAENORM.COM : Click to view the full PDF of j2055 _ 199606

PREPARED BY THE SAE MACHINE TECHNICAL COMMITTEE SC4—FORESTRY AND LOGGING EQUIPMENT