

SAE The Engineering Society
For Advancing Mobility
Land Sea Air and Space®

A Product of the
Cooperative Engineering Program

SAE J607 AUG88

**Small Spark Ignition
Engine Test Code**

SAE Standard
Reaffirmed August 1988

SAENORM.COM : Click to view the full PDF of J607-198808

LIBRARY

CANCELLED

Submitted for Recognition as
an American National Standard

SAENORM.COM : Click to view the full PDF of j607_198808

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Copyright 1988 Society of Automotive Engineers, Inc.

Submitted for recognition as an American National Standard

Ø SMALL SPARK IGNITION ENGINE TEST CODE

1. NOTE: SAE J607 was established to provide a uniform means of comparing small gasoline engines. The document is now considered obsolete, and it is recommended that J1349 be used for rating these small engines formerly covered by SAE J607. SAE J607 was last published in the 1984 Handbook.
2. SCOPE: The purpose of this code is to provide a uniform means of comparing small gasoline engines of 0.82 L (50 in³) or less in displacement and 15.1 kW (20 hp) or less in power output. It is not intended as a laboratory manual. Governor characteristics are considered part of the end item specification.

SAENORM.COM : Click to view the full PDF of SAE J607-1988

CANCELLED

SAE Technical Board Rules provide that: "This report is published by SAE to advance the state of technical and engineering sciences. The use of this report is entirely voluntary, and its applicability and suitability for any particular use, including any patent infringement arising therefrom, is the sole responsibility of the user."

SAE reviews each technical report at least every five years at which time it may be reaffirmed, revised, or cancelled. SAE invites your written comments and suggestions.

RATIONALE:

Not applicable.

RELATIONSHIP OF SAE STANDARD TO ISO STANDARD:

Not applicable.

REFERENCE SECTION:

SAE J607 JUN84, Small Spark Ignition Engine Test Code

SAE J1349 JUN85, Engine Power Test Code--Spark Ignition and Diesel

APPLICATION:

The purpose of this code is to provide a uniform means of comparing small gasoline engines of 0.82 L (50 in³) or less in displacement and 15.1 kW (20 hp) or less in power output. It is not intended as a laboratory manual. Governor characteristics are considered part of the end item specification.

COMMITTEE COMPOSITION:

DEVELOPED BY THE SAE SMALL ENGINE AND POWERED EQUIPMENT SUBCOMMITTEE:

J. T. Mieritz, Briggs & Stratton Corp., Milwaukee, WI - Chairman
G. M. Adams, Elkhart Lake, WI
I. T. Barker, Jr., Nelson Industries Inc., Stoughton, WI
J. I. Butcher, Onan Corp., Fridley, MN
J. A. Donohue, Jr., Outboard Marine Corp., Milwaukee, WI
H. R. Johnson, Kohler Co., Kohler, WI
S. R. Kuczynski, Onan Corp., Minneapolis, MN
Dr. K. S. Sanvordenker, Tecumseh Products Co., Ann Arbor, MI
W. D. Schultz, Mercury Marine, Fond du Lac, WI
N. C. Woelffer, American Consulting & Testing, Ft. Mill, SC

SPONSORED BY THE SAE ENGINE COMMITTEE:

J. K. Amdall, Caterpillar Inc., Mossville, IL - Chairman
J. H. Stellar, Hayden Inc., Corona, CA
K. Swenson, Garrett Automotive Products Co., Torrance, CA
L. J. Billington, Chillicothe, IL
J. R. Grady, Borg Warner Automotive Inc., Troy, MI
O. Backlund, AB Volvo, Goteborg, Sweden
A. J. Batcho, Jacobs Mfg. Co., Bloomfield, CT
R. J. Brager, Cooper Industries, Grove City, PA
A. W. Carey, Jr., Columbus, IN
W. B. Clemmens, Environmental Protection Agency, Ann Arbor, MI
M. L. Dutkowski, John Deere Engine Group, Waterloo, IA

CANCELLED