



SURFACE VEHICLE STANDARD	J626™	NOV2015
	Issued 1953-01 Revised 1988-06 Reaffirmed 1998-08 Cancelled 2015-11	Superseded ISO 7299-1
Diesel Fuel Injection - End-Mounting Flanges for Fuel Injection Pumps		

RATIONALE

SAE J626 has been cancelled because the content of this standard is fully covered by ISO 7299-1. Therefore, to eliminate such redundancy and confusion in coordinating the standards between ISO and SAE, this document is declared cancelled and superseded by ISO 7299-1.

CANCELLATION NOTICE

This Technical Report has been declared "CANCELLED" as of September 2015 and has been superseded by ISO 7299-1. By the action, this document will remain listed in the respective index, if applicable. Cancelled Technical Reports are available from SAE.

SAENORM.COM : Click to view the full PDF of J626 - 201511

SAE Technical Standards Board Rules provide that: "This report is published by SAE to advance the state of technical and engineering sciences. The use of this report is entirely voluntary, and its applicability and suitability for any particular use, including any patent infringement arising therefrom, is the sole responsibility of the user."

SAE reviews each technical report at least every five years at which time it may be revised, reaffirmed, stabilized, or cancelled. SAE invites your written comments and suggestions.

Copyright © 2015 SAE International

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of SAE.

TO PLACE A DOCUMENT ORDER: Tel: 877-606-7323 (inside USA and Canada)
Tel: +1 724-776-4970 (outside USA)
Fax: 724-776-0790
Email: CustomerService@sae.org
http://www.sae.org

SAE WEB ADDRESS:

SAE values your input. To provide feedback on this Technical Report, please visit
http://www.sae.org/technical/standards/J626_201511

1. **Scope**—This SAE Standard specifies dimensional requirements for eight types of end-mounting flange for fuel injection pumps for use in diesel (compression ignition) engines.

2. **References**

2.1 **Applicable Publication**—The following publication forms a part of this specification to the extent specified herein. The latest issue of SAE publications shall apply.

2.1.1 SAE PUBLICATION—Available from SAE, 400 Commonwealth Drive, Warrendale, PA 15096-0001.

SAE J1419—Tapers for Shaft Ends and Hubs for Fuel Injection Pumps (Reference ISO 6519)

3. **Dimensions and Tolerances**

3.1 **General**—Engine manufacturers are encouraged to use the tolerance H8 for the female register diameter.

If functionally necessary, the tolerance g8 of the pump spigot diameter (ϕA in the figures) may be replaced by f7, and the tolerance H8 of the female register diameter may be replaced by H7, by mutual agreement between supplier and user.

SAENORM.COM : Click to view the full PDF of J626-2015-17

3.2 Fuel Injection Pumps

3.2.1 TYPE 1 FLANGE—See Figure 1 and Table 1.




FIGURE 1—FUEL INJECTION PUMPS—TYPE 1 END-MOUNTING FLANGE

TABLE 1—FUEL INJECTION PUMPS—TYPE 1 END-MOUNTING FLANGE
Dimensions in millimeters

A g8	B ⁽¹⁾ nominal	C ±0.5	D max	E
50 or 68	17 or 20	12.5	11	13–16
50 or 68	17 or 20	26	24.5	13–16

1. See SAE J1419.

3.2.2 TYPE 2 FLANGE—See Figure 2 and Table 2.




FIGURE 2—FUEL INJECTION PUMPS—TYPE 2 END-MOUNTING FLANGE

TABLE 2—FUEL INJECTION PUMPS—TYPE 2 END-MOUNTING FLANGE
Dimensions in millimeters

A g8	B ⁽¹⁾ nominal	C ±0.5	D max	E
50 or 68	17 or 20	12.5	11	13–16
50 or 68	17 or 20	17.4	16	13–16
50 or 68	17 or 20	26	24.5	13–16

1. See SAE J1419.

3.2.3 TYPE 3 FLANGE—See Figure 3 and Table 3.




FIGURE 3—FUEL INJECTION PUMPS—TYPE 3 END-MOUNTING FLANGE

TABLE 3—FUEL INJECTION PUMPS—TYPE 3 END-MOUNTING FLANGE

Dimensions in millimeters

A g8	B ⁽¹⁾ nominal	C ±0.5	D max	E
50 or 68	17 or 20	9.5	8.2	13–16
50 or 68	17 or 20	12.5	11	13–16
50 or 68	17 or 20	17.4	16	13–16
50 or 68	17 or 20	26	24.5	13–16

1. See SAE J1419.

3.2.4 TYPE 4 FLANGE—See Figure 4 and Table 4.




FIGURE 4—FUEL INJECTION PUMPS—TYPE 4 END-MOUNTING FLANGE

TABLE 4—FUEL INJECTION PUMPS—TYPE 4 END-MOUNTING FLANGE
 Dimensions in millimeters

A	B ⁽¹⁾	C	D	E
g8	nominal	±0.5	max	
68	17	9.5	8	10–16

1. See SAE J1419.

3.2.5 TYPE 5 FLANGE—See Figure 5 and Table 5.




FIGURE 5—FUEL INJECTION PUMPS—TYPE 5 END-MOUNTING FLANGE

TABLE 5—FUEL INJECTION PUMPS—TYPE 5 END-MOUNTING FLANGE
Dimensions in millimeters

A	B ⁽¹⁾	C	D	E
g8	nominal	±0.5	max	
74 or 76	17	9.5	8	8–10

1. See SAE J1419.

3.2.6 TYPE 6 FLANGE—See Figure 6 and Table 6.




FIGURE 6—FUEL INJECTION PUMPS — TYPE 6 END-MOUNTING FLANGE

TABLE 6—FUEL INJECTION PUMPS—TYPE 6 END-MOUNTING FLANGE

Dimensions in millimeters

A	B ⁽¹⁾	C	D	E
g8	nominal	± 1	max	
68 or 97 or 112	20 or 22	4.5	7.5	17–18 or 24–26

1. See SAE J1419.