

Issued 1962-04  
Reaffirmed 2007-04

Superseding J818 MAY1987

## Rated Operating Load for Loaders

- 1. Scope**—This SAE Standard applies to wheel and crawler loaders taking only hydraulic lift capacity and tipping capacity into consideration.

It is recognized that specific operating conditions may allow larger, or require smaller loads than the rated operating load. Some conditions could require more careful or restricted operation with the rated operating load. This standard is not to be construed as setting up test procedures or conditions.

- 1.1 Purpose**—This SAE Standard establishes the definition of a normal all day rated operating load for loaders as defined in SAE J1057.

- 1.2 Rationale**—This document has been reaffirmed to comply with the SAE 5-Year Review policy.

## 2. References

- 2.1 Applicable Publications**—The following publications form a part of the specification to the extent specified herein. Unless otherwise indicated the latest revision of SAE publications shall apply.

- 2.1.1 SAE PUBLICATIONS—Available from SAE, 400 Commonwealth Drive, Warrendale, PA 15096-0001, Tel: 877-606-7323 (inside USA and Canada) or 724-776-4970 (outside USA), [www.sae.org](http://www.sae.org).

SAE J732 FEB80—Specification Definitions—Loaders

SAE J1057 JUN81—Identification Terminology of Earthmoving Machines

- 3. Definition**—The Rated Operating Load, SAE rating, in kilograms (pounds), will not exceed 50% of the tipping capacity, SAE rating for wheel loaders<sup>1</sup>, or 35% of the tipping capacity, SAE rating for crawler loaders<sup>1</sup>. Hydraulic lift capacity of the machine for all lift arm positions should be no less than the rated operating load.

## 4. Operating Conditions

- 4.1** Bucket attachment of specified size and type.

1. As defined in SAE J732.

SAE Technical Standards Board Rules provide that: "This report is published by SAE to advance the state of technical and engineering sciences. The use of this report is entirely voluntary, and its applicability and suitability for any particular use, including any patent infringement arising therefrom, is the sole responsibility of the user."

SAE reviews each technical report at least every five years at which time it may be reaffirmed, revised, or cancelled. SAE invites your written comments and suggestions.

Copyright © 2007 SAE International

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of SAE.

TO PLACE A DOCUMENT ORDER:

Tel: 877-606-7323 (inside USA and Canada)

Tel: 724-776-4970 (outside USA)

Fax: 724-776-0790

Email: [CustomerService@sae.org](mailto:CustomerService@sae.org)

<http://www.sae.org>

SAE WEB ADDRESS: