



REV. A

MA2040

FEDERAL SUPPLY CLASS


4730

SAE Technical Standards Board Rules provide that: "This report is published by SAE to advance the state of technical and engineering sciences. The use of this report is entirely voluntary, and its applicability and suitability for any particular use, including any patent infringement arising therefrom, is the sole responsibility of the user." SAE reviews each technical report at least every five years at which time it may be reaffirmed, revised, or cancelled. SAE invites your written comments and suggestions.



VIEW A ENLARGED

FIGURE 1 - NUT, FLARELESS



CUSTODIAN: SAE G-3/G-38

PROCUREMENT SPECIFICATION: //7/ MA2005 (ISO 7169)

SAE The Engineering Society
For Advancing Mobility
Land Sea Air and Space
INTERNATIONAL

400 Commonwealth Drive, Warrendale, PA 15096-0001

AEROSPACE STANDARD

NUT, FLARELESS, METRIC

MA2040

SHEET 1 OF 3

REV. A

REVISED 1992-12-04(A)

ISSUED 1986-03

TABLE 1 - DIMENSIONS AND WEIGHTS

BASIC NO. MA2040 /14/ SIZE CODE	(NOMINAL TUBE SIZE DN) /3/	T PER MA1370 4H 5H /16/	A +0.2/-0.4	B +0.12/-0	C +0.5/-0	F +0/-0.5	G +0/-0.5	H	J +0.12/-0	K /4/	L +0/-1	M ±0.2	KG/EA		
													MAX ALUM	MAX CRES	
05	MJ10 X 1		14.5	-	10.4	8.0	11.0	11.73-12.00	6.25	9.026-9.216	-	11.71	0.00302	0.00837	0.00478
06	MJ12 X 1.25		14.5	-	12.4	8.5	12.0	13.73-14.00	7.25	10.782-10.994	-	13.71	0.00382	0.0106	0.00604
08	MJ14 X 1.5		16.0	17.0	14.4	9.0	13.0	16.73-17.00	9.25	12.539-12.775	-	16.71	0.00514	0.0142	0.00814
10	MJ16 X 1.5		17.0	19.0	16.4	10.0	14.0	18.67-19.00	11.25	14.539-14.775	9	18.65	0.00635	0.0176	0.0101
12	MJ18 X 1.5		17.0	21.0	18.4	10.5	14.0	21.67-22.00	13.25	16.539-16.775	9	21.65	0.00810	0.0225	0.0128
14	MJ20 X 1.5		17.0	23.0	20.4	10.5	14.0	23.67-24.00	15.40	18.539-18.775	9	23.65	0.00901	0.0250	0.0143
16	MJ22 X 1.5		17.0	25.0	22.4	10.5	14.0	26.67-27.00	17.60	20.539-20.775	9	26.65	0.01110	0.0306	0.0175
20	MJ27 X 1.5		18.0	32.0	27.4	10.0	14.0	31.38-32.00	21.80	25.539-25.775	9	31.36	0.0182	0.0505	0.0289
25	MJ33 X 1.5		18.0	38.0	33.4	10.0	14.0	40.38-41.00	26.90	30.15-30.65	9	40.36	0.0287	0.0795	0.0454
32	MJ42 X 2		19.5	46.0	42.4	10.0	15.0	45.38-46.00	33.95	38.15-38.65	9	45.36	0.0302	0.0873	0.0478
40	MJ50 X 2		25.5	57.0	50.4	12.0	17.0	59.26-60.00	41.95	47.15-47.65	9	59.24	0.0930	0.258	0.147