


RATIONALE

FIGURE REDRAWN, USAGE NOTE ADDED, NOTES AND SPECS UPDATED. DASH NUMBER 120156 DIMENSION M MAX CORRECTED.


REV.
A

MA3341™

SAE Executive Standards Committee Rules provide that: " This report is published by SAE to advance the state of technical and engineering sciences. The use of this report is entirely voluntary, and its applicability and suitability for any particular use, including any patent infringement arising therefrom, is the sole responsibility of the user." SAE reviews each technical report at least every five years at which time it may be revised, reaffirmed, stabilized, or cancelled. SAE invites your written comments and suggestions.



For more information on this standard, visit
<https://www.sae.org/standards/content/MA3341A/>



CUSTODIAN: E-25

PROCUREMENT SPECIFICATION : MA3374



METRIC AEROSPACE STANDARD
(R) BOLT, MACHINE-SPLINE EXTENDED WASHER,
FULL SHANK, LONG THREAD, AMS5731,
METRIC

MA3341™
SHEET 1 OF 7

REV. A

ISSUED 1987-06 REAFFIRMED 2015-05 REVISED 2021-07

TABLE 1 - DIMENSIONS

PART NUMBER /7/	NOM DIA REF	THREAD T	C	D	E MAX	G MIN	H MIN
MA3341-4XXX	4	MJ4x0.7-4h6h	2.6- 3.1	5.02- 5.50	8.3	6	7.5
MA3341-5XXX	5	MJ5x0.8-4h6h	3.0- 4.0	5.92- 6.50	9.1	7	8.3
MA3341-6XXX	6	MJ6x1-4h6h	3.7- 4.7	6.92- 7.50	10.6	8	9.8
MA3341-7XXX	7	MJ7x1-4h6h	4.7- 5.7	7.62- 8.20	12.1	9	11.3
MA3341-8XXX	8	MJ8x1-4h6h	5.7- 6.7	8.02- 8.60	13.6	10	12.8
MA3341-10XXX	10	MJ10x1.25-4h6h	7.4- 8.4	9.40-10.10	15.5	12	2.0
MA3341-12XXX	12	MJ12x1.25-4h6h	9.4-10.4	10.70-11.40	18.9	14	2.2

TABLE 1 - DIMENSIONS (CONTINUED)

PART NUMBER /7/	K H12	R	U	V	Y MIN	AA	AB	AC	WRENCHING CONFIGURATION DASH NO /9/
MA3341-4XXX	3.88- 4.00	0.2-0.4			2.5	0.0030	0.10	0.12	06
MA3341-5XXX	4.88- 5.00	0.3-0.5	2.5-2.9	3.2-3.7	2.8	0.0030	0.13	0.12	07
MA3341-6XXX	5.88- 6.00	0.5-0.7	2.8-3.2	4.1-4.6	3.5	0.0030	0.15	0.12	08
MA3341-7XXX	6.85- 7.00	0.5-0.7	3.3-3.7	4.9-5.4	3.8	0.0030	0.16	0.15	09
MA3341-8XXX	7.85- 8.00	0.5-0.7	3.7-4.1	5.2-5.7	3.9	0.0030	0.20	0.15	10
MA3341-10XXX	9.85-10.00	0.6-0.8	4.7-5.1	6.7-7.2	4.2	0.0025	0.25	0.15	12
MA3341-12XXX	11.82-12.00	0.6-0.9	5.6-6.0	8.0-8.5	4.5	0.0025	0.30	0.18	14

SAENORM.COM : Click to view the full PDF of ma3341

TABLE 2 - MJ4X0.7 AND MJ5X0.8 DIMENSIONS

L	MJ4X0.7-4H6H				MJ5X0.8-4H6H			
	DASH NUMBER /7/	M MAX	N MIN	MASS KG/100	DASH NUMBER /7/	M MAX	N MIN	MASS KG/100
19.7-20.3	040020	6.0	3.1	0.312				
21.7-22.3	040022	8.0	5.1	0.332	050022	6.0	2.9	0.486
23.7-24.3	040024	10.0	7.1	0.351	050024	8.0	4.9	0.517
25.7-26.3	040026	12.0	9.1	0.371	050026	10.0	6.9	0.547
27.7-28.3	040028	14.0	11.1	0.390	050028	12.0	8.9	0.577
29.7-30.3	040030	16.0	13.1	0.409	050030	14.0	10.9	0.608
31.7-32.3	040032	18.0	15.1	0.428	050032	16.0	12.9	0.638
33.7-34.3	040034	20.0	17.1	0.448	050034	18.0	14.9	0.669
35.7-36.3	040036	22.0	19.1	0.467	050036	20.0	16.9	0.700
37.7-38.3	040038	24.0	21.1	0.486	050038	22.0	18.9	0.730
39.7-40.3	040040	26.0	23.1	0.506	050040	24.0	20.9	0.760
41.7-42.3	040042	28.0	25.1	0.525	050042	26.0	22.9	0.791
43.7-44.3	040044	30.0	27.1	0.544	050044	28.0	24.9	0.821
45.7-46.3	040046	32.0	29.1	0.562	050046	30.0	26.9	0.853
47.7-48.3	040048	34.0	31.1	0.582	050048	32.0	28.9	0.883
49.7-50.3	040050	36.0	33.1	0.601	050050	34.0	30.9	0.914
51.7-52.3	040052	38.0	35.1	0.620	050052	36.0	32.9	0.944
53.7-54.3	040054	40.0	37.1	0.640	050054	38.0	34.9	0.975
55.7-56.3	040056	42.0	39.1	0.659	050056	40.0	36.9	1.005
57.7-58.3					050058	42.0	38.9	1.036
59.7-60.3					050060	44.0	40.9	1.067
63.7-64.3					050064	48.0	44.9	1.127
67.7-68.3					050068	52.0	48.9	1.187

SAENORM.COM : Click to view the full PDF of ma3341a

TABLE 2 - MJ6X1 AND MJ7X1 DIMENSIONS (CONTINUED)

L	MJ6X1-4H6H					MJ7X1-4H6H			
	DASH NUMBER /7/	M MAX	N MIN	MASS KG/100		DASH NUMBER /7/	M MAX	N MIN	MASS KG/100
23.7-24.3	060024	6.0	2.5	0.728					
25.7-26.3	060026	8.0	4.5	0.771		070026	6.0	2.5	1.093
27.7-28.3	060028	10.0	6.5	0.814		070028	8.0	4.5	1.155
29.7-30.3	060030	12.0	8.5	0.857		070030	10.0	6.5	1.216
31.7-32.3	060032	14.0	10.5	0.900		070032	12.0	8.5	1.277
33.7-34.3	060034	16.0	12.5	0.944		070034	14.0	10.5	1.339
35.7-36.3	060036	18.0	14.5	0.987		070036	16.0	12.5	1.401
37.7-38.3	060038	20.0	16.5	1.030		070038	18.0	14.5	1.463
39.7-40.3	060040	22.0	18.5	1.073		070040	20.0	16.5	1.524
41.7-42.3	060042	24.0	20.5	1.116		070042	22.0	18.5	1.586
43.7-44.3	060044	26.0	22.5	1.160		070044	24.0	20.5	1.647
45.7-46.3	060046	28.0	24.5	1.204		070046	26.0	22.5	1.709
47.7-48.3	060048	30.0	26.5	1.247		070048	28.0	24.5	1.771
49.7-50.3	060050	32.0	28.5	1.290		070050	30.0	26.5	1.832
51.7-52.3	060052	34.0	30.5	1.333		070052	32.0	28.5	1.894
53.7-54.3	060054	36.0	32.5	1.377		070054	34.0	30.5	1.956
55.7-56.3	060056	38.0	34.5	1.420		070056	36.0	32.5	2.017
57.7-58.3	060058	40.0	36.5	1.463		070058	38.0	34.5	2.078
59.7-60.3	060060	42.0	38.5	1.506		070060	40.0	36.5	2.140
63.7-64.3	060064	46.0	42.5	1.593		070064	44.0	40.5	2.268
67.7-68.3	060066	50.0	46.5	1.679		070066	48.0	44.5	2.390
71.7-72.3	060072	54.0	50.5	1.766		070072	52.0	48.5	2.514
75.7-76.3	060076	58.0	54.5	1.852		070076	56.0	52.5	2.637
79.7-80.3	060080	62.0	58.5	1.938		070080	60.0	56.5	2.760
83.7-84.3	060084	66.0	62.5	2.025		070084	64.0	60.5	2.884
87.7-88.3						070088	68.0	64.5	3.007
91.7-92.3						070092	72.0	68.5	3.130
95.7-96.3						070096	76.0	72.5	3.256

SAENORM.COM : Click to view the full PDF of ma3341a

TABLE 2 - MJ8X1 AND MJ10X1.25 DIMENSIONS (CONTINUED)

L	MJ8X1-4H6H				MJ10X1.25-4H6H			
	DASH NUMBER /7/	M MAX	N MIN	MASS KG/100	DASH NUMBER /7/	M MAX	N MIN	MASS KG/100
27.7- 28.3	080028	6.0	2.5	1.476				
29.7- 30.3	080030	8.0	4.5	1.554				
31.7- 32.3	080032	10.0	6.5	1.631	100032	6.0	2.0	2.604
33.7- 34.3	080034	12.0	8.5	1.709	100034	8.0	4.0	2.724
35.7- 36.3	080036	14.0	10.5	1.786	100036	10.0	6.0	2.846
37.7- 38.3	080038	16.0	12.5	1.864	100038	12.0	8.0	2.966
39.7- 40.3	080040	18.0	14.5	1.940	100040	14.0	10.0	3.088
41.7- 42.3	080042	20.0	16.5	2.018	100042	16.0	12.0	3.208
43.7- 44.3	080044	22.0	18.5	2.095	100044	18.0	14.0	3.330
45.7- 46.3	080046	24.0	20.5	2.173	100046	20.0	16.0	3.451
47.7- 48.3	080048	26.0	22.5	2.250	100048	22.0	18.0	3.571
49.7- 50.3	080050	28.0	24.5	2.327	100050	24.0	20.0	3.693
51.7- 52.3	080052	30.0	26.5	2.404	100052	26.0	22.0	3.813
53.7- 54.3	080054	32.0	28.5	2.481	100054	28.0	24.0	3.935
55.7- 56.3	080056	34.0	30.5	2.559	100056	30.0	26.0	4.056
57.7- 58.3	080058	36.0	32.5	2.636	100058	32.0	28.0	4.177
59.7- 60.3	080060	38.0	34.5	2.714	100060	34.0	30.0	4.298
63.7- 64.3	080064	42.0	38.5	2.869	100064	38.0	34.0	4.540
67.7- 68.3	080068	46.0	42.5	3.023	100068	42.0	38.0	4.782
71.7- 72.3	080072	50.0	46.5	3.177	100072	46.0	42.0	5.024
75.7- 76.3	080076	54.0	50.5	3.332	100076	50.0	46.0	5.266
79.7- 80.3	080080	58.0	54.5	3.387	100080	54.0	50.0	5.508
83.7- 84.3	080084	62.0	58.5	3.642	100084	58.0	54.0	5.750
87.7- 88.3	080088	66.0	62.5	3.796	100088	62.0	58.0	5.992
91.7- 92.3	080092	70.0	66.5	3.951	100092	66.0	62.0	6.234
95.7- 96.3	080096	74.0	70.5	4.106	100096	70.0	66.0	6.476
99.7-100.3	080100	78.0	74.5	4.260	100100	74.0	70.0	6.718
103.7-104.3	080104	82.0	78.5	4.415	100104	78.0	74.0	6.961
107.7-108.3	080108	86.0	82.5	4.569	100108	82.0	78.0	7.203
111.7-112.3	080112	90.0	86.5	4.723	100112	86.0	82.0	7.445
115.7-116.3					100116	90.0	86.0	7.686
119.7-120.3					100120	94.0	90.0	7.928
123.7-124.3					100124	98.0	94.0	8.170
127.7-128.3					100128	102.0	98.0	8.413
131.7-132.3					100132	106.0	102.0	8.655
135.7-136.3					100136	110.0	106.0	8.897
139.7-140.3					100140	114.0	110.0	9.139

SAENORM.COM · Click to view the full PDF of ma3341a